UNIV. OF
TORONTO

DEPARTMENT OF MARINE AND FISHERIES

TORONTO LIBRARY
UNIVERSITY

REPORT

OF THE

METEOROLOGICAL SERVICE

OF

CANADA

Central Office, Toronto

R. F. STUPART, F.R.S.C., DIRECTOR

FOR THE YEAR ENDED DECEMBER 31, 1908

126904
20/3/13

OTTAWA
PRINTED BY C. H. PARMELEE, PRINTER TO THE KING'S MOST EXCELLENT MAJESTY
1912

CONTENTS

INDEX.

INTRODUCTION.

CLASSIFICATION OF CANADIAN STATIONS.

LIST OF STATIONS, Latitude, Longitude and Height Above Sea (when known), and the Class of each Station, Number of Forecasts and Percentage of Fulfilment, Phenological Phenomena, the Weather of 1908, Snow on the Ground, Thickness of Ice.

PART I.—Monthly and Annual Summaries for the Chief Stations.

PART II.—Monthly and Annual Meteorological Summaries for Telegraph Reporting Stations and Ordinary Stations of the First Class during the Year 1908.

PART III.—Monthly and Annual Meteorological Summaries for Stations of the Second Class during the Year 1908.

PART IV.—Bi-hourly and Hourly Temperatures and Barometric Pressure during the Year 1908.

PART V.—Mean Temperatures, Maximum, Minimum Temperatures, and Mean Daily Range of Temperature, Monthly and Annual Amount of Rainfall and Snowfall, Duration of Sunshine, in 1908.

PART VI.—Daily Observations from Selected Stations for the Year 1908.

PART VII.—Magnetical Results for each Month and for the Year 1908.

APPENDIX A.—Magnetic Fieldwork in Western Canada.

APPENDIX B.—Report on the Weather at Melville Island in the Arctic Regions.

INDEX

All stations are arranged in the body of this report in alphabetical order according to their classification.

Summaries for the Chief Stations ..... pages 2 to 7
" Stations of the First Class ..... " 9 to 65
" " Second Class ..... " 69 to 190
Phenological Phenomena ..... " xviii to xix
The Weather of 1908 ..... " xi to xiv
Table of Forecasts and Verification ..... " xx to xxi
Snow on the Ground ..... " xv to xvii
Thickness of Ice ..... " xv to xvii
Temperatures—
Mean ..... " 363 to 369
Maximum ..... " 370 to 376
Minimum ..... " 377 to 383
Mean Daily Range ..... " 384 to 391
Precipitation—
Rainfall ..... " 391 to 398
Snowfall ..... " 399 to 406
Self-recording Instruments—
Victoria ..... pages 192 to 215 " 301 to 323
Winnipeg ..... " 228 to 251
Toronto ..... pages 252 to 275 " 325 to 347
Montreal ..... " 276 to 287 " 348 to 359
Bi-hourly Readings—
Regina ..... " 216 to 227
Quebec ..... " 288 to 299
Hours of Bright Sunshine ..... " 407
Daily Observations (from Selected Stations) ..... " 411 to 506
Magnetic Observatory Report ..... " 508 to 518
Appendices A and B—
Fieldwork in Western Canada, and the Arctic Regions ..... " 519, 520.

INTRODUCTION.

Classification of Canadian Stations.

The classification which has obtained in the Meteorological Service of the Dominion of Canada is as follows:—

Chief Stations, where all ordinary observations are taken day and night at equal intervals of time not exceeding four hours.

Telegraph Reporting Stations, where all ordinary observations are taken three times daily at the same absolute time, namely, 8 A. M., 2 P. M. and 8 P. M., 75th Meridian time, and the first and last are reported by telegraph as soon as taken, to the Central Office at Toronto.

Ordinary Stations of the First Class, where all the ordinary observations are taken three times daily at certain ocal times

Ordinary Stations of the Second Class, where regular observations of temperature, extremes of temperature, the direction and velocity of the wind, and the state of the weather, are taken three times daily at regular local times, the rainfall and snowfall also being measured.

Ordinary Stations of the Third Class, where records are kept of the fall of rain and snow, and the general state of the weather.

Stations in operation during 1908, with the Latitude, Longitude and Height Above Sea (when known); also the class of each Station.

(A) Chief Station—(I) First-class Station—(II) Second-class Station—(III) Third-class Station—(T) Telegraph Station—(S) Sunshine registered

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	Observer.
British Columbia.	° ′	°	Feet.		
Agassiz, (Experimental Farm)	49 14	121 31	52	II S	T. A. Sharpe.
Alberni	49 15	124 49	300	II	S. R. S. Bayne.
Alberni (2)	49 14	124 50	.....	III	Henry Hills.
Athalmer	50 25	115 35	.....	II	E. W. Hewrtley.
Atlin	59 35	133 38	.....	I	F. W. Dowling.
Babine Lake	54 45	126 00	2222	II	A. W. Pretty.
Barkerville	53 2	121 35	4180	T	James Stone.
Bella Coola	52 40	126 54	150	II	C. H. Urseth.
Bamfield	48 50	125 9	.....	I	R. G. McLachlan.
Cape Scott	50 48	128 27	20	II	J. C. Nelson.
Chilcotin (Big Creek)	51 40	123 0	.....	II	H. E. Church.
Clayoquot (Christie school)	49 11	125 47	40	II	Rev. P. Maurus.
Coquitlam	49 25	122 47	445	III	R. D. Irvine.
Cowichan (Tzouhalen)	48 25	123 42	170	II	C. F. Walker.
Cranbrook	49 32	115 46	3014	III	J. S. Cummings.
Crawford Bay	49 45	116 45	2000	II	Cecil Paddon.
Denman Island	.....	.....	.....	III	Rev. B. C. Nixon.
Estevan Point	49 25	126 28	.....	I	A. H. Morse.
Fairview	.....	.....	.....	II	R. S. Atkins.
Ferguson	.....	.....	.....	III	F. C. Curry.
Fort St. James (Stuart Lake)	54 28	124 12	2280	II	A. C. Murray.
Garry Point	49 21	123 17	.....	II	Wm. McColl.
Golden	51 16	116 55	2550	II	John Bulman.
Goldstream Lake	48 27	123 33	283	III	George R. Crook.
Hartley Bay	.....	.....	.....	III	A. F. McCoskrie.
Hedley	49 35	120 10	.....	II	E. A. Holbrook.
Hedley (Nickel Plate)	49 30	120 0	5400	II	C. Revely.
Hornby Island	.....	.....	.....	III	R. DeB. Hovell.
Ikeda Bay	52 17	131 7	5	II	N. Abe.
Jordan River	.....	.....	.....	III	A. B. Carey.
Kamloops	50 41	120 29	1245	T	C. S. Stevens.
Kelowna (Okanagan Mission)	49 52	119 29	1200	II	F. E. R. Wollaston.
Kitamaat	53 59	128 42	.....	II	Dr. Bower.
Ladner	49 5	123 4	.....	II	A. DeR. Taylor.
Little Qualicum	.....	.....	.....	II	Mrs. M. E. Crump.

STATIONS in operation during 1908, &c—*Continued.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
BRITISH COLUMBIA—*Concluded.*	° ′	° ′	Feet.		
Massett	53 58	132 9	30	II	C. Harrison.
Naas Harbour	54 56	129 56	20	III	G. Chambers.
Nanaimo	49 10	123 53	.....	I S	H. L. Good.
Nanaimo (2)	49 10	123 53	30	III	Marshall Bray.
Nelson	49 29	117 21	1760	II	Alfred W. Dyer.
New Westminster	49 13	122 54	330	T	Hugh Willson.
Nicola Lake	50 9	120 39	2120	II	H. H. Matthews.
North Nicomen	49 12	122 2	59	II	J. F. Harris.
Pemberton	50 20	122 23	.....	II	A. Robertson.
Penticton	49 29	119 35	.....	II	W. J. Clement.
Prince Rupert	54 18	130 18	170	I	W. A. Casey.
Princeton	49 29	120 29	1650	II	Mrs. Hugh Hunter.
Port Simpson	54 34	130 26	26	T	Miss M. W. O'Neil.
Quatsino	50 32	128 3	.....	II	B. W. Leeson.
Quesnelle	52 59	122 30	1700	II	D. H. Anderson.
Revelstoke	51 0	118 6	1476	II	F. Fraser.
Rivers Inlet	51 39	127 19	20	I	S. Grant.
Rossland	49 5	117 48	3400	II	H. R. Townsend.
Royal Oak	48 24	123 19	75	III	D. Lehman.
Salmon Arm	50 42	119 35	1245	II	R. Hobson.
Shirley (Bear Creek)	.....	.....	.....	III	W. McCallum.
Spence's Bridge	50 25	121 30	760	II	J. A. Teit.
Summerland	49 57	119 0	1100	II	R. H. Agur.
Swanson Bay	50 37	126 53	.....	III	J. S. Mennie.
Thetis Island	49 0	123 40	.....	II	A. P. W. Nixon.
Tobacco Plains	49 1	115 5	2300	II	Michael Phillipps.
Tranquille	50 41	120 29	.....	S II	Provinical Sanitarium.
Vernon (Coldstream Ranch)	50 14	119 15	1246	II	E. F. Lloyd.
Vancouver	49 17	123 5	195	I	T. S. H. Shearman.
Victoria	48 24	123 19	85	T S	E. Baynes Reed.
YUKON.					
Conrad	.....	.....	.....	II	Percy Reid.
Dawson	64 4	139 20	1200	T	H. G. McKay.
White Horse	60 45	135 0	2075	II	J. A. Macdonald.
ALBERTA.					
Alix	52 28	113 10	.....	III	A. F. Wright.
Athabasca Landing	54 43	113 17	1650	II	S. Hayes.
Banff	51 10	115 34	4542	I	N. B. Sanson.
Barlo	53 17	112 47	.....	III	J. N. Jenning.
Beaver Hills, W	53 31	113 25	2525	III	Rev. Clement Hoyler.
Bismarck	52 44	113 53	.....	III	Henry Nagle.
Bittern Lake	53 4	113 0	.....	II	E. C. Roper.
Blackfalds	52 24	113 47	2876	II	G. L. Gregson.
Bon Accord	54 5	113 24	.....	II	John Schofield.
Bruederheim	53 48	112 4	.....	III	C. A. Albrecht.
Calgary	51 2	114 2	3389	T	Miss M. Bradin.
Cardston	49 12	113 18	.....	II	Martin Woolf.
Clover Bar	53 37	113 23	.....	III	James Drysdale.
Conjuring Creek	53 12	113 47	.....	III	J. A. Sangster.
Coutts	49 0	111 53	3463	III	Sergt. A. K. McLellan.
Daysland	55 52	112 17	.....	II	D. Davidson.
Didsbury	51 40	114 8	3300	II	C. L. Peterson.
Dorenlee	52 41	112 52	.....	III	C. Nixon.
Dunvegan	55 56	118 35	1505	II	F. J. H. Bedson.
Eckville	52 23	114 22	3000	II	J. S. Shenton.
Edmonton	53 33	113 30	2158	T	S. H. Young.
Fort Chipewyan	58 42	111 10	.....	I	Rev. O. J. Roberts.
Fort Vermilion	58 27	116 3	.....	II	Rev. W. S. Williams.
Gleichen	50 52	112 54	2952	II	Rev. Canon Stocken.
Grassy Lake	49 50	111 18	.....	III	D. K. Slausen.
Gray Hill	52 15	113 53	2795	II	Robert Gray.
Harmattan	51 45	114 23	3500	II	W. Lenesley.
Heather Brae	52 56	112 40	.....	III	A. W. Fleming.
High River	50 35	113 53	3394	II	Louis M. Roberts.
Hillsdown	52 3	113 50	.....	II	R. E. Fiske.
Innisfail	52 3	113 55	2806	II	Henry George, M.D., M.R.C.S.
Islay (Island Lake)	53 24	110 33	.....	III	J. R. Giles.
Josephsburg	49 45	114 16	.....	III	James Robinson.
Jumping Pound	51 7	114 36	3087	III	C. E. Byron.
Kimball	49 5	113 12	.....	III	E. D. Mallery.
Kneehills	51 55	113 47	2800	II	Alex. Wyndham.
Lacombe	52 28	113 45	2783	III	P. J. Crow.
Lacombe (Ex. Farm)	.....	.....	.....	II	C. E. Craig.
Lawrence	50 16	113 26	.....	II	A. D. Meacham.
Leavings	49 52	113 31	.....	II	A. Russell.

STATIONS in operation during 1908, &c.—*Continued*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
ALBERTA – *Concluded.*	° ′	° ′	Feet.		
Lethbridge	49 42	112 51	2982	II	C. B. Bowman.
Lethbridge (Ex. Farm)	49 23	112 51	.....	II	W. H. Fairfield.
Macleod	49 44	113 24	3128	II	Sergt. W. Haslett.
Macleod (2)	.....	.....	.....	III	M. J. Stapleton.
Magrath	49 24	112 52	3210	II	W. J. Hopkins.
Mayton	51 51	113 45	.....	III	J. W. Francis.
Medicine Hat	50 1	110 37	2161	T	Walter Crosskill.
Morinville	53 49	113 39	.....	II	A. N. Lavalle.
Okotoks	50 43	113 59	.....	III	J. D. Pugh.
Pakan	54 0	112 31	.....	II	J. A. Mitchell.
Peace River Crossing	56 15	117 15	.....	II	H. A. George.
Pekisko	50 26	114 14	3394	II	F. R. Pike.
Pembina	54 12	114 00	.....	II	A. Robertson.
Pincher Creek	49 30	113 58	3750	II	G. W. Gill.
Ponoka	52 40	113 34	.....	III	John Hageman.
Red Willow (Emsburg)	52 15	112 12	.....	II	Mrs. W. S. Fulton.
Saddle Lake	54 0	114 44	..	III	J. W. Carroll.
Shaftesbury	56 6	117 45	.....	II	Miss L. Millen.
Sion	53 54	114 15	.....	III	Geo. K. Cottmann.
Stirling	49 31	112 31	3045	III	Theo. Brandley.
Taber	51 0	113 0	.....	II	Westlake Bros.
Threehills Creek	51 30	113 11	.....	II	W. E. Cutler.
Vermilion	53 21	110 51	...	III	H. Sawtell.
Wabamun	53 29	114 25	.....	II	J. C. Haddock.
Waitefield (Ranfurly)	53 29	113 38	.....	II	Thomas B. Waite.
Wetaskiwin	53 0	113 20	2480	II	J. H. Walker.
SASKATCHEWAN.					
Alameda	49 15	102 17	1892	II	W. A. Nicholson.
Arcola	49 38	102 30	.....	III	J. R. Anderson.
Battleford	52 41	108 20	1622	T S	L. P O. Noël.
Broadview	50 23	102 33	1960	II	Geo. J. Gill.
Cannington Manor	49 43	102 2	2064	II	J. Cusack.
Drumague	51 5	103 24	.....	II	R. Longmore.
East End	49 31	108 49	.....	II	B. E. Rose.
Elm How	50 4	105 12	.....	III	H. W. Lindsley.
Esterhazy (Fairfield; Yarbo P.O.)	50 39	102 4	.....	II	John Kuehne.
Estevan	49 12	103 4	1858	II	D. R. Davies.
Fond du Lac	.....	.....	.....	II	Rev. A. Biehler.
Foxleigh	50 37	104 29	.....	II	W. Harford Davis.
Gatesgarth	50 20	105 0	1879	II	B. S. Rice.
Grenfell (Brownhill)	50 23	102 53	1957	II	W. H. Ball.
Haddington	51 29	107 47	.....	II	D. Mowat.
Hanley	51 38	106 28	.....	III	W. D. Mansell.
Heward	.....	.....	.....	II	H. M. Simmers.
Humboldt	52 12	105 9	.....	II	M. Dunsford.
Indian Head (Exp. Farm)	50 28	103 40	1924	II S	B. J. Reynolds.
Insinger	51 30	102 59	.....	II	R. Lowrie, jr.
Kamsack	51 30	101 52	.....	II	M. N. Campbell.
Last Mountain	51 13	104 40	.....	III	L. S. Irvine.
Lemberg	50 43	103 12	.....	II	G. W. A. Bock.
Lloydminster	53 18	110 0	.....	II	Stanley Rackham.
Melfort	52 47	104 30	.....	II	Frank Whitmore.
Meota	51 0	108 20	1700	II	George Douglas.
Moose Jaw	50 21	105 35	1745	II	Mrs. C. A. W. Stunt.
Moosomin	50 0	101 37	1884	II	E. L. Elwood.
Onion Lake	53 52	109 59	.....	II	E. B. Matheson.
Prince Albert	53 10	106 0	1432	T	C. O. Davidson.
Qu'Appelle	50 30	103 47	2115	T	Mrs. C. E. Gordon.
Regina	50 27	104 37	1885	I	R. N. W. M. Police.
Regina (2)	.....	.....	.....	III	W. E. Ekins.
St. Peter's	52 0	105 0	1870	II	Friar Maurus, O.S.B.
Saskatoon	52 15	106 30	1571	II	J. M. Eby.
Swift Current	50 20	107 45	2139	T	Mrs. Vaudreuil.
Waseca	52 6	109 29	....	II	Wm. Goodridge.
Willow Bunch	49 24	105 38	.....	II	N. A. Noël.
Yorkton	51 12	102 27	1633	II	J. I. Foster.
N. W. TERRITORIES.					
Fort Churchill	58 51	94 11	.....	I	D. H. Learmouth.
Fort Good Hope	66 20	128 25	.....	II	Rev. G. Houssis, O.M.I.
Fort Hope	51 32	87 48	.....	I	C. H. M. Gordon.
Fort McMurray	56 41	111 24	.....	I	T. W. Gordon.
Fort Norman	64 57	125 0	.....	II	Rev. G. Ducot, O.M.I.
Fort Simpson	61 52	120 43	.....	II	Rev. J. R. Lucas.
Hay River	60 51	115 20	.....	II	Rev. Thos. J. Marsh.
Norway House	53 58	97 52	720	I	C. C. Sinclair.
York Factory	57 0	92 28	55	I	W. Campbell.

Stations in operation during 1908, &c—*Continued.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	Observer.
	° ′	° ′	Feet.		
Manitoba.					
Almasippi	49 14	99 20	.....	II	Geo. T. Irvine.
Aweme (St. Alban's)	49 42	99 33	1180	II	Percy Criddle.
Beaver	50 1	98 42	862	III	H. M. Smith.
Berens River	52 18	97 23	710	II	D. McEwen.
Birtle	50 25	101 1	1703	II	James I. Foster.
Brandon	49 51	99 57	1176	II S	N. Wolverton.
Carberry	49 52	99 20	1258	II	H. Griffith.
Carman	49 31	98 0	872	II	R. Kellett.
Cartwright	49 6	99 20	1540	III	E. F. Heath.
Cypress River	49 33	99 3	1232	II	W. B. Gillam.
Dauphin	51 15	99 30	957	II	R. C. Brown.
Fort Osborne	49 53	97 11	1492	II	A. Codd, M.D.
Gretna	49 1	97 32	760	III	A. Klaassen.
Hillview	49 55	100 33	1650	II	F. W. Stevenson.
Minnedosa	50 15	99 50	1400	T	Mrs. S. J. Wellwood.
Morden	49 11	98 5	1690	II	Miss L. E. Bradshaw.
Moreton (Deloraine)	49 12	100 29	1644	II	J. Dand, C.E.
Norquay	49 29	98 45	798	III	W. H. Holland.
Oakbank	49 57	96 49	1500	II	A. Goodridge.
Oakdale Park	49 11	100 18	740	II	J. D. Hanson.
Pierson	49 11	101 5	1531	II	G. F. Morrison.
Pipestone	49 34	100 58	1800	II	L. G. Connon.
Portage la Prairie	49 57	98 17	2150	II	W. H. Miles.
Portage la Prairie (2)	.....	.....	.....	II	W. P. Smith.
Rapid City	50 7	98 22	1180	II	J. D. Plaice.
Rosebank	.....	.....	.....	III	Jas. S. Gibson.
Stony Mountain	50 4	97 14	803	I	Lt.-Col. A. G. Irvine.
Swan River	52 6	101 16	1112	II	H. Harley.
Treherne	49 36	98 40	1212	II	G. F. Brock.
Virden	49 51	100 55	1444	II	M. H. Simpson.
Winnipeg	49 53	97 7	760	T S	St. John's College.
Ontario.					
Agincourt	43 47	79 16	590	II	J. C. Clark, J.P.
Alton	43 51	80 5	1250	II	W. J. Dods.
Arden	44 40	76 57	643	III	Thomas Andrew.
Aurora	43 57	79 24	.....	III	Rev. Walter Ames.
Bala	45 0	79 30	740	II	F. W. Sutton.
Bancroft	45 1	77 50	.....	II	D. H. Morrison.
Barrie	44 23	79 41	839	II	E. R. Wainwright.
Beatrice	45 8	79 20	600	II	John Hollingworth.
Birnam	43 2	81 55	600	II	J. S. Mellor.
Bloomfield	43 59	77 21	260	II	C. B. Morgan.
Brantford	43 10	80 21	505	II	A. N. Ashton.
Bruce Mines	46 18	83 55	595	II	John Nicholas.
Chatham	42 23	82 12	595	II	W. W. Turner.
Clinton	43 32	81 37	.....	II	Geo. Baird.
Clontarf	45 23	77 9	.....	II	H. A. Schultz.
Cockburn Island	45 57	83 18	610	II	A. Monck.
Coldwater	44 38	79 40	600	II	James Lazenby.
Copper Cliff	46 30	80 59	.....	II	C. C. Co.
Cottam	42 7	82 45	606	II	Thomas Smith.
Croydon	44 34	77 0	.....	III	James Teskey.
Dutton	42 42	80 24	.....	III	S. Maccoll.
Emsdale	44 30	79 14	1075	III	Wm. Jenkin.
Ennismore	44 23	78 27	.....	III	Ernest Telford.
Georgetown	43 39	79 58	850	III	Mrs. B. Nixon.
Goderich	43 45	81 43	750	II	R. Campbell.
Haileybury	47 29	79 39	687	I	P. A. Cobbold.
Haliburton	45 1	78 28	1050	II	F. Freeman.
Hamilton	43 16	79 54	303	II	Miss I. M. Walker.
Huntsville	45 19	79 8	975	II	F. Wallas.
Huntsville (2)	.....	.....	.....	III	C. A. Wattson.
Judge	.....	.....	.....	II	C. Chapman.
Kakabeka Falls	48 29	89 26	915	II	Kaministiquia Power Co.
Kenora	49 48	94 32	1102	II	P. C. Mills.
Kingston	44 13	76 29	285	T S	A. P. Knight, M.D.
Lakefield	44 25	78 15	850	II	H. J. Le Fevre.
Lakeside Home (Toronto)	43 38	79 24	.....	II	W. J. Ham.
Lake Talon	46 15	78 48	.....	II	W. T. Gale.
Lake Temagami	47 5	80 5	968	II	A. Gregg Clarke.
Lansdowne	44 30	76 2	340	III	J. C. Stafford.
Lindsay	44 20	78 45	872	I S	Thomas Beall.
London	42 59	81 13	808	I	Miss M. J. Dewar.
Lorne Park	43 32	79 37	308	II	H. T. Carter.
Lucknow	43 56	81 30	908	II	W. E. McDonald.
MacCue	44 53	76 10	.....	III	W. J. McLean.
Madoc	44 30	77 29	502	II	Rev. C. J. Young.
Meaford	44 37	80 37	600	II	M. M. Manley.
Midland	44 44	79 53	753	III	J. L. Ferrier.

STATIONS in operation during 1908, &c.—*Continued.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
ONTARIO—*Concluded.*	° ′	° ′	Feet.		
Montague	44 55	75 58	.....	III	J. Chalmers.
Moose Factory	51 16	80 56	30	I	W. E. Carswell.
North Bruce	44 23	81 25	.....	II	J. B. Muir.
North Gower	45 8	75 43	.....	II	Clarence Craig.
Orangeville	43 55	80 7	592	III	N. Gordon.
Orillia	44 34	79 24	775	II	M. B. Tudhope.
Otonabee	44 20	78 18	674	II	J. M. Drummond.
Ottawa	45 26	75 42	294	T S	Fisheries Department.
Owen Sound	44 34	80 55	597	II	J. R. McKenzie.
Paris	43 12	80 25	840	II	John Kay, J.P.
Parma	44 9	76 56	.....	III	C. R. Allison.
Parry Sound	45 19	80 0	635	T	W. R. Foote.
Pelee Island	41 50	82 38	585	II	J. R. Lidwell.
Peterborough	44 17	78 19	722	II	Walter Peters.
Point Clark	44 5	81 44	595	II	Murdoch McDonald.
Port Arthur	48 27	89 12	644	T	W. P. Cooke.
Port Burwell	42 39	80 50	592	II	M. G. Burwell.
Port Dover	42 47	80 13	635	II	L. G. Morgan.
Port Hope	43 56	78 20	.....	II	F. H. Barnes
Princeton	43 13	80 38	934	III	D. Beamer.
Renfrew	45 26	76 39	416	I	Geo. McMillan.
Reservoir Grounds (Toronto)	.....	.....	.....	III	D. Robertson.
Rockliffe	46 12	77 55	472	T	Mrs. E. McKay.
Ronville	45 15	78 57	1038	II	C. J. C. Crump.
Sarnia	42 59	82 24	586	II	Wm. Mowbray.
Scarboro	43 44	79 13	545	II	Robert Martin.
Southampton	44 30	81 21	656	T	Mrs. Kate Stewart.
Stony Creek	43 13	79 45	292	II	C. T. Van Wagner.
Stratford	43 23	81 0	1191	II	E. H. Eidt.
Strathroy	42 57	81 39	.....	III	B. Gott.
Sunnyside (Wooler)	44 8	76 45	.....	III	J. C. Dunn.
Sutton West	44 19	79 18	.....	II	Rev. G. I. Everest.
Sydenham	44 15	76 28	350	III	E. S. Shorey.
Toronto	43 40	79 24	350	T A S	Observatory.
Uplands	45 48	79 25	.....	II	Poole McDonald.
Ursa	44 54	78 18	.....	II	Stephen Kettle.
Uxbridge	44 5	79 8	886	II	William Foster.
Wallaceburg	42 35	82 24	.....	II	A. N. Clark.
Watford	42 54	81 52	783	III	D. Ross.
Welland	42 59	79 17	425	II	Jas. Coulson.
Westminster	42 56	81 17	.....	III	Geo. Riddell.
Westport	44 37	76 21	.....	III	William McKnight.
White River	48 35	85 16	1252	T	A. G. McCall.
Wiarton	44 44	81 9	530	III	Miss Laura Woodman.
Windsor	42 20	83 4	625	II	F. P. Gavin, B.A.
Wyoming	42 56	82 7	709	III	J. Osborne.
QUEBEC.					
Abitibi	48 43	79 22	.....	II	George Drever.
Anticosti, Heath Point	49 6	61 42	30	II	A. Tremblay.
Anticosti, S.W. Point	49 24	63 35	30	T	Z. Lemieux.
Anticosti, W. Point	49 52	64 32	30	II	A. Malouin.
Bicquet	48 25	68 53	.....	II	Louis Pineault.
Bird Rocks	47 51	61 8	106	T	Wilfrid Bourge.
Brome	45 10	72 36	678	II	G. F. Hall.
Cape Chatte	49 6	66 45	.....	II	Luc. Coté.
Cape Magdalen	49 16	65 20	93	II	J. F. Sasseville.
Chicoutimi	48 25	71 5	150	II	Hôtel Dieu Saint Vallier.
Clarke City	50 10	66 25	.....	II	North Shore Power, Ry. and Nav. Co.
D'Israeli	45 55	71 21	896	II	J. O. Gagné.
Father Point	48 31	68 19	20	T	J. McWilliams.
Montreal	45 30	73 35	187	T S	Prof. C. H. McLeod, Ma. E.
Paspebiac	.....	.....	.....	II	Atlantic, Quebec and Western Ry.
Percé	48 31	64 12	50	II	J. X. Lavoie.
Quebec	46 48	71 13	296	T	Arthur Smith, P.L.S.
Roberval	48 31	72 13	352	II	A. B. Naud.
Ste. Anne de Bellevue	45 27	73 59	.....	II	Benj. Richardson.
Shawenegan Falls	46 34	72 43	.....	II	W. B. Blockley.
Sherbrooke	45 32	72 5	.....	I	Prof. P. A. Begin.
Whitefish River	.....	.....	1190	II	Frank Moberly.
NEW BRUNSWICK.					
Bathurst	47 39	65 42	45	II	Thos. Leahy.
Chatham	47 3	65 29	21	T	J. F. Connor.
Dalhousie	48 4	66 22	39	II	Jas. Harquail.
Fredericton	45 57	66 36	164	I S	Chanc. C. C. Jones, M.A., LL.D.
Grand Manan	44 47	66 46	49	T	Mrs. C. C. Seeley.
Moncton	46 9	64 45	50	II	J. Edington, C.E.
Point Escuminac	47 4	64 46	20	II	K. R. McLennan.

STATIONS in operation during 1908, &c.—*Concluded.*

STATIONS.	Latitude, North.	Longitude, West.	Height above Sea.	Class of Station.	OBSERVER.
	° ′	° ′	Feet.		
NEW BRUNSWICK *Concluded.*					
Point Lepreaux	45 4	66 28	30	II	R. L. Belding.
St. John	45 17	66 4	70	T	D. L. Hutchinson.
St. Stephen	45 11	67 16	35	II	P. G. McFarlane.
Sussex	45 38	65 38	69	II	H. E. Gould.
NOVA SCOTIA.					
Halifax	44 39	63 36	88	A T	F. P. Ronnan.
Parrsboro'	45 23	64 19	40	II	Dr. W. D. McKenzie.
Port Hastings	45 39	61 22	45	II	A. Graham.
Sable Island, E. Pt	43 58	59 46	25	II	Wm. H. Horne.
Sable Island, Main Station	43 57	60 6	25	I	R. J. Boutelier.
Sydney	46 10	60 10	35	T	R. Laffin.
Truro	45 22	63 18	.....	I	Capt. L. Vance.
Whitehead	45 15	61 18	20	II	James Wells.
Windsor	44 59	64 6	.....	II	Rev. C. E. Willets, M. A.
Wolfville	45 7	64 2	28	II	F. E. Porter.
Yarmouth	43 50	66 2	65	T	Capt. J. E. Murphy.
P. E. ISLAND.					
Charlottetown	46 14	63 10	38	T	M. Newbury.
Hamilton	46 25	63 48	.....	II	Howard Ramsay.
Hillsboro'	.....	.....	.....	II	H. B. McLean.
Summerside	46 10	63 51	.....	II	R. S. Bowness.
NEWFOUNDLAND.					
Belle Isle	51 53	55 22	436	I	P. J. Colton.
Cape Norman	51 38	55 52	.....	II	J. W. Campbell.
Channel	47 37	59 9	50	II	G. G. Cotter.
Pointe Amour	51 28	56 51	.....	II	T. H. Wyatt.
Pointe Riche	50 42	57 25	35	II	Narcisse Breton.
St. George	48 40	58 27	21	I	Capt. E. Hirst.
St. John's	47 34	52 42	125	T	Mrs. H. Higgins.
BERMUDA.					
Prospect	32 17	64 30	151	T	Senior Medical Officer.

THE WEATHER OF THE YEAR 1908.

TEMPERATURE.

JANUARY.

The mean temperature of the month was higher than average in all parts of Canada, exclusive of some of the eastern counties of Ontario, where there was a negative departure of from 1° to 3°. Near the coast in British Columbia the positive departure was from 1° to 3°, and eastward this increased to from 12° to 15° in Alberta, which differences also obtained in Saskatchewan and Manitoba. From the eastern boundary of Manitoba the positive departure from average gradually diminished to an excess of only 3° near Lake Huron, and in Southwestern Ontario the excess was between 1° and 3°. Over most of Quebec the positive departure varied between 1° and 4°, and in the Maritime Provinces between 3° and 5°.

FEBRUARY.

The temperature was very slightly below the average in British Columbia, considerably above it from the Rocky Mountains to the Lake Superior region, much below the average from the Georgian Bay district and eastward as far as the eastern part of the Province of Quebec and above it in nearly all portions of the Maritime Provinces. In the Western Provinces the positive departures ranged from 8° to 12° and in the Maritime Provinces from 1° to 4°. The negative departures in Ontario ranged from 2° to 6° and in Quebec from 1° to 3°.

MARCH.

The normal mean temperature was exceeded in Southern British Columbia, over the greater part of Ontario, locally in Quebec and locally in the Maritime Provinces, the excess ranging between 0·5° and 5°. Throughout the provinces of Alberta, Saskatchewan, and Manitoba, the larger part of Quebec, and locally in the western districts of the Maritime Provinces the normal mean was not attained, the actual mean ranging from 0·5° to 7° below normal.

APRIL.

The average daily temperature for the month of April was below average over the greater part of British Columbia by 1° to 3°. In Alberta the mean of the month exceeded the normal temperature 1° to 4° and in Saskatchewan 0°.5 to 3°. In Manitoba the mean of the month ranged from average to 3° in excess of the normal. In Ontario the normal was exceeded by 1° on the west shore of Lake Superior and by 1° to 2° in the southwestern districts of the peninsula; but elsewhere in the province the mean was below average, the deviation from normal ranging from 2° to 7°. In Quebec and the Maritime Provinces the deviation from normal was also negative, ranging between 3° and 7° in the former and between 3° and 4° in the latter.

MAY.

Over the greater part of Canada the mean daily temperature exceeded the normal, and only in British Columbia and Nova Scotia were local deviations below normal at all marked. Over middle and eastern British Columbia the mean was exceeded by from one-half to two degrees, the southwestern districts showing mean temperatures 1° to 3° below normal. In Alberta and Saskatchewan the excess over normal varied from 1° to 4° and in Manitoba from 0·5° to 2·5°. In Ontario the average deviation from normal was 3° above but at some stations 5° above was reached, while a very few stations in the extreme south-western district of the peninsula reported means slightly below normal. Mean temperatures in Quebec varied from average 2·5° above with a few local deficiencies reported. In the Maritime Provinces the excess above normal was from 1° to 2°, but a few coast stations in Nova Scotia reported means 0·5° to 4° below normal.

JUNE.

Mean temperatures in British Columbia were from 2° to 5° above the average over the greater part of the province, but slight deviations below normal occurred in scattered localities. In the Western Provinces, the deviation below normal was from 1° to 3°. But from the eastern shores of Lake Superior to the Atlantic, mean temperatures were above normal from 1° to 3° except in the Peninsula and Georgian Bay district of Ontario where the deviation varied from 2° to 5° and on the shores of the Gulf where a very slight deviation below normal was recorded.

JULY.

The mean temperature was above normal throughout the greater portion of the Dominion, the exceptions being Eastern Saskatchewan, the larger part of Manitoba and the Rainy River District of Ontario where slightly subnormal values were recorded.

AUGUST.

Over the greater part of the Dominion the mean temperature for the month of August was below average 1° to 3°. Locally in British Columbia and New Brunswick the average was exceeded by 0·5° to 2°. In the Georgian Bay and Lake Superior districts of Ontario and locally in the Ottawa Valley there was an excess of 1° to 2°. 5° below average was reported from some districts in Saskatchewan and just average in parts of Quebec. In all other instances the difference from average ranged between 1° and 3° below.

SEPTEMBER.

Except in British Columbia, where the mean of the month was from 2° to 3° below normal, mean temperatures from September were above average throughout Canada. In Alberta, Saskatchewan and Manitoba the deviation from normal ranged between 2° and 4°; in the Lake Superior, Georgian Bay and Ottawa Valley districts of Ontario between 4° and 6°, while on the northern shores of Lake Ontario the deviation did not exceed 4°, and on the northern shores of Lake Erie did not exceed 1°. In Quebec the range of deviation was from 2.5° to 5°, in New Brunswick from 2° to 3°, in Nova Scotia and Prince Edward Island from 0·5° to 3°, and in Newfoundland between 2° and 4°.

OCTOBER.

The mean temperatures were from 2° to 5° above normal over the Provinces of Ontario, Quebec and New Brunswick and the eastern districts of Manitoba; and from 1° to 3° above normal over Nova Scotia, Prince Edward Island and Newfoundland. In southern Alberta and southern Saskatchewan mean temperatures were from 3° to 5° below normal; and over northern Alberta, northern Saskatchewan, British Columbia and western Manitoba, from 1° to 3° below normal. The mean temperature for October, 1908, at Toronto has been exceeded only three times in 69 years, viz., in 1879,1882 and 1900.

NOVEMBER.

Mean temperatures were generally above the average throughout Canada. In British Columbia the mean of the month was from 2° to 9° above normal; in Alberta 5° to 8°; in Saskatchewan, 5° to 9°; in Manitoba, 4° to 8°; in New Ontario, 5° to 7°; in the peninsula of Ontario, 3° to 5°; in Eastern Ontario, Quebec and New Brunswick, 1° to 2°; Newfoundland, less than 1° above average.

In Nova Scotia and Prince Edward Island the mean of the month was generally 1° below average except in the south-western extremity of Nova Scotia where the mean exceeded the normal by 2°.

DECEMBER.

The mean of the month was 2° above average in the Yukon; from 2° to 6° below in British Columbia; 2° to 3° below in southern Alberta and southern Saskatchewan, and 1° below in the north, but from 1° to 4° above in the central districts; about 3° above in Manitoba; generally about 1° above in Ontario, but average in the Lake Superior districts, and from 1° to 2° below in the Georgian Bay and Ottawa Valley districts; in Quebec generally about 3° below; 2° below in the Maritime Provinces, and 1° below in Newfoundland.

PRECIPITATION.

JANUARY.

The precipitation was somewhat in excess of the average in Quebec and the Maritime Provinces and deficient in other parts of the Dominion. In British Columbia the deficiency was small; in the Western Provinces the total precipitation was approximately equal to half the average amount.

FEBRUARY.

The precipitation was much in excess of the average over the greater portion of Canada, in most districts from 50 p.c. to 100 p.c. more than the normal. It was, however, from 20 p.c. to 40 p.c. deficient in Alberta, and there were also marked deficiencies in several districts of British Columbia, Manitoba and the south-western portion of the Maritime Provinces.

MARCH.

The month of March was not remarkable for the amount of precipitation recorded, but rather for the unusually large number of days during which precipitation of .01 of an inch, or over, was measured. In British Columbia and the Western Provinces the amount of precipitation, regarded generally, was slightly in excess of the average for the month of March, although many stations reported a deficiency. In Ontario, although a few stations reported an excess, precipitation generally was deficient, while .01 of an inch or over was recorded on many days. Southampton may be taken as an instance of this, precipitation being recorded on 17 days, but the total for the month being but two-thirds of the normal amount. At Toronto, precipitation was recorded on 16 days but the total was little more than one-half of the normal amount. In Quebec conditions were similar to those obtaining in Ontario. Precipitation exceeded the average at Quebec and Brome only, being recorded at Quebec on 20 days, totalling 5·5 inches, and at Brome on 14 days totalling less than 3 inches. In the Maritime Provinces precipitation was much below the average, except in Prince Edward Island where excess was recorded at all stations. Notwithstanding this deficiency precipitation was recorded at one station on 19 days, at two stations on 17 days, at four on 14 days, and elsewhere on from 7 to 11 days.

APRIL.

In British Columbia the normal amount of precipitation was not registered except in the extreme north of the province, but a part of the total consisted of snow which increased in amount and frequency with the altitude above sea-level. Precipitation was deficient in Alberta, except in Calgary and its immediate vicinity, and was slightly in excess in Saskatchewan and Manitoba. Snowfalls were reported from all these provinces. In Ontario an excess was measured except in the central and eastern counties. Precipitation was heavy in many districts of Quebec, but the normal amount was not recorded in others. From 25 p.c. to 40 p.c. in excess of the normal totals was registered in most districts of the Maritime Provinces. Heavy snowfalls were recorded on a few days in Quebec and the Maritime Provinces, but very few districts in Ontario reported snow.

MAY.

The amount of precipitation was in excess of normal over the greater portion of Canada. Marked local deficiencies occurred in British Columbia, but an excess of 10 p.c. to 50 p.c. occurred in most districts. The excess over normal amounted to from 30 p.c. to 50 p.c. in Alberta and Saskatchewan but a deficiency occurred in the area between longitudes 104° to 108°, about the 50th parallel. In Manitoba the excess ranged from 5 p.c. to 50 p.c. of the normal amount; and in Ontario was generally about 30 p.c., but deficiencies were reported from the extreme southwest of the Peninsula. In Quebec the excess varied between 5 p.c. and 50 p.c. In the Maritime Provinces generally the excess ranged between 25 p.c. and 50 p.c. of the normal amount, but very small deficiencies occurred at several points on the coast line.

JUNE.

Precipitation was greatly in excess over the provinces of Alberta and Saskatchewan, in many districts equalling twice the average amount, but elsewhere in Canada with local exceptions, the rainfall was much below normal, the deficiency ranging from 25 p.c. to 70 p.c. of the normal amount.

JULY.

Over the greater part of Canada the amount of precipitation was less than average. In British Columbia there was a slight excess in the valley of the Fraser, but elsewhere there was a deficiency. In the Western Provinces the deficiency was especially marked in Southern Saskatchewan, where the total amount registered was scarcely more than 25 p.c. of the normal. An excess was registered in many inland districts of the peninsula of Ontario, but elsewhere in the province precipitation was very light. With the exceptions of Montreal and Father Point and their immediate vicinities, the province of Quebec reported very light precipitation. Southern Nova Scotia reported a slight excess, but this was attributed to severe thunderstorms which occurred locally.

AUGUST.

In the Cariboo district of British Columbia the normal precipitation was exceeded by about one-third, but elsewhere in the province there was a marked deficiency. In Alberta and western Saskatchewan the deficiency was equivalent to from one-third to one-half of the average amount. In eastern Saskatchewan and Manitoba there was a slight excess. In the Georgian Bay and Ottawa Valley districts of Ontario the precipitation was very deficient, but elsewhere in the province there was an excess of about one-third of the average. In western Quebec there was a slight deficiency, but a slight excess at most points in the east, due to heavy thunderstorms on or about the 5th, 13th, 17th and 18th. In New Brunswick there was an excess ranging between 30 p.c. and 50 p.c. of the normal, but over the greater part of Nova Scotia there was a deficiency of about 25 p.c.

SEPTEMBER.

Except in the northern districts of British Columbia, quite locally in Northern Alberta and Saskatchewan, and in Manitoba less a narrow area along the International Boundary, the amount of precipitation registered throughout Canada during the month of September was very considerably below average. Over the greater part of British Columbia less than one-third of the normal amount was registered, and in Northern Alberta and Saskatchewan generally, less than one-half. In the southern districts of these two latter provinces the drought was very severe, several stations reporting only a trace of rain for the whole month. In Manitoba an excess equivalent to from 5 p.c. to 25 p.c. of the normal rainfall was registered except in the excepted area mentioned.

The drought in Ontario was second to the longest on record, that of 1876. In Quebec one-third to one-half the normal amount was recorded. In New Brunswick the drought was the longest on record, and while some stations received less than a tenth of an inch of rain, at others from 25 p.c. to 40 p.c. of the normal amount was registered. In Prince Edward Island, Nova Scotia and Newfoundland, approximately one-half of the normal precipitation was reported. 25 p.c. to 40 p.c. of the normal rainfall was recorded at most stations, although the drought was more severe locally, less than one-tenth of an inch having fallen at Dalhousie. River levels were very low at the end of the month and forest fires had done much damage.

OCTOBER.

Precipitation was considerably in excess of normal from 35 p.c. to 200 p.c. over Alberta, Saskatchewan and eastern Manitoba, and slightly in excess in the Gaspé Peninsula, southeastern New Brunswick and the extreme southerly districts of Nova Scotia. In British Columbia no marked deficiency nor excess was recorded in any district. Over Ontario, Quebec and the Maritime Provinces there was a general deficiency, which was quite pronounced in the Georgian Bay district of Ontario.

NOVEMBER.

Precipitation was deficient over the greater area of the Dominion. The total amount was in excess of normal near the coast in British Columbia, in Northern Ontario and locally in Cape Breton Island; elsewhere in Canada and Newfoundland the amount recorded varied from almost nil at a few stations in southern Alberta to 75 p.c. of the normal quantity in north-eastern Nova Scotia. In southern Ontario, Quebec and the western provinces the deficiency was most marked.

DECEMBER.

The amount of precipitation was less than normal in British Columbia, Alberta, Saskatchewan, Manitoba, the greater part of Ontario; and above normal, in Alberta and Saskatchewan, locally in southwestern Manitoba, the Lake Superior and Georgian Bay districts of Ontario, Quebec, the greater part of the Maritime Provinces, and in Newfoundland.

Table of Bright Sunshine during the Year 1908.

Province.	Above Average.	Below Average.
British Columbia	Jan., Feb., June, July, Aug., Sept., Nov., Dec.	Mar., April, May, Oct.
Alberta	Jan., Feb., April, May, June, July, Aug., Sept., Nov., Dec.	Mar., Oct.
Saskatchewan	Jan., April, May, June, July, Aug., Sept., Nov., Dec.	Feb., Mar., Oct.
Manitoba	Jan., April, May, Aug., Sept.	Feb., Mar., June, July, Aug. (eastern), Oct., Nov., Dec.
Ontario	Jan., Feb., June, July, Aug., Oct.	Mar., April, May, Sept., Nov., Dec.
Quebec	June, July, Aug., Sept., Oct	Jan., Feb., Mar., April, May, Nov., Dec.
Maritime Provinces	Feb., April, June, July, Aug., Sept., Oct.	Jan., Mar., May, Nov., Dec.

Depth of Snow on Ground and Thickness of Ice, in inches, at End of each Month during 1908.

STATIONS.	January.		February.		March.		April.		November.		December.	
	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.
Alberta, Saskatchewan and Manitoba.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Alameda	¼				2½							
Alix	2 to 4		traces		2 to 4						3	
Bruederheim	2½				1				5½		4½	
Bittern Lake					11				8	8 to 12	7	
Blackfalds	2½		2		4				1			
Bon Accord	5½		6 bush		12 bush				4		6	
Beren's River	11		11½		19				19		35	
Chaplin	1		7		8				none		3	
Drumaguc	7		18									
Didsbury	ground / covered		ground / covered		7						none	
Daysland			10½									
Estevan	½	26	½	30	6	36			traces	8		18
Eckville	7		6		10½				3			
Fond du Lac	21		22		23		9				17	
Fairfield											8	
Fort Vermilion (Peace River)	18		19		23				12		13	
Grassy Lake	¼	14			1				½		1	10
Gray Hill	½ open / 3½ bush		1 open / 4 bush		7 to 9							
High River	2		2		2	1						
Hillsdown	3 bush		1		5				1		2	
Indian Head	4		6									
Lamping Pound	3				6				covered		5	
Knee Hill	2											
Lloydminster	3		6		10							
Lawrence	2				2				none	3		
Lacombe									½	9		
Macrath	4				1							
Macleod	3		1½		traces				nil		½	
Morden	2								1			
Norquay	3											
Pakan	fields 6 / woods 8				6				just / covered		5	
Red Willow	6				12				none	10	4	22
Saskatoon	3		5		10				2½		5	
St. Peter's Monastery (Muenster)	8										2	
Sedalia	4½		3		4						12	
Wascana	6											
Wetaskiwin	3	19	7	24	8	26			12	10	9	15
Wahstao	7	12			8	24			3	18	7	16
Wetaskawin	2		3		4				6			
Ontario												
Arden	12	17	24	20	woods 24 / open 8	21			nil			
Acton	30		36		fields bare							
Elmom	12		5 to 20		traces		fence / corners				traces	
Beatrice	24		25		6		2				17	

DEPTH of Snow on Ground and Thickness of Ice, in inches, at End of each Month during 1908—*Concluded.*

STATIONS.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		NOVEMBER.		DECEMBER.	
	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.	Snow.	Ice.
ONTARIO—*Concluded.*	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.
Bruce Mines	8	20	29	25	17	24 blue ice 9 snow ice					10	11
Bradford	20	13	10									
Clinton	9 drifted		15 drifted	20	in banks and fences						4	
Cockburn Island	9		25			28					17	
Emsdale	18 drifted		12						0		20	
Georgetown	12 to 14	15	18		bush patches						3 to 4	
Gravenhurst	23	10 to 16	33	22	14		none				15	2 to 3
Haliburton	30		12 bush									
Judge	16		24									
Lansdowne	14		8	8	patches	6	none	none	none		8	
London	8		12		none				none		barely covered	
Lucknow	14 bush		3 bush	17	nearly bare		some banks				24	
Meaford	24		24									
Madoc	19		30		5		patches in bush		0		8	
Owen Sound	24	10	24	18	few drifts						24	
Port Burwell	4½	8	13	18	none							5
Port Arthur	2	14	4½						none	none	12	8½
Port Dover	6 drifted	12 lake 8 creek	7	14			white				none	no ice on lake
Peterboro	30		32	22	patches				0		6	
Paris	5		14									
Renfrew	26	16	30	10 to 24			traces				12	18
Ronville	32 bush		44 bush		36 bush						21 bush	
Sutton West		10		22		ice solid						
Strathroy	18	18	24	18 to 24	20						none	
Sunnyside	13				20						not much	
Toronto	8		10				white					
Uxbridge	2		2									
Uplands	22		28½		20						22	
Woodstock			30									
QUEBEC.												
Clarke City			39								34	
Disraeli	30		54		30							
Father Point	10											
Quebec	24				42						25	
Sherbrooke	5		5½		0		0		0		13	
MARITIME PROVINCES.												
Dalhousie	30						patches		7		24	8
Fredericton	10	17			none	24			none		8½	15

Moncton	6									2	
Pt. Lepreaux	10	16			1	12		nil	4 fresh		ponds 5
Pt. Escuminac	9	fresh 13, salt 6				fresh 20, salt 10				12	lakes 11, salt 8
Sydney	nil	harbor, no ice, lakes 12	1½	harbor 3, lakes 9	nil	harbor 8, lakes 12	nil	none	nil	fresh 4	ponds 5
St. Stephen	4		4		bare					2	
Summerside	3	10	none		bare						

Phenological Phenomena.—Dates when first seen, 1908.

Day of the year corresponding to the last day of each month, 1908.			
January	31	July	213
February	60	August	244
March	91	September	274
April	121	October	305
May	152	November	335
June	182	December	366

Number.	New Westminster, B.C.	Princeton, B.C.	Big Creek, B.C.	Massett Inlet, B.C.	Lachner, B.C.	Alberni, B.C.	Quesnel, B.C.	Stuart's Lake, B.C.	Emsburg, Alta.	West Beaver Hills, Alta.	Sion, Alta.	Gray Hill, Alta.	Raniurly, Alta.	Moose Jaw, Sask.	Lloydminster, Sask.	Insinger, Sask.
1 Blood Root (Sanguinaria Canadensis), flowering																
2 Hepatica (Hepatica triloba) "																
3 Trailing arbutus (Epigæa repens)																
4 Dandelion (Taraxacum officinale) "	96	129			101	101	126	154	145	126	142	145	156			
5 Violet, Blue (Viola cucullata) "		135			41		126			134	141	133	137			
6 Violet, White (Viola blanda) "	108	120	143		36	115	120	141	132	140	125	126	131			
7 Columbine (Aquilegia formosa) "		159		121		154						161				
8 Blueberry (Vaccinium) "				142			160			133	125					
9 Red Clover (Trifolium pratense) "	148	164	189	197	79	158	165									
10 White Clover (Trifolium repens) "	146	140	184	172	83	132	160	168		164		167				
11 Wild Raspberry (Rubus) "		169		121	111		150			166	141		156			
12 Cultivated Currant (Ribes rubrum) "	99	130		152	112	108	153			134	145	149	135			
13 Wild Rose (Rosa lucida) "	149	160		142	152	152	151	179	179	155	171	162	159			
14 Trillium (Trillium) "	92					120										
15 Anemone (Anemone patens) "			159						115	116	139	109	114			
16 Maple (Acer) "	80				106	118				127			126	115		
17 Strawberry, Wild (Fragaria Virginiana) "	122	128	142	125	106	119	140		113	132	133	122	136			
18 Strawberry, Cultivated (Fragaria) "	129	131		183	111	127				140						
19 Crocus, Cultivated (Iris) "	46	144												107		112
20 Lilac (Syringa vulgaris) "	131			208	101		126					158				
21 Apple (Pyrus malus) "	122	139			111	136	150			134						
22 Plum, Cultivated (Prunus domestica) "	95	143			121	124										
23 Cherry, Wild (Prunus) "	126	136			101	132				141		149	141			
24 Cherry, Cultivated (Prunus cerasus) "	110	143			101	121										
25 Buttercup (Ranunculus acris) "	141	88		122			139		127	121	133	122	119			
26 Yellow Pond Lilly (Nuphar advena) "	180		177	160			169				133					
27 Pitcher Plant (Sarracenia purpurea) "																
28 Saskatoon (Amelanchier Canadensis) "		129	158			136		158		133	141	143	141			
29 Golden Rod (Solidago) "	209								197	191	159	206	205			
30 Geese, migrating		114	100	132			132		94	94	101	97	102	97	102	93
31 Ducks "			94	113		138	128		102	97	100	97	104		102	103
32 Robins "		63	78			41		98	118	106	113	105	108	116		
33 Meadow Larks, migrating		62	87			65			103	116	92	86	133			
34 Blue Birds "		70	76					103		96	132	109				
35 Flicker or Golden Woodpecker, migrating			97	92						114	132	114	114			
36 Song Sparrow, migrating		105		122						112	133	86	115			
37 Swallows "		123	114	118	126	87		121	108	118	156	116	130			
38 Juncoes "								96		106		108	104			
39 Orioles "		148								141						
40 King Birds "										138		145	154			
41 Humming Birds "	125	132	145	113	109	97				204		224	204			
42 Frogs piping	97	101		147		68		120	107	102	108	103	103			103
43 Earth Worm Casts (Frost out of ground)		98	103						112	116		103	104			
44 Lakes open			128				86	131	110	107	102	114	116			
45 Rivers open		80					125	117		112		102		95		
46 Ploughing		99	104			87		135	109	107	102	100	105		108	
47 Sowing		103	128		93	101			118	102	111	107	108	99	115	106
48 Hay cutting		192	197	196	188	183	225	201	205	194	203	198	205	99		
49 Grain "		225		243	217	226	230	239	225	228	237	230	225		231	
50 Potato planting		127	156	106	94	105		140	136	126	121	135	128			

Note.—For reports from Galt, Ont., and Guelph, Ont., also averages for Nova Scotia, we are indebted to Dr. A. H. Mackay, LL.D. General Secretary of the Botanical Club of Canada, and his assistants.

PHENOLOGICAL PHENOMENA.—Dates when first seen, 1908—*Concluded*

Day of the year corresponding to the last day of each month, 1908.

January	31	July	212
February	59	August	243
March	90	September	273
April	120	October	304
May	151	November	334
June	181	December	365

Number.		Morden, Man.	Norquay, Man.	Oakbank, Man.	Awenne, Man.	Beatrice, Ont.	Birnam, Ont.	Galt, Ont.	Guelph, Ont.	Woodstock, Ont.	Toronto, Ont.	Madoc, Ont.	Lucknow, Ont.	Abitibi, Que.	St. Stephen, N.B.	Nova Scotia (Average).
1	Blood Root (Sanguinaria Canadensis), flowering						120		111	111	123	118				134·6
2	Hepatica (Hepatica triloba)	"							107	116	108	115				129·2
3	Trailing Arbutus (Epigæa repens)	"													120	111·7
4	Dandelion (Taraxacum officinale)	"	102	135	149	135	136	117	114	114	125	130				134·2
5	Violet, Blue (Viola cucullata)	"		135			130			101		135				128·2
6	Violet, White (Viola blanda)	"	123	129	133		134			99	137	135				133·1
7	Columbine (Aquilegia formosa)	"	149	158					142							
8	Blueberry (Vaccinium)	"									142					146·5
9	Red Clover (Trifolium pratense)	"			185			170								161·2
10	White Clover (Trifolium repens)	"		159	172			174								161·8
11	Wild Raspberry (Rubus)	"		165			165									164·2
12	Cultivated Currant (Ribes rubrum)	"		135			141	138			149					145·0
13	Wild Rose (Rosa lucida)	"	165	158	157			158	165		162					178·6
14	Trillium (Trillium)	"	145	148		148	180		124	116	125	132				146·9
15	Anemone (Anemone patens)	"	102		109						140					
16	Maple (Acer)	"	124	129	132			106		111	108	125				123·9
17	Strawberry, Wild (Fragaria Virginiana)	"		134	134		142	145	132	130	142	141			144	132·0
18	Strawberry, Cultivated (Fragaria)	"						148		133	149					
19	Crocus, Cultivated (Iris)	"						101		107	94					
20	Lilac (Syringa vulgaris)	"	146	153	153		180			136	148					160·7
21	Apple (Pyrus malus)	"					148	141		136	145				147	153·1
22	Plum, Cultivated (Prunus domestica)	"		137	137		142	137		131		140	141			152·4
23	Cherry, Wild (Prunus)	"		138	137	135	145	145			136	142				158·7
24	Cherry, Cultivated (Prunus cerasus)	"			151			142	144		138		141			151·0
25	Buttercup (Ranunculus acris)	"	105					139	150	149	124					153·1
26	Yellow Pond Lily (Nuphar advena)	"		173				163	150		162					167·4
27	Pitcher Plant (Sarracenia purpurea)	"							156							168·7
28	Saskatoon (Amelanchier Canadensis)	"		138	137											144·1
29	Golden Rod (Solidago)	"		205	226	198		227			211					
30	Geese, migrating		95	100	125	95	109							114		88·5
31	Ducks	"	95	100		97	115					96		113		92·0
32	Robins	"	102	103		100	91	69		72	72	106	71	115	91	
33	Meadow Larks, migrating		87			95	110	75	95	72	97	92	81			124·7
34	Blue Birds	"		143			110	73		72	73	85	81			
35	Flicker or Golden Woodpecker, migrating		103	104		106		100		95	104	108				
36	Song Sparrow, migrating					106		72	82	72	72	83			91	88·9
37	Swallows	"		130		113	130	131		111	111	107		134	119	
38	Juncoes	"		83		88				73	97	92	80		92	91·4
39	Orioles	"		143		138		133		132	137	133				
40	King Birds	"	95	141	155	135		136		138	140	134				
41	Humming Birds	"		147	165	142	143	140		139	137					146·6
42	Frogs piping			103	103	103	103	97	102	95	99	100	96	136	117	110·1
43	Earthworm casts (frost out of ground)		99				110	108			100					104·4
44	Lakes open						114					113				94·4
45	Rivers open			96		103	105					92		129		
46	Ploughing		99			99	120				95		107	97	133	121·6
47	Sowing		101	113		99	130	104		105		114	111			132·2
48	Hay cutting		188	205	204		195	179			191			218		196·4
49	Grain	"	207	231		218	233						201			247·7
50	Potato planting			137			130			105		136		143		130·8

Forecasts issued and Percentage Fulfilled during the Year 1908.

Month	Alberta.					Saskatchewan.					Manitoba.					Lake Superior.					The Georgian Bay.					The Lower Lakes.				
		Verified.					Verified.					Verified.					Verified.					Verified.					Verified.			
	No. Issued.	Fully.	Partly.	Not.	Percentge	No. Issued.	Fully.	Partly.	Not.	Percentge	No. Issued.	Fully.	Partly.	Not.	Percentge	No. Issued.	Fully.	Partly.	Not.	Percentge	No. Issued.	Fully.	Partly.	Not.	Percentge	No. Issued.	Fully.	Partly.	Not.	Percentge
January	82	64	12	6	85·3	82	68	12	2	90·2	82	74	7	1	94·5	98	72	23	3	85·2	125	97	24	4	87·2	126	101	20	5	88·1
February	75	63	10	2	90·7	75	60	13	2	88·7	75	62	11	2	90·0	83	60	16	7	81·9	102	82	15	5	87·7	102	85	13	4	89·7
March	78	57	10	11	79·5	78	55	12	11	78·2	83	62	10	11	80·7	95	73	16	6	85·3	115	77	21	17	76·1	116	79	19	18	76·3
April	75	59	9	7	84·7	75	61	11	3	88·7	77	67	4	6	87·0	115	97	11	7	89·1	128	106	11	11	87·0	128	100	18	10	88·2
May	78	66	6	6	88·5	76	60	8	8	84·2	80	54	14	12	76·2	102	76	21	5	84·8	114	88	13	13	82·9	119	91	16	12	83·2
June	75	44	20	11	72·0	77	59	12	6	84·4	78	58	14	6	83·3	98	69	17	12	79·1	125	110	13	2	93·2	125	113	11	1	94·8
July	84	73	9	2	92·3	84	71	10	3	90·5	85	70	10	5	88·0	124	98	20	6	87·1	129	109	14	6	89·9	129	108	16	5	89·9
August	77	57	17	3	85·1	79	60	14	5	84·8	81	67	13	1	90·7	122	88	26	8	82·8	125	106	17	2	91·6	125	109	14	3	92·8
September	88	70	14	4	87·5	89	69	15	5	85·9	90	76	10	4	90·0	115	85	22	8	83·5	120	107	12	1	94·2	122	109	12	1	94·3
October	81	65	11	5	87·0	81	63	11	7	84·6	85	65	16	4	85·9	118	84	14	20	77·1	135	108	22	5	88·1	137	109	21	7	87·2
November	76	64	9	3	90·1	80	69	9	2	91·8	86	69	10	7	86·0	115	93	13	9	86·5	119	98	15	6	88·6	119	99	13	7	88·6
December	83	67	14	2	89·1	83	71	9	3	91·0	89	77	8	4	91·0	124	87	28	9	81·4	130	106	19	5	88·8	130	110	17	3	91·9
Totals	952	749	141	62	86·1	959	766	136	57	86·8	991	801	127	63	87·2	1369	982	227	100	83·7	1467	1194	196	77	88·1	1478	1213	190	75	88·5

Forecasts Issued and Percentage Fulfilled during the Year 1908 *Concluded.*

Month.	The Ottawa Valley.					The Upper St. Lawrence.					The Lower St. Lawrence.					The Gulf.					The Maritime Provinces, W.					The Maritime Provinces, E.					Totals.				
		Verified.					Verified.					Verified.					Verified.					Verified.					Verified.					Verified.			
	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge	Issued.	Fully.	Partly.	Not.	Percent'ge
January	108	81	26	1	87·0	108	85	22	1	88·9	115	84	23	8	83·0	115	88	17	10	83·9	129	100	25	4	87·2	128	100	24	4	87·5	1298	1014	235	49	87·2
February	102	80	14	8	85·3	102	82	14	6	87·3	98	82	10	6	88·8	99	87	9	3	92·4	117	91	20	6	86·3	117	91	20	6	86·3	1147	925	165	57	87·8
March	104	76	20	8	82·7	104	76	21	7	83·2	99	72	13	14	79·3	101	72	19	10	80·7	118	73	27	18	74·2	117	76	26	15	76·1	1208	848	214	146	79·1
April	111	93	10	8	88·3	111	94	8	9	88·3	121	105	12	4	91·7	121	105	14	2	92·6	128	100	14	14	83·6	128	107	9	12	87·1	1318	1094	131	93	88·0
May	93	69	10	14	79·6	93	68	9	16	77·9	97	66	15	16	75·8	100	73	12	15	79·0	99	80	11	8	86·4	99	82	9	8	87·4	1150	873	144	133	82·2
June	105	93	10	2	93·3	105	91	12	2	92·4	121	96	24	1	89·3	123	83	37	3	82·5	121	100	20	1	90·9	121	96	23	2	88·8	1274	1012	213	49	87·8
July	119	106	11	2	93·7	119	107	11	1	94·5	123	104	16	3	91·0	124	101	18	5	88·7	123	102	18	3	90·2	123	96	22	5	87·0	1366	1145	175	46	90·2
August	117	98	18	1	91·4	117	101	16	0	98·2	120	101	14	5	90·0	118	97	20	1	90·7	118	88	21	9	83·5	118	90	21	7	85·1	1317	1062	211	44	88·6
September	117	98	17	2	91·0	117	100	15	2	91·9	116	94	15	7	87·5	118	87	27	4	85·2	117	92	23	2	88·5	117	90	19	8	85·0	1326	1077	201	48	88·8
October	114	90	16	8	86·0	114	93	14	7	87·7	130	101	17	12	84·2	130	100	19	11	84·2	132	97	29	6	84·5	132	87	27	8	83·7	1389	1072	217	100	85·0
November	117	98	11	8	88·5	116	93	13	10	85·8	110	88	15	7	86·8	110	93	9	8	88·6	115	98	9	8	89·1	115	94	15	6	88·3	1278	1056	141	81	88·1
December	119	87	29	3	85·3	119	92	26	1	88·2	120	96	17	7	87·1	127	103	13	11	86·2	138	99	22	17	79·7	138	89	33	16	76·4	1400	1085	235	80	88·9
Totals	1326	1069	192	65	87·8	1325	1082	181	62	88·5	1370	1089	191	90	86·5	1386	1089	214	83	86·3	1455	1120	239	96	85·2	1453	1108	248	97	84·8	15471	12263	2282	926	86·6

PART I

Monthly and Annual Summaries for the Chief Stations, 1908

Toronto, Ont.—Mean Barometric Pressure at 32°, 1908.

Month.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	in.	in.	in.	in.	in.	in.	in.
January	29·570	29·581	29·544	29·545	29·554	29·552	29·558
February	29·648	29·661	29·624	29·631	29·666	29·663	29·649
March	29·635	29·651	29·625	29·630	29·682	29·670	29·649
April	29·554	29·570	29·537	29·516	29·545	29·538	29·542
May	29·522	29·546	29·523	29·515	29·529	29·531	29·528
June	29·664	29·684	29·657	29·642	29·651	29·642	29·658
July	29·670	29·694	29·662	29·641	29·658	29·665	29·665
August	29·643	29·682	29·642	29·621	29·636	29·637	29·644
September	29·718	29·735	29·680	29·664	29·689	29·694	29·696
October	29·776	29·799	29·761	29·752	29·772	29·771	29·772
November	29·596	29·608	29·563	29·566	29·587	29·584	29·584
December	29·572	29·592	29·590	29·607	29·619	29·606	29·593
Mean	29·634	29·650	29·617	29·611	29·632	29·629	29·629

Toronto, Ont.—Mean Temperature of the Air, 1908.

Month.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
January	22·23	21·46	26·35	26·57	23·75	23·27	23·94
February	16·68	16·63	22·92	22·62	18·33	17·71	19·05
March	27·89	29·05	35·18	34·84	30·61	29·70	31·21
April	35·80	40·06	45·93	44·13	38·27	37·41	40·27
May							
June	58·59	66·04	75·56	73·21	61·77	60·00	65·83
July	63·06	69·62	79·69	77·60	66·88	64·45	70·20
August	58·47	65·67	75·46	73·97	62·57	60·53	66·12
September	54·14	60·29	73·21	71·02	59·29	57·64	62·60
October	43·79	47·64	58·51	56·63	48·52	46·83	50·12
November	35·60	35·92	44·28	43·24	38·81	37·84	39·28
December	27·47	27·98	31·13	30·30	28·06	27·56	28·75
Mean							

Toronto, Ont.—Mean Temperature of the Wet Bulb Thermometer for the Year 1908.

Month.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	°	°			°	°	°
January	20·98	20·54	24·20	24·54	22·47	21·84	22·43
February	15·61	15·21	21·08	20·95	17·10	16·44	17·73
March	26·60	27·79	32·51	31·89	28·65	27·81	29·21
April	34·56	36·79	40·42	38·57	35·92	35·75	37·00
May							
June	54·99	60·05	64·40	62·64	56·09	55·91	59·16
July	59·64	64·02	68·51	67·43	62·07	60·54	63·70
August	55·93	61·29	65·34	64·35	58·62	57·39	60·49
September	51·62	56·82	63·14	61·48	55·50	54·13	57·12
October	42·27	45·07	52·09	50·54	45·82	44·56	46·73
November	33·89	34·63	39·91	39·43	36·23	35·53	36·60
December	26·66	26·77	28·55	28·03	26·08	25·76	26·87
Mean							

Toronto Ont.—Mean Relative Humidity for the year 1908.

Month.	6 a.m.	8 a.m.	2 p.m.	4 p.m.	10 p.m.	Midnight.	Mean.
	%	%			%	%	%
January	84	87	74	76	84	82	81
February	84	86	76	73	81	80	80
March	85	82	74	75	79	79	79
April	77	73	60	57	71	74	69
May							
June	78	68	52	53	72	75	66
July	81	73	56	57	74	79	70
August	84	77	56	57	77	81	72
September	83	79	55	56	77	78	71
October	87	84	63	66	79	82	77
November	83	87	67	69	77	79	77
December	83	85	73	75	77	79	79
Mean							

Toronto, Ont.—Mean Temperature of the Dew Point for the Year 1908.

Month.	6 a.m.	8 a.m.	10 a.m.	2 p.m.	4 p.m.	Midnight.	Mean.
January	17·85	18·34	19·46	19·98	19·73	18·41	18·96
February	12·46	12·27	16·35	15·16	13·47	12·54	13·71
March	23·86	25·24	27·65	26·46	24·78	23·87	25·31
April	30·58	31·42	32·17	31·17	30·73	30·88	31·36
May							
June	51·51	55·08	56·26	54·26	52·25	51·98	53·56
July	57·04	60·23	61·42	60·69	58·43	57·43	59·20
August	53·64	58·01	58·21	57·21	55·34	54·58	56·16
September	48·93	53·53	55·35	53·66	52·02	50·78	52·38
October	40·20	42·42	45·45	44·41	42·21	41·39	42·68
November	30·97	32·56	33·09	33·50	31·77	31·69	32·26
December	22·94	24·21	23·27	23·65	21·98	21·85	22·98
Mean							

Toronto, Ont.—Mean Amount of Sky Clonded for the Year 1908.

Month.	6 a.m.	8 a.m.	10 a.m.	2 p.m.	4 p.m.	Midnight.	Mean.
	%						%
January	67	79	72	67	59	62	67
February	65	61	58	61	64	53	60
March	74	77	69	70	64	65	70
April	60	55	62	53	53	53	56
May	58	57	65	62	52	49	57
June	31	30	33	37	21	15	28
July	44	38	44	41	22	24	35
August	38	39	47	38	21	19	34
September	35	36	36	37	37	37	36
October	40	40	46	41	36	38	40
November	73	65	61	66	65	64	66
December	82	78	77	71	78	76	77
Mean	56	55	56	54	48	46	52

Woodstock, Ont.—Mean Barometic Pressure at 32°, 1908.

Month.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
				%			%
January	28·890	28·881	28·921	28·874	28·873	28·869	28·886
February	28·913	28·922	28·957	28·923	28·944	28·941	28·933
March	28·948	28·953	28·965	28·949	28·960	28·962	28·956
April	28·854	28·872	28·886	28·857	28·847	28·868	28·864
May	28·831	28·862	28·880	28·855	28·849	28·856	28·856
June	28·988	29·025	29·026	29·004	28·990	28·997	29·005
July	29·112	29·286	29·397	29·083	29·064	29·217	29·193
August	28·988	29·015	29·021	28·987	28·982	28·994	28·998
September	29·050	29·074	29·074	29·031	29·031	29·049	29·052
October	29·080	29·101	29·116	29·081	29·082	29·095	29·092
November	28·918	28·914	28·931	28·897	28·910	28·911	28·913
December	28·891	28·892	28·933	28·914	28·925	28·912	28·911
Mean	28·955	28·983	29·009	28·955	28·955	28·973	28·972

Woodstock, Ont.—Mean Temperature of the Air, 1908.

Month.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
January	20·93	20·76	24·06	25·91	23·17	21·85	22·78
February	15·32	14·36	19·19	21·09	18·10	16·70	17·46
March	28·03	28·26	32·33	34·13	31·87	29·44	30·68
April	37·52	37·54	44·44	47·33	43·45	39·75	41·67
May	50·37	51·60	59·91	63·15	58·35	52·70	56·01
June	56·41	59·16	72·88	74·81	69·24	60·27	65·47
July	61·66	63·94	75·53	77·84	73·70	64·21	69·48
August	59·79	58·44	70·92	73·36	68·04	60·28	64·64
September	54·65	54·48	69·58	73·82	65·26	58·50	62·71
October	43·49	43·15	54·52	58·11	50·29	45·85	49·23
November	34·51	33·76	40·07	42·67	38·66	36·75	37·71
December	25·43	24·94	27·53	28·81	26·99	25·86	26·59
Mean	40·43	40·87	49·25	51·75	47·26	42·68	45·37

Woodstock, Ont.—Mean Relative Humidity, 1908 (Saturation = 100).

Month.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
		%	%			%	%
January	84	83	78	77	80	82	81
February	84	85	77	76	83	83	81
March	82	80	77	73	75	79	78
April	82	81	70	66	69	79	74
May	93	92	81	71	87	92	86
June	89	83	66	65	77	84	77
July	91	88	68	68	78	89	80
August	93	89	72	70	85	91	83
September	90	89	65	64	79	86	79
October	88	85	69	65	83	85	79
November	86	86	71	69	82	82	79
December	85	85	82	78	80	84	82
Mean	87	86	73	70	79	85	80

Woodstock, Ont.—Mean Amount of Sky Clouded, 1908.

Month.	3 a.m.	7 a.m.	11 a.m.	3 p.m.	7 p.m.	11 p.m.	Mean.
		%	%	%	%	%	%
January	26	55	74	77	43	29	51
February	28	48	65	71	55	48	53
March	42	68	86	85	48	29	60
April	27	47	71	75	59	43	54
May	29	52	77	71	66	32	54
June	29	30	53	52	43	30	40
July	37	50	64	63	53	30	49
August	35	49	62	62	44	22	45
September	12	17	69	71	26	13	35
October	16	32	64	62	16	16	34
November	37	53	76	81	27	23	50
December	48	55	82	81	19	32	53
Mean	31	46	70	71	42	29	48

PART II

Monthly and Annual Summaries for Telegraph Stations and Ordinary Stations of the First Class for the Year 1908

Pressure. The monthly mean and extremes of pressure have been reduced to 32° Fahr. and corrected for gravity and instrumental error. No gravity correction has been applied to those marked *.

Temperature.—The monthly means have been obtained from the formula $\frac{\text{max.} + \text{min.}}{2}$. The extremes are for the 24 hours 8 p.m. to 8 p.m.

Precipitation.—The maximum precipitation in any one day is for the 24 hours ending at 8 p.m.

Cloudiness.—The cloudiness is the average of three estimates made during the day. A day is termed "clear" when the amount of the cloud is less than 30 per cent.

Monthly and Annual Summaries for the Year 1908, Atlin, British Columbia—Latitude, N. 59° 35′; Longitude, W. 133° 38′. Height above Sea, 2,240 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	8 a.m.	4 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%	%		%	%	%		in.	in.	in.	in.
January	27·33	28·00	26·43	15 1	20·1	17·1	22·0	10·4	16·2	39 0	13 0	..	.	...		72	78	51	67		10·80	1·08	0 25
February	27 55	27 88	27·12	7·2	16·9	11 3	18·0	3 5	10·8	38·0	25·0	..	..			65	53	42	50	.	6 00	0 60	0·35
March	27·58	28·01	27·20	10 0	21 2	16 1	22·3	6·2	14·3	38 5	14·5			..	..	64	60	57	59	...	17 60	1·76	0·36
April	27·38	27·99	26·91	30·2	38·7	32 8	40·9	23·0	31·9	51·0	11·0	.	.	.		65	72	54	64	0·06	0 20	0·08	0·04
May	27·51	27·85	27 09	39·9	50 6	43 7	53 1	32·1	42·6	67 5	24·0	.	.			63	55	46	55	0 13	0 10	0·14	0 08
June	27·63	27·86	27·35	49 3	59 3	53 6	62·8	38·9	50 9	72·0	30 0	....	..	.		59	65	67	63	0 89		0·89	0 32
July	27·65	27·92	27·24	51·6	59·9	56 2	64·6	41 7	53·2	80·0	33·5	.	.	.		62	59	63	61	0 21	.	0 21	0·09
August	27·68	27 95	27·37	50 6	58·0	53 0	61·4	43 2	52·3	70 0	34·0			...	.	65	84	77	76	0·80		0·80	0·17
September	27·93	27·87	26·77	40 5	44·7	41 1	46·6	35·6	41·1	61·0	24·0					72	87	84	81	1·22	7 40	1·96	0·34
October	27·53	28·30	26·76	27·0	32·2	28 0	34 6	23·8	29·2	49·0	3·0					70	62	47	60	0·13	13 65	1·49	0 44
November	27·39	27.96	26·77	24 6	27 4	25 6	29·7	20 7	25·2	38·5	5·0	..	.	....	..	72	72	53	66		14 85	1·48	0 38
December	27 39	28·35	26·51	17·1	19·1	17 9	21 9	13·2	17·5	42·0	26·0	.	.	.		73	74	59	69	0·01	9 40	0·95	0 32
Year	27·55	28·35	26·43	30·1	37·3	33 0	39·8	24·4	32·1	80 0	26·0			.	....	66	68	58	64	3·45	80 00	11 45	0·44

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	6	5	19	11	6	3	0	0	12	3 9	15	S.E.		3	14	14	12	12		19	..	..	..	
February	9	3	12	11	8	1	1	1	9	4·2	13	N.	..	11	6	12	6	6		23		.	...	4
March	18	2	9	5	13	1	2	3	9	4·3	14	S.	.	8	9	14	13	15		18	.		..	4
April	3	0	6	12	21	4	2	1	11	4 3	16	S.		5	11	14	3	1		27				2
May	3	0	1	10	36	2	1	1	8	4·5	10	S.		8	13	10	1	1		27			...	..
June	5	0	3	8	29	7	2	2	4	4 1	12	N.-S.		2	20	8	10	.		20		.	.	.
July	3	0	2	8	32	6	1	0	10	4 7	14	S.	.	8	8	15	5	.		26		...	...	..
August	0	1	3	21	18	1	6	3	6	4 1	12	S. S.W.		3	9	19	10			21			.	
September	7	0	3	19	20	3	4	2	2	6 3	16	S.		1	8	21	18	6		12	.		..	
October	8	6	14	7	19	3	1	1	3	5 8	20	S.		8	8	15	9	8	...	22				
November	5	4	21	6	18	2	2	0	2	4·8	16	S.		5	9	16	11	11		19	2		.	1
December	11	9	18	5	18	1	0	0	0	5·4	20	S.		5	9	17	10	10		21				
Year	78	30	111	126	238	34	25	14	76	4 7	20	S.	.	67	124	175	111	68	0	255	2	0	0	11

MONTHLY and Annual Summaries for the Year 1907, Anticosti, S. W. Point, Quebec—Latitude, N. 49° 24′; Longitude, W. 63° 35′. Height above Sea, 30 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		a.m.	Noon.	p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	8 a.m.	Noon.	8 p.m.	Max.	Min.	Mthly		Max.	Min.												
	in.	in.	in.	°	°	°							%			%		%		%	in.	in.	in.	in.
January	29·68	30·24	29·02	15·2	..	16·3	22·8	5·7	14·21		38·0	16·0	.		.		84	85	76	81	1·12	3·1	1·43	0·90
February	29·90	30·60	28·98	12·0		14·0	20·4	3·0	11·70		40·0	15·0					70	70	52	64	3·11	4·3	3·54	1·30
March	29·91	30·38	29·04	16·9		20·3	24·6	8·3	16·44		35·0	6·0		..			55	53	40	49	R.	2·9	0·29	0·10
April	29·62	30·22	28·73	26·4	..	27·5	30·8	17·9	24·37		41·0	0·0	..			.	60	55	45	53	0·42	4·0	0·82	0·30
May	29·92	30·46	29·22	40·8	.	38·9	43·4	33·6	38·50		54·5	26·0	.		.	..	50	47	63	52	1·84	..	1·84	0·60
June	29·84	30·50	29·50	49·0	.	47·8	56·0	41·9	48·98		79·0	34·0	.	.	...		53	52	61	55	3·74	....	3·74	2·00
July	29·90	30·34	29·53	59·0	.	56·8	71·8	51·4	61·62		79·0	44·0	..		..		35	39	48	41	1·55	....	1·55	1·00
August	29·90	30·38	29·33	55·7	.	53·9	60·8	49·7	55·25		73·0	38·0		..		.	50	40	48	46	4·67	...	4·67	0·90
September	29·91	30·27	29·44	51·3	.	51·1	63·5	44·8	54·17		72·0	36·0					58	40	43	47	0·78	...	0·78	0·40
October	29·95	30·32	29·23	43·8		43·6	56·0	37·4	46·73		65·0	19·0		..			47	40	45	44	3·01	..	3·01	1·10
November	29·70	30·47	29·07	29·7	.	30·8	33·6	24·5	29·05		39·0	7·0	.		..	..	72	73	70	72	2·90	1·4	3·04	1·20
December	29·77	30·44	28·97	16·6		18·2	22·4	7·8	15·07		34·0	0·0	.	.	....		82	81	84	83	....	6·0	0·60	0·07
Year	29·83	30·60	28·73	34·7		34·9	42·2	27·2	34·67		79·0	16·0					59	56	56	57	23·14	21·7	25·31	2·00

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	9	5	3	2	11	0	7	24	1	25·3	72	N. W.	20	2	2	27	16	14	....	15	..	.	...	.
February	13	5	6	11	8	0	2	10	0	17·2	62	N. W.	9	7	5	17	17	13	.	12	3	..	.	..
March	12	7	2	9	12	0	1	18	1	19·4	65	N. W.	14	16	2	13	10	10	.	21	1			..
April	14	2	1	13	1	2	5	19	0	23·3	70	N. W.	26	13	5	12	9	7	...	21	4		.	...
May	12	5	3	25	4	2	4	6	1	15·6	40	N. W.	10	12	6	13	7	..	..	24	4	.	....	..
June	2	11	2	17	15	3	2	8	0	12·9	40	N. W.	5	9	7	14	10	.	..	20	8	..	.	.
July	1	8	1	19	13	3	3	10	1	10·6	32	S. E.	2	15	8	8	10	.	...	21	4			...
August	5	7	2	16	7	2	5	15	3	12·9	28	S.	2	15	7	10	11	.	..	20	6	.		....
September	7	12	5	18	6	1	1	10	0	12·6	32	N. W.	7	15	5	10	9	..		21	5	..	....	
October	10	17	3	16	2	3	2	11	4	15·1	60	N. W.	10	18	3	10	8	.	..	23	1	.	...	...
November	6	7	4	13	5	4	1	19	1	18·9	62	N. W.	13	6	4	20	13	4	..	17	2	..	...	.
December	10	11	5	5	3	3	1	22	0	22·7	56	N. W.	19	3	3	25	16	16	...	15	.	...	...	....
Year	104	91	37	167	90	23	34	172	12	17·2	72	N. W.	131	131	7	179	136	64		23	38			

Monthly and Annual Summaries for the Year 1908, Banff, Alberta—Latitude, N. 51° 10′; Longitude, W. 115° 35′. Height above Sea, 4,542 feet.

Month	Barometer at 32°.			Temperature.									Relative Humidity				Cloudiness.			Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	6 a.m.	Noon.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	Noon.	6 p.m.	Mean.	6 a.m.	Noon.	6 p.m.	Mean.	Rain.	Snow.	Total.	Max. amount in 24 hours.
	in.	in.	in.																	in.	in.	in.	in.
January	25·29	25·69	24·71	15·32			23·35	27·22	11·53	19·37	39·1	28·0				35		46·40			11·0	1·10	0·58
February	25·30	25·72	25·46	10·83			22·63	28·02	7·04	17·58	45·8	12·7				50		55·52			10·3	1·03	0·42
March	25·25	25·66	24·83	14·67			27·05	32·22	11·79	22·00	42·7	16·5				60		65·62		0·11	14·7	1·58	0·48
April	25·29	25·67	24·81	29·71			42·26	48·35	28·08	38·22	59·0	13·3				67		71·69		1·04	6·2	1·66	0·36
May	25·30	25·56	25·00	36·25			50·57	55·73	35·52	45·62	72·0	26·0	89	57·73	78			76·77		4·14		4·14	0·99
June	25·32	25·65	25·05	41·69			57·32	62·81	40·30	51·55	76·2	34·3	87	50·68	66			68·67		2·61		2·61	0·55
July	25·46	22·68	25·29	45·41			67·04	74·78	44·18	59·48	87·7	33·5	82	44·63	32			47·39		1·06		1·06	0·15
August	25·43	25·71	25·19	41·94			63·22	70·43	40·54	55·68	84·7	32·2	83	44·63	52			47·49		1·74		1·74	0·49
September	25·38	25·62	25·06	40·83			53·84	60·93	38·52	49·72	76·7	18·0	72	50·61	60			54·57		1·31	1·0	1·41	0·51
October	25·36	25·70	24·82	29·29			38·47	46·21	26·09	36·15	64·6	6·5				57		61·59		0·60	12·7	1·87	0·67
November	25·37	25·79	25·02	27·12			31·21	36·86	23·16	30·01	58·4	7·8				45		49·47		0·98	2·0	1·18	0·33
December	25·27	25·66	24·67	12·01			18·04	23·40	8·88	16·14	35·3	33·7				36		40·38			17·1	1·71	1·06
Year	25·33	25·79	24·67	28·75			41·25	47·25	26·35	36·81	87·5	33·7				53		57·55		13·59	75·0	21·09	1·06

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	0	1	0	0	0	19	21	4	17		20	W.	0	5	25	1	6	7		17			1
February	1	2	3	0	0	18	9	1	24		20	N.E.	0	4	25	0	8	10		11			
March	3	17	0	0	0	27	4	0	16		30	S.W.-N.E	0	1	24	6	14	12		14			3
April	1	2	1	2	2	32	4	1	15		35	S.W.	1	2	24	4	15	11	1	5			
May	1	13	3	0	0	15	6	3	21		12	N.E.	0	1	23	7	16	1		5			
June	1	9	0	1	1	23	4	2	21		16	S.W.	0	0	21	9	14			10		2	
July	0	4	0	1	2	24	12	0	19		20	W.-S.W.	0	0	25	0	11			14		2	
August	0	8	3	2	0	16	11	1	21		15	SW.-N.	0	5	24	2	13			10		1	2
September	1	7	0	1	0	29	8	0	14		25	S.W.	1	1	28	1	11	3		12		1	1	2
October	0	9	1	1	2	24	5	2	18		20	S.W.-S.	0	2	24	5	10	6		11			7
November	0	6	0	1	1	25	9	0	18		30	S.W.-W.	0	5	23	2	9	5		13			1
December	0	1	0	0	0	19	27	3	12		50	S.W.	6	11	17	3	8	8		8			1
Year	8	77	11	9	8	271	120	17	216		50	S.W.	17	43	283	40	135	63	1	130	0	1	17

Monthly and Annual Summaries for the Year 1908, Barkerville, British Columbia—Latitude, N. 53° 2′; Longitude, W. 121° 35′. Height above Sea, 4,180 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	9 a.m.	Noon	3 p.m.	Max.	Min.	Mthly	Max.	Min.		9 a.m.	3 p.m.	Mean.		9 a.m.	3 p.m.	Mean.		Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%	%	%	%			%		in.	in.	in.	in.
January	25·55	25·93	24·96	17·6	25·2	21·4	27·1	13·6	20·3	36·0	6·0						50	63	54	56		25·00	2·50	0·80
February	25·56	25·97	25·02	13·7	24·6	21·9	26·1	12·0	19·1	40·0	4·0						52	69	68	63	0·03	33·00	3·33	0·65
March	25·56	25·97	25·06	15·7	26·8	26·4	29·4	15·0	22·2	40·0	9·0						63	65	74	68		57·50	5·75	1·80
April	25·58	25·99	25·08	25·0	37·2	36·0	39·3	24·5	31·9	54·0	7·0						52	70	70	64	1·79	12·00	2·99	0·93
May	25·60	25·99	25·22	33·2	48·1	47·2	52·3	32·7	42·5	64·0	25·0						66	62	66	65	2·14	1·50	2·29	0·42
June	25·65	25·97	25·01	39·5	56·3	55·5	61·6	39·1	50·3	71·0	30·0						61	67	78	69	4·74		4·76	0·66
July	25·76	25·99	25·48	45·4	60·2	60·4	69·2	43·8	56·5	82·0	32·0						60	60	63	61	4·52		4·52	0·84
August	25·74	25·95	25·47	42·1	58·2	58·1	65·9	41·4	53·7	75·0	35·0						39	46	44	43	3·72		3·72	0·96
September	25·67	25·90	25·34	35·2	48·3	45·8	56·0	34·0	45·0	70·0	19·0						60	63	59	61	6·29	7·75	7·06	2·80
October	25·62	25·92	25·02	30·0	36·8	36·7	45·8	28·2	37·0	65·0	6·0						71	71	70	71	1·83	34·25	5·25	1·04
November	25·59	26·02	25·19	27·0	34·8	31·3	42·2	24·8	33·5	58·0	0·0						76	79	71	75	2·86	15·75	4·44	0·50
December	25·53	25·98	24·87	15·8	21·7	19·2	27·8	11·7	19·8	41·0	−22·0						66	76	64	69		29·50	2·95	0·60
Year	25·62	26·02	24·87	28·3	39·8	38·3	45·2	26·5	36·0	82·0	22·0						60	66	65	64	27·92	216·25	49·54	2·80

Month.	Number of Winds from									Average hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	11	0	0	3	8	24	8	3	15	2·5	20	S.W.		7	13	11	16	16		15				
February	0	0	0	1	2	36	3	7	9	1·4	10	S.W.		7	8	14	22	21		7				
March	0	1	0	0	4	39	4	5	9	1·9	10	S.W.		5	10	16	20	20		11				3
April	0	2	0	3	0	29	11	13	2	2·7	25	S.W.		6	11	13	17	16		13				1
May	0	2	1	6	1	20	21	10	4	1·5	10	S.E.-S.W.		5	12	14	14	2		17				
June	1	0	0	2	0	14	26	14	3	2·0	10	N.-S.W.-W.		3	8	19	16			14		1		
July	0	2	0	11	1	27	15	5	1	1·7	10	S.E.		9	4	18	18			13		1		
August	0	2	0	15	0	22	19	4	0	1·6	10	W.		13	7	11	15			16				2
September	0	0	0	16	2	18	16	8	0	1·7	5	S.W.		8	6	16	18	5		12		1		
October	3	1	0	18	0	31	5	1	3	1·1	5	N.-S.E.-S.W.		5	7	19	17	11		14				
November	1	2	0	14	0	31	5	1	6	1·4	5	Var.		5	4	21	21	11		9				
December	0	2	0	9	0	25	5	4	17	1·4	10	S.E.-S.W.		4	12	15	16	16		15				
Year	6	14	1	98	18	316	138	75	69	1·7	25	S.W.		77	102	187	210	118		156		3		

MONTHLY and Annual Summaries for the Year 1908, Battleford, Saskatchewan Latitude, N. 52° 41′; Longitude, W. 108° 20′. Height above Sea, 1,620 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.							°	°			%	%	%	%	%	%	in.	in.	in.	in.
January	28·13	28·67	27·43	2·29	13·74	11·58	19·3	2·8	8·2	42·0	33·0	100	100	100	100	29	28	32	29		0·46	0·46	0·30
February	28·25	28·56	27·81	2·17	15·52	13·76	19·14	0·24	9·45	44·0	20·0	100	100	100	100	36	38	52	41	0·04	0·97	1·01	0·32
March	28·24	28·93	27·76	0·26	15·55	15·16	21·42	3·42	9·00	44·0	31·0	100	100	100	100	39	31	41	37		1·66	1·66	0·30
April	28·12	28·61	27·62	28·07	46·30	46·80	51·77	27·03	39·40	82·0	10·0	99	95	93	96	57	47	39	48	0·34	S.	0·34	0·16
May	28·16	28·40	27·84	43·55	65·29	64·35	68·45	40·77	54·61	84·0	22·0	93	70	73	79	23	41	41	35	1·21		1·21	0·32
June	28·08	28·47	27·79	49·80	64·45	64·50	70·33	46·90	58·61	90·0	33·0	91	67	69	76	58	61	63	60	7·60		7·60	3·13
July	28·21	28·50	27·84	57·58	75·71	75·42	77·26	49·84	63·55	88·0	44·0	86	47	50	61	39	30	28	32	0·65		0·65	0·25
August	28·21	28·53	27·72	51·13	67·91	68·03	70·19	44·74	57·46	86·0	34·0	90	59	58	69	37	41	48	42	1·58		1·58	0·34
September	28·17	28·58	27·69	42·53	63·13	62·27	66·73	39·83	53·25	91·0	20·0	88	51	53	64	37	34	29	33	1·23		1·23	0·63
October	28·21	28·70	27·54	30·00	44·64	41·81	46·45	27·61	37·03	73·0	12·0	98	80	87	88	45	41	51	46	0·05	0·08	0·13	0·05
November	28·22	29·01	27·78	20·80	31·00	27·30	32·73	17·43	25·08	52·0	23·0	100	94	98	97	39	57	56	51	0·05	0·06	0·11	0·06
December	28·13	28·89	27·50	4·71	12·55	9·90	14·69	2·38	6·15	42·0	28·0	100	100	100	100	39	54	38	44		0·04	0·04	0·02
Year	28·18	29·01	27·43	27·70	42·98	41·74	46·54	23·76	35·15	91·0	33·0	95	80	82	86	40	42	42	41	12·75	3·27	16·02	3·13

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation (01 in. or over).	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	3	0	4	0	0	2	6	5	42	4·2	30	N.W.	1	20	4	7	3	5		28			
February	2	1	20	4	0	6	8	4	42	5·5	38	S.E.	3	15	6	8	9	8		20			
March	5	1	13	2	0	7	2	8	24	6·4	28	N.W.	2	16	9	6	12	12		19			
April	4	1	7	4	0	4	7	15	18	12·1	44	S.E.	6	12	6	12	4	2		26			
May	1	5	14	17	0	4	1	4	16	12·9	38	S.E. S.W.	10	14	10	7	12			19			
June	4	4	7	12	0	2	7	11	13	10·9	50	S.E.	2	5	8	17	20			10		1	
July	3	3	9	4	9	5	30	15	15	5·7	20	N.W.		17	10	4	6			25			
August	4	1	18	1	8	4	17	24	16	7·3	20	N.W.		16	5	10	10	1		21			
September	7	2	4	8	7	9	10	18	30	7·1	26	N.W.	1	14	12	14	5			25			2
October	4	5	3	8	4	7	13	23	26	8·2	32	S.E.	4	15	4	12	5	3		26			
November	5	2	0	17	0	6	9	18	33	6·6	36	N.W.	1	10	8	12	4	1		26			
December	0	0	7	10	0	4	14	9	49	4·5	32	E.	1	13	9	9	3	3		28	1		
Year	42	25	106	87	28	60	124	149	324	7·6	50	S.E.	31	167	91	118	93	34	0	273	1	1	2

MONTHLY and Annual Summaries for the Year 1907, Hamilton, Bermuda—Latitude, N. 32° 17′; Longitude, W. 64° 30′. Height above Sea, 151 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	Noon	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	Noon	9 p.m.	Mean.	9 a.m.	Noon	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.				°	°								%	%			in.	in.	in.	in.
January	29·97	30·31	29·41	62·8		60·7	68·0	55·3	61·7	72·4	39·4	83	..	82	83	42	..	35	38	4·46	.	4·46	1·12
February	30·02	30·40	29·57	59·6	.	59·2	64·5	53·0	58·7	75·4	46·0	79		79	79	39		37	38	5·78		5·78	1·44
March	30·08	30·32	29·75	65·6	.	63·2	69·7	58·8	64·2	73·6	49·6	84	.	84	84	63		64	63	8·98	....	8·98	5·86
April	29·98	30·34	29·58	66·1	.	64·5	70·6	60·2	65·4	76·4	52·0	84	.	84	84	68	.	59	63	4·32	.	4·32	1·90
May	29·99	30·33	29·65	71·2	...	69·4	74·6	64·9	69·7	78·6	59·6	84		85	85	56	...	51	54	2·62	.	2·62	0·94
June	30·02	30·18	29·84	76·7	. .	75·5	80·1	70·3	75·2	84·4	65·0	85	.	83	84	63	..	57	60	2·64	. .	2·64	0·88
July	30·02	30·19	29·87	81·8		79·0	85·8	74·1	79·9	89·0	72·0	81		84	83	57	.	52	54	2·14		2·14	0·50
August	29·97	30·11	29·84	81·9		79·0	86·5	75·2	80·8	90·0	69·0	79		83	81	62		53	57	1·82	...	1·82	0·36
September	29·91	30·07	29·47	80·2	.	76·9	83·2	72·8	78·0	87·0	67·0	82		82	82	60	...	46	53	5·68	.	5·68	2·02
October	29·86	30·16	29·06	75·6	.	73·7	77·8	70·4	74·1	82·4	66·0	87		87	87	72	..	65	68	9·62		9·62	2·78
November	30·00	30·27	29·38	68·5		65·6	72·3	62·7	67·5	75·6	59·0	76		79	77	58	....	53	55	1·24		1·24	1·58
December	30·01	30·25	29·65	66·4		65·0	71·3	61·4	66·4	75·0	57·0	78		81	79	36	....	56	46	1·36		1·36	0·26
Year	29·99	30·40	29·06	71·4		69·3	75·4	64·9	70·1	90·0	39·4	82	..	83	82	56		52	54	53·66	....	53·66	5·86

MONTH.	NUMBER OF WINDS FROM									MEAN VELOCITY.				NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										nuls.	nuls.													
January	4	12	3	8	2	8	9	11	5	13·7	32	S.E.	8	2	8	21	18		...	3	..	1	1	...
February	3	5	0	4	3	13	12	15	3	15·2	32	S.W.	7	0	8	21	17			6	.	1	....	.
March	4	10	11	5	2	16	7	4	3	12·4	32	N.W.	2	3	14	14	13	..	.	11	.	2	..	.
April	2	9	2	8	4	17	10	6	2	13·6	30	N.W.	1	3	11	16	9	....	.	9		.	.	
May	5	10	4	17	4	7	7	7	1	9·7	26	N.W.	1	4	21	6	7	....	.	19	..	1	..	..
June	0	7	6	10	11	16	1	5	4	8·7	24	E.		3	14	13	11	.	.	11	...	3	1	.
July	3	9	11	16	2	9	4	3	5	7·5	20	S.W.		1	22	8	13	..	..	16	.		..	
August	5	9	3	10	5	6	16	2	6	8·4	30	S.W.	1	3	17	11	14		.	12		7	2	
September	3	15	10	2	6	4	5	2	13	9·3	44	S.W.	2	5	18	7	15	..		12	..	9	7	..
October	0	2	27	7	10	4	5	4	3	12·8	38	N.W.	4	0	13	18	18		...	8		7		.
November	4	5	10	1	2	4	23	4	7	10·8	30	S.W.	2	7	10	13	9		..	10			..	
December	4	5	9	6	6	9	14	7	2	13·3	32	N.E.	3	10	19	2	9	..	.	14			....	.
Year	37	98	96	94	57	113	113	70	54	11·3	44	S.W.	31	41	175	150	153	0	1	131	0	31	11	0

MONTHLY and Annual Summaries for the Year 1908, Bird Rocks, Quebec—Latitude, N. 47° 51′; Longitude, W. 61° 8′. Height above Sea, 112 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.					Extremes.														
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min	a.m.	p.m.	p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%		in.	in.	in.	in.
January	29·53	30·08	28·73	21·6	23·2	31·2	14·8	22·97	48·9	0·4						75	76	65	72	0·77	17·0	2·47	0·40
February	29·76	30·33	28·99	18·6	19·9	26·3	10·1	18·19	40·0	6·0						64	63	58	61	0·30	7·5	1·05	0·30
March	29·78	30·16	29·02	20·4	21·6	28·6	13·8	21·24	39·2	1·4						54	61	46	53	0·82	10·8	1·90	0·40
April	29·49	30·10	28·77	27·1	28·5	36·7	21·3	28·99	46·9	7·6						66	58	56	61	0·56	25·2	3·08	1·10
May	29·76	30·30	29·12	38·8	38·5	45·2	33·3	39·26	57·7	26·2						58	53	40	50	0·68		0·68	0·23
June	29·73	30·15	29·44	48·1	47·4	53·3	41·8	47·53	65·5	32·9						59	53	50	54	0·41		0·41	0·20
July	29·79	30·16	29·34	61·2	60·4	66·1	54·5	60·35	77·8	46·1						50	46	37	44	0·69		0·69	0·23
August	29·80	30·39	29·30	61·2	59·3	63·9	55·2	59·58	78·0	49·2						50	38	31	40	1·49		1·49	1·00
September	29·80	30·07	29·32	58·0	57·0	61·0	50·2	55·60	65·0	40·2						43	37	30	37	1·02		1·02	0·48
October	29·82	30·25	28·84	47·6	47·8	53·1	36·2	44·63	60·1	26·2						48	46	33	43	0·88		0·88	0·45
November	29·60	30·33	28·89	34·9	35·2	41·1	28·2	34·67	52·9	16·5						70	64	45	59	1·61	7·0	2·31	0·65
December	29·61	30·30	28·66	24·4	24·3	30·5	17·2	23·85	41·9	8·2						76	69	63	69	1·04	24·4	3·48	0·42
Year	29·71	30·39	28·66	38·5	38·6	44·7	31·4	38·07	78·0	6·0						59	55	46	53	10·27	91·9	19·46	1·10

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	7	1	4	2	5	2	18	23	0	3·4	7	N.W.	8	1	7	23	15	14		16				
February	13	3	2	8	6	7	8	9	2	2·4	7	S.E.	1	6	10	13	9	6		20	5			
March	9	7	8	3	7	6	6	16	0	2·5	7	N.W.	1	7	14	10	12	8		19	3			2
April	11	0	4	5	4	9	11	16	0	3·1	8	N.	5	6	11	13	15	10		15	5			
May	8	8	6	9	7	7	7	8	2	2·3	7	S.	2	11	10	10	6			25	12			
June	5	3	2	9	11	12	7	9	2	2·2	5	W.		9	8	13	5			25	7			
July	10	4	2	0	4	22	9	9	2	1·8	5	W.		11	14	6	5			26	4			1
August	10	3	2	1	3	13	13	5	6	2·1	5	S.W.		15	7	9	7			24	1			4
September	9	3	4	8	4	15	9	8	0	2·5	6	N.E.	1	15	10	5	4			26	1			5
October	19	2	2	1	7	12	9	9	1	3·2	7	W.	5	15	7	9	7			24	3			1
November	11	1	2	3	3	10	3	26	1	3·3	7	W.	8	1	19	10	11	5		19				2
December	12	3	4	3	5	7	8	20	0	3·4	8	N.	10	0	13	18	21	18		10	1			
Year	124	38	42	52	72	122	108	158	16	2·7	8	N.	41	97	130	139	117	61		249	42			15

MONTHLY and Annual Summaries for the Year 1908, Calgary, Alberta—Latitude, N. 51° 2′; Longitude, W. 114° 2′. Height above Sea, 3,389 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.							RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.					Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°									in.	in.	in.	in.
January	26 30	26 74	25 72	18 66	..	27 63	38 29	13 24	25 77	50 0	8 0	..	..	..	..	39	..	48	42	.....	0 80	0 08	0 04
February	26 36	26 67	25 93	14 81	....	24 83	33 50	11 09	22 29	76 0	14 0	..	..	..	..	43	..	50	46	....	2 90	0 29	0 20
March	29 32	26 66	25 91	14 13	..	26 39	33 89	10 16	22 02	56 0	12 0	..	..	..	..	69	..	54	61	0 18	3 70	0 55	0 18
April	26 33	26 73	25 77	30 36	....	49 55	57 90	28 41	43 15	74 0	3 0	..	..	..	..	50	..	44	47	0 23	6 40	0 87	0 40
May	26 33	26 60	26 07	40 02	....	55 14	61 85	38 26	50 05	82 0	25 0	83	...	59	71	69	.	64	66	4 59	...	4 59	0 78
June	26 34	26 68	26 07	46 61	...	60 22	66 14	44 25	55 19	82 0	36 0	84	...	58	71	56	..	60	59	7 26	....	7 26	1 88
July	26 47	26 70	26 16	50 73	..	73 03	78 06	49 34	63 70	89 0	39 0	84	..	47	65	24	.	36	30	1 73	.....	1 73	1 00
August	26 45	26 75	26 16	45 09	.....	64 57	71 28	44 37	57 82	84 0	34 0	83	..	59	71	43	...	46	45	1 52	....	1 52	0 50
September	26 39	26 69	25 99	40 67	..	59 86	66 97	39 59	53 28	84 0	20 3	83	.	48	65	56	..	48	52	0 02	5 60	0 58	0 42
October	26 40	26 77	25 87	31 99	....	42 06	51 11	29 76	40 44	71 0	9 0	.....	.....	.....	..	61	..	56	58	0 32	2 30	0 55	0 19
November	26 40	26 98	26 03	26 34	....	33 58	45 20	21 35	33 27	68 0	2 0	..	.	.....	.	38	..	35	36	....	0 30	0 03	0 02
December	26 31	26 88	25 71	14 90	...	21 34	32 88	9 54	21 21	47 0	20 0	.	..	...	.	26		29	28	....	2 00	0 20	0 20
Year	26 37	26 98	25 71	31 19	....	44 85	53 09	28 28	40 68	89 0	20 0	..	...	...	..	48	..	47	47	15 85	24 00	18 25	0 88

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	3	3	1	1	2	6	18	16	12	6 2	28	W.	1	5	26	0	2	2	..	19	....	.....	.....	.....
February	4	3	1	9	3	3	18	5	12	5 8	24	N.	0	3	24	2	5	5	...	16	..	.....	.....	.....
March	5	6	3	17	0	9	7	9	6	6 2	28	N.E.	1	3	21	7	11	10	..	11	1	.....	.....	1
April	3	5	3	7	0	10	6	20	6	6 0	22	S.W.	0	4	25	1	9	5	2	12	...	2	.....	.....
May	3	2	5	13	1	3	6	24	5	6 2	24	N.W.	0	3	19	9	18	.....		7	....	1	...	.....
June	7	9	2	4	0	1	3	25	9	6 0	28	N.W.-N.	4	1	23	6	22	.	6	12	....	7	.....	...
July	4	3	6	9	4	5	13	10	8	6 2	24	N.	0	12	17	2	7	..	...	16	1	6	.....	....
August	9	4	5	9	1	4	12	15	3	6 2	24	N.	0	6	22	3	8	.....		12	..	3	...	....
September	6	4	0	9	2	2	13	13	11	6 0	24	N.W.	0	0	27	3	4	3	....	18	..	.....	.....	3
October	3	10	0	7	0	2	13	18	9	6 2	28	N.W.	1	4	18	9	9	5	....	11	...	...	.....	....
November	5	2	1	2	1	5	17	14	13	6 0	28	S.W.	1	9	18	3	2	2	....	14	...	.....	.....	...
December	17	1	0	0	4	3	11	13	13	6 2	36	S.W.	1	9	20	2	1	1	....	17	...	.....	.....	.....
Year	69	52	27	87	18	53	137	182	107	6 1	36	S.W.	9	59	260	47	98	33	8	165	2	19	0	4

MONTHLY and Annual Summaries for the Year 1908, Charlottetown, Prince Edward Island—Latitude, N. 46° 14′; Longitude, W. 63° 10′. Height above Sea, 38 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.												
		Max.	Min.	9 a.m.	p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	p.m.	9 p.m.	Mean.	9 a.m.	p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in	in.	in.	°	°	°	°	°	°	°	°	%	%	%		%	%		%	in.	in.	in.	in.
January	29·78	30·36	28·99	20·1		20·6	29·1	12·9	21·0	47·5	5·0	87		87	87	72		70	71	2·43	22·4	4·67	0·67
February	29·95	30·59	29·07	19·1		19·4	27·2	12·1	19·6	48·0	10·0	89		87	88	63		59	61	1·32	17·0	3·02	0·70
March	29·97	30·39	29·15	24·1		24·6	32·9	18·3	25·6	45·5	2·0	84		84	84	69		56	62	2·28	16·7	3·95	0·92
April	29·70	30·31	28·88	32·5		31·4	39·5	26·6	33·0	60·5	16·0	80		86	83	69		54	61	2·86	18·3	4·69	1·10
May	29·93	30·52	29·28	49·1		45·4	56·4	40·0	48·2	77·0	29·5	75		83	79	64		58	61	4·13		4·13	0·91
June	29·91	30·32	29·57	59·2		56·5	68·0	50·6	59·3	81·0	37·0	76		81	79	62		53	57	1·93		1·93	0·46
July	29·93	30·30	29·52	68·3		64·7	76·8	59·6	68·2	89·0	47·0	77		84	80	58		42	50	4·28		4·28	2·40
August	29·95	30·31	29·49	65·0		61·2	71·6	56·9	64·2	83·0	44·0	77		83	80	65		55	59	5·53		5·53	1·68
September	29·98	30·30	29·50	60·6		57·5	68·1	52·9	60·5	79·0	44·0	78		87	82	54		34	44	1·81		1·81	1·10
October	30·02	30·47	29·03	49·1		48·1	57·4	42·8	50·1	66·0	31·0	82		85	84	54		34	44	2·08		2·08	1·12
November	29·80	30·47	29·22	35·1		34·9	40·4	30·7	35·6	52·0	23·0	82		83	82	88		69	78	1·57	3·1	1·88	0·41
December	29·87	30·60	29·24	21·6		21·9	30·2	15·0	22·6	46·0	1·0	87		88	87	72		62	67	2·82	16·1	4·43	1·17
Year	29·89	30·60	28·88	42·0		40·5	49·8	34·9	42·3	89·0	10·0	81		85	83	66		54	60	33·01	93·6	42·40	2·40

MONTH.	NUMBER OF WINDS FROM.									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	3	1	1	0	10	15	9	20	3	10·7	30	S.	2	6	8	17	20	15		6				
February	8	1	1	3	12	9	7	13	4	9·3	23	S.		6	9	14	12	8		9	1			
March	8	6	2	1	3	12	6	18	6	9·6	26	S.	1	5	11	15	15	10		9	1			2
April	5	2	2	1	9	13	6	22	0	11·5	25	S.W.	1	9	7	14	17	9		3		1		
May	6	10	0	7	7	15	2	12	3	8·0	21	S.		6	10	15	15			9		1		
June	9	7	1	0	7	25	4	5	2	7·5	18	S.W.		8	9	13	13			7		2		
July	8	7	1	3	7	25	4	7	0	6·3	13	S.W.		10	12	9	8			10		1		
August	1	4	3	1	10	13	15	7	8	7·6	24	N.W.		9	9	13	11			6				
September	8	5	1	0	4	18	8	13	3	6·9	15	S.W.		13	7	10	5			5	1			
October	10	2	2	2	4	12	15	13	2	7·6	18	N.		12	10	9	9			10	1			
November	3	3	3	3	6	10	13	16	3	8·6	24	S.W.		1	10	19	12	3		9				
December	3	4	0	0	10	7	10	28	0	9·6	23	N.W.		4	14	13	15	10		8				
Year	72	52	17	21	89	174	99	174	34	8·6	30	S.	4	89	116	161	152	55	0	91	4	5	0	2

Monthly and Annual Summaries for the Year 1908, Chatham, New Brunswick—Latitude, N. 47° 3′; Longitude, W. 65° 29′. Height above Sea, 21 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.			Extremes.																
	Monthly Mean.	Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·80	30·38	28·99	11·5	15·8	26·7	51	15·92	46·5	14·0		75	75	77	76	55	56	51	54	1·34	16·9	3·03	0·86
February	29·96	30·63	28·96	9·7	15·8	27·3	38	15·52	51·0	27·5		74	76	72	74	52	51	35	47	2·30	14·9	3·79	0·84
March	30·01	30·42	29·15	19·1	24·6	35·6	13·5	21·52	53·0	10·5		78	80	78	79	54	54	48	54	0·58	17·3	2·31	0·48
April	29·72	30·37	28·85	31·4	34·5	45·2	25·0	35·07	76·0	11·0		80	80	80	80	56	58	45	53	1·16	15·9	2·75	0·75
May	29·94	30·54	29·21	49·6	48·8	61·8	40·8	51·32	84·0	29·0		83	79	83	82	67	62	56	62	3·64	0·7	3·71	1·74
June	29·90	30·29	29·55	59·3	60·0	74·5	49·2	61·84	94·5	33·0		73	65	75	71	49	57	53	53	2·98	....	2·98	0·89
July	29·94	30·34	29·52	67·8	68·7	83·9	57·5	70·69	96·0	45·0		72	56	71	66	41	54	38	44	1·54	..	1·54	0·68
August	29·95	30·37	29·55	61·3	62·3	75·9	53·9	64·92	85·0	42·0		79	65	79	74	45	49	37	44	4·15	..	4·15	0·99
September	29·98	30·37	29·46	56·2	58·6	71·2	49·3	60·29	84·0	36·5		80	68	81	76	46	50	36	44	0·89	....	0·89	0·29
October	30·03	30·49	29·11	43·8	47·4	59·0	39·0	49·02	75·0	27·5		80	65	79	75	56	44	31	44	5·57	1·0	5·67	1·97
November	29·80	30·49	28·96	30·0	32·5	38·0	27·3	32·66	52·5	20·0		79	78	81	79	63	78	62	68	1·47	4·1	1·88	0·52
December	29·89	30·58	28·79	10·9	15·6	23·1	5·4	14·25	35·0	17·5		72	74	73	73	46	56	46	49	0·66	23·6	3·02	0·57
Year	29·91	30·63	28·79	37·5	40·4	51·9	30·8	41·33	96·0	27·5		77	72	77	75	53	57	45	52	26·28	94·4	35·72	1·97

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	5	3	6	1	0	10	27	8	2	5·4	18	W.	..	9	7	15	15	14	...	16	...	..	....	....
February	3	4	10	1	0	7	23	7	3	4·2	18	S.W.	.	14	4	11	10	6	...	19	...	....	....	....
March	2	3	15	1	0	11	16	13	1	5·3	30	N.W.	1	9	9	13	11	8	...	20	....	....	....	....
April	1	0	9	0	0	11	19	20	0	6·2	26	N.W.	1	9	10	11	13	8	....	17	....	....	....	....
May	5	0	22	4	0	9	12	9	1	4·9	18	E.	....	8	9	14	12	1	....	19	....	....	....	....
June	1	1	14	1	1	7	26	9	0	5·6	16	N.W.	...	8	13	9	11	..	....	19	....	....	....	....
July	2	0	19	0	0	9	20	12	0	4·0	14	W.	..	9	16	6	5	..	...	26	....	1	....	....
August	2	1	5	4	0	14	22	14	0	4·3	14	W.	...	12	12	7	12	....	....	19	....	....	....	....
September	1	2	8	0	0	12	23	14	0	3·9	12	N.W.	.	14	7	8	7	....	..	23	...	....	....	....
October	0	3	10	2	0	13	21	10	0	4·5	20	N.W.	...	17	3	11	9	1	..	22	2	....	....	....
November	0	0	11	2	1	4	26	12	4	5·0	34	W.	2	4	8	18	10	4	....	20	....	....	....	....
December	1	1	9	1	0	8	25	15	2	4·3	24	N.W.	....	13	6	12	21	20	....	10	....	....	....	....
Year	23	18	138	17	2	115	263	143	13	4·8	34	W.	4	126	104	135	136	62	0	230	2	1	0	0

Monthly and Annual Summaries for the Year 1908, Dawson, Yukon Territory—Latitude, N. 64° 4′; Longitude, W. 139° 20′. Height above Sea, 1,200 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	8 a.m.	4 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	°	°	°	°	%	%	%	%	in.	in.	in.	in.
January	28·56	29·29	27·70	13·0	...	13·3	6·1	21·0	13·6	30·0	42·0	...	....	..	..	53	62	44	53		7·1	0·71	0·30
February	28·80	29·91	27·97	12·4	...	9·1	1·7	17·3	9·5	35·0	44·0	.	.....	..	...	56	55	45	52	.	10·0	1·00	0·35
March	28·83	29·35	27·99	4·5	..	4·6	12·2	9·7	1·2	35·0	42·0	....	..	...	..	54	66	49	56	...	7·1	0·71	0·35
April	28·53	29·17	28·11	26·0	.	30·9	41·1	18·1	29·6	56·0	6·0	....	...	....	....	57	53	49	53	0·18	1·4	0·32	0·18
May	28·61	28·92	28·21	44·8	.	49·8	59·8	35·9	47·9	77·5	27·0	....	.....	...	..	52	69	66	62	1·43	..	1·43	0·26
June	28·76	29·08	28·44	56·6	.	61·0	70·9	45·1	58·0	84·0	34·0	....	...	...		45	71	65	61	1·23	....	1·23	0·30
July	28·73	29·13	28·34	55·5		61·3	70·9	46·9	58·9	84·0	39·5	. .	....	...	...	62	76	69	69	2·43		2·43	0·93
August	28·79	29·09	28·55	51·8	....	58·5	67·1	40·3	53·7	79·0	32·0	....	..	....	.	60	59	57	59	1·08	.	1·08	0·46
September	28·53	29·09	27·81	35·8	....	39·2	47·4	29·9	38·6	61·0	10·0	.	.		. .	70	70	73	71	1·11	1·4	1·25	0·59
October	28·81	29·81	27·81	13·1	..	16·6	24·2	9·3	16·8	52·0	22·5	....	...	....	..	54	48	48	50	T.	6·9	0·69	0·25
November	28·71	29·31	28·12	0·6	....	5·0	6·5	5·7	0·4	28·0	25·0	....	....	.	...	56	69	61	62	.	14·8	1·48	0·30
December	28·70	29·84	27·42	8·3	...	8·0	1·5	14·6	8·1	25·0	49·0	.	...	.....	....	57	56	56	56	.	19·6	1·96	0·70
Year	28·70	29·91	27·42	20·4		24·7	32·6	13·2	22·9	84·0	49·0	. .	....	....	. .	56	63	57	59	7·46	68·3	14·29	0·93

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Also.	Aurora.
										mls.	mls.													
January	4	1	2	1	21	1	0	0	32	1·9	10	N.	..	5	20	6	9	9	..	15	. .	..	....	....
February	3	0	2	4	14	0	0	0	35	1 3	10	E.	...	9	8	12	6	6		8	...		.	2
March	22	2	1	0	7	0	2	0	28	3 4	25	W.	1	9	9	13	6	6	..	9	. . .	. .	. .	2
April	11	2	3	6	7	3	2	3	23	4·2	16	S.	.	12	6	12	7	6	1	4	.		....	1
May	14	3	7	2	12	0	8	2	14	4 8	15	W.	.	4	10	16	12	....		9		1	..	
June	5	4	7	1	6	1	7	1	28	3 9	15	N.		5	11	14	11		..	11	....	2	.	
July	5	3	3	3	7	4	7	1	29	3 5	15	N.	..	3	9	19	13	. .	.	7	1	2		
August	7	0	3	3	7	2	4	0	36	3 1	15	S.E.	..	4	13	14	7	. .	.	13	. .			1
September	8	5	6	4	6	3	2	2	24	4 6	30	S.	2	2	6	22	6	1	1	6	...	1		.
October	10	1	0	15	5	2	0	2	27	2 8	10	N.	....	10	10	11	7	7	..	9				4
November	12	1	1	9	10	0	2	5	20	5 0	25	N.	1	5	11	14	11	11	. .	11	1			1
December	5	0	1	9	16	3	1	9	18	3 4	16	N.W.	....	11	6	14	13	13	..	4				2
Year	106	22	36	57	118	19	35	25	314	3·5	30	S.	4	79	119	167	108	59	2	106	2	6	0	13

Monthly and Annual Summaries for the Year 1908, Edmonton, Alberta—Latitude, N. 53° 33′; Longitude, W. 113° 30′. Height above Sea, 2,158 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	6 a.m.	p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	p.m.	6 p.m.	Mean.	6 a.m.	p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°			%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27 55	28·04	26·93	12 6		20 2	27·5	8·3	17 9	46·0	25·0	100		100	100	40		58	49		3 1	0·31	0 21
February	27 64	27 93	27·13	11 1		21 8	27·4	8·1	17·7	53·0	22·0	99		95	97	57		67	62	0·02	5 5	0 57	0 22
March	27·62	28·03	27·29	7·3		22·4	29·0	5·2	17·1	52·0	16·0	95		89	92	55		65	60		11 7	1·17	0 27
April	27 54	27·99	26·87	31 9		48 8	54 3	30·4	42 4	70·0	5·0	89		51	70	75		61	68	0·42	1 5	0 57	0·21
May	27 55	27·81	27·34	43 7		61·4	66·9	42·2	54 5	84·0	29·0	86		54	70	66		70	68	2·58		2 58	0·82
June	27 56	27·86	27·27	47 9		60·3	65·7	45·3	55 5	79·0	34·0	94		72	83	71		72	71	5 36		5·36	1 15
July	27 66	27·89	27·27	53 2		72 0	76·3	51·3	63 8	88·0	43·0	95		60	77	57		51	54	2 33		2 33	0 80
August	27·66	27·99	27·36	48 3		65 4	70·6	46 4	58 5	84·0	31·0	95		63	79	57		50	53	1·71		1 71	0·34
September	27 60	27 97	27·17	40 7		58·8	65·1	37·9	51 5	81 0	12·0	88		57	73	51		59	55	0·54	0 5	0·59	0 13
October	27 64	28·01	27·09	30 0		41 7	49·4	27·5	38 5	71 0	9 0	92		75	84	61		55	58	0·53	9 5	1·48	0 30
November	27 64	28 31	27 09	23 6		30 1	37·7	19 7	28 7	62 0	8·0	95		86	90	59		60	59	0·06	8 5	0 91	0 60
December	27·57	28·31	26·80	13·1		18 9	25·2	5·7	15 4	45·0	30 0					49		44	46		3 1	0·31	0·30
Year	27 60	28 31	26·80	30 3		43 5	49·6	27 3	38 4	88 0	30·0					58		59	59	13 55	43 4	17·89	1 15

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 m. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	0	3	1	6	5	7	11	13	16	5·6	20	N.W.	0	9	14	8	4	4		13				4
February	2	3	5	8	4	5	7	15	9	6·8	20	S.E.	0	8	6	15	9	8		4				
March	9	3	8	4	2	5	6	9	16	5·7	24	N.W.	0	8	8	15	16	16		5				4
April	2	1	5	11	1	0	6	17	17	7·8	28	S.E.	1	3	9	18	7	2		8		1		3
May	2	2	7	16	4	3	0	12	16	7 3	24	S.E.	0	3	12	16	12			12				3
June	3	7	0	10	1	5	5	20	9	6·8	24	S.E.	0	1	9	20	16			6		2	1	
July	2	1	1	11	2	6	8	17	14	5·7	16	S.E.	0	7	14	10	12			10		2	2	
August	6	2	7	7	6	5	6	14	9	6 1	20	N.W.	0	10	9	12	13			5	1	2		3
September	13	1	6	4	9	5	10	3	9	6 1	20	N.	0	8	10	12	10	1		7		2		6
October	10	0	3	8	17	5	8	5	6	6 0	20	N.	0	7	11	13	8	4	1	8		1		2
November	8	4	7	2	2	5	19	8	5	5·4	24	N.W.	0	8	9	13	7	5		9	1			4
December	5	1	3	0	5	9	15	6	18	4·6	22	W.	0	9	13	9	2	2		13	1			
Year	62	28	53	87	58	60	101	139	144	6·2	28	S.E.	1	81	124	161	116	42	1	100	3	10	3	29

MONTHLY and Annual Summaries for the Year 1908, Father Point, Quebec.—Latitude, N. 48° 31′; Longitude, W. 68° 19′. Height above Sea, 20 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%			%	in.	in.	in.	in.
January	29·76	30·34	28·74	9·4		12·5	21·7	3·5	12·58	45·0	12·0	79	80	81	80	80	70	57	69	0·42	14·8	1·90	0·60
February	29·95	30·72	28·82	10·8		12·6	20·2	4·2	12·20	43·4	14·0	85	83	82	83	77	71	48	66	0·62	25·2	3·14	0·84
March	29·98	30·48	29·12	17·9		21·7	29·3	11·5	20·41	43·0	5·0	78	82	81	80	73	65	51	63	0·37	21·3	2·50	0·66
April	29·74	30·44	28·98	28·1		30·5	36·7	22·6	29·68	47·1	6·0	82	82	85	83	63	72	55	63	1·85	7·6	2·61	0·84
May	29·93	30·42	29·28	43·9		43·7	51·8	37·5	44·67	69·7	30·0	81	79	86	82	71	72	65	69	3·79		3·79	1·58
June	29·87	30·30	29·51	52·5		53·3	62·3	45·1	53·72	77·8	32·0	84	79	86	83	63	65	62	64	5·83		5·83	1·70
July	29·91	30·33	29·55	58·8		60·2	70·2	51·8	61·03	81·7	42·0	88	76	85	83	52	53	53	53	1·27		1·27	0·40
August	29·92	30·42	29·38	55·4		54·0	64·2	47·9	56·04	77·8	37·0	87	85	91	88	66	61	60	62	3·86		3·86	0·82
September	29·96	30·44	29·51	52·6		52·0	60·3	44·4	52·37	74·7	34·0	85	81	85	84	58	70	61	63	1·48		1·48	0·70
October	30·04	30·51	29·24	42·4		43·7	49·9	37·7	43·81	68·7	28·3	81	80	85	82	57	67	54	59	3·37	1·8	3·55	1·30
November	29·77	30·45	29·12	29·9		31·7	36·0	26·6	31·32	50·8	17·0	86	88	85	86	90	88	78	85	0·62	24·5	3·07	0·72
December	29·90	30·60	29·14	11·3		14·3	20·7	5·3	12·97	39·9	16·2	83	79	78	80	78	81	68	76		36·6	3·66	0·72
Year	29·89	30·72	28·74	34·4		35·9	43·6	28·1	35·85	81·7	16·2	83	81	85	83	69	69	59	66	23·48	131·8	36·66	1·70

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation. Obln. over	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	9	1	5	1	4	18	11	12	1	21·5	49	W.	17	5	6	20	10	9		21				
February	3	3	10	0	2	12	17	5	6	15·7	48	W.	10	7	5	17	12	11		17				
March	5	4	8	3	9	14	7	12	0	19·8	48	W.	12	10	5	16	9	8		22				1
April	10	2	8	1	2	13	9	14	1	20·8	46	N.W.	15	6	7	17	17	11		13	1			1
May	8	1	24	0	2	2	18	2	5	17·2	54	E.	11	7	2	22	13			18	1			1
June	6	4	12	1	1	4	26	2	4	13·0	40	W.	7	6	9	15	11			19	1	2		
July	4	1	8	0	5	4	31	0	9	11·6	38	E.	7	11	8	12	5			26		1		
August	4	0	3	1	3	10	24	3	11	12·4	38	S.	7	9	8	14	18			13				1
September	3	2	4	0	2	18	28	1	2	14·2	38	S.W.	6	8	3	19	9			21	4			
October	6	6	3	2	2	22	14	6	1	15·1	48	N.W.	7	8	8	15	10	1		21	1			
November	4	2	7	6	3	17	8	13	0	18·8	52	N.W.	13	0	6	24	15	10		15	1			
December	9	5	4	5	10	6	6	16	1	15·0	38	N.W.	8	2	6	23	18	18		13	1			
Year	71	31	96	20	45	140	199	86	44	16·3	54	E.	120	79	73	214	147	68	0	219	10	3	0	4

Monthly and Annual Summaries for the Year 1908, Fort Chipewyan, Lake Athabasca, Alberta—Latitude, N. 58° 42′; Longitude, W. 111° 10′. Height above Sea, 714 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.								°	%	%	%	%	%		%	%	in.	in.	in.	in.
January	29·06	29·75	28·37	4·6	1·3	4·3	6·5	24·3	8·9	30·0	55·0	....	.				....		...	....	6·0	0·60	0·60
February	29·25	29·65	28·66	1·2	6·9	6·7	13·0	22·9	5·0	40·0	50·0		.		..		.		..	R	S	T	T
March	29·31	29·72	28·58	7·4	0·0	5·1	6·0	30·6	12·3	33·0	54·0	..	.				.....				S	S	S
April	29·11	29·70	28·60	23·4	29·0	26·2	33·8	1·7	17·8	49·0	30·0	.	..		.		.		..	4·50	2·0	4·70	3·20
May	29·11	29·39	28·81	....	....	..	59·9	27·5	43·7	80·0	6·0	....	.		.				..	0·02	.	0·02	0·01
June	29·09	29·49	28·65	53·0	60·4	61·2	65·6	46·0	55·8	80·0	34·0	.	....		.		.		..	0·04		0·04	0·02
July	29·06	29·35	28·75	59·6	67·2	66·8	71·8	50·9	61·3	86·0	32·0	.	.		.		.		..	on 2 days	..	..	..
August	29·14	29·51	28·73	55·0	64·0	62·1	66·8	48·7	57·7	80·0	33·0	.	..		.		.		.	on 4 days	..	..	..
September	28·99	29·33	28·54	41·8	52·6	50·7	60·8	38·2	49·5	76·0	27·0	.	.		.		.		..	on 4 days	..	..	....
October	29·10	29·90	28·37	31·4	37·2	35·0	45·8	26·6	36·2	62·0	2·0	..	....		.		.		..	on 3 days	on 5 days	..	....
November	29·19	29·93	28·53	10·3	13·2	12·5	22·0	4·2	13·1	48·0	26·0	.			.		.		.	on 1 day	on 6 days	.	....
December	29·07	29·95	28·13	4·6	2·8	2·3	5·5	13·5	4·0	55·0	43·0						...	...	...	.	9 days	....	.
Year	29·12	29·95	28·13		..		38·1	12·7	25·4			....	....		..					.		.	....

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of 01 in or over.	Snow	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	10	16	18	4	3	4	9	15	11	5·2	.	S.W.	.	8	15	8	1	8			.	..	...
February	4	36	7	0	0	8	4	18	5	6·0	.	N.W.	....	9	15	5	0	1		.		..	
March	5	20	8	1	0	17	6	24	12	.	.	..	.	12	15	4	0	1	.	....		.	
April	0	48	10	3	0	10	2	14	3	.	.	.	....	4	6	10	3	4		.		..	...
May	5	41	14	6	0	8	3	7	4	.....	..	.		7	15	9	....	...		....		...	....
June	7	33	9	8	3	13	2	6	5	....	.	....		8	12	10	2			...		.	...
July	5	14	6	5	3	30	9	9	7	.	.	..		10	12	9	4			....		..	.
August	2	33	6	4	3	23	2	10	8	...	.		.	11	16	4	....			.		..	....
September	1	10	2	12	3	26	5	16	15	.	.		.	5	16	9	.	.		.		..	....
October	6	7	10	10	5	19	14	13	9	.	.		.	6	11	13	....	5	...	.		..	.....
November	7	14	2	6	1	12	19	15	14		...		.	6	13	11		6		..		.	..
December	6	31	2	3	1	17	8	18	7					9	11	11	.	9		..	..	....	.
Year	....	.		.....	..		...	...		...			.							...	..	...	...	...

Monthly and Annual Summaries for the Year 1908, Fort Good Hope, Mackenzie River—Latitude, N. 66° 25′: Longitude, W. 128° 53′. Height above Sea, 214 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°				%	%	%	%			%		in.	in.	in.	in.
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August																							
September	29·53	30·22	28·64				45·0	28·8	36·9	63·0	11·0									1·70	39·1	5·61	2·30
October	29·78	30·78	28·94				25·9	10·5	18·2	45·0	25·0											1·14	0·60
November	29·84	30·48	29·36				1·1	16·5	8·8	18·0	42·0										11·6	1·16	0·30
December	29·75	30·48	28·90				13·0	27·4	20·2	2·0	52·0										4·5	0·45	0·20
Year																							

Month.	Number of Winds from.									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August																							
September														7	9	14	6	6	0	24			
October	1	15	26	5	0	2	10	3	0	III	VIII	W.	4	8	13	10	5	5	0	26	1		
November	0	10	29	0	0	2	14	5	0	II	VIII	W.	3	12	8	10	5	5	0	25	1		
December	1	12	23	1	4	3	11	5	0	II	VII	W.	3	13	11	7	4	4	0	27	0		
Year																							

Monthly and Annual Summaries fo the Year 1908, Fort Hope, Ontario—Latitude, N. 51° 32′; Longitude, W. 87° 48′. Height above Sea, 920 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	8 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%	%	%	%	%	%		in.	in.	in.	in.
January	28 85	29 32	28 16	5 4	5 6	0 8	11 2	12 2	0 5	36 0	42 0	..			. . .	50	56	49	52	0 00	4 0	0 40	0 30
February	29 06	29 78	28 37	3 1	10 3	5 1	13 1	9 1	2 0	40 0	35 0		.		..	44	37	36	39	0 00	0 0	0 00	0 00
March	29 00	29 43	28 10	0 3	16 0	12 9	21 1	8 7	6 2	38 0	31 0	. .		.		24	32	27	28	0 00	8 0	0 80	0 50
April	28 88	29 40	28 20	22 9	34 6	32 9	38 1	15 1	26 6	54 0	23 0	....	.			39	49	52	46	..	.....	...	....
May	28 98	29 44	28 50	41 8	51 4	48 8	54 6	32 3	43 5	78 0	18 0	..	. . .	...	..	60	53	51	55	0 28	S.	0 28	0 13
June	28 88	29 23	28 38	51 9	61 8	61 9	68 8	44 9	56 9	89 0	25 0	.	....		. . .	62	58	57	59	3 43	S.	3 43	0 75
July	28 96	29 26	28 47	64 4	72 0	71 0	77 5	51 4	64 5	92 0	39 0	...	. .		..	35	41	37	38	0 44	0 0	0 44	0 14
August	28 83	29 19	28 42	56 6	63 8	61 9	67 2	47 5	57 4	80 0	36 0		.		. .	. .	. .	.	...	. .	.		...
September	28 81	29 19	28 33	50 5	60 4	57 1	64 1	43 8	54 0	80 0	22 0		...		...	. .		..	...	3 25	2 0	3 45	1 07
October	28 99	29 38	28 40	36 2	43 7	39 5	45 7	31 1	38 4	73 0	18 0					.		...		1 55	S.	1 55	0 70
November	28 76	29 25	28 01	17 3	24 9	21 8	27 3	12 1	19 7	42 0	5 0	.	.	.		..	. .	..	..	R.	10 0	1 00	0 40
December	28 90	29 39	28 20	8 7	1 5	4 0	5 9	16 0	5 1	28 0	32 0		...		.	59	51	39	49	0 00	21 0	2 10	0 80
Year	28 91	29 78	28 01	27 3	37 2	34 1	41 2	19 4	30 3	92 0	42 0		. .	....	.		....		...		....	. . .	. . .

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	23	0	0	5	9	4	18	5	31	I	IV	N.-S.E.	0	12	9	10	2	2	0	29	0	0	0	0
February	29	0	2	1	3	6	11	0	35	I	IV	N.	0	13	7	9	0	0	0	29	0	0	0	0
March	17	1	8	0	9	5	5	1	47	I	IV	N.-N.W.	0	18	9	4	2	2	0	29	0	0	0	0
April	27	1	19	0	16	4	5	1	17	II	V	N.	1	11	10	9	12	8	1	18	0	1	0	0
May	19	6	19	3	5	6	2	0	24	II	IV	N.-N.E.	0	13	6	12	6	2	0	25	0	0	0	0
June	17	1	15	7	9	15	8	7	11	II	IV	E.	0	7	9	14	13	1	0	17	0	2	0	0
July	7	3	1	1	4	35	12	21	9	II	IV	W.-N.W.	0	12	11	8	6	0	0	25	0	3	0	0
August	20	7	1	1	9	12	26	3	11	II	V	N.W.	1	5	10	16	8	0	0	23	2	0	0	0
September	18	3	11	0	6	16	16	0	20	II	V	N.-E.	2	10	6	14	7	1	0	23	4	4	0	0
October	22	5	11	0	11	13	10	0	21	II	IV	N.	0	9	4	17	4	6	0	27	2	0	0	0
November	30	5	7	0	3	4	2	0	39	I	IV	N.E.-N.	0	4	10	16	5	10	0	25	0	0	0	0
December	12	2	9	1	10	1	5	0	52	I	V	N.	1	10	7	14	4	8	0	27	0	0	0	0
Year	243	34	103	17	94	121	120	38	320	II	V	. .	5	124	98	143	69	40	1	297	8	10	0	0

Monthly and Annual Summaries for the Year 1908, Fort Norman, Mackenzie River—Latitude, N. 64° 57′; Longitude, W. 125° 0′. Height above Sea, 266 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%		%	%	%	%	%	in.	in.	in.	in.
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August	29·63	30·00	29·25				67·7	42·9	55·3	83·0	30·0									0·56		0·56	0·22
September	29·42	30·08	28·85				49·2	30·4	39·8	71·0	20·0									0·07	0·50	0·12	0·07
October	29·67	30·64	28·88				29·3	16·5	22·9	52·0	4·0									0·38		0·38	0·12
November	29·77	30·77	29·24				1·7	12·5	5·4	20·0	45·0												
December	29·62	30·33	28·86				10·5	23·1	16·8	6·0	49·0												
Year																							

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of 0·10 or over.	Snow.	Hail.	Fog.	Fog.	Thunder Storms.	Lightning. Aurora.	Aurora.
January																								
February																								
March																								
April																								
May																								
June																								
July																								
August	0	2	2	2	0	0	6	2	17	II	III		0							26		2		
September	2	6	4	4	0	0	7	4	4	II	III		0					1		28				
October	4	13	5	0	0	0	3	6	0	II	III		0					0		29				
November	1	20	7	0	0	0	8	8	16	II	III		0											
December																								
Year																								

Monthly and Annual Summaries for the Year 1908, Fort Simpson, Mackenzie River—Latitude, N. 49° 17′; Longitude, W. 123° 5′. Height above Sea, 195 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August	29·51	30·00	29·20				72·4	45·4	58·9	86	34									19·10		19·10	5·70
September																							
October	29·42	30·40	28·64				36·9	22·0	29·4	69	11									6·20	12·0	7·40	3·00
November	29·53	30·10	28·94				6·6	7·4	0·4	27	42									0·00	13·0	1·30	0·40
December	29·43	30·33	28·30				7·3	21·2	14·2	21	46									0·00	4·0	0·40	0·10
Year																							

Month.	Number of Winds from										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January																									
February																									
March																									
April																									
May																									
June																									
July																							1		
August		1	3	12	1	0	0	9	2	1															
September																									
October																			3						
November																			7						
December																			4						
Year																									

MONTHLY and Annual Summaries for the Year 1908, Fredricton, New Brunswick. Latitude, N. 45° 57′; Longitude, W. 66° 36′. Height above Sea, 164 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													Maximum in 24 hours.
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	a.m.	Mean.	Rain.	Snow.	Total.	
	in.	in.	in.	°	°	°						%	%	%	%	%		%		in.	in.	in.	in.
January	29·88	30·50	29·00	12·9	22·4	17 2	28·2	5·4	16 8	49 0	12·0	87	73	85	82	65	65	40	56	2·41	26·0	5·01	1·10
February	30·03	30·72	29·06	9·0	22·7	16·4	26·0	3 0	14 5	49 2	29·0	90	67	81	79	58	56	47	54	1·27	16·0	2·87	0·67
March	30·06	30·49	29·25	20·7	33·3	26·9	35·7	13 8	24 7	54 0	9 0	84	64	78	75	52	61	63	59	1·30	19 0	2 20	0·85
April	29·81	30 46	28·99	33·6	43·8	35 8	46·4	25 5	35 9	73 2	9 5	73	56	70	66	49	57	40	49	1 39	13·5	2 74	0 98
May	29·98	30·57	29·26	50·4	60·2	51 3	61 8	40 4	51 1	79 0	39 0	75	58	72	68	66	68	67	67	4 87	0·0	4 87	1·65
June	29·97	30·37	29·62	61·5	72·6	61·1	74·8	48·3	61 6	91 5	34 3	75	55	74	68	51	49	32	44	2·16	0·0	2 16	1·10
July	30·01	30·38	29·58	66·7	79·3	67 7	80·8	56·0	68 4	90 5	45·0	78	55	74	69	39	46	39	41	2·43	0·0	2 43	0 78
August	30·01	30 40	29·53	61·6	72·3	60 2	73·1	51·8	62 5	83 0	38·0	80	56	82	73	45	48	38	44	3·62	0·0	3 62	1 03
September	30·06	30·44	29·58	50·2	69·3	55·9	72·6	45·4	59 0	84 4	30 0	85	55	79	73	50	36	20	35	1·31	0·0	1·34	0·69
October	30·12	30 57	29·28	42·1	58·7	46 0	59·5	35 5	47 5	76 6	24·8	87	58	82	76	45	35	39	40	5·53	1.0	1 68	2·40
November	29·89	30·52	29·18	31·2	38·0	32 5	39·5	26·3	32 9	55 0	13·0	87	72	86	82	54	66	51	57	1·80	4·0	2 20	0·63
December	29·98	30·66	29·03	13·1	21·7	16·3	26·0	6·5	16 3	48 0	20·0	87	77	86	83	46	53	45	45	1·69	18 7	3 56	1·04
Year	29·99	30·72	28·99	37·8	49 5	40 6	52·0	29 8	40 9	91 5	29 0												1 65

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	8	1	5	2	11	12	16	34	4	9 9	33	N.W.	5	6	13	12	13	12	0	18	0	0	0	0
February	17	0	9	3	12	10	5	28	3	9·3	27	S.W.	2	7	9	13	7	7	0	22	0	0	0	0
March	18	1	16	1	12	14	2	26	3	8 9	25	N.W.	2	4	9	18	8	5	0	23	1	0	0	0
April	17	3	3	5	8	12	7	33	2	12 8	36	N.W.	4	7	10	13	9	6	0	21	2	0	0	0
May	18	0	17	4	21	9	9	10	5	7 5	25	N.W.	1	5	6	20	12	0	0	19	1	1	0	0
June	17	1	14	1	23	11	14	9	0	7 9	23	N.W.	0	6	10	14	8	0	0	22	0	0	0	0
July	21	2	11	2	12	8	28	9	0	6·5	18	S.W.	0	7	12	12	6	0	0	25	0	0	0	0
August	16	1	11	0	22	11	16	12	4	6·3	21	N.W.	0	11	6	14	7	0	0	24	0	0	0	0
September	29	2	5	2	12	2	19	12	7	6·0	18	W.	0	15	11	4	4	0	0	26	2	0	0	0
October	24	9	4	1	10	5	17	18	5	7·0	30	N.W.	3	15	10	6	4	1	0	27	4	0	0	0
November	5	2	6	7	4	9	14	38	5	9·4	35	N.W	3	8	7	15	8	7	0	22	2	0	0	0
December	9	3	4	2	4	9	12	43	7	8·6	27	N.W.	3	11	9	11	15	15	2	16	1	0	0	0
Year																								

MONTHLY and Annual Summaries for the Year 1908, Grand Manan, New Brunswick—Latitude, N. 44° 47′; Longitude, W. 66° 46′. Height above Sea, 49 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	m.	m.	in.													%	%			in.	in.	in.	in.
January..	29·80	30·39	28·97	25·1	..	27·0	35·8	17·6	26·73	50·2	11·0	81	76	82	79	61	63	51	58	3·86	7·1	4·57	1·06
February.	29·94	30·64	29·14	21·3	..	24·9	32·5	15·9	24·19	49·2	5·0	86	82	84	84	57	40	37	45	3·07	2·8	3·35	0·78
March....	29·98	30·37	29·21	29·7	..	31·6	38·5	23·9	31·24	51·2	4·0	88	84	84	85	63	60	53	59	2·37	6·4	3·01	0·71
April	29·74	30·35	28·99	35·9	..	37·4	45·9	30·0	37·96	66·6	14·0	81	68	77	75	46	51	39	45	3·34	5·2	3·86	0·98
May.	29·89	30·46	29·25	49·0	..	47·4	56·8	42·4	49·61	74·6	35·8	80	73	81	78	64	59	61	61	3·86	....	3·86	1·16
June. ...	29·91	30·29	29·55	60·2	..	56·9	68·6	49·9	59·24	82·1	37·0	73	65	76	71	51	46	38	45	1·30	....	1·30	0·92
July .	29·89	30·28	29·54	66·2	..	62·7	73·5	56·2	64·87	87·6	52·0	75	68	80	74	49	46	58	51	3·31	....	3·31	1·21
August.....	29·94	30·27	29·53	61·7	..	60·2	69·3	54·3	61·83	79·6	49·0	77	70	79	75	47	48	45	47	4·98	....	4·98	1·61
September	30·00	30·36	29·51	59·7	..	59·1	68·1	52·7	60·40	84·1	43·0	76	71	73	73	44	39	34	39	1·76	....	1·76	0·95
October .. .	30·04	30·43	29·06	50·9	..	51·0	58·9	41·9	51·90	75·0	32·0	80	73	74	76	49	44	33	42	4·90	T.	4·90	2·25
November	29·82	30·42	29·14	39·4	..	39·0	45·5	34·3	39·94	56·0	23·0	82	70	74	75	70	66	62	66	1·47	1·3	1·60	0·49
December ..	29·89	30·60	28·76	25·7	..	28·3	36·8	19·2	28·01	52·2	5·0	83	77	81	80	77	73	61	70	3·67	10·5	4·72	1·36
Year.	29·90	30·64	28·76	43·7	..	43·8	52·5	36·8	44·66	87·6	11·0	80	73	79	77	56	53	48	52	37·89	33·3	412·2	2·25

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January. ..	4	4	0	4	4	10	7	28	1	...	.	.	4	6	11	14	10	3	..	21	2	..	. .	
February	4	5	3	7	6	4	4	25	0	.	. .		3	11	13	5	10	4		18	4	. .	...	.
March....	7	9	1	5	5	10	6	19	0				3	6	13	12	17	8	2	14	1	1	...	2
April.	5	2	2	7	4	13	4	22	1		.		3	13	10	7	17	5	2	13	5	..	1	2
May.... . .	4	9	4	2	8	15	4	10	6	.			2	7	8	16	10	....		21	11	2	. .	1
June.....	1	2	3	6	8	17	8	12	3				1	13	11	6	7	....	....	23	4	1	1	....
July ...	0	2	10	6	4	14	8	12	6		...			8	14	9	12	....	.	19		5	2 ..	
August . .	2	5	1	6	9	16	9	11	3			.	2	12	9	10	10	...		21	...	2	....	3
September.	2	3	0	4	1	20	7	17	6		.	. .	3	17	7	6	6	.	...	24	3	1	.	7
October . .	1	7	3	5	6	13	5	20	2		.	.	2	16	5	10	7	.	..	24	7	. .	...	3
November ..	2	4	0	6	3	14	9	22	0				1	2	13	15	13	1		17	....	..	...	...
December . .	12	6	0	6	2	5	5	22	4		..	.	2	2	9	20	18	8	...	13	3	. .	...	...
Year ..	44	58	27	64	60	151	76	220	32		..		29	113	123	130	137	29	4	228	40	12	4	18

Monthly and Annual Summaries for the Year 1908, Halifax, Nova Scotia—Latitude, N. 44° 39′; Longitude, W. 63° 36′. Height above Sea, 88 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.			Extremes.																
		Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total	Maximum in 24 hours.
	in.	in.	in.									%	%		%					m.	in.	in.	m.
January	29·76	30·32	29·07	25·1		25·1	35·1	18·0	26·5	50·6	2·4	89		87	88	75		65	69	4·28	18·9	6·17	1·01
February	29·92	30·57	29·16	22·2		23·0	31·9	16·0	24·0	48·6	7·3	91		89	90	77		58	66	4·94	11·9	6·13	1·72
March	29·95	30·44	29·40	28·9		29·6	37·6	23·6	30·6	51·6	7·5	80		83	82	73		62	68	2·42	7·7	3·19	3·19
April	29·70	30·30	28·93	36·7		34·2	44·5	28·3	36·4	65·7	17·0	74		82	78	63		47	55	5·59	7·9	6·38	1·68
May	29·89	30·45	29·32	50·4		47·2	59·4	40·2	49·8	77·4	31·1	74		83	79	71		65	68	6·24		6·24	1·52
June	29·89	30·31	29·57	59·9		55·8	70·6	48·8	59·7	85·5	36·6	77		86	82	67		59	63	4·32		4·32	1·72
July	29·93	30·25	29·50	66·7		62·3	77·6	56·6	67·1	89·8	46·9	81		90	85	53		58	55	5·69		5·69	1·69
August	29·93	30·25	29·34	62·6		58·4	71·6	53·6	62·6	80·8	42·0	85		93	89	50		49	53	10·66		10·66	5·43
September	29·96	30·27	29·38	59·2		55·8	69·8	49·4	59·6	79·7	34·3	86		93	89	56		31	43	1·42		1·42	0·89
October	30·00	30·42	28·85	48·9		47·1	60·7	40·0	50·3	71·6	27·4	84		86	85	56		31	43	3·70	T.	3·70	2·76
November	29·80	30·40	29·25	37·9		36·8	45·3	31·9	38·6	55·6	24·6	84		84	84	72		60	66	3·26	0·3	3·29	0·91
December	29·86	30·55	28·77	25·4		27·0	32·6	18·8	25·7	53·8	4·6	87		89	88	67		67	67	6·76	8·0	7·56	2·28
Year	29·88	30·57	28·77	43·6		41·9	53·1	35·4	44·2	89·8	7·3	83		87	85	65		54	59	59·28	54·7	64·75	5·43

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	17	4	0	2	3	10	11	15	0	13·7	40	S.E.	6	4	12	15	17	9		7	1		
February	20	2	1	4	2	7	12	10	0	12·6	47	S.E.	6	5	9	15	17	8	1	7	2	1	
March	23	6	2	5	3	5	13	5	0	13·4	36	S.	5	6	8	17	17	11		4	1	1	
April	21	0	0	4	1	10	7	16	1	14·1	27	S.W.	4	8	12	10	14	8		6	5		
May	12	7	0	9	8	9	5	11	1	9·9	33	W.	2	4	11	16	10			11	4	1	
June	9	3	1	3	13	4	16	11	0	8·1	21	S.W.		5	10	15	9			9	4	1	1
July	13	5	0	3	13	3	14	11	0	7·3	18	W.		11	8	12	10			6		1	1
August	19	6	4	1	10	7	8	6	1	8·4	37	N.E.	1	12	6	13	11			4			2
September	18	1	0	2	8	3	10	18	0	7·4	24	S.E.		15	9	6	9			7	5	1	2
October	20	5	0	4	3	4	7	19	0	9·3	31	S.E.	3	10	7	8	8			6	3		
November	14	5	1	4	7	3	8	17	1	10·2	28	S.W.	3	6	6	18	18	2		3	1		
December	24	4	0	3	5	5	5	16	0	11·6	37	S.	3	4	11	16	15	10		6	1		
Year	210	48	9	44	76	70	116	155	4	10·5	47	S.E.	33	96	109	161	158	48	1	74	25	4	3	5

Monthly and Annual Summaries for the Year 1908, Hay River, Mackenzie River—Latitude, N. 60° 51′; Longitude, W. 115° 20′. Height above Sea, 529 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°		°			°		°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January.																							
February.																							
March																							
April																							
May																							
June																							
July																							
August	29·34	29·73	28·86	55·2		54 6	64·6	46·3	55·5	80	35					55		53	54	0·86		0·86	0·24
September	29·20	29·82	28·64	39·9		42·8	54·6	34 3	44·4	71	24					68		61	64	0·75	S.	0·75	0·20
October	29·31	30·15	28·44	27·8		31·4	40·7	23·4	32 0	72	15					68		53	61	0·25	S.	0·25	0·14
November	29·39	30·09	28·71	4·8		5 9	13·8	4·1	4 8	42	35					61		53	57				
December	29 29	30·17	28·16	13·2		12·4	1·0	20·7	10 8	36	10					55		52	53				
Year.																							

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog	Thunder Storms.	Lightning Alone.	Aurora.
January.																							
February																							
March																							
April																							
May																							
June																							
July																							
August	7	11	14	0	14	1	13	2		II	IV	W.		10	11	10	7	0					
September	4	3	6	1	6	11	10	5	14	II	VI	W.	2	7	8	15		1					
October	4	6	4	9	13	8	2	8	8	II	VI	N.W.-N.E.	3					3					
November	0	2	8	1	17	5	18	5	4	II	IV	N.W.	0										
December	0	2	15	2	13	1	13	6	10	II	IV		0										
Year																							

Monthly and Annual Summaries for the Year 1908, Kamloops, British Columbia—Latitude, N. 50° 41′; Longitude, W. 120° 29′. Height above Sea, 1,245 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	5 a.m.	p.m.	5 p.m.	Max.	Min.	Mthly		Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%		%	%	%		%	%	in.	in.	in.	in.
January	29·72	29·94	27·97	27·1		30·3	32·7	23·1	27·9		47·5	1·7	84		82	83	53		65	59	0·16	3·65	0·52	0·21
February	28·70	29·19	28·00	22·3		28·4	31·9	17·9	24·9		46·4	1·0	88		84	86	48		53	50	0·04	9·35	0·99	0·20
March	28·64	29·12	28·01	31·5		42·7	44·6	27·9	36·3		57·6	5·1	84		80	82	44		64	54	0·11	1·85	0·29	0·11
April	28·63	29·11	28·14	39·9		54·7	59·8	37·8	48·8		75·3	21·6	71		48	60	50		68	59	0·26		0·26	0·21
May	28·56	28·89	28·04	47·9		66·4	68·3	46·6	57·5		77·8	38·0	68		37	53	54		71	62	0·91		0·91	0·17
June	28·57	28·99	28·30	54·2		73·2	78·2	54·1	66·1		92·8	42·2	64		40	52	49		57	53	0·89		0·89	0·47
July	28·66	29·00	28·32	60·8		82·7	85·1	59·1	72·1		101·6	42·4	66		40	53	51		48	49	0·48		0·48	0·24
August	28·64	28·91	28·42	57·9		79·4	81·4	56·2	68·8		95·3	45·3	66		41	54	26		49	37	1·46		1·46	0·63
September	28·68	28·98	28·32	48·9	65·3	68·2	69·9	45·9	57·9		87·0	30·2	72	47	43	54	45	45	53	48	0·10		0·10	0·03
October	28·72	29·03	28·02	40·8	53·9	52·0	54·9	37·7	46·3		72·0	29·5	79	59	61	66	47	63	62	60	0·65		0·65	0·26
November	28·71	29·16	28·27	38·7	46·7	44·3	47·6	35·8	41·7		71·5	13·8	85	72	74	77	60	70	58	63	0·07		0·07	0·03
December	28·76	29·30	28·03	23·5	29·2	26·3	30·1	18·9	24·5		49·5	0·2	82	73	75	77	66	68	46	60	0·19	7·15	0·91	0·36
Year	28·75	29·94	27·97	41·1	48·8	54·0	57·0	38·4	47·7		101·6	1·0	59	63	76	66	49	61	58	56	5·32	22·00	7·52	0·63

Month.	Number of Winds from										Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
											mls.	mls.													
January	4	4	2	13	1	6	3	0	38		2·6	19	S.E.		8	8	15	11			20				
February	0	0	1	1	1	1	1	0	53		0·1	15	S.		10	10	9	12			17				
March	0	3	4	6	2	3	3	3	38		4·3	24	S.		9	11	11	6			25				
April	0	5	5	15	0	3	5	2	25		6·3	22	S.E.		6	13	11	4			26				
May	0	2	3	11	1	4	8	8	25		5·3	20	W.		5	13	13	10			21				
June	0	0	1	2	2	5	14	1	35		3·5	15	W.		6	14	10	8			22				
July	0	0	2	11	1	3	5	3	37		3·5	20	S.E.		12	10	9	6			25				
August	0	2	0	4	0	0	8	2	46		2·0	14	N.W.		15	10	6	7			24		1		
September	1	11	4	6	3	5	3	1	26		4·9	24	S.E.		11	9	10	5			25				
October	0	17	3	3	1	4	7	4	23		4·8	17	S.W.-W.		7	11	13	6			25				
November	1	18	6	5	1	9	5	0	15		5·7	17	N.E.-S.E.		6	9	15	4			26				
December	0	4	2	12	1	9	2	1	28		3·2	16	S.		5	15	11	8			23				
Year	6	66	33	89	17	46	64	25	389		3·8	24	S.E.-S.		100	133	133	87	0		279		1	0	0

Monthly and Annual Summaries for the Year 1908, Kingston, Ontario—Latitude, N. 44° 13′; Longitude, W. 76° 29′. Height above Sea, 285 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max	Min.	8 a.m.	p.m.	8 p.m.	Max.	Min	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°				°	°	%	%	%	%					in.	in.	in.	in.
January.	29·66	30·30	28·83	16·6	..	20·7	28·5	8·7	18·60	39·0	27·5	81	78	79	79	75	65	63	68	0·44	9·9	1·43	0·34
February.	29·76	30·61	28·59	9·9	..	13·8	22·6	4·2	13·38	39·9	27·9	86	83	87	85	76	60	52	63	1·11	24·1	3·52	1·30
March.	29·74	30·31	28·85	25·7	..	28·7	34·8	20·2	27·47	45·4	2·4	82	79	82	81	79	74	71	75	1·55	4·9	2·04	0·50
April	29·62	30·27	29·15	36·8	..	39·6	46·4	31·3	38·85	65·0	13·3	73	63	71	69	57	66	53	59	1·65	0·5	1·70	0·38
May	29·64	30·07	28·97	53·5	..	55·3	62·0	48·2	55·13	75·7	33·0	78	74	77	76	68	72	72	71	4·84	0·2	4·86	0·75
June.	29·74	30·01	29·42	62·2	..	65·3	71·2	56·1	63·68	82·0	41·8	74	67	74	72	43	41	46	43	3·45	..	3·45	1·64
July	29·76	30·01	29·23	68·0	..	71·2	76·3	62·1	69·24	83·5	51·7	79	68	73	74	54	39	49	48	5·56	..	5·56	3·06
August	29·70	30·02	29·37	64·2	..	67·2	73·6	57·4	65·52	79·6	45·1	78	65	77	73	45	51	37	44	2·77	..	2·77	1·82
September.	29·80	30·21	29·31	59·8	..	63·8	71·6	55·4	63·52	77·5	37·1	79	63	73	72	38	39	37	38	1·20	..	1·20	0·37
October	29·86	30·21	29·49	49·0	..	51·2	59·6	43·8	51·74	68·0	29·0	80	62	73	72	59	47	58	55	2·17	S.	2·17	0·81
November.	29·66	30·12	29·17	36·2	..	39·2	44·3	32·1	38·17	55·7	21·0	83	77	79	80	82	76	65	74	1·82	6·9	2·51	0·42
December.	29·69	30·24	29·15	23·1	..	24·5	32·1	15·6	23·89	52·2	5·8	85	78	84	82	83	71	67	74	0·84	13·2	2·16	0·62
Year.	29·72	30·61	28·59	42·1	..	45·0	51·9	36·3	4·10	83·5	27·9	79	72	77	76	63	59	56	59	27·40	59·7	33·37	3·06

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation (0·1 in. or over).	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	0	19	0	1	2	19	9	12	0	12·2	30	S.W.	2	7	7	17	15	12	..	16	..	..	..	..
February.	3	17	1	5	2	5	9	15	1	10·9	30	N.E.	1	7	6	16	15	13	..	14	..	..	..	..
March	3	15	1	2	2	22	8	9	0	11·9	26	S.W.	1	4	6	21	15	6	..	16	1	..	..	..
April	2	16	0	3	0	19	9	9	2	12·5	28	W.-S.W.	2	8	7	15	15	3	1	15	..	1	..	..
May	1	17	1	8	3	20	4	8	0	9·6	22	W.	0	5	7	19	16	1	..	15	1	2	..	..
June	3	7	0	1	2	30	7	6	1	9·5	22	S.W.	0	12	12	6	7	..	..	23	..	3	..	1
July	0	11	1	3	3	26	12	5	1	8·7	20	S.W.	0	12	9	10	13	..	..	18	..	5	..	..
August	0	6	0	3	2	33	3	14	1	8·4	19	S.W.	0	15	9	7	6	..	..	25	..	3	..	..
September.	1	19	0	4	4	12	10	8	2	8·1	20	S.-S.E.	0	18	5	6	4	..	..	26	6	2	..	2
October	8	13	3	8	1	18	1	9	1	8·7	20	S.W.	0	8	12	11	8	..	..	23	..	1	..	1
November	2	6	1	6	4	18	14	9	0	13·6	38	E.	2	4	5	21	16	6	..	14	2	..	..	..
December.	1	18	1	3	1	19	11	8	0	12·4	32	S.W.	1	2	9	20	14	11	..	17	1	..	..	..
Year.	24	164	9	50	26	241	97	112	9	10·5	38	E.	12	102	94	169	144	52	1	222	11	17	0	4

MONTHLY and Annual Summaries for the Year 1908, London, Ontario—Latitude, N. 42° 59′; Longitude, W. 81° 31′. Height above Sea, 808 feet.

MONTH.	BAROMETER AT SEA LEVEL.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		EXTREMES.		MEAN.						EXTREMES.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.											%	%	%	%	%	%	in.	in.	in.	in.
January	29 92	30·51	29·17	21 9	27·4	23·3	30·6	13·4	22·0	42·0	3·5	89	90	90	90	97	64	41	68	0·78	33·0	4 08	0·60
February	30 01	30·88	29 09	15 8	23·7	18·8	26 5	9 5	18·2	45·0	20·0	92	88	91	90	71	69	58	66	2 09	36·5	5 74	1·15
March	30 01	30·61	29·30	30·2	36·7	31·9	40·1	22·9	31·5	65·0	3·5	92	90	92	92	75	76	48	66	2 06	1 4	2 20	0·45
April	29 89	30·46	29·32	41 5	49·2	43·4	53·4	33 7	43·6	80·5	18·0	94	95	94	94	60	56	53	56	1·72	0·6	1 78	0 41
May	29·87	30·27	29·49	56·2	65·4	57·9	71·2	49·0	60·1	87·5	27·5	95	95	95	95	50	61	52	54	4·94	S.	4·94	1 01
June	30 03	30·40	29·66	66 1	76·8	66·6	80·4	53·3	66·8	92·0	31·5	77	60	77	71	17	25	19	20	1·35	. .	1 35	0·63
July	30 01	30·25	29·54	68·7	79·8	70·8	83·7	58·7	71·2	93·5	47·5	83	62	80	72	34	39	31	35	3 35	. . . . .	3 35	0·85
August	29·99	30·30	29·68	65 3	76·2	64 8	79·5	54·5	67·0	94·5	41·0	92	91	95	93	30	45	19	31	3 29	. . .	3 29	1·72
September	30·05	30·36	29·56	60 1	76·9	62·1	79·6	49·6	64·6	92·5	32·5	89	74	90	84	30	43	20	31	1·62	. .	1 62	1·00
October	30 13	30 49	29 82	46 7	60·3	48·1	62·8	38 5	50·6	81·5	25·0	86	71	89	82	36	41	35	38	1 62	2·5	1 87	0·41
November	29 97	30 46	29·45	35·5	42·9	37·4	45·3	29·5	37·4	60·5	17 0	88	79	87	85	59	63	53	58	1 32	6·5	1 97	0 43
December	29 98	30·43	29·46	25 2	30·6	27·5	33·7	20·2	27 0	42 0	2·5	92	85	91	89	77	75	74	75	1 16	26·0	3 76	0·55
Year	29·99	30·88	29·09	44·4	53·8	46·1	57·3	36·1	46·7	94·5	20·0			..	..	53	55	42	50	25·30	106·5	35 95	1·15

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	1	2	7	18	0	13	16	36	0	II	VII	N.W.	3	0	21	10	17	18	0	14	0	0	0	0
February	1	1	0	30	0	11	18	26	0	II	VIII	N.W,-S.E.	6	5	10	14	16	16	0	13	1	0	0	0
March	0	3	4	31	1	30	10	14	0	II	VIII	W.	5	4	14	13	13	10	0	18	0	3	0	0
April	0	4	5	27	0	16	13	25	0	II	VIII	N.W.-S.W.	5	7	11	12	12	5	0	18	1	2	0	0
May	0	5	0	37	0	20	10	21	0	I	IV	N.W.	0	10	9	12	14	1	0	17	1	3	0	0
June	1	8	3	27	0	13	17	21	0	I	I	.	0	19	10	1	4	0	0	26	0	2	0	0
July	0	0	0	23	2	20	26	22	0	I	II	N.W.	0	17	9	5	9	0	1	22	0	4	0	0
August	0	0	0	18	0	24	27	24	0	I	V	S.E.	1	17	11	3	9	0	2	22	0	4	0	0
September	0	0	3	34	0	27	12	14	0	I	I	. . . . .	0	15	14	1	4	0	0	26	0	1	0	0
October	3	12	9	23	0	15	14	17	0	I	I	. . . . .	0	16	7	8	6	2	0	25	1	0	0	0
November	0	0	0	15	0	27	27	21	0	I	VI	W.	2	8	9	13	7	6	0	23	2	0	0	0
December	0	6	2	7	0	19	47	12	0	I	V	W.	1	3	9	19	17	16	0	14	0	0	0	0
Year	6	43	33	290	3	235	237	253	0	I	VIII	. . . . .	23	121	134	111	128	74	3	238	6	16	0	0

Monthly and Annual Summaries for the Year 1908, Medicine Hat, Alberta—Latitude N. 50° 5′; Longitude, W. 110° 37′. Height above Sea, 2,161 feet.

Month.	Pressure at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·59	28·04	27·07	18·31	31·88	31·10	38·35	14·26	26·30	50·0	13·7		....			37	50	52	47	.	1·00	0·10	0·50
February	27·66	28·02	27·10	12·92	...	24·82	30·69	8·74	19·71	54·0	15·8		....							...	4·50	0·45	0·20
March	27·57	28·01	27·06	17·41	29·91	28·51	36·07	13·66	24·86	60·0	7·4					64	60	69	64	....	4·50	0·45	0·25
April	27·57	28·02	27·07	36·36	55·66	56·56	62·40	34·86	48·63	82·0	2·6		....			46	54	58	53	R.	0·50	0·05	0·05
May	27·51	27·81	27·25	47·08	....	65·78	70·87	45·51	58·19	90·0	29·7	88	....	82	85	61	58	61	60	2·98		2·98	1·35
June	27·52	27·94	27·16	52·77		67·45	72·67	50·31	61·49	95·0	39·7	86	.	78	82	52	61	60	58	1·66	....	1·66	0·30
July	27·68	27·97	27·27	58·28	79·74	81·24	86·13	56·56	71·34	96·0	46·0	72	..	42	57	26	30	35	30	1·85	....	1·85	1·37
August	27·69	28·00	27·27	52·93		73·45	78·48	51·19	64·84	103·0	38·0	*	*			..	..	..	..	1·34	..	1·34	0·30
September	27·66	28·03	27·23	46·73	...	68·88	74·07	46·13	60·10	90·0	28·0	75	.	52	63	45	48	63	52	0·00	0·00	0·00	0·00
October	27·69	28·15	27·04	35·14	. . .	45·43	52·00	33·38	42·69	75·0	14·5	.	....	.		52	55	60	56	0·67	5·50	1·22	0·60
November	27·72	28·42	27·26	29·88	. . .	37·92	45·83	26·94	36·38	69·0	2·0	.	.		..	48	57	55	53	0·00	0·00	0·00	0·00
December	27·65	28·35	27·13	17·51	.	24·56	32·46	11·15	21·80	49·0	21·0	.	....			47	51	42	47	...	1·20	0·12	0·10
Year	27·63	28·42	27·04	35·47	.....	50·47	56·67	32·72	44·69	103·0	21·0	..	.	.	.	48	52	55	52	8·50	17·20	10·22	1·37

* Incomplete.

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				Clear.	Partly Cloudy.	Cloudy.	Precipitation 0·01 in. or over.	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.											
January	1	0	2	0	14	9	8	3	25	6	2	35	S.W.	1	2	27	2	2	4	...	16	..	...	.	..
February	1	1	2	3	16	4	12	9	34	8	2	12	N.W.	0	3	25	1	4	4	....	10	. .	...	.	.
March	4	5	4	2	9	6	4	10	18	6	2	20	S.W.-N.W.	0	2	27	1	3	6	....	10	. .	.		. .
April	1	1	1	5	7	9	15	9	12	6	0	35	S.W.	4	1	29	.	1	2	. .	17		.	.	..
May	0	1	16	3	7	3	9	4	19	6	2	30	W.	1	5	26	....	9	. .	. .	11		3	..	. .
June	0	2	3	1	5	5	14	11	19	6	0	35	N.E.	1	6	24	....	14	. .	...	7	.	2		
July	0	4	4	2	4	3	14	10	21	6	2	40	N.W.	2	7	22	2	7	.	. . .	17		2	.	.
August	2	0	0	6	4	1	16	9	21	6	2	30	S.W.	1	.	. .	....	8	. .	. .	. .	. . .	1	...	1
September	2	2	4	0	7	4	8	5	28	6	0	25	S.W.	1	2	26	2	0	.	.	10	.	....	.	. .
October	0	0	5	0	9	2	6	17	23	6	2	30	S.W.-N.W.	2	2	23	6	6	3		12		.....		
November	0	0	1	0	8	10	9	12	20	6	0	20	N.W.	0	2	25	3	0	4	...	14	...	.....	. .	. .
December	0	0	2	0	15	7	7	8	23	6	2	30	S.W.	1	5	23	3	2	3	....	11	...	.....		...
Year	11	16	44	22	105	66	122	107	263	6	3	35	S.W.-N.E.	17	37	277	18	56	26		135	..	8	....	1

MONTHLY and Annual Summaries for the Year 1908, Minnedosa, Manitoba—Latitude, N. 50° 15′; Longitude, W. 99° 50′. Height above Sea, 1,699 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mean.	Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%	%	%	%		%		in.	in.	in.	in.
January	28·07	28·67	27·59	2·9	...	9·5	20·9	3·1	8·9	40·0	41·2				...	32	40	28	33	...	3·1	0·31	0·14
February	28·19	28·61	27·61	4·6	...	12·2	20·0	0·2	10·1	44·5	21·1				...	57	60	49	55	...	5·9	0·59	0·20
March	28·15	28·62	27·55	2·5	...	15·5	23·7	0·8	11·4	43·0	24·1	...	...	...	...	61	58	53	58	0·01	7·1	0·72	0·34
April	28·06	28·71	27·36	29·7	...	44·1	52·4	26·2	39·3	79·0	4·2		...	...	...	50	56	51	52	0·66	6·5	1·31	0·41
May	28·13	28·44	27·74	41·8	...	56·7	62·9	37·2	50·1	80·0	15·6	83	59	61	68	44	52	51	49	2·09	T.	2·09	0·57
June	28·04	28·43	27·51	52·4	...	62·9	69·0	47·9	58·5	83·8	32·0	92	76	81	83	61	64	65	62	2·68	...	2·68	0·50
July	28·18	28·53	27·75	57·7	...	72·8	77·4	52·0	64·7	90·0	42·0	91	77	76	81	39	42	27	36	3·20	...	3·20	1·56
August	28·15	28·42	27·78	50·0	...	64·9	70·9	46·0	58·4	88·0	32·0	89	67	71	76	41	55	42	46	2·83	...	2·83	0·69
September	28·13	28·44	27·68	45·9	...	59·3	66·9	43·3	55·1	88·8	27·4	91	69	77	79	44	42	40	42	1·24	2·9	1·53	0·61
October	28·15	28·57	27·54	32·5	...	41·3	50·2	29·7	39·9	74·5	17·0		...	...	....	58	60	51	56	0·41	0·7	0·48	0·20
November	28·08	28·85	27·62	24·1	...	26·9	35·9	20·2	28·0	63·0	8·7		...	...	...	52	67	46	55	0·20	5·4	0·74	0·22
December	28·06	28·57	27·45	7·1	...	10·5	18·7	1·2	10·0	36·0	30·5	...				45	65	54	55		2·8	0·28	0·06
Year	28·12	28·85	27·36	29·3	...	39·6	47·4	25·0	36·2	90·0	41·2	...	...	...	...	49	55	46	50	13·32	34·4	16·76	1·56

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Above.	Auroras.
										m.h.	m.h.												
January	4	0	1	3	3	1	10	8	32	4·8	28	N.W.	1	20	3	8	5	5	...	2	1	...	...	5
February	2	2	2	8	2	0	5	14	23	7·7	28	N.W.	3	11	6	12	10	10	...	4	1	...	...	3
March	6	3	6	4	0	2	3	8	30	5·8	21	N.W.	0	9	7	15	11	11	...	4	...	...	...	4
April	7	2	3	5	2	3	4	14	20	10·8	42	N.W.	6	12	8	10	9	6	...	8	...	1	...	1
May	7	7	4	12	2	0	1	3	26	8·1	34	N.W.	4	12	5	14	10	...	...	3	...	1	...	1
June	5	0	2	15	6	3	3	9	17	10·5	44	N.W.	6	6	10	15	17	...	...	4	...	6	...	...
July	3	0	1	5	3	3	4	16	27	7·7	26	N.W.	2	16	12	3	7	...	...	11	...	4	...	1
August	4	1	3	6	2	1	5	14	26	7·5	28	N.W.	3	14	8	9	11	...	1	8	...	3	...	6
September	7	4	0	0	2	2	2	7	36	6·3	29	N.W.	3	15	8	7	7	4	...	6	...	1	...	4
October	4	6	0	6	5	0	3	10	28	7·8	38	N.W.	1	12	6	13	8	1	...	6	...	...	...	1
November	7	1	1	3	1	0	3	16	28	7·9	43	N.W.	3	10	5	15	8	7	...	5	2	...	...	3
December	0	1	0	2	1	0	0	21	37	6·5	33	N.W.	5	10	8	13	9	9	...	4	...	...	...	3
Year	56	27	23	69	29	15	43	140	330	7·6	44	N.W.	40	147	86	134	112	53	1	65	4	16	0	32

Monthly and Annual Summaries for the Year 1908, Montreal, Quebec Latitude, N. 45° 30′; Longitude, W. 73° 35′. Height above Sea, 187 feet.

Month.	Barometer at 32°			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·71	30·37	28·72	10·5	..	12·2	22·6	4·2	13·41	39·4	20·0	85	77	85	82	72	58	44	58	0·34	43·7	4·71	0·75
February	29·82	30·58	28·65	10·1	..	13·0	19·4	5·0	12·20	39·8	20·6	86	78	83	82	67	58	47	57	2·16	40·6	6·22	1·68
March	29·81	30·33	28·96	22·8	..	26·8	33·2	18·1	25·64	46·8	1·4	82	76	81	79	65	75	67	69	2·54	12·1	3·75	0·56
April	29·65	30·31	29·18	34·7	..	37·8	44·9	29·4	37·12	66·5	7·3	76	63	69	69	52	60	58	57	1·86	8·7	2·73	0·80
May	29·69	30·08	28·88	53·9	..	57·9	65·6	48·5	57·08	82·0	36·0	75	61	72	69	58	62	58	59	5·61	....	5·61	0·90
June	29·77	30·09	29·42	64·5	..	67·3	75·7	57·4	66·59	87·0	44·0	69	54	67	63	50	31	33	38	0·90	.....	0·90	0·40
July	29·78	30·12	29·38	69·7	...	71·6	79·9	63·7	71·82	91·8	54·2	81	75	82	79	50	39	46	43	4·39	.....	4·39	1·18
August	29·77	30·12	29·33	64·3	....	66·3	74·2	59·1	66·62	81·0	48·4	83	67	78	76	41	54	43	46	2·83	....	2·83	0·69
September	29·85	30·27	29·34	59·1	...	64·0	72·2	55·0	63·58	84·0	40·0	77	57	70	68	34	27	26	29	1·80	....	1·80	0·79
October	29·93	30·33	29·43	46·2	....	50·0	57·1	43·1	50·07	74·6	31·0	79	63	72	74	58	50	37	48	1·49	S.	1·49	0·82
November	29·69	30·12	29·04	32·9	.	35·2	39·7	30·0	34·84	56·3	17·4	82	78	80	80	88	83	74	82	1·44	13·3	2·77	0·37
December	29·77	30·38	29·16	13·7	...	16·7	23·9	9·0	16·45	52·1	9·5	88	83	74	85	69	71	52	64	0·03	53·2	5·35	1·40
Year	29·77	30·58	28·65	40·2	..	43·2	50·7	35·2	42·95	91·8	20·6	80	69	77	75	59	56	49	54	25·39	171·6	42·55	1·68

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation and no record.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	2	9	3	0	2	14	24	8	0	17·8	36	N.W.	10	9	5	17	20	18	.	11	..	..	.	....
February	0	0	13	2	3	12	25	3	0	17·2	42	W.	8	11	2	16	14	11	1	15	.....	.....	.....	.....
March	0	0	15	3	6	7	31	0	0	16·3	32	W.	8	7	3	21	17	8	1	14		2	2	2
April	0	0	11	4	1	11	33	0	0	17·0	36	W.	6	9	8	13	14	5	..	16	..		...	
May	1	8	17	6	9	3	17	1	0	13·2	36	S.W.	2	9	8	14	17			14	. .	3	....	1
June	3	1	9	0	7	2	36	2	0	12·8	28	W.	2	16	7	7	8			22	. . .	1	...	....
July	6	3	5	0	9	6	29	4	0	12·6	27	W.	5	12	12	7	17			14	....	6	....	.
August	12	6	2	0	11	4	23	4	0	10·3	26	S.W.	1	12	10	9	13			18	...	4	..	1
September	17	1	0	1	24	6	9	2	0	12·6	28	S.	2	20	4	6	7	.		23	4	3	. .	3
October	12	7	2	1	10	17	8	5	0	13·8	32	S.W.	5	14	6	11	12	.		19	8		....	1
November	2	7	1	3	4	24	18	1	0	16·1	31	W.	10	2	4	24	15	6	1	15	2	.....	. .	.
December	17	1	4	0	9	13	8	9	1	12·4	44	S.W.	6	8	5	18	22	21	1	9	1	..	...	....
Year	72	43	82	20	95	119	261	39	1	14·3	44	S.W.	65	129	74	163	176	69	4	190	15	19	2	8

Monthly and Annual Summaries for the Year 1908, Moose Jaw, Saskatchewan—Latitude, N. 50° 21′; Longitude, W 105° 35′. Height above Sea, 1,759 feet.

Month.	Barometer at 32°.			Temperature.							Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.												
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours
	in.	in.	in.							°		%		%	%	%	%	%	%	in.	in.	in.	in.
January																							
February																							
March																							
April																							
May																							
June																							
July	28·04	28·36	27·62	59·07	76·98	76·98	81·70	51·50	66·60	101·5	41·0	72	41	43	52	34	38	23	32	0·87		0·87	0·35
August	28·03	28·30	27·66	50·35	70·99	68·85	74·41	46·82	60·61	91·0	32·0	81	41	45	56	45	43	39	42	1·41		1·41	0·92
September	27·99	28·33	27·30	43·46	67·77	63·26	71·23	41·40	56·31	96·0	10·0	82	39	46	56	38	44	41	41	0·11		0·11	0·04
October	28·02	28·50	27·08	32·23	45·13	40·53	49·14	28·87	39·00	75·0	16·0	99	65	70	75	58	68	46	57	1·12		1·12	0·47
November	28·04	28·85	27·51	23·58	36·58	30·84	38·91	20·43	29·67	66·0	10·0	99	67	85	81	43	66	38	49	T.	0·21	0·21	0·10
December	27·98	28·64	27·38	9·60	18·19	16·39	24·18	4·09	14·13	44·0	25·0	97	87	96	93	38	56	34	43		0·46	0·46	0·30
6 months	28·02	28·85	27·08	36·38	52·61	49·47	56·59	32·18	44·38	101·5	25·0	87	57	64	69	43	52	37	44	3·51	0·67	4·18	0·92

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				Clear.	Partly Cloudy.	Cloudy.	Precipitation 0·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls	mls.												
January																							
February																							
March																							
April																							
May																							
June																							
July	4	1	5	21	5	7	16	17	17				2	19	8	4	7			24	1	2	
August	7	1	8	19	4	1	27	13	12				2	15	8	8	8			23	1	1	2
September	2	4	4	14	3	8	14	23	17				1	12	13	5	4			26			2
October	4	0	14	9	1	1	15	27	22					10	5	16	9			22			
November	6	0	10	4	0	0	29	24	17					13	7	10	4	4		26			
December	3	0	3	5	0	1	31	21	27				2	19	3	9	5	6		26			
6 months	26	6	44	72	13	18	132	125	112				2	88	44	52	37	10		147	2	3	4

MONTHLY and Annual Summaries for the Year 1908, Moose Factory, Ontario—Latitude, N. 51° 16′ ; Longitude, W. 80° 56′. Height above Sea, 30 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	9 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	9 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	m.	in.	in.									%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·86	30·42	29·26	0·7	4·0	4·7	12 2	18 2	3·0	28·0	38·0					51	61	58	58	0·00	13·5	1·35	0·30
February	30·06	30·64	29·47	3·2	6·7	3·9	12 1	10·4	0·9	40·0	33·0					48	55	47	50	0 00	14·5	1·45	1 20
March	30·06	30·55	29·12	0 1	13·8	9·7	21 6	11·5	5·1	40·0	34·0					14	23	35	24	0·00	8·0	0·80	0·30
April	29·86	30·60	29·13	20·4	29·0	27 8	35 1	10·3	22·7	49·0	20·0					53	47	49	50	R.	5·0	0 50	0 20
May	29·98			43 3	49·0	45·7	55 5	33·7	21·8	80·0	23·0					58	53	49	54		1·5		
June																							
July	29·91	30·25	29·49	62·6	69·1	64·2	78·3	50·6	64·5	95·0	33·0					49	45	47	47				
August	29·81	30·25	29 40	58·7	64·8	59·5	70 3	50·2	60 3	87 0	44·0					37	39	37	37				
September	29·84	30·32	29·34	54·2	62·7	58·3	74 2	47·4	60 8	87·0	32·0					52	18	57	52				
October	29·95	30·43	29 34	39·6	46·7	42·2	51 3	34·5	42·9	73·0	24·0					53	58	52	54	0·79	2·5	1 04	0·20
November	29·71	30·26	28·96	24·4	27·9	25 4	32 6	19·1	25·9	47·0	2·0					87	82	77	82	0·32	13·3	1·65	0·06
December	29·93	30·51	29·05	4·5	1·7	1 9	7 9	10·9	1 5	32·0	35·0					64	56	42	54	0·00	17·0	1·70	0·60
Year																							

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY FORCE.	MAXIMUM FORCE.	DIRECTION AT TIME OF MAXIMUM FORCE.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				No. of Gales.	Clear	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroræ.
January	1	2	0	3	8	40	15	18	0	I	IV	S.W.	0	10	10	11	9	9	0	22	0	0	0	
February	8	9	0	3	7	16	20	12	0	I	IV	S.-W.	0	11	6	12	1	4	0	25	0	0	0	
March	6	18	0	3	5	26	11	24	0	I	IV	N.W.-S.W.	0	15	13	3	4	4	0	27	0	0	0	
April	12	15	3	0	5	15	7	28	0	II	V	N.W.	1	7	14	9	4	4	0	26	0	0	0	
May	18	21	2	3	1	10	6	3	0	II	IV	N.W.	0											
June																								
July	21	3	0	0	24	18	17	10	0	II	IV	S. W.	0	9	15	7						2		
August	22	9	1	13	20	6	17	5	0	II	V	S.	1	1	6	21						1		
September	8	6	0	11	28	21	5	7	4	II	V	S.-S.W.	1	0	8	22								
October	9	2	0	6	21	17	23	15	0	II	V	S.	1	9	3	19	11	6	1	20	0	0	0	
November	9	5	5	9	7	21	10	24	0	II	VIII	S.W.	4	1	4	25	6	7	0	24	0	0	0	1
December	0	2	6	3	1	29	33	13	3	II	VIII	N.W.	3	6	15	10	5	5	0	26	0	0	0	1
Year																								

Monthly and Annual Summaries for the Year 1908, Nanaimo, British Columbia—Latitude, N. 49° 10′; Longitude, W. 123° 37′. Height above Sea, 125 feet.

Month.	Barometer at 32°.	Temperature.										Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°							%	%	%	%	%		%	%	in.	in.	in.	in.
January	29·90	30·44	29·14	37·2	...	36·7	43·2	33·2	38·2	59·2	19·0	93	88	94	92	72	69	63	68	9·83	...	9·83	1·19
February	29·89	30·36	29·33	35·2	...	36·7	43·3	32·6	38·0	50·9	11·0	94	83	93	90	69	71	62	67	6·05	....	6·05	1·10
March	29·95	30·42	29·23	40·0	...	39·9	49·9	34·7	42·3	60·0	25·0	86	70	85	80	67	64	53	61	3·37	....	3·37	0·64
April	29·94	30·37	29·45	47·6	...	44·9	55·0	37·2	46·1	71·0	29·0	74	64	79	72	56	52	48	52	1·98	....	1·98	0·54
May	29·88	30·17	29·39	53·2	...	48·4	60·1	43·2	51·7	74·9	32·9	74	71	85	77	56	60	47	54	2·53	....	2·53	0·65
June	29·89	30·22	29·61	61·5	....	55·9	69·0	47·6	58·3	84·0	40·0	72	67	83	74	49	48	36	44	1·00		1·00	0·37
July	29·94	30·18	29·67	66·9	...	63·3	75·7	53·2	64·4	89·4	41·8	73	60	77	70	34	43	27	34	0·63	...	0·63	0·32
August	29·90	30·12	29·70	64·2	...	59·1	75·0	53·6	64·3	94·2	43·0	72	57	78	69	31	28	18	26	0·70	....	0·70	0·35
September	29·96	30·25	29·62	55·1	...	51·5	64·3	45·4	54·9	71·9	29·9	85	68	85	79	48	42	36	42	0·51	....	0·51	0·11
October	29·90	30·24	29·24	46·9	....	45·6	55·4	40·2	47·8	69·9	27·5	89	75	90	85	72	65	49	62	3·17	....	3·17	0·44
November	29·89	30·30	29·28	44·7	...	43·7	49·5	40·7	45·1	62·8	30·5	97	88	98	94	85	77	71	78	11·25	....	11·25	1·91
December	29·95	30·49	29·26	35·7	...	35·3	41·9	31·9	36·9	49·9	23·3	95	84	96	92	73	70	59	67	6·02	....	6·02	1·80
Year	29·92	30·49	29·14	49·0	...	46·8	56·8	41·1	49·0	94·2	11·0	87	73	87	81	59	57	47	55	47·04	..	47·04	1·91

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity. (Estimated.)	Direction at time of Maximum Velocity.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				No. of Calm.	Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone	Auroræ.
										mls.	mls.													
January	0	1	0	12	5	15	4	15	41	5·3	40	S.	3	7	7	17	19	.		12	2	...	...	...
February	0	0	1	18	9	8	9	10	32	5·6	35	S.W.	2	4	11	14	19	...	..	10	..	..	...	
March	0	4	2	19	4	7	14	17	26	6·3	36	S.E.	2	4	15	12	19	..	...	12	...	...	...	1
April	0	1	6	20	9	6	9	19	20	7·8	36	N.W.	3	10	9	11	9	...	...	21	..	...	...	...
May	1	4	6	24	2	4	4	30	18	8·4	33	S.	2	9	10	12	13	...	...	18	..	1	....	...
June	2	11	19	8	3	0	3	26	18	7·4	36	N.W.	1	13	8	9	8	...	...	22	...	...	...	....
July	2	1	8	10	1	1	3	46	21	7·6	22	N.W.	0	15	11	5	4	...	...	27	....	....	....	...
August	1	12	5	8	0	0	0	31	24	8·7	35	N.W.	1	17	6	1	6	...	...	25	..	....	....	...
September	2	5	7	14	2	1	4	26	29	5·7	30	N.W.	1	12	11	7	10	...	...	20	4	....	..	2
October	0	4	0	20	3	2	1	25	38	6·5	40	N.W.	3	9	8	14	13	...	...	18	7	...	....	....
November	0	3	5	27	7	8	3	5	32	5·8	30	S.E.	1	3	7	20	20	...	...	10	8	....	...	...
December	1	0	3	18	4	7	6	21	33	5·2	40	S.W.	2	4	12	15	17	...	..	14	1	....	....	....
Year	9	46	62	198	49	59	60	271	332	6·7	40	S.-S.W.-N.W.	21	107	115	140	157	...	...	209	22	1	...	3

MONTHLY and Annual Summaries for the Year 1908, New Westminster, British Columbia—Latitude, N. 49° 13′; Longitude, W. 122° 54′. Height above Sea, 330 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	5 a.m.	2 p.m.	9 p.m.	Max.	Min.	Monthly	Max.	Min.	5 a.m.	2 p.m.	9 p.m.	Mean.	5 a.m.	2 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%		%		%	%	%	in.	in.	in.	in.
January	29·65	30·17	28·98	35·2	39·6	38·8	41·6	32·9	37·3	48·0	17·6	96	87	91	91	78	71	71	73	6·81	T.	6·81	1·41
February	29·66	30·08	29·11	34·5	40·3	40·5	43·1	33·0	38·0	52·7	15·4	96	85	86	89	76	72	72	73	4·85	8·70	5·72	1·14
March	29·70	30·15	29·08	36·9	45·5	46·3	48·3	34·9	41·6	54·6	27·4	94	72	69	79	73	71	69	71	7·49	..	7·49	1·38
April	29·71	30·12	29·25	40·2	51·8	52·3	56·0	38·8	47·4	78·6	30·6	91	64	60	72	73	66	64	68	2·38	....	2·38	0·85
May	29·66	29·94	29·18	44·7	55·8	56·9	58·7	43·2	50·9	68·3	36·2	94	70	69	78	77	75	65	72	4·05	....	4·05	1·20
June	29·65	30·02	29·36	50·2	63·4	66·4	68·1	49·0	58·5	85·3	44·1	94	67	61	74	66	60	60	62	1·15	...	1·15	0·43
July	29·71	29·98	29·43	56·1	70·3	72·4	74·2	53·7	63·9	86·9	43·1	93	68	62	74	42	40	41	41	1·93	....	1·93	0·69
August	29·67	29·89	29·48	52·2	68·2	70·3	72·4	51·5	61·9	93·0	46·1	96	70	65	77	45	38	37	40	1·02	....	1·02	0·38
September	29·73	30·01	29·45	47·5	61·0	61·5	63·8	46·1	54·9	76·4	29·5	97	74	73	81	48	45	48	47	1·33	.	1·33	0·39
October	29·68	30·03	29·04	43·4	53·1	52·3	55·2	41·5	48·4	70·5	32·0	98	82	84	88	72	74	72	73	6·23	..	6·23	1·49
November	29·67	30·06	29·18	42·5	47·3	46·6	49·6	40·6	45·1	59·6	27·5	98	92	95	95	70	84	82	79	11·35		11·35	2·36
December	29·70	30·22	29·17	33·2	37·8	36·8	39·8	30·8	35·3	48·4	21·2	98	89	92	93	61	65	70	65	8·21	..	8·21	1·89
Year	29·68	30·22	28·98	43·0	52·8	53·4	55·9	41·3	48·6	93·0	15·4	95	77	76	83	65	62	62	63	56·80	8·70	57·67	2·36

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AND TIME OF MAXIMUM VELOCITY.	NO. OF CALMS.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Visible.	Aurora.
										mls.	mls.													
January	1	5	27	6	1	5	1	4	14	4·6	20	S.E.-S.W.	.	3	11	17	23	.	.	8	7	.	.	...
February	0	3	35	2	2	4	0	1	11	4·2	16	S.W.		7	2	20	19	4	..	10	1		.	..
March	1	3	21	4	6	9	4	3	11	5·9	20	S.E.-S.W.		3	12	16	17	..		14	.	..	..	1
April	2	3	15	2	3	22	2	1	7	6·1	21	S.W.		4	10	16	14	....		16	1	....		.
May	0	5	18	2	4	20	2	1	10	5·1	12	S.W.		2	11	18	15	..	....	16	..	1	.	...
June	1	2	16	2	3	18	5	1	14	5·1	12	S.W.	.	8	6	16	8	.		22	.	1	..	
July	0	1	11	0	5	24	2	1	18	4·8	16	S.W.		17	4	10	6	...		25	2	1	..	..
August	0	1	11	5	3	21	2	1	18	4·7	12	S.W.		17	4	10	7		...	24	1	.		
September	0	5	17	0	4	19	2	0	13	4·3	10	S.-S.W.		11	9	10	8	.	.	22	6		..	1
October	1	1	18	4	2	8	1	3	24	3·2	12	S.E.-S.-S.W.		5	8	18	15			16	8	. . .	1	
November	1	5	18	4	1	4	0	1	26	3·4	18	S.		2	10	18	18			12	10	.		..
December	2	6	15	0	4	7	0	1	27	4·2	30	S.W.		9	5	17	17	.	...	14	9	..	....	.
Year	9	10	222	31	38	159	19	21	193	4·6	30	S.W.	..	88	92	186	167	1	0	199	45	3	1	2

Monthly and Annual Summaries for the Year 1908, Norway House, Manitoba—Latitude, N. 53° 58′; Longitude, W. 97° 52′. Height above Sea, 720 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·05	29·58	28·23	7·6	....	1·7	8·5	15·3	3·4	47·0	38·0	....	....	....	....	28	....	24	26	....	....	....	....
February	29·24	29·89	28·53	4·7	....	4·3	12·1	10·8	0·7	34·0	43·0	....	....	....	....	39	....	24	31	....	....	....	....
March	29·18	29·68	28·28	8·0	....	6·8	14·1	12·9	0·6	36·0	32·0	....	....	....	....	39	....	24	31	....	....	....	....
April	29·08	29·76	28·52	20·5	....	31·5	38·7	15·8	27·3	56·0	23·0	....	....	....	....	62	....	50	56	....	....	....	....
May	29·16	29·46	28·56	42·9	....	55·3	60·2	34·1	47·2	80·0	20·0	....	....	....	....	48	....	35	41	....	....	....	....
June	29·05	29·38	28·60	50·3	....	56·5	62·9	42·8	52·9	81·0	27·0	....	....	....	....	59	....	60	59	4·01	....	4·01	0·81
July	29·07	29·40	28·46	61·1	....	67·1	73·0	53·0	63·0	85·0	39·0	....	....	....	....	46	....	50	48	0·46	....	0·46	0·45
August	29·06	29·48	28·50	55·5	....	60·1	65·1	49·4	57·3	76·0	36·0	....	....	....	....	56	....	54	55	5·66	....	5·66	1·20
September	29·05	29·40	28·56	48·9	....	55·9	60·3	42·8	51·6	75·0	20·0	....	....	....	....	30	....	51	41	0·48	....	....	....
October	29·14	29·62	28·52	34·2	....	37·5	43·4	29·7	36·6	64·0	18·0	....	....	....	....	33	....	47	40	....	....	....	0·48
November	29·09	29·80	28·47	20·4	....	21·9	26·8	14·5	20·7	35·0	5·0	....	....	....	....	85	....	81	83	....	....	....	....
December	29·01	29·47	28·21	5·9	....	4·1	4·6	13·9	4·7	27·0	32·0	....	....	....	....	61	....	55	58	....	7·4	0·74	0·30
Year	29·10	29·89	28·21	25·6	....	32·6	39·1	19·1	29·1	85·0	43·0	....	....	....	....	49	....	46	47	....	....	....	....

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
January	9	6	6	6	8	9	5	8	5	....	....	....	....	20	5	6	....	....	....	....	....	....	....	....
February	8	8	4	5	7	8	5	3	....	....	....	....	....	15	8	6	....	....	....	....	....	....	....	....
March	....	....	....	....	....	....	....	....	....	....	....	....	....	19	8	4	....	....	....	....	....	....	....	....
April	9	12	1	8	13	1	6	4	6	....	....	....	....	5	16	9	....	....	....	....	....	....	....	....
May	13	16	5	2	13	1	2	3	5	....	....	....	....	13	13	5	....	....	....	....	....	....	....	....
June	8	17	1	6	0	5	2	1	20	II	V	N.E.	3	11	10	9	4	....	....	26	....	....	....	....
July	8	0	2	0	26	6	10	3	7	II	V	N.	2	16	10	5	2	....	....	29	....	....	....	....
August	14	6	5	1	6	4	7	5	14	II	V	N.	1	10	11	10	3	....	....	28	....	....	....	....
September	12	0	1	0	16	6	7	6	12	III	VI	S.-S.W.	5	13	11	6	....	....	....	....	....	....	....	....
October	11	6	1	3	16	4	0	3	18	II	V	N.	1	14	10	7	....	....	....	....	....	....	....	....
November	14	6	0	0	0	4	0	4	28	....	....	....	....	1	16	13	....	....	....	....	....	....	....	....
December	16	1	0	0	8	0	2	4	31	....	....	....	....	6	7	18	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	143	125	98	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1908, Ottawa, Ontario—Latitude, N. 45° 26′; Longitude, W. 75° 42′. Height above Sea, 294 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.			Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.												
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mean.	Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Mean.	8 a.m.	2 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%	%	%	%		%		in.	in.	in.	in.
January	29·67	30·29	28·76	7 3		12·9	21·0	2·6	11 8	37·0	22 0	92		91	92	81		60	70	0·25	21·5	2 40	0 90
February	29·78	30·60	28·70	7 0		12·8	18·8	3·0	10 9	37·0	23 0	88		89	89	75		46	61	0·85	34·8	4 33	1·20
March	29·75	30·28	29·09	20 9		26·4	32·0	16·6	24 3	46 0	2 0	95		95	95	71		61	66	2·19	15·3	3 72	1·30
April	29·59	30·28	29·04	33 9		38·0	44 5	28 8	36 6	64·0	8 0	93		93	93	47		63	55	1·22	5·0	1 72	0 43
May	29·63	30·04	28·82	54 8		58·6	67·0	48·8	57 9	85·0	33 0	83		89	86	63		68	65	5 34		5·34	1·56
June	29·74	30·03	29·39	65 0		69 6	78·0	54·4	66 2	92·0	41 5	70		64	67	43		32	37	1·26		1 26	0 55
July	29·75	30·09	29·32	68 4		73·9	82·7	61·1	71 9	94·0	51 0	81		73	77	41		37	39	2·63		2 63	0·55
August	29·73	30·09	29·40	62 6		67·1	77·9	55·5	66 7	86·0	45 0	88		76	79	34		45	39	1·43		1 43	0·63
September	29·81	30 16	29·28	55 8		62 9	75·2	51·0	63 1	89·5	37 0	85		76	80	42		44	43	1·18		1 18	0·30
October	29·89	30·28	29·51	41 9		48·5	58·6	39·1	48 9	78 0	28 0	90		78	84	49		44	46	2 40		2 40	1·14
November	29·66	30·07	29·19	30 8		34·6	38·9	28·6	33 8	56·0	14 0	97		93	95	84		76	80	1·63	10·1	2 64	0·50
December	29·73	30·31	29·21	12 6		15·4	23·8	6·0	14 9	52·0	13 0	98		95	96	70		57	64	0·7	38·6	3 93	0 80
Year	29·73	30·60	28·70	38 4		43 4	51·5	32 9	42·2	94·0	23·0	88		84	86	68		53	55	20·45	125·3	32 98	1·56

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
January	0	11	5	7	1	12	21	5	0	1·6	3	W.	0	3	12	16	16	14		11	2			
February	1	20	0	3	1	7	20	6	0	1·8	3	W.	0	5	13	10	12	11		10	1			
March	1	14	4	3	6	16	4	14	0	1·6	4	N.E.	0	5	12	14	15	15	1	7				
April	3	4	8	3	4	11	13	14	0	1·9	4	S.W.-W.	0	8	13	9	14	3		8				
May	4	6	17	1	4	8	17	4	1	1·7	3	E.-W.	0	4	11	16	15			7		1		
June	2	5	5	2	3	21	19	5	0	1·7	3	S.W.	0	17	10	3	7			7		3	1	
July	2	5	2	2	3	23	13	12	0	1·4	3	N.W.	0	18	7	6	10			4		2		
August	0	3	7	3	3	13	16	14	3	1·2	3	S.	0	17	9	5	11			4		3		
September	5	1	7	1	4	11	12	9	6	1·3	4	S.	0	15	9	6	6			6		2		1
October	6	11	6	2	8	10	9	9	1	1·3	3	N.W.	0	14	8	9	5			8				
November	2	6	8	1	2	12	17	9	3	1·6	4	W.	0	1	7	22	13	5		5	2			
December	7	15	3	2	1	8	15	8	3	1·4	4	W.-S.W.	0	6	12	13	19	18		2				
Year	33	99	72	34	40	152	176	109	17	1·5	4	W.	0	117	123	129	143	66	1	79	5	11	1	1

MONTHLY and Annual Summaries for the Year 1908, Parry Sound, Ontario.—Latitude, N. 45° 19′; Longitude, W. 80° 0′. Height above Sea, 635 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.		8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly.		Max.	Min.												
	in.	in.	in.											%			%	%			m.	in.	in.	in.
January	29·22	29·84	28·55	11·9	.	17·3	26·6	4·9	15·75		40·6	36·0	77	74	76	77	73	74	61	70	0·25	27·5	3·00	0·45
February	29·33	30·17	28·31	6·1	.	12·4	21·3	0·1	10·69		40·0	32·0	81	80	82	81	55	64	57	59	R.	54·0	5·40	1·20
March	29·31	29·88	28·76	21·7	.	26·4	35·4	15·8	25·63		50·6	6·0	83	79	84	82	66	72	55	64	1·01	5·5	1·56	0·42
April	29·20	29·94	28·64	34·2	.	36·8	46·8	28·1	37·46		72·0	6·0	80	69	79	76	50	58	54	54	1·41	3·5	1·76	0·30
May	29·23	29·65	28·77	52·4	.	55·6	65·7	45·5	55·63		86·0	29·0	77	62	74	71	58	58	59	58	2·24	1·0	2·34	0·63
June	29·34	29·62	29·01	63·6	.	64·1	76·7	51·3	63·98		90·0	36·0	74	63	74	70	36	35	26	32	1·04	.	1·04	0·34
July	29·36	29·65	28·86	68·0	.	68·7	80·6	58·1	69·34		95·0	48·0	79	65	79	74	36	32	40	36	2·31	.	2·31	0·72
August	29·33	29·65	28·96	62·1	.	65·9	76·8	54·5	65·67		90·0	43·0	85	63	76	75	45	41	34	40	3·74	.	3·74	2·41
September	29·38	29·76	28·89	56·5	.	62·1	73·9	51·1	62·63		84·0	40·0	84	62	81	76	57	40	48	48	3·38	.	3·38	1·29
October	29·46	29·79	29·15	44·5	.	48·5	59·4	39·3	49·35		73·0	21·0	84	65	79	76	45	46	36	43	0·57	.	0·57	0·16
November	29·22	29·70	28·65	34·6	.	38·9	41·1	30·9	37·52		60·0	16·0	85	75	80	80	84	77	62	74	2·80	19·0	4·70	1·19
December	29·24	29·78	28·73	19·2	.	21·7	29·5	12·6	21·07		40·0	6·0	81	81	81	81	86	80	80	82	R.	53·0	5·30	0·80
Year	29·30	30·17	28·31	39·6	.	43·2	53·1	32·7	42·90		95·0	36·0	81	69	79	76	59	56	51	55	18·75	163·5	35·10	2·41

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation on the ground.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	3	8	6	9	1	14	6	12	3	9·9	20	S.W.	.	8	4	19	14	13	.	17	.	.	.	.
February	2	8	3	11	1	10	11	10	2	9·4	24	S.E.	.	10	3	16	11	11	.	18	1	.	.	1
March	5	7	3	4	11	18	6	6	2	8·4	20	S.E.	.	6	5	20	10	4	1	21	.	1	1	1
April	3	4	3	10	9	12	9	8	2	9·8	24	N.W.	.	12	4	14	13	3	.	17	.	1	.	2
May	7	10	2	15	1	9	12	4	2	8·8	21	W.	.	12	1	15	11	1	.	20	1	2	1	2
June	2	4	2	9	11	17	8	6	1	7·8	22	S.W.	.	17	9	4	8	.	.	22	.	3	.	.
July	2	3	2	4	8	20	10	7	6	6·6	16	S.W.	.	18	6	7	9	.	.	22	.	2	.	.
August	1	5	1	10	5	13	10	10	7	7·2	20	S.E.	.	15	7	9	9	.	.	22	.	2	.	1
September	8	8	3	7	9	11	3	5	6	7·2	24	S.	.	11	8	11	7	.	1	23	6	2	.	.
October	3	8	6	13	10	8	3	10	1	7·9	18	S.E.	.	14	6	11	7	.	.	24	1	.	.	.
November	2	2	5	11	3	23	0	14	0	11·4	24	S.W.	.	3	6	21	16	6	2	14	1	1	.	.
December	7	7	3	17	2	9	6	11	0	10·0	25	S.W.	1	2	3	26	20	20	.	11	.	.	.	.
Year	45	74	39	120	71	164	84	103	32	8·7	25	S.W.	1	128	65	173	135	58	4	231	10	14	2	7

MONTHLY and Annual Summaries for the Year 1908, Port Arthur, Ontario—Latitude, N. 48° 27′; Longitude, W. 89° 12′. Height above Sea, 644 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		EXTREMES.		MEAN.						EXTREMES.													
	Monthly Mean.	Max.	Min.	8 a.m.	Noon.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.														%	%		in.	in.	in.	in.
January	29·23	29·82	28·63	8·8	..	14·9	23·6	2·0	12·84	48·0	31·0	....	.	.....		51	45	43	46	...	1·7	0·47	0·23
February	29·36	30·14	28·75	8·8		16·7	22·6	3·3	12·99	39·0	17·0	....	.		.	78	52	49	59	1·02	6·5	1·67	0·99
March	29·30	29·82	28·58	13·3	..	24·3	32·5	8·7	20·59	56·0	12·0	.		.		71	68	51	63		5·7	0·57	0·27
April	29·18	29·96	28·38	30·6	..	37·6	45·1	25·4	35·25	75·0	2·0			.	.	51	54	54	53	2·27	5·5	2·82	0·87
May	29·25	29·70	28·78	45·4	..	52·8	59·6	39·1	49·35	83·0	28·0	77	65	67	69	66	69	62	66	2·85	.	2·85	1·33
June	29·23	29·55	28·72	54·5	..	61·7	68·2	45·7	56·92	83·0	33·0	82	70	70	74	44	46	51	47	3·70	.	3·70	1·04
July	29·31	29·58	28·92	59·0	...	68·0	74·0	51·1	62·56	90·0	42·0	85	67	69	74	46	54	51	50	1·96	...	1·96	0·66
August	29·26	29·61	28·92	56·2		66·1	71·8	49·4	60·60	85·0	36·0	87	67	72	75	52	59	47	53	3·71	. ..	3·71	2·68
September	29·26	29·61	28·78	52·7	. .	59·9	68·9	48·2	58·52	86·0	31·0	....	...	....	.	48	49	57	51	1·08	S.	1·08	0·40
October	29·35	29·77	28·73	40·6		46·5	51·8	37·5	44·69	74·0	23·0	...	....	.....	...	74	64	65	68	1·00	...	1·00	0·44
November	29·14	29·69	28·35	28·3	.	33·3	38·7	23·3	30·98	50·6	8·0	....	..	.		64	74	63	67	1·99	S.	1·99	1·14
December	29·22	29·65	28·63	12·6	..	15·0	23·7	5·2	14·44	37·0	16·0	....	...	.	.	79	73	56	69	....	27·3	2·73	0·65
Year	29·26	30·14	28·35	34·2	.	41·4	48·4	28·2	38·31	90·0	31·0	83	67	69	73	60	59	54	58	19·58	49·7	24·55	2·68

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.												
January	1	2	1	2	3	9	18	13	10	4·4	14	N.W.	.	10	12	9	5	5	....	26	. ..		. . .
February	2	8	2	0	0	6	13	19	8	5·6	16	N.E.	.	9	5	15	7	5	....	22	..	..	...	...
March	1	7	1	3	3	2	14	14	14	3·7	12	N.E.		5	9	17	8	8	...	23	....	.....	...	
April	0	10	4	8	0	4	10	14	10	5·5	22	E.	..	13	5	12	10	4		20	. .	...		
May	7	18	2	4	0	3	7	10	11	5·1	12	N.W.		7	5	19	11	...	....	20	2	1	. .	
June	2	17	5	5	3	3	5	12	8	4·6	12	N.W.	....	12	7	11	11			19	5	3	....	..
July	3	4	16	4	1	4	14	6	7	5·2	24	W.	..	13	7	11	11	.	....	20	.	3	.	
August	7	7	10	5	2	5	19	7	0	9·3	24	N.W.	...	12	6	13	8	..		23	2	4	.....	
September	2	12	7	6	1	2	16	7	7	6·6	24	N.W.		12	6	12	6	...		24	3	.	. .	
October	6	13	11	1	10	2	8	10	1	9·5	24	N.W.	....	7	5	19	5	...		26	8		...	
November	5	4	1	1	2	4	27	15	1	10·7	28	N.W.	2	4	10	16	4	...	.	26	..	.	..	
December	4	8	0	1	3	1	17	26	2	10·6	30	N.W.-N.E.	3	5	6	20	13	13	.	18		...	. .	
Year	43	110	63	40	31	45	168	153	79	6·7	30	N.W.-N.E.	5	109	83	174	99	35	0	267	20	11	0	0

Monthly and Annual Summaries for the Year 1908, Port Simpson, British Columbia—Latitude, N. 54° 34′; Longitude, W. 130° 26′. Height above Sea, 26 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Mthly.	Max.	Min.		9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%	%	%				%	%	in.	in.	in.	in.
January	29·83	30·47	29·00	34·6	37·1	37·1	39·5	31·9	35·7	51·8	21·7		93	92	92	92	71	73	65	70	5·26	1·13	5·39	0·77
February	29·88	30·33	29·23	33·7	37·2	38·0	39·1	30·7	34·9	47·2	19·6		94	88	88	90	69	63	70	67	3·55	0·70	3·62	0·90
March	29·94	30·49	29·02	34·7	39·5	40·9	41·6	31·1	36·3	45·9	19·4		93	87	89	90	62	61	60	61	7·95	0·10	7·96	1·27
April	29·86	30·49	29·22	38·1	44·6	45·8	47·4	34·6	41·0	68·5	29·9		91	82	79	84	89	78	79	82	8·62	0·15	8·63	1·66
May	29·93	30·35	29·54	42·6	49·3	50·8	52·1	38·8	45·5	65·5	31·9		92	84	82	86	69	67	68	68	4·61	..	4·61	0·61
June	30·03	30·24	29·74	47·6	55·4	56·7	58·2	43·7	51·0	71·0	35·4		94	85	83	87	72	70	66	69	3·54		3·54	0·75
July	30·06	30·33	29·65	51·5	58·4	58·9	60·5	48·5	54·5	72·8	43·9		96	86	84	89	79	76	64	73	4·84	.	4·84	0·83
August	30·07	30·38	29·65	50·9	58·0	60·0	61·8	49·1	55·5	73·0	41·1		96	88	85	90	57	62	49	56	4·47		4·47	1·24
September	29·93	30·45	29·47	47·8	52·1	52·3	53·6	44·5	49·1	60·3	32·6		95	90	90	91	79	85	77	80	19·12	.	19·12	3·05
October	29·92	30·32	29·16	41·7	45·3	45·4	47·8	39·0	43·4	59·0	22·9		92	89	87	89	59	57	62	59	13·76	...	13·76	2·02
November	29·80	30·46	29·13	39·8	42·6	41·7	44·1	36·8	40·4	50·3	26·3		94	93	94	94	55	68	75	66	8·66	.	8·66	1·13
December	29·86	30·40	28·62	36·2	37·2	36·9	38·8	33·5	36·1	46·9	20·2		93	92	95	93	71	85	79	78	6·29	3·80	6·67	0·73
Year	29·93	30·49	28·62	41·6	46·4	47·0	48·7	38·5	43·6	73·0	19·4		94	88	86	89	69	70	68	69	90·67	5·05	91·27	3·05

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direct on at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation (0·01 or more).	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	9	5	12	18	12	4	0	1	1	7·4	22	S.E.		22	3	6	21	3	3	10			
February	14	5	9	14	6	1	0	0	9	4·9	12	N.E.		4	7	18	17	2	1	12			
March	18	1	4	19	3	3	0	0	14	5·4	20	N.		10	3	18	20	1	2	11			
April	1	5	5	5	11	3	11	5	14	6·0	20	S.-S.E.		1	9	20	21	1		9		1	
May	7	0	5	3	11	9	13	2	12	5·9	16	S.E.		5	11	15	21			10			
June	0	3	1	8	4	8	14	0	22	6·0	15	S.W.		6	6	18	16			14	1		
July	1	0	1	6	1	5	6	0	42	4·1	19	S.E.		4	9	18	19			12	1		
August	2	0	14	0	1	3	27	0	15	5·2	15	E.		10	7	14	15			16	7		
September	7	0	15	10	6	5	10	0	7	8·6	25	S.E.		2	8	20	24			6	2		
October	12	3	15	14	2	1	4	0	11	7·2	28	E.		10	6	15	21			10	3		
November	5	6	30	3	0	0	2	0	14	5·9	22	E.		6	8	16	20			10			
December	2	0	25	3	0	3	14	1	14	6·1	24	E.		1	5	22	21	5		10			
Year	78	28	136	103	57	45	101	9	175	6·1	24	E.		84	82	200	236	12	6	130	14	1	

Monthly and Annual Summaries for the Year 1908, Port Stanley, Ontario—Latitude, N. 42° 40′; Longitude, W. 81° 13′. Height above Sea, 592 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.							Extremes.													
		Max.	Min.	8 a.m.	2 p.m.	8 p.m.	Max.	Min.	Mthly		Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.										%		%			%		%	in.	in.	in.	in.
January	29·34	29·89	28·44	24·4	.	25·6	32·0	17·5	24·74		39·2	9·5	87	78	85	83	85	76	49	71	1·24	15·0	2·74	1·03
February	29·40	30·21	28·43	16·9	...	20·5	28·0	11·0	19·48		41·8	16·1	92	73	85	83	62	69	68	66	1·34	31·1	4·45	0·94
March	29·40	29·95	28·76	30·5		32·9	38·7	24·8	31·77		56·0	9·0	84	77	84	82	76	65	55	65	1·52	3·6	1·88	0·43
April	29·30	29·92	28·76	39·9	..	40·7	48·2	33·1	40·64		64·0	18·7	79	70	78	76	69	66	59	65	1·64	1·9	1·83	0·34
May	29·27	29·67	28·89	53·8		55·3	63·8	47·1	55·41		80·0	30·0	84	71	81	79	45	47	55	49	2·19	0·5	2·24	0·38
June	29·41	29·64	29·18	62·6	...	66·2	75·5	53·8	64·69		85·4	38·5	81	63	74	73	23	29	20	24	2·03	...	2·03	1·11
July	29·42	29·69	28·96	67·4	.	70·7	79·0	59·6	69·23		84·2	40·8	86	69	78	78	44	29	29	34	3·02		3·02	1·05
August	29·40	29·64	29·10	63·3	.	66·3	75·9	55·9	65·89		84·4	42·8	86	67	82	78	37	48	22	36	4·33	...	4·33	2·57
September	29·46	29·70	29·06	58·4	.	62·0	71·7	51·5	61·64		77·8	34·0	82	67	79	76	15	19	18	17	0·52		0·52	0·45
October	29·52	29·92	29·20	46·0		49·8	58·8	40·9	49·89		68·0	26·3	88	72	82	81	36	38	30	34	1·53	S.	1·53	0·76
November	29·37	29·88	28·87	36·2	...	39·4	45·9	31·0	38·45		56·4	19·0	85	73	79	79	69	75	50	65	1·06	4·3	1·49	0·36
December	29·37	29·80	28·84	27·1		29·9	35·3	22·2	28·74		52·0	9·0	85	75	81	80	75	76	72	74	1·69	11·4	2·83	0·74
Year	29·39	30·21	28·43	43·5		46·6	54·4	37·4	45·88		85·4	16·1	85	71	81	79	53	54	44	50	22·11	67·8	28·89	2·57

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Auroræ.
										mls.	mls.													
January	4	2	4	6	1	19	17	9	0	15·9	40	E.	10	7	6	18	16	12	..	15	1	.	.	...
February	7	5	8	5	0	5	18	8	2	13·2	48	W.	4	8	3	18	20	17	.	9	2	...	...	...
March	6	1	12	4	1	11	14	13	0	11·5	28	E.	1	7	5	19	16	9	..	15	5	2	...	...
April	2	3	9	4	6	6	15	15	0	13·3	42	N. W.	5	8	5	17	18	4	....	12	7	3	..	.
May	2	6	18	5	4	3	16	6	2	11·2	32	S.W.	2	11	8	12	16	1	...	15	3	3	. .	...
June	6	3	12	9	1	3	11	13	2	9·8	28	N. W	1	20	8	2	9	.	....	21	.	5	.	..
July	10	8	5	4	4	4	12	8	7	9·0	28	S.W.	1	20	4	7	9			22	1	4	1	.
August	12	9	7	1	8	1	12	4	7	8·8	20	N. W.	..	7	8	6	8		.	23	..	6	.	.
September	11	5	14	1	4	0	18	4	3	8·8	25	S.	1	25	1	4	3			27	9	1	..	.
October	10	5	8	7	5	2	12	13	0	9·8	24	E.	...	19	4	8	7	.	.	24	14	.	...	....
November	1	0	8	1	5	5	28	12	0	14·3	40	S.W.	4	6	5	19	14	5		16	6	2	...	.
December	5	3	4	3	1	5	39	2	0	14·3	40	W.	2	4	4	23	20	16	.	11	3	1	.	...
Year	76	50	109	50	40	64	212	107	23	11·7	48	W.	31	142	61	153	156	64	0	210	51	27	1	0

Monthly and Annual Summaries for the Year 1908, Prince Albert, Saskatchewan—Latitude, N. 53° 10′; Longitude, W. 106° 0′. Height above Sea, 1,432 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	6 a.m.	p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	p.m.	6 p.m.	Mean.	6 a.m.	p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	28·27	28·77	27·66	1·62	..	10·81	21·67	5·41	8·13	36·5	35·0	99	..	96	97	26	....	45	35	....	0·40	0·40	0·20
February	28·40	28·75	27·82	3·84	....	14·68	20·99	1·38	9·80	43·5	26·0	99	..	95	97	50	....	56	53	T.	2·15	2·15	0·89
March	27·99	28·79	27·79	0·04	....	14·23	23·05	3·68	9·68	47·5	35·0	97	..	92	94	72	....	75	73	..	0·35	0·35	0·20
April	27·74	28·75	27·66	28·25	..	43·02	47·89	24·67	36·28	70·0	4·5	87	..	72	79	55	....	77	66	0·82	0·15	0·97	0·80
May	28·35	28·51	27·94	45·65	....	62·87	67·87	38·45	53·16	80·5	19·5	76	..	54	65	25	..	38	31	0·58	....	0·58	0·50
June	28·24	28·60	27·94	51·39	..	59·93	67·60	44·86	56·23	86·5	31·5	91	..	79	85	66	....	69	67	7·36	....	7·36	1·29
July	28·39	28·84	28·06	56·57	..	70·79	74·55	52·31	63·43	89·5	40·5	91	..	73	82	64	..	50	57	2·41	..	2·41	1·66
August	28·59	28·68	27·84	49·08	....	62·51	66·24	46·02	56·13	79·0	35·0	96	..	81	89	67	..	62	64	3·03	....	3·03	1·46
September	28·31	28·98	27·88	43·38	..	57·90	63·32	39·27	51·29	81·0	17·5	91	..	75	83	27	..	38	32	0·53	....	0·53	0·23
October	28·40	28·86	27·82	32·10	..	39·46	46·27	27·87	37·07	70·0	13·5	93	..	83	88	69	..	84	76	1·63	....	1·63	0·62
November	28·31	28·89	27·83	20·28	..	24·87	30·05	16·52	23·28	44·0	21·0	98	..	95	97	65	..	80	72	0·33	0·80	1·13	0·40
December	28·32	28·92	27·76	2·67	..	9·92	14·80	1·34	6·72	39·0	39·0	95	..	99	97	44	....	54	49	..	1·81	1·81	0·60
Year	28·34	28·98	27·66	27·91	..	39·25	45·36	23·18	34·27	89·5	39·0	93	..	83	88	53	..	61	57	16·69	5·66	22·35	1·66

Month.	Number of Winds from								Calm.	Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.						Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	3	1	1	0	1	6	4	3	43	2·02	16	N.W.	..	14	12	4	2	3	....	29	....	....	..	2
February	1	11	3	4	3	6	0	6	24	3·60	12	N.-N.W.-N.E.	..	8	10	11	8	11	....	21	....	....	....	....
March	5	4	2	1	3	10	2	8	27	2·93	12	N.W.	..	3	11	17	3	7	....	28	....	....	....	....
April	6	1	5	4	3	7	8	10	16	4·62	16	W.-N.		6	9	16	5	3	....	25	....	....	....	....
May	3	4	9	14	3	3	2	1	21	3·63	12	N.-E.		18	8	5	3	....	....	28	....	....	....	....
June	3	9	4	9	7	2	2	6	18	4·75	16	N.-N.E.		7	5	18	18	....	....	12	..	4	....	....
July	0	4	2	7	3	0	7	16	21	4·50	16	N.W.		6	15	10	9	....	....	22	..	1	....	....
August	4	2	6	3	2	6	7	13	19	5·48	20	N.W.		4	12	15	12	....	....	19	2	1	....	2
September	1	2	0	3	4	2	5	7	33	2·73	16	N.W.	..	10	14	16	5	....	....	25	..	..	....	10
October	3	6	2	6	8	4	5	11	17	4·49	16	S.		3	6	22	7	....	....	24	..	..	..	4
November	1	2	6	2	5	5	5	14	20	4·90	16	N.E.		5	5	19	8	2	....	23	..	....	....	....
December	0	4	2	2	6	7	6	7	27	3·40	12	S.W.-N.E.-N.W.		5	12	14	9	9	....	22	....	....	....	....
Year	30	50	42	55	48	58	53	102	286	3·92	20	N.W.	0	89	119	167	89	35	0	278	2	6	0	18

MONTHLY and Annual Summaries for the Year 1908, Qu'Appelle, Saskatchewan—Latitude, N. 50° 30′ ; Longitude, W. 103° 47′. Height above Sea, 2,115 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	6 a.m.	p.m.	6 p.m.	Max.	Min.	Mthly	Max.	Min.	6 a.m.	p.m.	6 p.m.	Mean.	6 a.m.	p.m.	6 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August	27·69	27·97	27·39	49·77		65·47	69·37	46·57	59·97	85·0	35·0	92		78	85	50		40	45	1·91		1·91	0·77
September	27·67	27·98	27·30	44·15		60·30	66·40	41·73	54·06	92·5	17·0	96		85	90	41		47	44	0·61	0·08	0·69	0·19
October	27·64	28·10	27·01	31·13		40·74	47·50	28·40	37·95	74·0	12·0	92		81	86	60		53	56	1·61		1·61	0·72
November	27·64	28·56	27·18	22·93		29·48	35·33	20·08	27·70	59·0	14·0	91		85	88	49		50	49	0·04	0·90	0·94	0·30
December	27·60	28·18	27·00	9·05		14·31	20·01	2·71	11·36	40·0	31·0	85		87	86	44		58	51		0·68	0·68	0·30
5 months	27·65	28·56	27·00	31·41		42·06	47·72	27·90	38·21	92·5	31·0	91		83	87	49		49	49	4·17	1·66	5·83	0·77

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF CALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone	Aurora.
										mls.	mls.													
January																							
February																							
March																							
April																							
May																							
June																							
July																							
August	2	2	10	3	6	13	11	14	1	10·3	32	S.W.	2	13	8	10	7			24		2	5
September	4	3	4	5	15	7	9	13	0	9·0	22	N.W.		13	10	7	5	1		24		2	5
October	2	5	3	8	12	8	6	17	1	10·4	28	N.W.	1	10	9	12	7			24			1
November	2	2	3	4	5	18	6	20	0	10·6	28	N.W.	2	14	3	13	4	4		26	2		2
December	0	3	3	4	10	10	18	14	0	11·3	30	N.W.	2	9	13	9	6	6		25			
5 months	10	15	23	24	48	56	50	78	2	10·3	32	S.W.	7	59	43	51	29	11	0	123	2	4	13

Monthly and Annual Summaries for the Year 1908, Quebec, Quebec—Latitude, N. 46° 48′; Longitude, W. 71° 13′. Height above Sea, 296 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%	%		%		%		in.	in.	in.	in.
January	29·56	30·19	28·45	7·7	....	10·2	18·6	1·8	10·20	38·8	21·6	76	78	78	77	74	72	72	73	0·81	36·9	4·50	0·64
February	29·68	30·42	28·49	8·0	....	13·1	18·6	3·0	10·79	40·2	24·2	76	77	77	77	66	70	64	67	1·51	47·1	6·22	1·34
March	29·69	30·13	28·81	18·2	..	23·4	29·6	12·8	21·21	44·0	7·5	83	77	82	81	61	78	70	70	2·41	31·1	5·52	1·15
April	29·50	30·12	28·80	28·9	..	32·8	39·8	23·2	31·51	57·8	1·2	83	73	69	75	67	65	50	60	1·17	12·9	2·46	0·54
May	29·60	30·07	28·95	49·2	....	51·8	60·8	42·9	51·87	79·2	31·6	76	65	73	71	64	75	62	67	3·78	.....	3·78	0·91
June	29·62	29·97	29·21	60·1		65·5	76·0	52·3	64·14	88·5	36·0	78	59	70	69	55	49	48	51	2·47	.	2·47	0·80
July	29·66	30·02	29·25	65·7	..	69·2	80·2	59·6	69·87	89·6	46·0	85	73	81	80	64	68	56	63	3·28	..	3·28	0·77
August	29·65	30·08	29·13	59·9	....	64·4	72·5	54·4	63·46	81·6	45·6	85	65	76	75	56	53	61	57	5·72		5·72	1·24
September	29·72	30·15	29·26	54·4		60·5	69·0	49·9	59·44	81·8	35·8	89	69	80	79	48	29	20	32	1·48	....	1·48	0·65
October	29·79	30·21	29·17	42·3	.	47·2	54·2	38·5	46·37	65·4	27·2	89	77	83	83	47	40	35	41	2·18	S.	2·18	1·02
November	29·53	30·05	28·85	29·2	..	31·7	35·3	26·0	30·64	50·8	8·5	85	80	83	83	89	92	93	91	1·34	8·1	2·15	0·48
December	29·63	30·26	29·01	10·4	..	13·5	19·9	5·0	12·43	44·0	14·0	81	78	80	79	70	61	59	63	0·45	37·7	4·22	0·90
Year	29·64	30·42	28·45	36·2	..	40·3	47·9	30·8	39·33	89·6	24·2	82	73	78	78	63	63	58	61	26·60	173·8	43·98	1·34

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity	No. of Gales.	Number of Days.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly cloudy.	Cloudy.	Precipitation (0·10 or over).	Snow.	Hail.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.												
January	0	8	3	1	1	18	26	5	0	15·4	53	N.E.	9	6	4	21	19	19		12	..	....	1
February	0	15	4	1	1	16	18	3	0	16·4	59	N.E.	13	7	5	17	18	14		11	1		2
March	2	17	1	1	0	17	21	2	1	14·4	47	N.E.	9	6	4	21	20	15	1	11	.		3
April	0	12	2	0	0	20	13	11	2	15·2	39	N.E.	7	9	6	15	14	6	.	16	1	1	5
May	3	35	2	1	3	6	4	8	0	16·7	48	N.E.	13	8	2	21	14	.	.	17	.	1	3
June	1	11	1	0	2	33	9	3	0	13·2	28	S.W.	4	8	11	11	9	.	.	21	.	4	1
July	1	17	1	0	2	25	14	2	0	11·5	28	S.W.	2	4	11	16	15	.	.	16	....	5	
August	2	12	4	0	5	23	15	1	0	10·5	23	S.W.	0	11	4	16	13	.	.	18	.	10	2
September	2	6	0	2	5	25	16	4	0	9·8	36	N.E.	2	19	6	5	10	.	.	20	2	1	5
October	1	11	2	0	3	13	27	5	0	10·7	35	N.E.	5	19	2	10	8	.	.	23	5	.	4
November	0	16	0	2	2	28	11	1	0	15·6	39	S.W.	8	1	2	27	17	9	1	13	4	.	1
December	1	14	2	1	2	17	21	4	0	14·8	46	S.W.	11	8	5	18	19	18	.	12	1	.	.
Year	13	174	22	9	26	241	195	49	3	13·7	59	N.E.	83	106	62	198	176	81	2	196	14	22	0	27

Monthly and Annual Summaries for the Year 1908, Sable Island, Nova Scotia—Latitude, N. 43° 57′; Longitude, W. 60° 6′. Height above Sea, 25 feet.

Month.	Barometer at 32°.			Temperature.							Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.												
		Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean	9 a.m.	3 p.m.	9 p.m.	Mean	Rain	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°					°	°	%		%	%	%	%	%		in.	in.	in.	in.
January	29·85	30·27	29·17	33·4		32·9	40·4	26·7	33·54	54·0	4·0					91	76	73	80	4·19	20·9	6·28	0·80
February	30·00	30·53	29·40	30·0		30·7	35·7	26·3	30·98	48·0	11·0					84	82	76	81	5·70	14·7	7·17	1·23
March	30·01	30·63	29·39	32·4		32·4	37·7	28·4	33·05	46·0	16·0					83	75	76	78	3·57	10·5	4·62	0·82
April	29·79	30·36	29·06	35·3		35·3	41·6	31·8	36·68	52·0	22·0					81	69	75	75	4·37	2·1	4·58	0·97
May	29·98	30·45	29·45	43·5		42·9	48·6	40·3	44·48	57·0	36·0					71	62	74	69	4·03		4·03	0·95
June	30·00	30·35	29·68	51·7		50·6	57·5	48·2	52·86	68·0	39·5					76	55	59	65	0·78		0·78	0·27
July	30·04	30·28	29·55	61·2		60·4	68·1	56·7	62·39	76·0	53·0					72	60	61	64	3·03		3·03	0·78
August	30·01	30·28	29·28	61·8		60·5	66·9	56·9	61·91	78·0	47·0					58	60	58	59	5·03		5·03	2·21
September	30·04	30·02	29·18	60·1		59·0	64·1	55·9	59·97	69·0	49·0					76	69	56	66	1·68		1·68	0·70
October	30·08	30·43	28·99	54·0		53·4	58·7	48·9	53·82	67·0	41·0					64	64	46	58	2·88		2·88	0·74
November	29·88	30·51	29·19	43·7		42·1	47·4	37·7	42·54	55·0	30·0					82	78	65	75	4·46		4·46	1·54
December	29·91	30·56	29·14	35·0		34·6	40·6	28·0	34·31	52·0	19·5					84	85	84	84	7·29	11·5	8·44	2·82
Year	29·97	30·63	28·99	45·2		44·6	50·6	40·5	45·54	78·0	4·0					78	69	67	71	47·01	59·7	52·98	2·82

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.												
January	1	3	2	9	2	14	3	28	0	25·7	50	E.-S.W.	24	1	7	23	20	7		11	2			
February	12	4	2	6	5	10	9	6	4	20·8	48	S.	19	0	5	24	24	11		5	8			
March	5	6	5	2	7	10	10	15	2	21·1	50	S.	17	3	3	25	15	8		16	8			
April	8	2	2	7	12	7	9	13	0	23·2	52	N.-S.W.	20	4	8	18	15	4	1	15	10			
May	9	5	4	6	8	15	2	9	2	17·1	40	S.E.	9	9	4	18	14		1	17	17	1		
June	0	2	1	4	9	25	12	3	4	15·4	28	W.	9	7	8	15	10			20	15	1		
July	2	5	1	3	10	23	9	4	3	11·3	36	S.	1	10	5	16	12			19	19	2		
August	0	11	7	5	8	16	9	4	0	14·8	54	S.E.	7	9	5	17	13			18	10	1		
September	3	3	5	6	2	20	8	9	4	14·6	42	E.	6	5	7	18	10			20	11			1
October	4	5	4	6	5	9	11	12	6	16·4	48	S.E.	10	10	7	14	10			21	5			
November	2	4	5	0	10	7	16	16	0	20·4	42	W.	14	2	7	21	17		2	13	2			
December	5	5	1	4	10	4	21	9	3	23·8	50	W.	20	1	4	26	20	11		11	6			
Year	51	55	39	58	89	160	119	128	28	18·7	54	S.E.	156	61	70	235	180	41	4	186	113	5	0	1

MONTHLY and Annual Summaries for the Year 1908, St. John, New Brunswick—Latitude, N. 45° 17′; Longitude, W. 66° 4′. Height above Sea, 70 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.					Extremes.														
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	'	'	°	°					%	%	%	%		%		in.	in.	in.	in.
January	29·77	30·39	28·94	20 9		23·9	33 3	13·9	23·62	49 8	9 4	81	77	82	80	56	61	50	56	3·47	9·9	4·46	1·14
February	29·92	30·61	29·04	16 9		22·6	29·7	12 2	20·97	50·0	13 2	80	74	81	78	54	50	42	49	1 72	17·7	3 49	0·58
March	29 96	30 36	29 22	25 8		29·1	35·6	20 7	28 14	48·4	1 0	76	73	83	77	59	63	53	55	2 69	10·7	3·76	1·06
April	29·71	30 35	28 96	33 4		36 5	44 0	28·8	36 38	63 6	12 0	68	69	76	71	42	68	47	52	1 77	14·6	3 23	0 73
May	29 88	30 45	29·22	48 3		49·3	57 6	42 8	50·18	74 2	34 2	79	68	82	76	71	56	68	65	4 08		4 08	1·22
June	29 90	30 27	29 54	55 3		56·3	64 0	50 2	57·10	78 7	35 0	79	72	82	78	53	55	43	51	2 43		2 43	1·48
July	29 93	30 26	29 45	62 6		62·1	70 4	56 5	63·47	84 5	49 8	83	76	86	82	45	69	63	59	2·93		2 93	0 95
August	29·93	30 25	29 48	59 6		59 9	67 3	55 0	61·17	76 2	51 5	83	73	89	81	52	52	52	52	5·21		5 21	1 03
September	29 97	30 31	29 51	56 9		57 6	64 6	51·6	58 08	77 0	39 2	84	72	84	80	47	38	41	42	1 20		1 20	0·47
October	30 01	30 47	29 02	48 4		50 3	57 1	43 0	50 02	68 2	30 0	79	71	83	78	48	39	51	46	3·58	0·2	3 60	1·58
November	29 80	30 39	29 16	37 2		37·7	42 9	32 9	37·92	54 5	21 5	80	69	79	76	55	74	71	66	1 74	1·0	1 84	0·75
December	29·87	30 53	29 00	21 3		25·2	32 9	15 5	24·19	50 2	4 3	82	75	81	79	51	57	56	55	3 74	7·0	4 44	1 16
Year	29 89	30·61	28 94	40 5		42·5	49 9	35 3	42·60	84·5	13·2	79	72	82	78	52	57	53	54	34 56	61·1	40·67	1 58

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.				No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	8	4	0	3	6	9	5	25	2	17 9	48	S.W.	14	9	8	14	14	7		17	1	1		
February	8	3	1	1	8	7	2	23	5	13 9	44	S.E.	7	11	7	11	14	8		15	5			
March	10	6	3	5	3	13	5	15	2	14 6	48	S.	7	8	10	13	14	9		17	3	2		
April	6	2	2	5	7	12	5	19	2	17 1	44	N.W.	11	10	8	12	13	5		17	4	1		
May	6	4	9	6	17	7	2	4	7	11 1	36	S.E.	5	7	6	18	13			18	7	1		
June	9	4	0	4	26	9	2	5	1	12 0	32	N.W.	4	10	8	12	9			21		1		
July	6	5	2	5	30	7	1	5	1	9 1	24	S.E.		8	8	15	8			23	1	1		
August	5	5	0	6	18	11	2	8	7	9 4	26	S.	1	12	6	12	14		1	17		3		
September	2	9	1	2	22	7	4	7	6	9 8	26	S.W.	1	13	9	8	6			24	5	1		4
October	8	4	4	4	3	13	4	11	11	11 1	40	N.W.	7	14	6	11	10	1		21	7			
November	3	5	3	4	3	6	12	23	1	15 1	40	S.W.	9	6	9	15	13	2		17				
December	13	5	0	2	4	6	5	25	2	15 6	40	S.W.	9	9	8	14	17	12		14	2			
Year	84	56	25	47	147	107	49	170	47	13 1	48	S.-S.W.	75	117	93	155	145	44	1	221	35	11	0	4

Monthly and Annual Summaries for the Year 1908, St. John's Newfoundland—Latitude, N. 47° 34′; Longitude, W. 52° 42′. Height above Sea, 115 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	9 a.m.	4 30 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	4 30 p.m.	9 p.m.	Mean.	9 a.m.	4 30 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.												%				%	in.	in.	in.	in.
January	29·63	30·25	28·82	27·0		27·9	34·1	21·5	27·79	46·0	4·0	79	83	83	82	65	68	71	68	3·89	15·7	5·46	0·75
February	29·86	30·39	29·22	27·1		27·4	32·8	21·2	27·00	50·0	1·0	76	79	80	78	75	72	82	76	3·73	15·0	5·23	0·73
March	29·74	30·33	29·06	26·7		25·6	31·8	20·1	25·91	46·0	7·0	77	78	80	78	78	63	61	67	2·78	28·2	5·60	1·00
April	29·57	30·06	28·61	33·0		31·3	38·2	26·7	32·44	49·0	13·0	82	85	88	85	62	68	69	66	5·75	4·5	6·20	1·50
May	29·79	30·38	29·14	44·6		38·4	49·7	35·0	42·34	69·0	26·0	78	80	93	84	64	60	70	65	2·36	0·3	2·39	0·51
June	29·80	30·15	29·42	54·8		49·0	62·0	43·7	52·88	80·0	36·0	78	78	89	82	60	52	54	55	2·07	.....	2·07	0·40
July	29·87	30·16	29·32	63·0		56·3	69·8	51·1	60·48	83·0	37·0	82	75	93	83	46	43	56	48	2·70	...	2·70	0·81
August	29·86	30·20	29·25	61·3		57·4	67·4	53·2	60·27	79·0	42·0	82	79	90	84	63	48	46	52	2·01	...	2·01	0·70
September	29·80	30·13	29·10	56·5		53·2	64·2	48·2	56·21	78·0	36·0	80	78	89	82	51	54	45	50	1·38	...	1·38	0·63
October	29·82	30·19	29·09	46·5		43·2	52·8	38·8	45·77	67·0	31·0	84	84	90	86	61	63	57	60	3·16		3·16	0·96
November	29·63	30·28	28·68	36·4		36·3	42·5	31·6	37·09	54·0	19·0	88	89	93	90	63	75	71	69	4·15	0·5	4·20	0·93
December	29·64	30·40	29·07	26·2		27·3	34·0	21·3	27·68	54·0	4·0	80	84	86	83	62	71	61	65	4·43	20·3	6·46	1·40
Year	29·75	30·40	28·61	41·9		39·4	48·3	34·4	41·32	83·0	1·0	81	81	88	83	63	61	62	62	38·41	84·5	46·86	1·50

Month	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	3	4	0	5	5	28	1	16	0	10·2	26	N.E.	2	4	8	19	14	6		17	2			
February	13	3	9	8	7	22	9	16	0	8·0	28	S.	2	6	4	19	20	8	1	9	3			
March	6	2	4	1	11	15	8	15	0	8·9	21	N.		6	8	17	14	7		17	3			
April	8	1	0	0	14	11	16	10	0	9·8	25	N.W.	2	6	8	16	13	2		17				
May	9	8	5	3	5	10	19	3	0	7·8	24	N.E.		7	8	16	15	1		16	6			
June	1	4	6	4	7	4	23	3	8	6·8	16	W.		11	7	12	14			16				
July	3	3	3	7	5	19	16	4	0	5·8	23	S.W.		10	12	9	12			19				
August	4	6	3	6	2	10	16	6	9	6·4	20	S.W.		12	8	11	12			19	3	2		
September	8	2	1	3	5	18	11	12	0	7·8	20	N.E.		11	7	12	5			25	1			
October	7	4	2	2	3	16	12	13	3	7·2	19	S.W.		7	11	13	14			17	2			
November	5	2	0	2	9	21	6	12	3	7·4	30	S.E.	2	3	7	20	16	1		14	1			
December	6	0	0	3	4	24	1	21	0	10·6	30	S.W.	3	6	9	16	14	7		17				
Year	73	39	33	44	77	198	141	131	23	8·1	30	S.E.-S.W.	11	89	97	180	163	32	1	203	21	2	0	0

MONTHLY and Annual Summaries for the Year 1908, Southampton, Ontario—Latitude, N. 44° 30′; Longitude, W. 81° 21′. Height above Sea, 656 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min	8 a.m.	3 p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.											%	%		%	%	%	in.	in.	in.	in.
January	29·21	29·80	28·44	21·8		24·5	30·8	17·0	23·90	41·0	6·0	89	87	86	87	96	88	59	81	0·18	25·1	2·69	0·42
February	29·33	30·16	28·40	14·3		17·2	25·6	7·7	16·67	41·4	16·1	93	89	92	91	74	73	70	73	0·04	42·1	4·25	0·80
March	29·29	29·88	28·52	26·6		28·2	36·7	19·7	28·17	52·8	0·1	86	80	88	85	81	73	63	72	1·05	10·1	2·06	0·30
April	29·20	29·91	28·58	38·6		38·7	49·0	31·4	40·15	72·2	12·5	75	65	78	73	60	59	53	57	2·23	2·9	2·52	0·49
May	29·20	29·62	28·71	53·5		54·4	64·0	45·7	54·86	82·0	26·1	79	67	81	76	62	62	61	62	2·29	.....	2·29	0·61
June	29·33	29·62	29·04	63·9		63·9	74·3	52·0	63·16	87·2	38·1	73	64	76	71	46	41	45	44	1·19	.....	1·19	0·33
July	29·36	29·62	28·83	67·3		67·1	76·4	58·4	67·41	87·7	48·2	79	71	81	77	51	54	39	48	2·07	.....	2·07	0·85
August	29·33	29·64	29·03	64·4		64·7	73·7	56·7	65·20	86·9	42·1	77	69	81	76	59	48	35	47	2·14	.....	2·14	1·38
September	29·36	29·68	28·87	60·5		62·5	74·3	53·0	63·68	87·5	40·1	77	67	77	74	83	76	66	76	1·02	S.	1·02	0·73
October	29·44	29·78	29·15	46·9		49·0	59·9	41·2	50·57	76·2	31·6	81	65	79	75	70	58	40	56	1·04	0·3	1·07	0·30
November	29·23	29·72	28·60	38·1		41·5	46·2	34·0	40·10	62·2	25·0	87	79	82	83	82	82	79	81	2·13	5·2	2·65	0·98
December	29·23	29·69	28·71	27·1		27·9	34·0	21·7	27·86	48·2	1·6	83	85	85	84	94	87	89	90	0·09	37·4	3·83	0·45
Year	29·29	30·16	28·40	43·6		45·0	53·7	36·5	45·14	87·7	16·1	82	74	82	79	71	67	59	66	15·47	123·1	27·78	1·38

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	15	6	7	0	21	5	7	1	0	16·7	36	N.W.	6	0	8	23	20	18	.....	11	.....	.....	.....	.....
February	7	2	6	3	22	1	3	6	8	14·3	38	N.W.	11	7	0	22	20	19	.....	9	2	.....	.....	.....
March	8	2	10	3	17	4	6	4	8	11·2	34	S.	4	4	5	22	17	10	..	14	.....	1	.....	.....
April	5	8	4	7	4	16	3	11	2	12·8	40	N.W.	3	12	6	12	16	5	...	14	...	1	...	...
May	3	11	13	6	6	10	3	9	1	9·3	17	S.W.	...	7	8	16	13	..	2	18	2	3	....	1
June	5	2	6	2	14	18	3	9	1	8·3	19	S.W.	...	13	8	9	7	...	...	23	1	4	.....	.....
July	4	4	9	2	8	15	7	10	3	7·2	18	N.W.	...	10	11	10	9	.	..	22	...	1	.....	.....
August	4	3	6	9	9	11	3	15	2	8·4	17	N.W.	...	12	8	11	7	...	..	24	...	2	...	2
September	1	4	6	10	13	17	1	5	3	8·3	35	N.W.	2	4	4	22	5	..	...	25	4	2	...	...
October	3	5	8	14	19	3	2	8	0	9·1	28	N.W.	1	9	8	14	8	1	2	23	1	...	.....	.....
November	1	0	2	7	12	18	7	13	0	15·3	40	N.W.	7	3	2	25	13	7	...	17	1	.....	.....	.....
December	2	4	5	5	7	14	11	13	1	14·7	40	S.W.	9	1	1	29	24	23	.....	8	...	..	...	.....
Year	58	51	82	68	152	132	56	104	29	11·3	40	S.W.-N.W.	43	82	69	215	160	83	4	208	11	14	0	3

MONTHLY and Annual Summaries for the Year 1908, Stonecliffe, Ontario—Latitude, N. 46° 9′; Longitude, W. 78° 6′. Height above Sea, 557 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	8 p.m.	Mean.	8 a.m.	3 p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%			%	%	in.	in.	in.	in.
January.	29·32	29·99	28·61	1·5	..	8·4	18·1	6 9	5·59	36·0	42·0	....		....	....	63	61	62	62	...	18·9	1·89	0·58
February.	29·43	30·18	28·40	0·1	..	10·1	19·5	6·6	6·45	49·0	39·0	....	....	....	....	74	69	65	69	.....	27·5	2·75	0 52
March.	29·40	29·94	28·70	15·9	....	24·1	33·3	8·3	20 78	48 0	19·0	.	.		.	59	52	47	53	0·06	8·9	0·95	0·48
April	29·27	29 98	28 6	30·1	....	36·0	44 2	23·5	33·85	62·0	4·0			...		99	97	81	92	0 24	9·9	1·23	0 36
May	29·30	29·76	28·61	49·7	...	55·8	65·4	42·4	53·92	81·0	26 0			.	.	84	89	85	86	3·98	0 4	4·02	1·27
June	29·38	29·67	29·01	58·0	...	65·1	78·9	47·2	63·07	91·0	34·0	..		.	..	81	87	81	81	0·88	.	0·88	0·36
July	29·39	29·76	28·90	62·9	....	68·2	76·8	54·2	65·50	92·0	44·0	.	.	....	....	61	70	73	68	2·86	....	2 86	1·63
August.	29·38	29·76	29·01	57·3	...	62·3	71·0	49·2	60·08	82·0	39·0	....	.	....	....	73	58	91	74	1·42	.	1·42	0 75
September.	29·44	29·89	28·88	51·0	....	58·7	71·0	45·0	57·98	83·0	31·0	...		....	..	46	43	60	50	2·15	....	2·15	1·31
October.	29·53	29·89	29·16	39·1	....	45·2	53·4	35·2	44·28	74 0	21·0	...		....	.	36	30	46	37	1·14	.	1·14	0·32
November.	29·27	29·68	28·72	29·3	....	32·3	36·2	24·6	30·39	54·0	14 0	.			....	49	44	69	54	0·96	10·3	1·99	0·60
December.	29·35	29·83	28·84	10·1	....	12·7	21·1	0·9	11·00	43·0	20·0	...	....	.	.	56	38	61	52	0·74	22·4	2·98	0·74
Year.	26·37	30·18	28·40	33·7	....	39·9	49·1	26·4	37·73	92 0	42·0	..	....		..	65	62	69	65	14·43	98·3	24·26	1 63

MONTH.	NUMBER OF WINDS FROM									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation ·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January.	2	0	8	0	0	0	8	2	42	4·0	30	W.	2	11	3	17	12	12		19	2	....	....	....
February.	7	0	8	0	3	1	8	0	31	3 0	16	N.		9	3	17	14	14	.	15	1	.	..	3
March	5	1	11	0	1	3	1	13	27	4 0	22	N.E.		11	7	13	10	9		21	1	...	..	1
April	4	2	2	9	5	0	22	14	2	6 3	21	N.W.		1	0	29	11	6		19	....	...	.	1
May	5	0	22	1	4	1	17	6	6	4 9	15	N.W.	.	2	4	25	11	1		20	....	....	....	....
June	4	0	6	2	6	2	22	5	13	3 7	12	S.-N.W.	..	5	3	22	7	.		23	..	....	....	....
July	3	0	2	3	1	4	13	18	18	3 3	10	N.		5	8	18	5	....	....	26	....	....	....	....
August.	0	0	0	3	3	3	15	8	30	2·5	12	N.W.	..	2	8	21	9	..	..	22	...	....	....	1
September	0	1	2	7	0	1	15	4	30	2 7	15	N.E.		13	4	13	7	..	....	23	9	....	...	2
October.	1	0	8	0	1	0	10	10	32	2 8	18	N.W.	.	20	3	8	6	....	..	25	12		...	1
November	0	6	1	0	2	3	20	6	22	3 8	14	N.W.	.	15	1	14	15	8	...	15	3	..	....	....
December.	0	9	2	2	6	7	2	4	30	3 5	14	S.W.	..	19	0	12	18	17	..	13	3	....	..	....
Year	31	19	72	27	32	25	153	90	283	3 7	30	W.	2	113	44	209	125	67	0	241	31	0	0	9

MONTHLY and Annual Summaries for the Year 1908, Swift Current, Saskatchewan—Latitude, N. 50° 20′; Longitude, W. 107° 45′. Height above Sea, 2,439 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.										RELATIVE HUMIDITY				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.			6 a.m.	1 p.m.	6 p.m.	Mean.	6 a.m.	1 p.m.	6 p.m.	Mean.	Rain.	Snow.	Total	Maximum in 24 hours.
		Max.	Min.	6 a.m.	1 p.m.	6 p.m.	Max.	Min.	Mthly		Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°		°	°		%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	27·34	27·76	26·82	13·68	23·23	20·26	28·23	7·13	17·68		42·0	18·0		75	70	74	73	39	68	39	47		0·46	0·46	0·28
February	27·42	27·74	27·01	11·76	19·79	16·96	23·52	6·07	14·79		43·0	16·0		78	77	81	79	48	70	69	63		1·42	1·42	0·52
March	27·38	27·82	26·89	11·74	20·84	18·92	26·87	6·90	16·89		46·0	15·0		76	66	77	73	79	66	67	70	.....	1·26	1·26	0·20
April	27·33	27·73	26·88	32·57	50·10	50·70	57·27	29·73	43·50		84·0	2·0		81	55	67	68	57	58	60	58	0·35	0·19	0·54	0·21
May	27·33	27·61	27·07	45·00	62·81	61·71	66·64	40·00	53·32		80·0	25·0		75	48	51	58	46	47	48	47	0·70	....	0·70	0·48
June	27·29	27·73	26·95	50·70	65·95	64·23	70·83	46·87	58·85		96·0	33·0		83	58	61	67	48	50	50	49	2·98		2·98	0·48
July	27·43	27·70	27·12	58·19	79·39	79·25	82·80	53·50	68·15		102·0	42·0		74	40	42	52	30	28	29	29	0·68	....	0·68	0·20
August	27·43	27·69	27·03	50·32	73·22	70·16	74·81	48·13	61·47		101·0	39·0		81	45	48	58	39	38	42	40	1·12		1·12	0·34
September	27·40	27·71	26·97	45·33	67·43	64·70	69·33	43·26	56·29		90·0	18·0		77	44	47	56	43	45	37	42	0·34	....	0·34	0·16
October	27·40	27·86	26·55	32·03	43·74	39·35	45·19	30·03	37·61		75·0	16·0		85	69	76	77	55	52	56	54	1·20	1·38	2·58	0·54
November	27·41	28·16	27·05	26·93	37·33	30·75	38·26	23·53	30·89		61·0	10·0		80	68	77	75	39	47	37	41		0·36	0·36	0·18
December	27·35	27·96	26·74	14·87	23·51	17·29	25·61	8·58	17·09		44·0	25·0		78	73	74	75	35	46	31	37	.	0·16	0·16	0·06
Year	27·38	28·16	26·55	32·76	47·28	44·52	50·78	28·64	39·71		102·0	25·0		79	59	65	67	47	51	47	48	7·37	5·23	12·60	0·54

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NUMBER OF DAYS											
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm				No. of Gales.	Clear.	Partly Cloudy.	Cloudy.	Precipitation of .01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Visible.	Aurora.
										mls.	mls.													
January	0	1	0	0	2	16	15	9	19	9·2	42	N.W.	1	19	8	4	5	5		26			....	3
February	1	6	4	10	4	12	19	10	21	8·8	36	N.W.	1	5	9	15	9	9		20		..		
March	2	7	4	2	3	5	14	6	19	8·0	36	W.	1	3	9	19	15	15		16				
April	7	2	3	1	4	4	14	9	16	8·6	30	W.	1	5	12	13	5	3		25		.		1
May	0	3	8	14	6	5	2	2	22	7·4	24	W.-S.E.		15	7	9	6	..		25				..
June	3	2	3	4	5	3	13	7	20	7·6	40	W.	1	12	6	12	17			14		3		.
July	7	9	6	4	8	12	26	7	14	8·1	22	S.W.		19	10	2	6			25	1	3	1	..
August	11	1	2	4	13	10	24	20	8	10·6	36	N.W.	1	16	8	7	6			24	...		.	2
September	5	7	2	5	7	1	5	6	11	9·6	24	S.W.-N.W.		12	13	5	4	....	....	26			1	6
October	10	6	2	1	10	16	21	17	10	9·5	30	S.	1	13	5	13	12	5	.	19		.		2
November	1	1	0	7	0	28	29	16	8	11·0	36	N.W.	4	16	9	5	5	5		25				2
December	3	0	0	0	4	15	51	9	11	10·0	24	N.W.-S.W.		16	9	6	6	6		26				....
Year	50	45	34	52	66	127	233	118	179	9·0	42	N.W.	11	156	105	110	96	48	..	271	1	6	2	16

MONTHLY and Annual Summaries for the Year 1908, Sydney, Nova Scotia. Latitude, N. 46° 10′; Longitude, W. 60° 10′. Height above Sea, 35 feet.

MONTH.	BAROMETER AT 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.			Extremes.																
		Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Max.	Min.	Mthly.	Max.	Min.	9 a.m.	4 p.m.	9 p.m.	Mean.	9 a.m.	4 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.											%		%				in.	in.	in.	in.
January	29·80	30·32	29·07	25·7		26·1	34·7	17·9	26·33	54·0	2·0	83	81	82	82	87	87	61	78	4·13	16·0	5·73	1·24
February	29·98	30·49	29·33	23·7		25·2	32·2	16·4	24·30	50·5	0·0	86	82	82	83	84	87	72	81	5·12	8·0	5·92	1·14
March	29·97	30·52	29·23	26·8		26·9	35·4	17·7	26·56	48·0	0·5	79	79	82	80	86	85	49	74	2·72	30·5	5·77	1·10
April	29·73	30·28	28·81	33·8		32·1	40·5	25·7	33·11	56·0	16·5	76	74	79	76	92	85	74	83	5·15	12·0	6·35	1·61
May	29·97	30·54	29·39	47·2		43·7	55·8	37·3	46·57	75·0	28·0	73	66	77	72	73	69	65	69	4·08	0·5	4·13	0·80
June	29·94	30·34	29·62	59·1		54·3	68·1	47·7	57·87	83·0	35·6	70	64	78	71	81	88	81	84	2·94		2·94	0·88
July	29·98	30·30	29·52	67·8		62·6	76·5	55·6	66·07	88·5	46·3	74	63	82	73	76	84	71	77	3·04		3·04	0·96
August	29·99	30·29	29·46	64·7		60·7	72·1	53·7	62·92	84·5	41·9	73	59	82	71	75	71	52	68	2·26		2·26	0·88
September	29·99	30·27	29·43	61·3		58·1	69·1	51·4	60·23	78·5	37·0	74	65	80	73	78	71	40	63	2·10		2·10	0·68
October	30·04	30·41	29·03	50·1		48·9	60·3	40·7	50·51	70·5	29·4	76	63	78	72	73	56	44	58	3·22		3·22	1·44
November	29·83	30·49	29·17	37·5		37·0	43·7	31·5	37·59	56·0	23·0	82	79	79	80	79	90	81	83	5·50	2·2	5·72	1·92
December	29·86	30·56	29·08	27·1		27·2	34·4	20·1	27·25	52·5	12·0	85	85	81	84	85	89	63	79	5·68	17·7	7·45	1·31
Year	29·92	30·56	28·81	43·7		41·9	51·9	34·6	43·28	88·5	0·0	78	72	80	77	81	80	63	75	45·94	86·9	54·63	1·92

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	1	2	2	3	2	22	8	19	3	9·3	26	N.W.	1	5	1	25	14	6		17	1			
February	13	1	5	4	7	11	6	8	3	6·8	20	N.		3	2	24	12	5		17	2			
March	17	6	4	2	5	9	7	8	4	7·1	20	N.W.		3	5	23	19	10		12	1			
April	7	2	2	5	6	12	9	15	2	8·9	24	N.W.		3	3	24	17	6		13				
May	11	3	7	3	9	9	10	6	4	5·7	16	N.		8	1	22	12	1		19	1	1		
June	9	4	2	4	3	19	11	7	1	5·2	16	N.W.		1	3	26	11			19	1	1		
July	4	5	5	1	1	24	10	6	6	4·3	12	S.W.		3	3	25	9			22				
August	8	1	1	4	1	18	9	9	8	5·5	16	E.		5	7	19	9			22				
September	8	3	2	1	1	24	11	4	6	4·8	18	N.E.		9	5	18	7			23				2
October	2	4	1	2	3	16	8	15	11	5·0	20	S.W.		13	0	18	7			24				
November	3	3	0	0	1	14	11	21	7	4·6	10	N.E.		2	2	26	11	3		19				
December	1	2	0	4	3	13	7	28	4	5·3	16	S.W.		3	1	27	16	9		14	1			
Year	84	36	34	33	42	191	107	146	59	6·0	26	N.W.	1	58	31	277	144	40	0	221	7	2	0	2

MONTHLY and Annual Summaries for the Year 1908, Toronto, Ontario—Latitude, N. 43° 40′ ; Longitude, W. 79° 24′. Height above Sea, 350 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.									RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.			Extremes.						8 a.m.	p.m.	8 p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
		Max.	Min.	8 a.m.	p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.													
	in.	in.	in.	°	°	°	°	°	°	°	°		%	%	%		%	%	%	%	in.	in.	in.	in.
January	29·57	30·21	28·67	21·4		24·5	31·9	16·8	24·4	41·5	13·8		87		82	85	85		73	79	0·61	19·0	2·51	0·92
February	29·66	30·52	28·69	16·0		19·1	27·3	11·2	19·3	44·3	17·5		86		84	85	61		59	60	1·17	26·0	3·77	0·98
March	29·66	30·24	29·02	29·0		31·4	39·0	23·9	31·4	63·8	7·5		85		82	83	77		69	79	1·06	6·2	1·68	0·40
April	29·55	30·22	28·96	40·1		41·0	50·1	23·5	41·8	75·3	17·5		73		73	73	55		50	52	1·72	5·8	2·30	0·34
May	29·54	29·92	29·16	54·9		55·5	65·6	46·9	56·2	84·0	29·4		76		78	77	58		66	62	4·54	0·3	4·57	1·11
June	29·67	29·92	29·41	66·0		64·7	77·3	55·2	66·2	88·2	42·7		68		69	68	30		34	32	3·07		3·07	1·66
July	29·67	29·92	29·17	69·6		70·4	81·6	59·8	70·7	92·2	51·7		73		72	72	38		29	33	2·93		2·93	1·18
August	29·66	29·95	29·35	65·7		65·2	77·8	56·1	67·0	92·0	43·0		77		77	77	39		32	35	2·83		2·83	1·16
September	29·71	30·00	29·32	60·3		61·4	75·4	52·0	63·7	89·6	36·7		78		79	79	37		37	37	1·29		1·29	1·20
October	29·78	30·13	29·48	47·0		50·2	61·2	41·6	51·4	77·8	27·6		84		78	81	39		39	39	1·02	·8	1·02	0·49
November	29·60	30·03	29·09	35·9		39·7	47·1	32·2	39·6	64·0	22·4		87		78	83	65		60	62	1·25	3·6	1·61	0·42
December	29·61	30·07	29·02	28·0		28·6	35·2	23·0	29·1	57·0	6·2		85		82	84	78		72	75	0·39	16·5	2·04	0·40
Year	29·64	30·52	28·67	44·5		45·9	55·9	37·7	46·8	92·2	17·5		79		78	79	55		52	53	21·88	77·4	29·62	1·66

MONTH.	NUMBER OF WINDS FROM									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 0·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	5	7	3	0	1	23	3	19	1	12·8	28	N.W.	2	6	4	21	14	11	..	4				
February	9	7	5	3	8	6	5	15	0	11·9	30	N.W.	3	8	6	15	15	13		6				
March	9	4	10	2	4	16	3	14	0	10·6	30	E.	1	4	7	20	16	8		3	2	2		1
April	6	1	16	3	1	13	8	12	0	13·9	38	E.	6	6	14	10	19	4		2	1	2		1
May	6	2	29	0	1	5	8	7	4	11·9	37	E.	5	7	11	13	20	1	..	5	2	7	1	1
June	9	2	18	2	3	10	9	5	2	9·9	24	N.W.		15	13	2	10	..	..	7		5	..	
July	6	7	11	3	6	9	7	10	3	8·9	26	N.W	1	16	10	5	9			9	1	5	..	
August	12	3	14	4	2	8	6	7	6	7·6	20	S.W.	..	17	7	7	6	..		5		4	..	1
September	6	10	13	4	2	9	4	6	6	7·1	21	W.	..	16	7	7	3			6	7	2	..	3
October	13	5	14	1	3	5	6	12	3	9·9	32	E.	3	15	8	8	7			6	5		..	
November	8	0	11	1	3	8	21	10	0	13·9	30	S.W.	4	8	7	15	11	5		3	5		..	
December	8	2	3	2	4	11	24	8	0	17·1	46	S.	8	3	8	20	17	16		3	1		..	
Year	95	50	147	25	38	123	104	125	25	11·3	46	S.	33	121	102	143	147	58	0	59	24	27	1	7

Monthly and Annual Summaries for the Year 1908, Vancouver, British Columbia—Latitude, N. 49° 17′; Longitude, W. 123° 5′. Height above Sea, 136 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
		Extremes.		Mean.						Extremes.													
	Monthly Mean.	Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.											%	%	%	%			in.	in.	in.	in.
January	29·86	30·39	29·12	36·5		40·3	42·3	34·0	38·1	48·1	18·4	85		85	87	73		69	71	7·60	T.	7·60	1·37
February	29·87	30·32	29·31	35·8		41·3	43·2	33·5	38·4	49·8	16·8	90		80	85	77		58	68	5·98	3·25	6·30	1·21
March	29·92	30·39	29·27	38·8		46·0	48·2	35·0	41·6	55·7	25·6	86		68	77	73		56	64	7·14		7·14	1·21
April	29·92	30·34	29·45	44·5		52·5	54·3	38·7	46·5	77·2	29·6	79		60	70	61		57	59	2·61		2·61	0·78
May	29·86	30·13	29·35	50·2		56·7	58·4	43·9	51·2	65·6	37·6	76		64	70	57		55	56	4·11		4·11	0·99
June	29·86	30·21	29·58	57·1		64·7	66·9	49·3	58·0	79·8	45·4	77		63	70	59		47	53	1·86		1·86	0·82
July	29·91	30·16	29·62	62·9		71·1	73·3	53·8	63·5	87·2	43·0	78		63	71	37		24	35	1·59		1·59	0·64
August	29·88	30·10	29·69	59·2		69·2	71·5	52·2	61·9	92·2	46·7	84		64	74	39		24	31	1·15		1·15	0·69
September	29·95	30·24	29·66	51·4		59·4	62·3	46·0	54·1	70·3	29·9	92		75	84	48		45	46	1·46		1·46	0·43
October	29·89	30·32	29·27	44·6		51·3	54·3	41·6	47·9	65·4	34·3	91		84	89	69		63	66	6·77		6·77	1·88
November	29·89	30·29	29·36	43·9		46·8	49·4	41·6	45·5	59·5	28·0	96		93	94	71		75	73	13·69		13·69	2·51
December	29·93	30·45	29·32	34·7		37·5	40·2	32·1	36·1	49·7	23·9	92		89	91	67		68	67	8·41		8·41	1·95
Year	29·90	30·45	29·12	46·6		53·1	55·4	41·8	48·6	92·2	16·8	86		74	80	61		53	57	62·37	3·25	62·69	2·51

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Gales.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear	Partly Cloudy.	Cloudy.	Precipitation 0·01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.													
January	0	4	26	10	1	5	5	1	10	4·5	15	S.E.	0	6	5	20	24	0	0	7	5	0	0	0
February	0	1	22	15	2	6	3	0	9	3·6	10	E.	0	4	9	16	20	1	0	9	0	0	0	0
March	0	4	16	10	3	11	6	3	9	4·8	18	W.	0	3	13	15	18	0	0	13	0	0	0	1
April	2	5	7	17	3	5	9	10	2	5·4	21	W.	0	7	10	13	14	0	0	16	0	0	0	0
May	1	8	7	15	1	15	3	4	8	4·5	15	S.W.	0	10	9	12	15	0	1	16	0	0	0	1
June	0	2	5	16	0	7	8	11	8	4·2	18	W.	0	10	7	13	7	0	1	23	0	1	0	0
July	0	4	3	16	0	10	2	21	6	3·7	12	S.W.	0	16	7	8	6	0	0	25	1	1	0	0
August	0	2	8	6	6	7	11	9	13	3·7	12	E.-W.	0	17	8	6	7	0	0	24	0	0	0	1
September	2	5	7	13	1	5	8	7	12	3·8	20	W.	0	14	6	10	11	0	0	19	7	0	0	1
October	0	2	5	19	3	10	5	3	15	3·4	25	W.	0	7	6	18	19	0	0	12	9	0	1	0
November	1	7	7	22	1	2	2	3	15	3·1	10	S.E.	0	5	8	17	20	0	0	10	10	0	0	0
December	2	0	21	15	3	9	3	1	8	4·9	30	W.	1	8	5	18	20	0	0	11	7	0	0	0
Year	8	44	131	174	24	92	65	76	115	4·1	30	W.	1	107	93	166	181	1	2	185	39	2	1	

MONTHLY and Annual Summaries for the Year 1908, Victoria, British Columbia—Latitude, N. 48° 24′; Longitude, W. 123° 19′. Height above Sea, 85 feet.

MONTH.	BAROMETER at 32°.			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.							Extremes.												
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly		Max.	Min.	a.m.	p.m.	p.m.	Mean	a.m.	p.m.	p.m.	Mean	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.												%	%		%	%	%	in.	in.	in.	in.
January	29·93	30·46	29·14	40·3	43·2	42·7	44·7	38·4	41·6		49·3	26·2	90	83	83	85	81	77	70	76	3·16	0·60	3·22	1·02
February	29·90	30·35	29·32	37·9	43·6	44·0	45·9	36·1	41·0		51·2	23·7	94	78	81	84	71	75	75	74	4·30	0·20	4·32	1·20
March	29·97	30·42	29·27	39·1	47·5	47·2	49·7	37·7	43·7		55·2	27·2	91	71	70	78	68	65	65	66	4·58	....	4·58	1·60
April	29·99	30·36	29·53	42·4	52·8	52·9	55·9	41·1	48·5		73·2	32·9	88	67	68	74	69	72	65	69	0·63	..	0·63	0·20
May	29·92	30·18	29·40	46·1	56·5	56·9	60·1	45·3	52·7		66·2	30·7	89	68	64	74	75	65	64	68	1·27	..	1·27	0·41
June	29·91	30·23	29·66	50·1	62·3	64·6	67·9	49·5	58·7		79·4	46·0	90	58	57	69	56	46	49	50	0·09	..	0·09	0·03
July	29·96	30·21	29·68	53·2	68·6	69·2	73·1	52·2	62·7		83·2	44·2	88	57	53	66	32	31	33	32	0·15	..	0·15	0·13
August	29·93	30·15	29·72	52·0	66·0	66·7	70·5	51·4	61·0		83·7	47·4	91	61	58	70	37	29	26	30	0·67	..	0·67	0·30
September	29·99	30·30	29·70	47·9	60·6	60·2	61·9	45·3	53·6		75·2	34·9	93	66	66	75	43	50	39	44	0·62	..	0·62	0·42
October	29·92	30·28	29·30	44·7	53·6	52·4	55·4	43·2	49·3		67·0	31·2	93	76	78	82	51	71	71	67	2·33	..	2·33	0·47
November	29·91	30·31	29·35	44·4	49·6	47·8	51·3	42·8	47·0		62·9	31·9	94	84	87	88	73	77	75	75	4·02	....	4·02	1·65
December	29·96	30·46	29·45	38·1	41·8	41·2	43·3	36·3	39·8		52·0	28·3	90	83	85	86	54	76	77	69	4·88		4·88	1·06
Year	29·94	30·46	29·14	44·7	53·8	53·8	56·6	43·3	50·0		83·7	23·7	91	71	71	78	59	61	58	60	26·70	0·80	26·78	1·65

MONTH.	NUMBER OF WINDS FROM.										AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NUMBER OF DAYS.										
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					No. of Gales.	Clear	Partly Cloudy	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
											mls.	mls.													
January	27	4	10	10	1	5	5	....			10·6	36	S.W.	3	2	10	19	19	1		12				....
February	15	2	20	2	4	4	6	4	1		9·2	28	S.W.		4	8	17	16	1	1	13		.		.
March	16	0	6	8	5	7	13	4	3		10·4	38	S.W.	3	3	14	14	17	.		14		1		1
April	8	2	4	4	6	21	9	4	2		10·8	36	W.& S.W.	1	4	9	17	8		1	22	.	.		
May	6	0	5	2	8	18	13	4	6		9·4	28	S.W.		5	7	19	9			22	2			1
June	3	1	0	1	14	13	21	1	6		10·9	28	W.		11	6	13	4			26	.		.	
July	0	1	1	1	11	29	7	1	11		9·1	24	W.& S.W.		14	15	2	4			27		1		
August	2	2	1	2	14	29	1	1	10		8·9	24	S.W.		18	7	6	4		1	27	2	2		
September	5	3	1	7	11	19	4	3	7		6·9	30	S.W.	1	15	8	7	7		.	23	4	3	.	3
October	8	9	6	3	9	12	2	5	8		7·1	28	S.W.		5	11	15	14			17	6	.		
November	18	16	11	3	6	4	1	0	1		6·6	32	E.	1	3	8	19	16	.	.	14	2			.
December	25	6	10	6	3	8	2	0	2		9·2	30	S.W.	1	5	12	14	15	.		16	4			
Year	133	46	75	49	92	169	84	27	57		9·1	36	S.W.& W.	10	89	115	162	133	2	3	233	20	7	0	5

Monthly and Annual Summaries for the Year 1908, White River, Ontario—Latitude, N. 48° 35′; Longitude, W. 85° 16′. Height above Sea, 1,252 feet.

Month.	Barometer at 32°.			Temperature.								Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	8 a.m.	8 p.m.	8 p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	8 a.m.	p.m.	8 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°					%				in.	in.	in.	in.
January	28 52	29 00	27 94	1 5		6 8	17 5	10 2	3 68	40 0	47 0					52		46	49		21·8	2·18	0·67
February	28 63	29 42	28·15	3 0		5 4	15 3	10 9	2 21	38 0	45·0					55		37	46	0 25	22·7	2 52	0·50
March	28 63	29 08	28 00	2 5		18 2	27 2	3 6	11 80	44 0	38·0					56		46	51		17·8	1 78	0 25
April	28 52	29 26	27·87	23 8		33 6	41 3	17 2	29 25	62·0	20 0					50		50	50	0 93	18·2	2 75	0·48
May	28 62	29·08	28·24	46 1		53 2	61 7	35 8	48 78	81 5	12·0					56		55	55	5·04	1·5	5 19	1 68
June	28 62	28 87	28·18	55 8		63 1	72·6	43 2	57 87	84 0	26 0					42		39	40	4 30		4 30	1 81
July	28 70	29 01	28 31	58 9		65 8	73 9	48 8	61 33	87 0	33 0					44		36	40	1·40		1·40	0 53
August	28 64	29 00	28 33	53·6		60 7	69 6	45 8	57 70	85 0	33·0					49		46	47	2 40		2 40	0 32
September	28 66	29 06	28 17	48 3		56 3	69 2	42 6	55 91	81 0	29 0					59		47	53	2 88	1 4	3 02	1 68
October	28 73	29 16	28·28	38 8		41 9	51 0	34 4	42 72	69 0	17 0					78		56	64	1·35	1 0	1 45	0·57
November	28 46	29 05	27·76	24 6		27 6	34 0	20 0	26 97	50 0	5·0					78		69	73	1·86	12·7	3 13	1 26
December	28 53	28 93	27 96	2 6		6 6	17·8	5 7	6 04	34 0	28 0					55		55	55		34·7	3 47	0 60
Year	28 60	29 42	27·76	29 1		36 6	45 9	21·4	33·69	87·0	47 0					57		48	53	20·41	131·8	33·59	1·81

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurorae.
										mls.	mls.												
January	12	4	2	1	5	7	5	6	20	2 9	14	N.W.	9	11	10	10	18	18		13				
February	10	4	0	2	6	6	2	6	22	3 3	12	N.	14	12	6	11	14	12		15				
March	6	9	1	2	1	8	6	4	25	2·8	8	N.	15	7	15	9	21	21		10				
April	10	4	3	4	2	5	11	3	18	3 1	12	N.E.	9	11	8	11	17	12		13		1		1
May	8	10	6	3	5	5	8	5	12	4 1	10	W.	16	11	7	13	13	2		18				
June	2	0	5	6	1	18	12	7	9	3·9	10	S.W.	14	16	4	10	10			20		3		1
July	4	2	1	3	5	17	12	4	14	3 2	8	N.W.	12	11	12	8	10			21		3		
August	1	1	1	4	3	12	9	8	23	2 9	10	S.	13	12	9	10	18			13		2		
September	2	2	1	1	2	12	4	5	31	2 3	10	S.W.	10	6	16	8	6	3		24		2		
October	8	0	2	3	6	7	3	3	30	2 4	8	W.	12	5	11	15	13	4		18				
November	7	6	2	0	3	10	4	2	32	1 8	8	S.	7	4	7	19	20	19		10		1		
December	14	0	0	0	3	1	4	3	37	1 8	8	N.	8	10	8	13	23	23		8				
Year	84	36	24	29	42	108	80	56	273	2 9	14	N.W.	139	116	113	137	183	114		183		12	0	2

MONTHLY and Annual Summaries for the Year 1908, Winnipeg, Manitoba—Latitude, N. 49° 53′; Longitude, W. 97° 7′. Height above Sea, 760 feet.

MONTH.	BAROMETER at 32			TEMPERATURE.								RELATIVE HUMIDITY.				CLOUDINESS.				PRECIPITATION.			
	Monthly Mean.	Extremes.		Mean.						Extremes.													
		Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Max.	Min.	Mthly	Max.	Min.	7 a.m.	2 p.m.	7 p.m.	Mean.	7 a.m.	2 p.m.	7 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%		%	%	%	%	in.	in.	in.	in.
January	29·12	29·78	28·52	2 8		9 1	17 8	2 3	7 8	42 2	36 0					38	42	34	38		4·4	0 44	0 29
February	29·26	29·76	28·58	4 5		11 5	18·2	0·7	8 7	38 0	25·4					64	53	48	55	0·05	17·5	1 80	0 76
March	29·21	29 69	28 55	3 6		13 8	21·7	2 3	9 6	41·0	19·8					67	51	46	55	T.	18 3	18·3	0 60
April	29 06	29·81	28 23	34 3		43 1	51·5	28·5	40 1	73·6	2·2					55	51	48	51	1 22	5·3	1 75	0 61
May	29·12	29 46	28·68	48·5		58 1	64·5	39·9	52 2	84·0	22·0	71	51	56	59	53	53	48	51	3·01		3 01	0 75
June	29 02	29·43	28 29	58 6		65 2	73·1	51·0	62 1	88·0	32·1	80	68	71	73	63	60	57	60	3 11		3 11	0 70
July	29 15	29 48	28 72	64 2		73·3	79·7	54·1	66 9	93·0	37·0	81	69	69	73	35	37	29	34	1 76		1 76	1 34
August	29 12	29 44	28 76	57 2		67 4	74·3	50·0	62 2	91·0	34 2	85	72	75	77	42	42	38	41	2 44		2 44	0 60
September	29·11	29 41	28 71	50 5		61 2	70 1	46·6	58 3	90·8	27·0	81	58	75	71	30	28	36	31	1 66	2 3	1 89	0 91
October	29 19	29 66	28 50	37·5		44 6	51·2	35·3	43 3	69·3	23·2					56	57	51	55	2 21		2 21	0 98
November	29 10	29 82	28·59	26 0		28 3	35·5	21·2	28 4	50 6	5 5					74	66	51	64	0 06	4·9	0 55	0 08
December	29 13	29 71	28 25	7 4		11 0	17·9	2·0	10 0	34·5	22 0					59	64	52	58		6·5	0 65	0 15
Year	29 13	29·82	23·23	32·9		40·5	47 9	27·0	37·5	93 0	36·0	79	64	69	71	57	52	47	52	15·52	59·2	21·44	1·34

MONTH.	NUMBER OF WINDS FROM.									AVERAGE HOURLY VELOCITY.	MAXIMUM VELOCITY.	DIRECTION AT TIME OF MAXIMUM VELOCITY.	NO. OF GALES.	NUMBER OF DAYS.									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation .01 in. or over.	Snow.	Hail.	Rain.	Fog.	Thunder Storms.	Lightning Visible.	Aurora.
										mls.	mls.												
January	4	5	2	2	12	8	7	10	12	10·2	36	N.E.	7	16	9	6	4	4		8				..
February	6	7	3	6	12	1	7	8	8	11 6	29	S.	3	11	3	15	8	6		3				
March	10	4	2	3	13	2	2	9	17	9 9	51	N.	7	9	8	14	9	9		8				
April	9	10	5	8	7	3	8	7	3	19 2	54	N.W.	16	12	6	12	5	3		6				
May	7	15	5	6	4	2	5	2	16	11·1	38	N.	6	13	3	15	10			3		2	....	1
June	5	1	7	9	12	1	11	9	5	13 6	43	W.	6	8	5	17	16			3	..	4	..	..
July	8	3	1	10	10	5	7	11	7	11 5	34	S.	4	17	10	4	5			9		1		
August	8	6	3	11	3	8	7	13	3	13 7	40	W.	5	16	7	8	10			4		4		3
September	9	5	1	17	3	6	8	11	0	15 2	33	N.W.	8	19	6	5	9	2		4		2		1
October	10	3	4	16	9	7	2	11	0	14 6	30	S.E.	8	10	8	13	6			8	..	1		.
November	4	4	1	6	14	3	9	18	1	14 4	44	N.W.	5	4	9	17	9	8		8	1			1
December	6	3	1	12	9	7	9	14	1	9 7	44	N.W.	4	10	5	16	13	13		2				....
Year	86	66	35	106	108	53	82	123	73	12 9	54	N.W.	79	145	79	142	104	45	0	66	1	14	0	6

Monthly and Annual Summaries for the Year 1908, Yarmouth, Nova Scotia—Latitude, N. 43° 50′; Longitude, W. 66° 2′. Height above Sea, 68 feet.

Month.	Barometer at 32°.			Temperature								Relative Humidity.				Cloudiness.			Precipitation.			
		Extremes.		Mean.						Extremes.												
	Monthly Mean.	Max.	Min	9 a.m.	3 p.m.	9 p.m.	Max.	Min.	Mthly	Max.	Min.	9 a.m.	3 p.m.	9 p.m.	Mean.	9 a.m.	3 p.m.	9 p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.	°	°	°	°	°	°	°	°	%	%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·82	30·43	29·07	28·4	...	29·4	36·8	22·3	29·53	53·7	5·1	82	..	83	83	76	...	76	76	3·54	15·2	5·06	1·26
February	29·94	30·56	29·16	22·8		25·2	32·8	18·0	25·39	50·0	0·2	85		86	85	83		73	78	2·08	10·9	3·17	0·94
March	29·99	30·44	29·34	31·1		31·8	38·2	25·5	31·87	51·6	10·5	86		89	87	73		61	67	2·05	6·9	2·74	0·80
April	29·77	30·34	29·11	37·3		37·0	44·3	31·8	38·08	63·0	20·1	79		85	82	54	..	44	49	5·21	4·0	5·61	2·05
May	29·92	30·44	29·37	50·5		46·3	56·5	41·2	48·85	68·0	31·8	82		91	87	49		45	47	3·81		3·81	0·95
June	29·95	30·35	29·65	57·0		52·4	65·8	48·5	56·15	70·2	40·0	83		92	87	46		38	42	2·02		2·02	1·36
July	29·98	30·27	29·56	62·5		59·0	69·3	54·1	61·69	80·1	41·5	86		94	90	55		59	57	3·39		3·39	1·59
August	29·97	30·28	29·56	60·3		57·0	66·9	52·2	59·56	73·2	42·8	89		95	92	56		54	55	4·21		4·21	1·42
September	30·02	30·34	29·46	57·8		54·4	64·2	48·7	56·48	73·7	34·0	87		92	90	48		40	44	2·29		2·29	1·75
October	30·06	30·49	29·15	57·8		47·1	57·6	40·4	48·97	66·4	25·8	87		89	88	40		38	39	5·26	0·2	5·28	1·97
November	29·84	30·40	29·31	40·8		41·2	46·7	36·4	41·53	55·0	29·1	82		79	80	75		79	77	1·57	2·1	1·78	0·46
December	29·90	30·60	29·11	28·6		30·2	37·6	23·2	30·44	52·2	5·7	77		78	77	79		63	71	5·16	11·3	6·29	1·71
Year	29·93	30·60	29·09	43·9		42·6	51·2	36·9	44·04	80·4	0·2	84		88	87	61		56	58	40·59	50·6	45·65	2·05

Month.	Number of Winds from									Average Hourly Velocity.	Maximum Velocity.	Direction at time of Maximum Velocity.	No. of Calms.	Number of Days									
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation 01 in. or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Alone.	Aurora.
										mls.	mls.													
January	4	7	1	6	3	9	7	22	3	13·9	30	S.E.	4	2	9	20	16	7		15	1	....	...	...
February	5	8	6	5	3	8	3	18	2	11·5	36	S.E.	4	2	6	21	17	11		12	3	1	. .	
March	4	9	6	6	8	8	8	11	2	10·3	25	S.W.	3	4	12	15	15	7		16	6	...	...	...
April	10	1	3	5	10	10	11	12	0	13·4	28	W.	1	7	17	6	16	3	.	14	4		...	1
May	2	2	2	7	10	19	9	11	0	8·8	28	S.W.	2	10	13	8	12		.	19	10	5	....	...
June	2	2	1	0	11	21	11	10	2	7·5	22	S.	0	15	6	9	6			24	5	...	.	.
July	3	1	2	0	17	11	14	10	4	5·7	23	S.	0	10	6	15	10	....		21	14	2		...
August	6	4	3	1	20	11	7	5	5	6·9	20	S.W.	0	10	7	14	10	.		21	12	.	.	. .
September	6	4	4	1	15	14	6	5	5	6·9	20	N.E.	0	14	6	10	7		. .	23	12	3	.	1
October	9	6	10	3	6	4	11	8	5	8·4	30	N.W.	4	15	7	9	9	1	...	22	5	1	.	...
November	8	2	6	4	4	3	10	22	1	12·1	28	N.W.	5	3	7	20	15	4		15	2	.		1
December	11	12	6	2	5	5	4	15	2	12·5	34	S.	2	5	7	19	20	10		21	2	...	...	...
Year	70	58	48	40	112	123	101	149	31	9·8	36	S.E.	25	97	103	166	153	43	0	223	76	12	0	3

Monthly and Annual Summaries for the Year 1908, York Factory, Hudson's Bay—Latitude, N. 57° 0′; Longitude, W. 92° 28′. Height above Sea, 55 feet.

Month.	Barometer at 32°.			Temperature.									Relative Humidity.				Cloudiness.				Precipitation.			
	Monthly Mean.	Extremes.		Mean.						Extremes.														
		Max.	Min.	a.m.	p.m.	p.m.	Max.	Min.	Mthly	Max.	Min.	a.m.	p.m.	p.m.	Mean.	a.m.	p.m.	p.m.	Mean.	Rain.	Snow.	Total.	Maximum in 24 hours.
	in.	in.	in.									%	%	%	%	%	%	%	in.	in.	in.	in.
January	29·85	30·22	29·14	17·4	.	18·0			17·8	.						53	42	33	42		9·0	0·90	0·60
February	30·04	30·76	29·48	12·7	.	5·8	.	.	.	.	.	.	.	.	.	34	21	14	23		.		
March	29·89	30·43	29·06	7·6	.	3·9										34	34	27	32		.		
April	29·90	30·34	29·24	13·6	.	13·4	.	.	.	.	.	.	.	.	.	35	41	27	34		.		
May	29·98	30·31	29·48	34·8	.	34·2	.	.	.	.						69	64	56	62	0·06	1·4	0·20	0·10
June	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
July	29·66	29·92	29·35	59·4	.	58·1	71·4	47·8	59·6	91·0	35·0	.	.	.	.	44		43	44	0·87		0·87	0·65
August	29·74	30·48	29·26	55·5	.	55·9	64·0	46·0	55·0	78·0	35·0	.	.	.		43	41	46	44	2·51	.	2·51	2·50
September	29·71	30·21	29·11	47·9	.	50·3	57·6	42·8	50·2	80·0	27·0			.		44	.	47	45	0·36	3·0	0·66	0·35
October	29·89	30·41	29·01	32·9	.	34·6	41·3	27·3	34·3	58·0	4·0			.	.	51	.	29	40	0·50	0·5	0·55	0·50
November	29·85	30·85	28·95	8·2	.	8·4	.	0·6								25	.	19	23	.	7·5	0·75	0·20
December	.			.	.					.	.	.	.	.	.	.	.	.	.				
Year	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				

Month.	Number of Winds from									Average Hourly Force.	Maximum Force.	Direction at time of Maximum Force.	No. of Gales.	Number of Days								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.					Clear.	Partly Cloudy.	Cloudy.	Precipitation of an inch or over.	Snow.	Hail.	Fair.	Fog.	Thunder Storms.	Lightning Noise.	Aurora.
January	0	1	4	2	7	19	36	5		II	V	W.		12	11	8	3	3	.	28	.	.	.	.
February	8	0	6	3	13	11	33	10	0	II	IV	N.W.		17	7	5	.	.				.		
March	0	0	3	1	4	13	52	12	0	II	VIII	N.W.	3	16	11	4	.					.		
April	8	12	8	1	3	10	18	14	.	II	VIII	E.	1	12	13	5				.				
May	11	39	3	3	11	5	5	10	0	I	IV	N.W.	.	6	9	15	3	2						
June	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
July	12	3	7	0	13	14	9	2	0	II	VI	N.W.	.	10	12	9	5			.		5		
August	7	8	11	2	9	0	6	0	.	II	IV	.	.	.	.	.	.	.	.			1		
September	16	3	1	0	12	3	13	9	0	III	VIII	N.W.	5	10	6	14	5	2		26		1		
October	25	1	8	8	27	6	14	1	0	II	VI	N.	2	12	12	7	3	1		28				
November	24	1	8	0	6	0	8	6	7	I	III			11	18	1	5	7						
December	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Year	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					

PART III

Annual Summaries from Stations of the Second Class for the Year 1908

Monthly and Annual Summaries for the Year 1908, Abitibi, Quebec Latitude, N. 48° 13′; Longitude, W. 79° 22′. Height above Sea, — feet.

Month.	Temperature of the Air.									Wind Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	4·0	6 0	2 0	12 5	12 9	25 4	35 0	41·0	0 2	8	5	10	2	20	12	19	17	0
February	1·2	9 3	0 9	12 1	10 8	22 9	37 0	36·0	0 6	14	1	11	3	18	5	17	18	0
March	7 7	21 6	11 7	26 2	1 8	31 0	44 0	35 0	10 7	21	4	10	4	11	4	24	12	0
April	24 2	33 5	25 8	38 2	14 1	24 1	57 0	20·0	26 2	7	5	8	3	13	4	32	18	6
May	43·6	52 3	45 2	56 0	35 7	20 3	75 0	19 0	45 8	28	13	9	1	10	4	16	11	1
June	48 4	67 5	61 3	72 8	50 9	21 9	84 0	30 0	61 8	5	4	1	0	21	11	33	15	0
July	61 9	70·7	65 2	75 3	54 7	20 6	94 0	35 0	65 0	12	5	5	0	11	17	34	9	0
August	56 1	68 0	61 7	70 4	53 6	16 8	85 0	43 0	62 0	12	1	5	2	19	16	30	7	1
September	53 4	67 4	60 1	71·1	49 9	21 2	83 0	34 0	60 5	13	0	10	1	18	21	17	2	5
October	39 8	47 7	44 1	50 8	37 1	13 7	67 0	24 0	44 0	16	0	8	2	25	14	7	14	7
November	25 7	31 3	27 4	33 0	21 8	11 2	52 0	9 0	27 4	5	3	7	5	12	17	28	9	4
December	1 7	8 7	5 6	14 3	3 8	18 1	39 0	33 0	5 2	15	3	7	7	18	3	23	11	6
Year	30·6	40 3	34·3	44·4	23·8	20 6	94 0	41 0	31 1	159	44	91	30	196	128	280	143	24

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroras.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
January	2 9	3 6	3 4	50	66	65	60			8 0	5					
February	2 9	3 6	3 4	56	62	56	50			21 5	6					
March	2 6	3 1	2 7	54		52	55			9 0	3					
April	3 2	3·9	2 9	69	6	58	64	0 36	2	6 0	1	1				
May	2 8	3 4	2 5	72	68	51	64	2·71	9	7 0	1	2	6			
June	3 6	4 6	4 2	59	55	44	52	2·00	5							
July	3 1	4 0	3 2	58	65	62	62	1 34	7							
August	1 8	2 3	2 2	65	73	56	65	1·19	13							
September	1 6	2 4	2 3	63	13	53	53	0 79	6							
October	2 1	2 6	2 8	76	68	71	72	2 02	10	0 5	1	1	5			
November	2 2	2 7	2 7	90	91	80	87	1 11	6	9 2	10					
December	1 8	1 8	2 0	75	77	72	5			13·2	14					
Year	2 6	3 2	2 8	66	69	60	64	11·52	58	74 4	39	4	11			

Monthly and Annual Summaries for the Year 1908, Agassiz, British Columbia—Latitude, N. 49° 14′; Longitude, W. 121° 31′. Height above Sea, 52 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in					
January	46·1	31·6	14·5	54	2·6	2·8	38·8	3·04	6	1·0	1				
February	44·5	33·0	11·5	53	2·0	3·3	38·7	5·52	9	5·0	2				
March	53·2	32·4	20·8	59	2·8	3·1	42·8	7·64	14						
April	62·6	38·1	24·5	73	3·3	4·0	50·3	3·60	7						
May	64·6	40·8	23·8	70	3·7	3·3	52·7	2·66	14						
June	76·5	48·4	28·1	91	4·1	5·0	62·5	4·68	9						
July	82·2	49·0	33·2	92	4·2	5·0	65·6	2·60	6						
August	74·3	50·2	24·1	98	4·2	5·5	62·3	1·24	6						
September	64·1	41·4	22·7	79	3·0	4·9	52·8	1·90	9						
October	60·5	36·2	24·3	74	3·2	4·2	48·3	3·93	12						
November	51·5	38·9	12·6	57	3·2	2·5	45·2	7·45	13						
December	44·9	31·5	13·4	56	2·0	3·6	38·2	2·42	11	2·0	2				
Year	60·4	39·3	21·1	98	2·0	7·8	49·8	46·68	116	8·0	5				

Monthly and Annual Summaries for the Year 1908, Agincourt, Ontario—Latitude, N. 43° 47′; Longitude, W. 79° 16′. Height above Sea, 590 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·7	11·7	18·0	40	8	48	20·7			10·5	3				
February	25·0	7·5	17·5	42	22	64·8	16·2	1·08	2	27·4	11	2	1		
March	35·9	21·1	14·8	60·1	1·7	58·4	28·5	1·45	8	5·7	6	2	1		1
April	49·5	32·7	16·8	73·1	15·6	57·5	41·1	1·55	11	7·1	2	3	3		1
May	64·2	45·7	18·5	82·3	32·6	49·7	55·0	5·39	17	S.	1	1	5		4
June															
July	82·6	59·0	23·6	92·3	48·7	43·6	70·8	2·2	7					1	3
August	78·7	54·9	23·8	92·0	43·0	49·0	66·8	2·4	7					6	6
September	78·5	52·2	26·3	93·8	37·0	56·8	65·4	1·20	2					4	
October	62·3	41·8	20·5	79·0	24·6	54·4	52·1	1·12	4	1·5	1		3	1	
November	44·6	30·4	14·2	62·9	17·8	45·1	37·5	1·18	4	3·8	4		3		
December	33·8	20·0	13·8	40·4	2·0	42·4	26·9	0·43	4	13·3	14	2		1	
Year										69·3	42				

Monthly and Annual Summaries for the Year 1908, Alameda, Saskatchewan—Latitude, N. 49° 15′; Longitude, W. 102° 17′. Height above Sea, 1,892 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	20·3	0·3	20·0	40	82	68	10·3			1·5	3			3	
February															
March	24·8	5·1	19·7	48	13	61	14·9			11·0	9			1	3
April															
May															
June															
July															
August															
September															
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1908, Alberni, Vancouver Island, British Columbia—Latitude, N. 49° 15′; Longitude, W. 124° 49′. Height above Sea, 300 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	40·2	28·7	11	48·0	15·0	33·0	34·5	11·58	19	9·5	3		2		2
February	45·9	27·7	18·2	62·0	34·0	28·0	36·8	6·81	12	19·0	4				
March	52·3	31·2	21·1	60·0	33·0	27·0	41·7	5·31	16					1	
April	61·1	33·5	27·6	79·0	23·0	56·0	47·3	5·13	10						
May	64·6	38·9	25·7	75·0	30·0	45·0	51·7	3·39	20						
June	76·1	40·7	35·4	91·0	38·0	53·0	58·4	0·67	8						
July	84·0	49·1	34·9	102·0	35·0	67·0	66·5	0·94	7						
August	85·6	45·7	39·9	106·0	38·0	68·0	65·6	0·88	4						1
September	72·0	41·5	30·5	90·0	24·0	66·0	56·7	1·76	9					2	
October	63·1	36·7	26·4	82·0	21·0	61·0	49·9	5·00	16						1
November	51·9	39·2	12·7	63·0	27·0	36·0	45·5	22·45	19						
December	39·2	29·5	9·7	52·0	21·0	31·0	34·3	8·22	13	3·7	3				
Year	61·3	36·9	24·4	106·0	15·0	81·0	49·1	71·77	153	28·2	10		2	3	4

Monthly and Annual Summaries for the Year 1908, Alix, Alberta—Latitude, N. 52° 28′; Longitude, W. 113° 10′. Height above Sea, 585 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·8	1·6	27·2	45·0	21·0	66·0	15·2	...	...	1·3	2	...	...	...	...
February	25·7	0·7	25·0	54·0	24·0	78·0	13·2	0·50	...	4·3	...	...	4	...	...
March	29·8	3·1	26·7	53·0	17·0	70·0	16·4	...	...	10·5	9	...	...	...	...
April	53·5	28·4	25·1	71·0	16·0	55·0	41·0	0·05	1	0·3	1	...	...	...	...
May	63·2	39·1	24·1	82·0	29·0	53·0	51·1	1·46	15	...	...	...	...	...	2
June	63·7	44·0	19·7	76·0	34·0	42·0	53·8	5·08	22	...	...	...	...	...	5
July	74·0	49·4	24·6	82·0	39·0	43·0	61·7	2·32	8	...	...	...	...	...	2
August	67·4	41·1	26·3	80·0	30·0	50·0	54·3	1·31	11	...	...	...	1	...	2
September	64·7	32·6	32·1	80·0	12·0	68·0	48·7	0·45	6	...	...	...	1	...	...
October	47·5	23·6	23·9	72·0	3·0	69·0	35·6	0·25	3	6·0	3	1	1	...	...
November	40·3	18·6	21·7	67·0	5·0	72·0	29·5	...	...	3·0	1	...	...	...	...
December	25·9	3·5	22·4	42·0	27·0	69·0	14·7	...	...	2·0	1	...	...	...	...
Year	48·7	23·8	24·9	82·0	27·0	109·0	36·3	11·42	66	27·4	17	1	7	...	11

Monthly and Annual Summaries for the Year 1908, Almasippi, Manitoba—Latitude, N. 49° 14′; Longitude, W. 99° 20′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	15·2	2·6	17·8	48·0	38·0	86·0	6·3	...	...	6·0	2	...	...	...	...
February	18·7	2·0	16·7	44·0	25·0	69·0	10·4	0·20	1	18·5	5	...	...	...	...
March	23·9	2·8	21·1	46·0	22·0	68·0	13·3	...	...	16·0	6	...	...	...	...
April	53·1	29·9	23·2	83·0	12·0	71·0	41·5	1·33	4	...	...	...	...	...	...
May	63·0	37·6	25·5	84·0	20·0	64·0	50·2	1·79	9	...	...	...	...	...	2
June	70·9	48·0	22·9	89·0	30·5	58·5	59·4	2·85	11	...	...	...	...	...	7
July	80·5	51·6	28·9	95·5	34·0	61·5	66·1	1·04	5	...	...	...	...	...	...
August	74·8	47·1	27·7	92·9	31·0	61·0	60·9	2·39	8	...	...	...	...	3	4
September	70·8	44·1	26·7	95·0	27·0	68·0	57·5	0·86	3	...	...	...	...	3	1
October	52·3	31·8	20·5	77·0	17·0	60·0	42·1	1·18	7	...	...	...	...	...	...
November	35·1	21·0	14·1	58·0	1·0	57·0	28·1	0·26	2	6·5	3	...	...	2	...
December	17·7	1·7	19·4	29·0	24·0	53·0	8·0	...	...	14·5	4	...	...	...	...
Year	48·0	26·0	22·0	95·5	38·0	133·5	37·0	11·9	53	61·5	20	...	...	8	14

MONTHLY and Annual Summaries for the Year 1908, Alton, Ontario. Latitude, N. 43° 51'; Longitude, W. 80° 5'. Height above Sea, 1,250 feet.

MONTH.	TEMPERATURE OF THE AIR.								WIND, DIRECTION FROM								
	9 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
	°	°	°	°	°	°	°	°	°									
January	15·3	26·5	17·1	25·4	5·3	20·1	36·0	16·9	15·3	7	2	9	4	6	10	53	2	0
February	9·0	20·5	9·0	23·0	2·6	25·6	40·0	32·2	10·2	13	1	17	5	8	3	38	2	0
March	22·6	33·4	25·0	34·5	12·0	22·7	52·0	11·8	23·3	8	2	12	3	10	22	31	5	0
April	34·1	47·5	36·3	48·2	25·3	22·9	75·0	1·6	36·8	8	1	12	7	18	15	28	1	0
May	50·9	64·3	54·0	64·3	41·7	22·6	87·0	21·4	53·0	8	1	30	4	7	8	32	0	0
June	59·5	77·4	60·4	77·5	47·3	30·2	90·0	35·0	62·4	8	0	13	3	18	2	44	2	0
July	63·3	79·8	63·7	80·3	52·7	27·6	92·0	41·0	66·5	6	2	13	3	10	5	52	2	0
August	57·3	76·3	59·5	76·5	47·3	29·2	87·0	36·5	61·9	9	0	18	5	15	7	36	3	0
September	55·7	79·5	58·6	81·6	44·7	36·9	90·0	28·0	63·1	7	0	9	8	15	19	25	6	1
October	41·4	60·8	44·3	62·0	33·0	29·0	80·0	16·3	47·5	12	3	13	8	30	3	23	1	0
November	31·9	42·6	35·2	42·5	24·6	17·9	68·0	13·8	33·5	3	0	7	2	29	18	39	1	0
December	22·6	35·7	32·7	30·2	13·5	16·8	54·0	12·3	21·9	6	1	11	6	18	14	36	1	0
Year	38·5	54·0	40·5	55·8	28·7	25·1	92·0	32·2	41·3	95	13	164	58	175	126	437	29	1

MONTH.	FORCE OF WIND.			CLOUD AND SKY.				RAIN.		SNOW.					
	9 a.m.	2 p.m.	9 p.m.	Clear.	Part Cloudy.	Cloudy.	Mean.	Inches.	Days.	Inches.	Days.	Aurora.	Halos.	Thunder Storms.	Lightning Alone.
				%		%	%								
January	1·7	2·6	1·9	62	37	43	47	0·03	1	28·5	10	4			
February	1·6	2·5	2·0	48	46	42	45	0·70	2	25·5	8	3			
March	1·8	2·5	2·1	60	49	14	52	1·50	7	13·0	10	1			2
April	1·9	2·7	2·2	40	35	49	41	2·29	13	7·5	4				4
May	1·6	2·3	1·9	50	38	30	42	5·49	14	1·5	2				
June	1·4	2·1	1·5	12	10	18	13	1·91	5						
July	1·3	2·0	1·4	28	13	18	20	5·31	9						
August	1·2	2·2	1·5	21	12	18	17	3·52	8						
September	1·5	2·2	1·6	24	18	08	17	0·86	2			3			1
October	1·2	2·0	1·3	35	13	12	20	0·98	5			5			
November	1·3	2·6	1·8	58	43	48	50	1·35	5	11·0	7	4			
December	1·6	2·8	2·1	78	51	66	65	0·10	1	20·3	12				
Year	1·5	2·4	1·8	43	30	34	35	24·04	72	107·1	56	20			7

MONTHLY and Annual Summaries for the Year 1908, Heath Point, Anticosti, Quebec—Latitude, N. 49° 6′; Longitude, W. 61° 42′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	9 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	13·9	17·2	16·1				27·0	5·0		9	6	6	3	8	15	5	41	0
February	14·3	17·6	15·6				38·9	14·0		7	8	4	6	10	19	2	31	0
March	16·0	21·1	18·7				34	3·0		14	18	10	7	7	14	6	17	0
April	24·0	27·1	24·9				55·6	6·0		15	16	8	9	9	16	6	11	0
May	38·0	41·3	35·6				54·0	29·0		11	15	9	12	5	18	8	13	2
June	45·0	48·0	43·4				58·0	35·0		4	18	6	3	12	24	12	9	2
July	58·2	61·6	56·1				69·0	33·0		9	6	3	3	18	21	18	13	2
August	56·4	59·7	54·5				65·0	44·0		6	6	5	2	18	20	15	19	2
September	51·8	56·6	51·6				62·0	41·0		7	11	7	4	7	15	12	27	0
October	43·1	47·8	43·6				56·0	33·0		13	14	1	5	7	23	14	15	1
November	30·0	32·9	33·2				42·0	14·0		17	11	4	3	8	20	5	21	1
December	18·3	20·1	17·1				36·0	8·0		19	7	6	2	8	11	4	36	0
Year	34·1	37·6	34·0				69·0	14·0		131	136	69	59	117	216	107	253	10

MONTH.	FORCE OF WIND.			CLOUDED SKY.			RAIN.		SNOW.						
	0-1	1-2-3	4-5-6	8-10	5-7	0-4	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning also.
January				3	3		3·5	2	3·9	9		8			
February							1·91	3	13·6	5		7			
March							·84	1	3·3	6	1	6			
April							1·6	2	1·7	3	5	8			
May							2·64	3	0·4	1	6	5			
June							1·39	3			7	3			
July							2·43	7			3	1			
August							3·01	7			7	1			
September							1·49	4			3				
October							3·94	5	0·6	1					
November							1·85	4	1·4	4					
December							1·57	2	5·6	14					
Year							21·89	45	68·5	48	38	39			

MONTHLY and Annual Summaries for the Year 1908, West Point, Anticosti Latitude, N. 49° 52′; Longitude, W. 64° 32′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	11·8	15·0	13·9				37·0	12·0		21	10	8	1	11	5	7	30	0
February	10·6	16·4	12·1				37·0	11·0		7	9	17	10	13	3	6	22	0
March	14·1	21·5	19·0				34·0	5·0		6	11	10	3	19	4	6	31	0
April	24·5	29·5	27·2				42·0	9·0		15	8	9	11	10	3	8	26	0
May	39·3	46·4	39·8				63·0	28·0		3	11	20	2	29	4	7	14	0
June	47·5	53·2	47·5				68·0	38·0		8	9	12	6	28	2	10	15	0
July	56·9	61·1	56·3				75·0	48·0		3	6	5	2	28	6	17	26	0
August	54·6	60·6	54·9				72·0	44·0		6	8	6	3	28	3	10	29	0
September	48·9	53·8	49·1				65·0	32·0		6	11	4	2	19	6	10	32	0
October	42·0	45·3	43·0				56·0	29·0		8	10	7	5	19	9	11	24	0
November	29·5	31·4	31·0				40·0	15·0		9	15	10	6	10	2	9	29	0
December	15·1	16·9	16·1				31·0	5·0		17	8	19	7	5	3	3	31	0
Year	32·9	37·8	34·2				75·0	12·0		109	119	127	58	219	50	104	312	0

MONTH.	FORCE OF WIND.			CONDITION OF SEA.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%											
January								0·36	2	33·0	9		5			
February								1·18	2	42·0	10		3			
March								0·10	1	31·5	8	1	7			
April								0·26	3	13·5	6	1	2			
May								2·47	8	4·0	2	3				
June								2·55	8			3				
July								1·06	7			1				
August								5·06	10			2				
September								1·45	8							
October								2·84	9			1	3			
November								1·16	4	8·0	3					
December										55·5	13					
Year								18·29	62	187·5	51	15	20			

Monthly and Annual Summaries for the Year 1908, Athabaska Landing, Alberta.—Latitude, N. 54° 43′; Longitude, W. 113° 17′. Height above Sea, 1,650 feet

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May															
June															
July															
August															
September	67·1	32·0	35·1	87·5	7·0	80·5	49·6	0·60	5						
October	59·6	24·5	26·1	81·5	1·0	80·5	37·5	0·35	3	8·5	2				
November	34·8	16·1	18·7	51·0	20·0	71·0	25·4	0·3	1	3·7	2	2			
December	22·9	1·5	21·4	43·0	35·0	78·0	10·7			8·5	4				
Year															

Monthly and Annual Summaries for the Year 1908, Athalmer, British Columbia.—Latitude, N. 50° 25′; Longitude, W. 115° 35′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May															
June															
July															
August															
September	66·3	34·8	31·5	85·0	20·0	64·0	50·6	0·78	5						1
October	52·1	29·6	22·5	64·0	22·0	42·0	40·9	0·63	5	5·0	3		2		
November	41·0	24·1	17·1	58·0	0·6	57·4	32·8	0·48	6	1·0	1				
December	26·6	9·5	17·1	45·0	16·0	61·0	18·0			4·0	5				
Year															

MONTHLY and Annual Summaries for the Year 1908, Babine Lake, British Columbia—Latitude, N. ; Longitude, W. —° —′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.						
	Mean Max.	Mean Min.	Mthly Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Cable.	Fog.	Aurora.	Thunder	Storms.
								in.		in.						
January.																
February.																
March																
April																
May.																
June																
July.																
August.																
September																
October.	43·8	25·7	18·1	57·8	5·0	52·8	34·8	5·1	6	2·8	4		1			
November.	33·2	20·7	12·5	48·0	7·0	41·0	27·0	1·4	4	9·5	5		2			
December.	23·5	10·0	13·5	34·0	30·0	64·0	16·8			11·5	8					
Year																

MONTHLY and Annual Summaries for the Year 1908, Bancroft, Ontario—Latitude N 45° 1′; Longitude W. 77° 50′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.						
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cable.	Fog.	Aurora.	Thunder	Storms.
								in.		in.						
January.	21·7	1·7	23·4	59·0	47·0	86·0	10·0				6					
February.	20·7	2·9	23·6	49·0	38·0	78·0	8·9		1		6					
March	32·8	13·8	19·0	70·0	16·0	66·0	23·3		3		7					1
April	45·8	27·9	17·9	66·0	3·0	63·0	36·8	0·82	1		2					
May	64·2	43·6	20·6	84·5	26·0	58·5	53·9	3·81	4							2
June	76·1	49·2	26·9	87·0	35·0	54·0	62·6	2·22	4							2
July.	79·1	53·0	26·1	92·0	40·0	52·0	66·1	3·00	2							
August.	75·6	44·6	31·0	88·5	34·0	54·5	60·1									
September	75·6	43·3	32·3	91·0	29·0	62·0	59·4	1·47	4							
October	58·4	33·0	25·4	79·0	18·0	61·0	45·7									1
November.	40·1	27·4	12·7	55·0	5·0	50·0	33·8	0·81	1							
December.	26·8	4·5	22·3	58·0	26·0	64·0	15·6									
Year	51·4	28·0	23·4	92·0	47·0	139·0	29·7									6

Monthly and Annual Summaries for the Year 1908, Barrie, Ontario—Latitude, N. 44° 23′; Longitude, W. 79° 41′. Height above Sea, 839 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March																		
April																		
May																		
June																		
July				78·6	58·7	19·9	92·0	48·8	68·7									
August				75·1	54·3	20·8	86·4	42·1	64·7									
September	55·9	74·6	61·6	75·6	52·7	22·9	88·8	37·7	64·2	4	5	3	13	13	12	3	9	28
October	42·9	57·0	47·4	58·8	39·8	19·0	77·4	24·2	49·3	8	2	6	18	5	12	0	17	25
November	33·0	41·1	37·0	43·2	31·2	12·0	62·0	19·2	37·2	1	0	5	9	13	23	16	17	6
December	23·8	26·4	23·3	30·1	17·8	12·3	49·7	1·0	24·0	5	5	4	10	13	15	13	15	13
Year																		

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inch.	Days.	No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Above.
January																
February																
March																
April																
May																
June																
July								3·17	7							
August								2·29	8							
September	0·8	2·0	0·9	24	28	15	22	0·97	5			1	2		1	
October	1·0	2·0	1·2	46	42	30	39	0·40	7	1·8	2	4			1	
November	1·6	2·5	2·0	67	64	71	68	1·36	9	10·0	11	1			1	
December	2·0	2·2	2·1	90	84	85	86	0·12	2	49·4	22	1	2	2		
Year																

MONTHLY and Annual Summaries for the Year 1908, Beatrice, Ontario—Latitude, N. 45° 8′; Longitude, W. 79° 20′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	8 a.m.	2 p.m.	8 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	9·1	18·5	1·4	24·6	1·5	23·1	37·0	38·0	13·0	5	1	3	5	24	8	0	22	25
February	1·8	16·7	11·1	21·1	0·7	21·8	40·0	35·0	10·2	5	0	1	13	12	5	4	13	34
March	20.0	29·1	25·3	32·9	14·5	18·4	48·0	6·0	23·7	2	0	3	6	18	3	5	24	32
April	30·6	41·4	35·0	45·2	25·9	19·3	67·0	2·0	35·5	5	1	3	5	18	4	3	23	27
May	49·5	61·3	53·1	63·6	43·3	20·3	80·0	24·0	53·5	7	1	1	25	15	0	5	18	21
June	58·4	71·1	59·8	73·0	47·6	25·4	86·0	33·0	60·3	4	1	0	6	22	9	9	12	27
July	62·7		63·4	76·7	54·2	22·5	88·5	42·0	65·5	6	4	6	5	4	3	1	2	31
August	56·2		58·7	73·0	48·7	24·3	84·5	35·0	60·9	4	3	4	10	12	6	2	12	40
September	50·0	70·1	57·0	71·9	46·1	25·8	84·0	35·0	59·0	5	0	0	10	10	8	2	7	54
October	39·7	55·2	44·0	56·8	35·0	21·8	74·0	19·0	45·9	1	0	1	18	10	7	2	13	38
November	31·9	38·7	35·9	41·8	27·4	14·4	60·0	11·0	34·6	1	0	0	6	16	13	1	24	29
December	17·6	23·7	18·3	28·9	8·7	20·2	50·0	18·0	18·8	6	1	2	13	17	4	1	22	27
Year	35·9		38·6	50·8	29·4	21·4	88·5	38·0	40·1	55	12	24	122	178	70	35	186	385

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	Mean.	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gale.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
				%	%	%										
January	1·2	1·6	1·2	58	57	52	56	0·12	1	29·5	11					
February	1·1	1·6	1·0	45	54	53	51			45·5	10					
March	1·0	1·8	1·2	72	62	65	66	0·72	3	12·5	8	1			2	
April	1·1	2·6	0·8	56	53	50	53	1·90	7	6·5	5				2	
May	1·1	2·3	0·8	61	62	52	54	4·34	13	.....					3	
June	1·1	2·2	0·1	38	39	25	33	1·45	4	.....						
July	1·0		0·5	41	28	32	35	3·60	5						1	
August	1·1	1·7	0·8	38	52	24	37	2·96	5					1		
September	0·5	1·3	0·3	32	28	70	43	1·36	5			1			3	
October	0·5	1·7	0·5	38	36	36	37	0·75	5			4				
November	1·1	1·8	1·4	85	75	79	80	1·60	7	18·5	4		1			1
December	1·2	1·5	1·1	84	69	71	75	0·81	4	50·0	17		2			
Year	1·0		0·8	54	51	51	52	21·61	56	162·5	55	6	3	1	11	1

Monthly and Annual Summaries for the Year 1908, Bella Coola, British Columbia—Latitude, N. 52° 40′; Longitude, W. 126° 54′. Height above Sea, 150 feet.

Month.	Temperature.							Rain.		Snow.			Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.			
								in.		in.					
January	34·0	23·4	10·6	40·0	12·0	28·0	28·7	1·11	4	13·8	8	..	..	....	2
February	35·9	23·1	12·8	45·0	6·0	39·0	29·5	2·77	5	12·1	7	..	..	..	..
March	41·8	27·8	14·0	52·0	16·0	36·0	34·8	6·32	12	6·5	6	..	..	2	1
April	50·8	33·1	17·7	67·0	21·0	46·0	42·0	3·74	14	8.	..	..	..	..	..
May	60·9	39·4	21·5	78·0	31·0	47·0	50·1	2·06	12	..	..	..	..	..	...
June	68·0	45·5	22·5	83·0	37·0	46·0	56·8	1·61	10	..	..	..	..	..	..
July	69·7	49·3	20·4	90·0	39·0	51·0	59·5	2·74	15	..	...	...	..	..	...
August	73·5	48·8	24·7	96·0	39·0	57·0	61·2	0·73	7	..	..	...	...	1	..
September	60·6	42·0	18·6	78·0	27·0	51·0	51·3	6·15	18	..	..	..	..	2	....
October	52·2	35·5	16·7	67·0	22·0	45·0	43·8	3·28	13	8·5	2	..	..	..	...
November	44·3	35·1	9·2	52·0	26·0	26·0	39·7	6·28	17	8.	..	..	..	..	..
December	33·5	26·1	7·4	45·0	12·0	31·0	29·8	2·13	4	28·3	9	..	..	..	....
Year	52·1	35·8	16·3	96·0	6·0	90·0	43·9	38·92	131	69·2	32	..	..	5	3

Monthly and Annual Summaries for the Year 1908, Berens River, Manitoba—Latitude, N. 52° 18′; Longitude, W. 97° 23′. Height above Sea, 710 feet.

Month.	Temperature.							Rain.		Snow.			Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.			
								in.		in.					
January	..	..	..	..	..	..	..	..	..	2·5	3	...	..	..	..
February	11·5	10·3	21·8	36·0	33·0	69·0	0·6	0·25	1	5·5	3	..	..	..	..
March	13·7	19·9	26·6	45·0	35·0	78·0	0·4	..	..	8·6	3	..	..	3	..
April	40·0	20·0	20·0	64·0	10·0	74·0	30·0	0·52	2	..	..	..	..	..	..
May	58·3	35·4	22·9	74·0	19·0	74·0	46·9	1·45	4	..	..	..	..	..	1
June	68·0	47·2	21·3	84·0	29·0	52·0	57·9	5·06	14	..	..	..	2	..	4
July	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
August	67·9	50·9	17·0	76·0	35·0	41·3	59·4	3·36	8	..	..	..	..	1	3
September	..	..	..	..	..	..	..	..	..	10·3	2	..	..	..	..
October	45·7	31·7	14·0	60·0	15·0	45·0	38·7	0·42	6	0·5	1	..	..	..	..
November	27·0	16·2	11·7	39·0	15·0	54·0	22·1	..	..	21·5	5	..	..	..	..
December	10·2	8·5	19·6	29·0	12·0	71·0	0·7	..	..	16·0	6	..	..	..	..
Year	..	..	..	..	..	..	..	..	..	64·1	23	..	..	..	..

MONTHLY and Annual Summaries for the Year 1908, Berens River, Manitoba—Latitude, N. 52° 18′; Longitude, W. 97° 23′. Height above Sea, 710 feet.

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
														%	%	
January																
February	6	4	8	4	7	4	11	14	0							
March	8	3	3	6	13	10	13	6	0							
April	11	10	9	2	13	2	4	9	0							
May	10	4	22	2	8	6	5	5	0							
June	5	17	15	2	22	0	4	4	1							
July																
August	17	1	14	5	9	2	4	8	2							
September																
October	7	2	5	17	13	5	1	11	1							
November	25	2	8	1	14	1	3	5	1							
December	11	5	20	1	11	4	2	8	0							
Year																

MONTHLY and Annual Summaries for the Year 1908, Bicquet, Quebec—Latitude, N. 48° 25′; Longitude, W. 68° 53′. Height above Sea, —— feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM							
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March																		
April	26·4	30·5	27·6				38·0	7·0		9	26	1	3	0	7	19	19	0
May	40·2	43·7	39·2				50·0	34·0		3	43	3	0	2	9	27	6	0
June	47·1	52·5	46·1				69·0	40·0		1	25	0	1	2	16	31	7	7
July	54·9	61·6	54·5				76·0	43·0		1	6	0	0	0	26	32	2	26
August	50·5	56·4	49·7				68·0	45·0		0	18	0	1	4	11	29	4	26
September	45·3	50·1	45·3				61·0	41·0		0	5	0	0	2	0	71	8	4
October	40·9	44·0	40·5				49·0	30·0		6	20	0	0	1	0	55	10	1
November	30·2	32·1	30·0				41·0	17·0		4	25	0	0	5	5	18	33	0
December																		
Year																		

MONTHLY and Annual Summaries for the Year 1908, Bicquet, Quebec—Latitude, N. 48° 25′; Longitude, W. 68° 53′. Height above Sea, —— feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
						%	%									
January																
February																
March																
April								0 60	2	40 0	12					
May								2 60	6			4	3			
June								0 43	4			11	6			
July								1 40	4			15	2			
August								2 57	6			12				
September								0 90	2			15	1			
October								0·29	5	3·0	2	12	5			
November								0 40	2	37 5	7	3	11			
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Birnam, Ontario—Latitude, N. 43° 2′; Longitude, W. 81° 55′ Height above Sea, 600 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
								in.		in.					
January	28·5	16 5	12 0	40·1	15·0	55 1	22 5	1 26	2	33·0	13				
February	24 7	12 2	12 5	41 9	14 0	55 9	18 4	2·35	4	37·8	15		1		
March	39 3	24·9	14 4	64 3	7 0	57 3	32 1	2·50	6	0·5	2		3		2
April	51 8	35 3	16 5	78·0	22 0	56 0	43 6	1 96	9	0 3	1				2
May	66 4	47 6	18 8	85 0	29 2	55 8	57 0	5 25	12				3	2	2
June	75 5	55 0	20 5	87·4	35 2	52 2	65 2	2·59	6						6
July	80 0	60 5	19 5	92·1	17 0	45 1	70 3	1 99	7				1		2
August	76 3	56 8	19 5	92 2	43 5	48 7	66 6	3 79	8					1	5
September	76 6	54 4	22 2	89 7	33 7	56 0	65 5	0·67	2					3	1
October	60 3	41·6	18 7	79 0	29 0	50 0	50 9	0 68	4						
November	45 3	30·7	14 6	61 3	15 0	46 3	38 0	0 92	5	8 5	1		1		2
December	32 2	21 0	11 2	40 1	4 0	36 1	26 6	0 83	3	20 3	7		2		
Year	54 7	38 0	16 7	92·2	15 0	107·2	46 4	24 79	68	100 4	42		14	9	22

MONTHLY and Annual Summaries for the Year 1908, Birnam, Ontario Latitude, N. 43° 2′; Longitude, W. 81° 55′. Height above Sea, 600 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
															%	%
January	4	1	4	4	5	17	13	12	2							
Feburary	4	5	15	6	4	8	5	11	0							
March	8	0	5	3	2	6	4	3	0							
April	14	1	4	8	11	8	4	10	0							
May	4	2	18	5	8	4	11	8	2							
June	9	1	4	0	1	3	1	5	6							
July	18	13	7	0	6	7	5	2	4							
August	18	3	11	0	8	5	8	3	4							
September	16	4	11	1	9	11	2	2	4							
October	12	4	11	0	15	7	1	11	1							
November	6	3	0	1	15	9	18	8	0							
December	5	1	3	4	7	14	19	9	0							
Year	118	40	93	32	91	99	91	84	23							

MONTHLY and Annual Summaries for the Year 1908, Birtle, Manitoba—Latitude, N 50° 25′; Longitude, W. 101° 1′. Height above Sea 1,703 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March															
April															
May	70·9	47·7	23·2	81·0	35·0	46·0	59·3	1·25	4						
June	73·8	57·0	16·8	82·0	37·0	45·0	65·4	2·95	7						
July	77·3	62·7	14·6	90·0	45·0	45·0	70·0	1·02	3						
August	71·5	50·3	21·2	89·0	34·0	55·0	60·9	1·98	7						
September	63·7	42·3	21·4	84·0	23·0	61·0	53·0	1·03	4						
October	48·3	28·0	20·3	74·0	13·0	61·0	38·2	0·42	2						
November															
December															
Year															

Monthly and Annual Summaries for the Year 1908, Blackfalds, Alberta.—Latitude, N. 52° 24′; Longitude, W. 113° 47′. Height above Sea, 2,876 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	29·2	4·3	24·9	47·0	20·0	67·0	16·7			9·5	3				
February	28·6	2·6	26·0	55·5	25·0	80·5	15·6			3·3	4				
March	30·1	3·1	27·0	55·0	20·0	75·0	16·6			9·8	7				
April	54·0	24·7	29·3	74·0	4·5	78·5	39·3	0·08	1	0·5	2				1
May	61·9	34·4	27·5	84·0	13·5	70·5	48·2	2·55	6						
June	69·2	43·2	26·0	78·0	33·0	45·0	53·2	7·71	13						4
July	73·6	45·6	28·0	86·0	35·0	51·0	59·6	1·57	4						2
August	68·9	40·3	28·6	84·0	25·0	59·0	54·6	2·23	9						1
September	66·6	32·3	34·3	86·0	7·0	79·0	49·4	0·33	3	S.					2
October	49·2	24·0	25·2	76·5	5·0	71·5	36·6	0·29	1	4·1	3				
November	41·8	17·4	24·4	71·0	7·0	78·0	29·6	R.		1·8	2				
December															
Year															

Monthly and Annual Summaries for the Year 1908, Bloomfield, Ontario—Latitude, N. 43° 59′; Longitude, W. 77° 21′. Height above Sea, 260 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·1	9·9	18·2	49·0	22·0	62·0	19·0	0·20	1	9·5	5				
February	21·5	3·9	17·6	38·0	26·0	64·0	12·7			43·0	6				
March	34·5	20·6	13·9	50·0	2·0	48·0	27·5	0·63	3	5·0	3		1		1
April	46·7	31·1	15·6	66·0	15·0	51·0	38·9	2·97	10	1·0	1				2
May	63·6	46·8	16·8	88·0	32·0	56·0	55·2	3·59	12						3
June	75·7	54·1	21·6	87·0	43·0	44·0	64·9	1·92	5						2
July	80·3	60·5	19·8	91·0	49·0	42·0	70·4	2·38	6						
August	76·3	56·5	19·8	86·0	45·0	41·0	66·4	2·33	5						2
September	75·2	52·5	22·7	84·0	40·0	44·0	63·9	1·10	3						
October	59·5	41·5	18·0	74·0	30·0	44·0	50·5	1·44	4				1		
November	43·2	31·5	11·7	61·0	20·0	41·0	37·3	1·44	6	2·0	2				1
December	33·2	18·7	14·5	50·0	1·0	49·0	26·0	0·86	5	8·0	4				
Year	53·1	35·6	17·5	91·0	26·0	117·0	44·4	18·80	60	68·5	21		5		11

MONTHLY and Annual Summaries for the year 1908, Bon Accord, Alberta—Latitude, N. 53° 53′; Longitude, W. 113° 24′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
								in.		in.					
January	26·9	6·3	20·6	44·5	21·0	65·5	16·6	R.	.	2·8	6	..	..	..	..
February	25·2	6·5	18·7	52·6	20·5	73·1	15·9	0·04	1	6·8	7				..
March	21·3	2·4	21·9	49·0	18·6	67·6	13·3		..	10·8	13		.	2	..
April	50·6	28·2	22·4	67·0	5·3	72·3	39·4	0·29	3	S.	.	..	..	.	.
May	65·7	40·5	25·2	82·3	25·2	57·1	53·1	1·89	14			.		..	2
June	63·3	43·4	19·9	77·0	31·4	45·6	53·3	6·73	21					..	6
July	73·2	48·6	24·6	83·9	38·9	45·0	60·9	2·28	16			.			7
August	67·3	44·7	22·6	80·5	26·8	53·7	56·0	3·67	15			..			7
September	61·7	37·0	24·7	78·5	16·0	62·5	49·4	0·85	11	2·0	1	..	..	..	..
October	46·2	26·0	20·2	70·0	7·0	63·0	36·1	0·37	4	7·0	3		.	..	..
November	34·0	17·9	16·1	53·0	14·8	67·8	26·0	0·16	2	4·5	2				..
December	22·2	4·6	17·6	43·8	29·0	72·8	13·4			3·5	5		.	..	..
Year	46·7	25·5	21·2	85·9	29·0	112·9	36·1	16·28	87	37·4	37				..

MONTHLY and Annual Summaries for the Year 1908, Brandon, Manitoba—Latitude, N. 49° 51′; Longitude, W. 99° 57′. Height above Sea, 1,176 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	9 a.m.	3 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	2·1	13·8	8·7	19·7	5·1	24·8	39·9	46·4	7·3	0	6	5	7	0	33	13	21	4
February	2·8	14·4	11·1	19·0	4·3	23·3	45·9	31·3	7·4	1	25	0	7	0	23	5	21	5
March	7·0	29·1	15·7	24·5	4·5	29·0	46·9	31·3	10·0	0	37	0	5	0	18	7	22	4
April	54·6	49·9	42·2	54·8	23·3	31·5	81·5	1·0	39·1	1	19	0	8	0	27	6	26	3
May	43·8	60·3	52·5	65·0	34·1	30·9	82·5	14·0	49·6	0	51	1	6	3	8	7	12	5
June	55·5	66·7	60·0	71·3	44·9	26·4	88·5	29·0	58·1	0	20	5	12	1	5	16	26	5
July	62·4	76·2	68·7	80·1	49·6	30·5	93·5	40·0	64·8	1	12	5	11	3	4	35	16	6
August	55·8	70·3	60·9	73·8	43·6	30·2	91·5	29·0	58·7	2	24	3	1	0	5	9	48	1
September	48·2	67·5	56·9	70·5	41·2	29·3	93·5	22·0	55·8	4	18	1	2	0	3	9	25	28
October	32·0	47·4	40·1	52·4	26·6	25·8	74·0	8·0	39·5	0	26	0	4	0	11	0	24	28
November	23·3	33·1	26·6	36·6	16·3	20·3	60·9	6·0	26·1	0	14	0	8	0	17	3	37	11
December	1·7	14·3	10·0	19·9	3·2	23·1	38·9	34·3	8·4	0	16	1	12	0	19	5	31	9
Year	31·0	44·5	37·8	49·0	21·9	27·1	93·5	46·4	35·4	9	268	21	83	7	173	114	309	109

MONTHLY and Annual Summaries for the Year 1908, Brandon, Manitoba—Latitude, N. 49° 51′; Longitude, W. 99° 57′. Height above Sea, 1,176 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
						%	%									
January	1·0	1·0	0·9	50	39	32	40			3·0	2					
February	0·9	1·2	0·9	55	58	53	55			7·5	4					
March	0·7	1·1	0·7	61	57	63	60			14·0	6					
April	0·8	1·5	0·7	45	47	50	47	0·64	2	6·0	3					
May	1·1	1·3	1·0	49	56	52	52	2·14	8							
June	0·6	1·0	0·5	65	55	65	62	2·97	15						1	
July	0·5	0·9	0·2	41	44	36	40	2·22	5						1	
August	0·9	1·5	0·5	37	51	41	44	2·09	8							
September	0·8	1·5	1·0	48	43	42	44	1·73	5							
October	1·0	1·7	1·1	61	64	52	59	0·67	3	1·0	1	1				
November	1·1	1·6	1·6	69	72	50	64	0·08	1	6·0	2					
December	1·4	1·4	1·2	52	58	48	53			12·0	5					
Year	0·9	1·3	0·9	53	54	49	52	12·54	47	19·5	25	1			2	

MONTHLY and Annual Summaries for the Year 1908, Brantford, Ontario—Latitude N. 43° 10′; Longitude, W. 80° 21′. Height above Sea, 750 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
								in.		in.					
January	30·0	14·0	16·0	42·0	13·0	55·0	22·0			19·0	7				
February	25·8	6·1	19·7	44·0	21·0	65·0	16·0	1·20	1	22·0	6		1		
March	40·4	22·4	18·0	64·0	0·0	64·0	31·4	0·99	3	5·0	2		2		3
April	52·4	31·8	20·6	73·0	18·0	55·0	42·1	1·72	6				2		1
May	67·6	45·9	21·7	87·0	26·0	61·0	56·7	3·75	10				2		3
June	80·3	52·9	27·4	90·0	36·0	54·0	66·6	2·40	5						4
July	82·4	58·0	24·4	93·0	47·0	46·0	70·2	3·74	9				7		1
August	78·6	53·5	25·1	92·0	41·0	51·0	66·0	2·74	5						
September	78·0	47·6	30·4	93·0	30·0	63·0	62·8	0·47	2				7	1	1
October	62·3	36·3	26·0	80·0	23·0	57·0	49·3	1·28	5				14		
November	46·6	27·7	18·9	62·0	17·0	45·0	37·1	1·47	4	2·0	2		5		
December	33·6	18·2	15·4	43·0	1·0	42·0	25·9	0·96	2	8·5	4				
Year	56·5	34·5	22·0	93·0	21·0	114·0	45·5	20·72	52	56·5	21		40	1	13

MONTHLY and Annual Summaries for the Year 1908, Broadview, Saskatchewan—Latitude, N. 50° 23′; Longitude, W. 102° 33′. Height above Sea, 1,960 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March															
April															
May	64·6	36·4	28·2	80·0	22·0	58·0	50·5	0·9	3						
June	66·6	44·7	21·9	85·0	30·0	55·0	55·7	2·10	13						
July	78·5	55·7	22·8	94·0	43·0	51·0	67·1	1·43	4						
August	75·2	46·4	28·8	96·0	33·0	63·0	60·8	1·09	5						
September	69·7	41·3	28·4	95·0	20·0	75·0	55·5	1·53	2	2·0	1				
October	54·0	31·5	22·5	79·0	13·0	66·0	42·7	0·20	1						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Bromo, Quebec—Latitude, N. 45° 10′; Longitude, W. 72° 36′. Height above Sea, 678 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	1 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W	Calm.
January	11·9	17·8	13·7	21·3	5·9	15·4	42·0	21·0	13·6	9	9	5	0	·17	14	37	2	0
February	2·3	15·7	14·7	20·1	0·9	19·2	50·0	38·0	10·5	4	0	15	1	12	4	43	3	5
March	23·1	32·6	28·3	34·1	16·0	18·1	52·0	12·0	25·1	12	1	9	2	18	7	35	6	3
April	34·6	42·4	39·4	42·7	26·6	16·1	75·0	4·0	34·6	9	3	5	0	17	7	36	6	7
May	53·9	59·5	59·6	65·9	45·1	20·8	80·0	30·0	55·5	14	2	11	0	26	6	24	8	2
June	58·7	68·9	67·1	73·2	50·1	23·1	86·0	31·0	61·7	12	0	1	0	5	15	41	7	9
July	64·9	77·2	73·0	79·3	56·9	22·4	92·0	40·0	68·1	3	3	3	1	11	11	50	9	2
August	59·1	71·4	65·6	71·0	49·9	21·1	82·0	36·0	60·5	4	4	10	2	15	3	38	12	2
September	51·4	70·6	61·7	72·8	45·7	27·1	85·0	26·0	59·3	6	0	2	0	26	6	42	7	1
October	41·3	57·4	47·4	59·3	36·7	22·6	76·0	20·0	48·0	7	1	2	6	11	4	56	3	0
November	32·2	37·9	35·9	39·7	28·3	11·4	59·0	9·0	34·0	3	1	2	2	16	3	61	2	0
December	12·7	22·0	17·5	25·0	8·7	16·3	52·0	23·0	16·8	7	1	9	0	15	5	56	0	0
Year	37·2	47·8	43·7	50·3	30·9	19·5	92·0	38·0	40·6	90	25	74	14	189	85	519	65	31

MONTHLY and Annual Summaries for the Year 1908, Brome, Quebec—Latitude, N. 45° 10′; Longitude, W. 72° 36′. Height above Sea, 678 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%			%									
January								R.	3	17·0	8					
February								0 75	1	20 5	7					
March								1 62	5	12 0	4				1	
April								1 87	6	7 0	3					
May								5 65	12						5	
June								2 29	5						3	
July								2 46	11						2	
August								2 42	9							
September								1 13	4							
October								2 15	6						1	
November								1 17	8	4 5	4					
December										23·0	11					
Year								21 38	70	84 0	37				12	

MONTHLY and Annual Summaries for the Year 1908, Brownhill, Saskatchewan—Latitude, N. 50° 23′; Longitude, W. 102° 53′. Height above Sea, 1,957 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
								in.		in.					
January	21 2	2·9	18 3	37 0	25·0	62·0	12 0			3 0	2				
February	19 6	3·1	16 5	37·0	20·0	57 0	11 3			20 0	9				
March	22·2	2 9	19 3	40 0	20 0	60 0	12·6			20·5	11				1
April	50 1	27 5	22 6	75 0	4 0	79 0	38 8	1 4	3	8·0	2				1
May	63 8	38·7	25 1	78 0	19 0	59 0	51 2	1 22	5	4 0	1				5
June															
July	76·0	52·8	23 2	90 0	42·0	48·0	64 4	1 55	6						1
August	71 4	46 7	24·7	88 0	31 0	57·0	59·1	1 46	5						3
September	58 9	37 6	21 3	92 0	19·0	73 0	48 3	0 98	2						
October	49 6	28 8	20·0	72·0	10·0	62·0	39 2	1 29	6						
November	36 9	18·7	18 2	58 0	15·0	73·0	27·8	0 20	1	5 0	2	1			1
December	23 6	2·8	20 8	38 0	29 0	67·0	13 2			6·0	3				
Year										66·5	30				

Monthly and Annual Summaries for the Year 1908, Brownhill, Saskatchewan—Latitude, N. 50° 23′; Longitude, W. 102° 53′. Height above Sea, 1,957 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
January	1	4	0	2	4	27	9	15	0							
February	3	4	3	8	5	21	4	10	0							
March	2	5	1	14	4	15	2	19	0							
April	3	6	3	11	3	15	5	14	0							
May	1	11	7	20	9	5	4	5	0							
June																
July																
August	0	3	1	6	3	24	8	15	0							
September	1	3	1	12	5	20	2	10	0							
October	4	8	2	11	6	20	2	9	0							
November	7	2	3	6	7	20	3	12	0							
December	2	3	2	9	4	25	2	15	0							
Year																

Monthly and Annual Summaries for the Year 1908, Bruce Mines, Ontario—Latitude, N. 46° 18′; Longitude, W. 83° 55′. Height above Sea, —— feet.

Month.	Temperature							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
								in.		m.					
January	24·4	6 6	17·8	45 0	26·0	71.0	15 5			15 0	7			1	
February	21·3	1 8	19·5	40 0	27·0	67·0	11 6	0 41	2	41·0	9			1	
March	32·6	11 9	20 7	47·0	11·0	58 0	22·3			24 2	7			1	1
April	44 5	25 9	18 6	63·0	4·0	67·0	35 2	2 04	9	6 0	2				2
May	60·9	41 4	19 5	73·0	27·0	46 0	51·2	4 07	12					2	2
June	71·6	48 4	23·2	83·0	34 0	49·0	60·0	1·42	9						4
July	76·2	53 5	22·7	87·0	43·0	44 0	64 9	4 96	11					1	5
August	74 0	50·7	23·3	82·0	36·0	46·0	62 4	1 33	8					2	2
September	72 3	48·0	24 3	84·0	32 0	52 0	60 2	1 76	7					4	1
October	57·3	39·3	18·0	72·0	21 0	51 0	48·3	0 74	6				3	1	
November	43·4	27 5	15·9	58·0	13·0	45 0	35·5	3 05	7	2·0	2			1	2
December	26 8	13 3	13 5	38·0	16 0	54 0	20·1	0 38	1	24 0	12				
Year	50 4	30·7	19 7	87·0	27·0	114 0	40 6	20 16	72	112·2	39		3	14	19

Monthly and Annual Summaries for the Year 1908, Cape Chatte, Quebec—Latitude, N. 49° 6′; Longitude, W. 66° 45′. Height above Sea, —— feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	11 3	14 5	12 3				47 0	10 0		3	0	5	1	3	3	38	10	30
February	13 1	16 5	14 2				40 0	11 0		3	1	12	0	0	6	27	2	36
March	17 5	22 7	19 9				47 0	0 0		2	0	18	1	2	11	26	5	28
April	25 8	30 3	27 4				41 0	10 0		6	2	6	0	1	8	30	11	26
May	42 6	45 5	43 9				67 0	32 0		1	0	24	1	1	5	23	0	38
June	52 3	54 8	53 8				72 0	39 0		1	0	14	0	0	7	20	3	45
July	63 8	65 4	63 9				78 6	53 0		0	0	7	1	4	26	32	0	23
August	56 6	59 2	57 6				78 0	44 0		1	0	3	1	1	13	37	0	37
September	52 6	55 2	54 1				67 0	45 0		2	3	5	0	0	15	39	1	25
October	43 7	45 4	43 5				56 0	30 0		5	1	5	2	2	14	43	5	16
November	30 0	31 2	30 6				41 0	17 0		2	9	12	2	0	6	30	10	19
December	14 1	15 6	13 4				33 0	17 0		3	2	11	0	1	7	29	14	26
Year	35 3	38 0	36 2				78 0	17 0		29	18	122	9	15	121	374	61	349

Month	Force of Wind			Clouded Sky.				Rain.		Snow.						
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
January								0 22	2	14 0	6		7			
February										24·0	6		3	3		
March								0 11	1	17 0	7		4	3		
April								0 32	3	16·0	5	2		2		
May								2 63	4	2·0	1			3		
June								3 30	7			5			1	
July								0 86	6					2	1	
August								1 60	8			3		2		
September								0 51	3			3		4		
October								1·53	5			5	2	1		
November								0 21	1	8 0	4		4	1		
December										16 0	7		5			
Year								11 29	40	97·0	36	18	25	21	2	

Monthly and Annual Summaries for the Year 1908, Cape Magdeleine, Quebec—Latitude, N. 49° 16′; Longitude, W. 65° 20′. Height above Sea, 93 feet.

Month.	Temperature of the Air.									Direction of Wind from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°		°	°										
January	11·3	14·9	14·1				45·0	8·0		0	1	1	5	22	3	3	49	9
February	12·7	17·1	13·5				48·0	10·0		0	5	6	4	21	1	0	40	10
March	16·4	21·9	17·7				42·0	1·0		2	3	4	2	22	5	2	43	10
April	27·2	29·6	28·2				48·0	13·0		0	5	4	2	16	0	0	56	7
May	45·2	46·5	43·9				81·0	30·0		3	1	14	1	16	2	2	37	16
June	53·1	54·1	52·1				70·0	37·0		2	2	3	10	19	7	6	33	8
July	66·1	66·0	62·6				88·0	51·0		0	1	0	1	16	6	10	38	21
August	58·2	60·4	55·6				75·0	45·0		1	1	0	0	23	4	2	44	18
September	54·1	55·2	53·5				76·0	40·0		0	1	3	2	18	1	16	34	15
October	43·7	45·6	43·9				58·0	25·0		3	0	0	6	18	2	8	43	13
November	29·3	31·4	30·1				46·0	18·0		0	1	1	6	23	6	4	39	10
December	14·2	16·7	15·6				40·0	8·0		2	0	5	5	15	5	3	48	10
Year	36·0	38·3	35·9				88·0	10·0		13	21	41	44	229	42	57	504	147

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs	No. of Gales	No. of Aurora.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches	Days.					
				%	%	%										
January								0·32	3	22·8	10					
February								0·40	1	48·0	11			2		
March								0·20	2	15·2	6		7	1		
April								1·31	5	26·4	8	3	9	2		
May								1·65	10	5·0	2	4	3			
June								1·65	10			1	3			
July								1·26	6			1	1			
August								2·70	12			3		1		
September								0·43	3			3	2	1		
October								2·55	9	0·2	1					
November								0·70	7	13·1	8		5			
December										26·3	22					
Year								13·17	68	157·0	68	15	30	7		

MONTHLY and Annual Summaries for the Year 1908, Cape Norman, Newfoundland.—Latitude, N. 51° 38′; Longitude, W. 55° 52′. Height above Sea, —— feet.

MONTH.	TEMPERATURE OF THE AIR									DIRECTION OF WIND FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°		°			°	°		°									
January	11·0	12·8	10·0				35·0	8·0		4	10	0	0	3	18	23	26	0
February	11·5	14·9	12·4				38·0	0·0		10	19	4	19	3	7	14	11	0
March	12·2	16·0	13·1				33·0	4·0		4	23	3	0	0	10	19	34	0
April	19·1	25·8	20·1				33·0	7·0		6	8	1	24	7	9	30	5	0
May	32·6	37·5	33·6				48·0	20·0		10	4	20	12	3	4	23	17	0
June	39·5	47·7	40·0				65·0	30·0		6	13	0	18	4	11	21	17	0
July	48·8	55·7	50·2				68·0	40·0		1	9	9	15	3	3	42	11	0
August	50·3	57·3	51·1				64·0	44·0		2	1	8	3	17	3	54	5	0
September	46·4	50·4	48·5				56·0	40·0		3	9	2	0	4	8	46	18	0
October	35·9	39·5	36·3				50·0	30·0		15	20	4	8	2	3	28	13	0
November	27·0	29·7	28·1				42·0	5·0		9	7	0	2	9	15	15	33	0
December	14·8	18·5	15·7				33·0	6·0		20	9	10	7	5	12	14	16	0
Year	29·1	33·8	29·9				68·0	8·0		90	132	61	117	60	103	329	206	0

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
				%		%	%									
January								1·00	3	27·8	4			2		
February								0·88	3	9·7	9	3		3		
March								0·45	3	13·1	9		3	4		
April								0·11	1	25·1	20	3				
May								1·21	7	4·1	10	9				
June								1·92	6	8·5	4	7				
July								0·82	5	...		11		1		
August								1·21	7			8		3		
September								2·97	6			5		1		
October								0·85	5	0·7	6					
November								1·43	4	7·1	5		1			
December								0·09	1	9·8	15					
Year								12·94	51	105·9	82	46	4	14		

MONTHLY and Annual Summaries for the Year 1908, Cape Scott, Vancouver Island, British Columbia—Latitude, N. 50° 48′; Longitude, W. 128° 27′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	43·3	32·6	10·7	50·1	21·0	29·1	38·0	13·64	22						
February	42·4	32·9	9·5	48·2	24·5	23·7	37·6	9·40	18						
March	45·9	36·3	9·6	52·5	28·2	24·3	41·1	13·65	19						
April	48·9	37·1	11·8	61·9	29·9	32·0	43·0	11·02	21						
May	53·3	40·7	12·6	59·2	31·9	27·3	47·0	8·60	24						
June	58·3	46·3	12·0	68·0	38·7	29·3	52·3	4·22	14						
July	59·8	48·7	11·1	69·0	43·5	25·5	54·3	4·86	17						
August	59·1	47·7	11·4	66·4	40·0	26·4	53·4	2·57	10						
September	55·6	44·4	11·2	62·3	37·0	25·3	50·0	7·17	20						
October	50·7	41·9	8·8	60·1	30·0	30·1	46·3	8·52	19						
November	48·3	38·9	9·4	56·8	28·5	28·3	43·6	20·25	25						
December	42·1	33·3	8·8	48·0	23·5	24·5	37·7	11·37	22						
Year	50·6	40·0	10·6	69·0	21·0	48·0	45·3	115·27	231						

MONTHLY and Annual Summaries for the Year 1908, Cardston, Alberta—Latitude, N. 49° 12′; Longitude, W. 113° 18′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	37·4	14·9	22·5	54·0	10·0	64·0	26·1			8·0	3				
February	32·1	10·5	21·6	55·0	9·0	64·0	21·3			2·0	1				
March	33·8	12·5	21·3	50·0	12·0	62·0	23·1			15·0	8				
April	55·4	30·8	24·6	70·0	5·0	65·0	43·1	0·42	3	2·0	1				
May	57·6	37·0	20·6	82·0	27·0	55·0	47·3	6·56	18						
June	66·2	45·3	20·9	84·0	33·0	51·0	55·8	9·59	10						
July															
August															
September															
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Carman, Manitoba—Latitude, N. 49° 31′; Longitude, W. 98° 0′. Height above Sea, 872 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	55·3	41·6	13·7	78·0	30·0	48·0	48·5	1·57	5						
June	70·3	46·8	23·5	91·0	28·0	63·0	58·5	2·86	11						
July	78·8	49·4	29·4	92·0	36·0	56·0	64·1	0·86	6						
August	75·0	42·3	32·7	90·0	30·0	60·0	58·7	1·32	3						
September	71·2	42·4	28·8	91·0	24·0	67·0	56·8	0·54	2						
October	52·0	28·4	23·6	75·0	14·0	61·0	40·2	1·72	5						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Channel, Newfoundland—Latitude, N. 47° 37′; Longitude, W. 59° 9′. Height above Sea, 50 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	24·7	26·4	25·2	31·7	19·2	12·5	45·0	2·0	20·4	0	0	2	19	16	6	26	24	0
February	23·4	25·2	23·8	28·7	17·3	11·4	38·0	0·0	23·0	10	5	4	21	10	3	16	15	3
March	23·2	25·4	24·6	29·6	17·5	12·1	40·0	5·0	23·5	7	3	3	14	10	2	27	27	0
April	28·4	30·5	29·6	33·8	23·3	10·5	44·0	13·0	28·5	4	2	4	36	4	1	21	17	1
May	40·7	43·6	44·0	48·2	35·2	13·0	64·0	29·0	41·7	2	7	0	45	4	3	31	0	1
June	47·9	52·0	49·6	54·9	42·2	12·7	69·0	33·0	36·0	0	0	1	43	2	5	37	2	0
July	57·6	62·7	60·4	66·3	52·0	14·3	76·0	45·0	59·1	0	0	1	43	4	6	29	6	4
August	57·6	62·0	60·3	64·0	51·3	12·7	73·0	45·0	57·7	1	6	0	50	5	3	28	1	5
September																		
October																		
November																		
December																		
Year																		

MONTHLY and Annual Summaries for the Year 1908, Channel, Newfoundland—Latitude, N. 47° 37′; Longitude, W. 59° 9′. Height above Sea, 50 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurora.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
					%	%	%									
January	4·1	4·2	4·1	89	83	83	85	1·80	2	12·0	5	1	15			
February	3·6	3·0	2·4	79	73	72	75			10·0	3	4				
March	2·9	3·1	3·0	64	59	63	62	1·00	1	11·0	3	2	7			
April	3·8	3·8	3·4	75	75	81	77	2·00	3	15·0	6	1				
May	2·4	2·4	2·2	65	59	64	63	2·60	4			10	2			
June	2·4	2·4	2·3	69	64	70	68	2·30	3			10				
July	1·8	1·9	2·0	57	50	51	53	1·50	2			6				
August	1·8	2·6	1·4	60	51	99	53	8·67	7			7				
September																
October																
November																
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Chaplin, Saskatchewan—Latitude, N. 50° 26′; Longitude, W. 106° 39′. Height above Sea, 2,202 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	22·1	2·3	24·4	40	27	67	9·9			5·0	4			7	
February	19·2	3·3	22·5	38	45	83	7·9			12·0	4	1		3	
March	19·2	0·3	19·5	38	22	60	9·5			16·0	10			4	
April	51·2	27·3	23·9	86	14	100	39·2	0·78	9	3·0	1	4		2	1
May	63·9	38·2	25·7	78	23	55	51·0	0·99	7					6	2
June	66·7	45·5	21·2	92	35	57	56·1	4·06	15					1	10
July	80·3	50·6	29·7	98	38	60	65·4	0·49	5					2	4
August	72·3	44·9	27·4	99	30	69	58·6	1·95	8						
September	68·2	38·8	29·4	89	13	76	53·5	0·46	4						
October	47·1	26·7	20·4	73	14	59	36·9	0·87	6	6·6	3				
November	37·9	17·4	20·5	63	18	81	27·6			7·0	5				
December	24·9	2·7	22·2	43	28	71	13·8	0·01	1	7·0	5				
Year	47·8	25·9	23·9	99	45	144	35·8	9·45	55	56·6	32	5		25	17

Monthly and Annual Summaries for the Year 1908, Chaplin, Saskatchewan—Latitude, N. 50° 26′; Longitude, W. 106° 39′. Height above Sea, 2,202 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	2	1	1	3	0	4	12	8	0							
February	0	3	7	2	0	1	4	12	0							
March	2	5	6	1	0	0	11	6	0							
April	4	2	3	3	0	0	12	6	0							
May	1	4	7	15	0	2	1	1	0							
June	1	0	4	6	0	3	6	10	0							
July	0	0	3	3	0	12	11	2	0							
August	2	0	3	3	0	4	15	4	0							
September	2	8	0	4	0	2	4	10	0							
October	4	3	1	3	1	0	3	16	0							
November	5	0	0	0	0	0	10	15	0							
December	6	0	1	1	0	0	6	17	0							
Year	29	26	36	44	1	28	95	107	0							

Monthly and Annual Summaries for the Year 1908, Chatham, Ontario—Latitude, N. 42° 23′; Longitude, W. 82° 12′. Height above Sea, 595 feet.

Month.	Temperature.									Rain.		Snow.					
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mthly Mean	Amt.	Days	Amt	Days	Fogs.	Gales.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	°	°	in.		in.					
January	23·2		25·9	32·8	18·8	14·0	43·0	7·0	25·8	2·01	2						
February	19·2		22·7	30·9	13·4	17·5	45·0	9·0	22·2			19·0	3				
March	33·4		35·9	45·4	27·9	17·5	65·0	14·0	36·6	0·65	2						
April	42·7		44·0	55·1	38·0	17·1	82·0	20·0	46·6	1·54	5						
May	56·6		56·9	69·8	49·9	19·9	89·0	30·0	59·9	1·95	6						
June	64·5		59·9	81·3	55·5	25·8	93·0	37·0	68·4	1·45	6						
July	67·7		61·8	83·4	60·5	22·9	96·0	47·0	71·9	1·69	4						
August	62·3		63·8	81·9	56·3	25·6	95·5	45·0	69·1	5·39	6						
September	59·3		58·1	81·4	52·7	28·7	92·0	34·0	67·1	0·47	2						
October	46·4		46·4	66·2	39·8	26·4	82·0	26·0	53·0	0·85	3						
November	33·8		36·7	48·4	29·6	18·8	62·0	18·0	39·0	0·94	4	1·5	1				
December	26·4		29·6	35·7	24·7	11·0	51·0	10·0	30·2	1·35	4	5·5	2				
Year	44·6		45·1	59·4	38·9	20·5	96·0	9·0	49·1	18·29	44	26·0	6				

Monthly and Annual Summaries for the Year 1908, Chicoutimi, Quebec—Latitude, N. 48° 25′; Longitude, W. 71° 5′. Height above Sea, 150 feet.

Month.	Temperature.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	1·8	4·5	2·7	15·2	12·1	27·3	34·9	31·3	1·6	0	23	0	21	0	9	0	36	4
February	7·8	7·3	5·7	14·9	9·9	24·8	40·6	38·1	2·5	0	14	0	18	0	14	0	39	2
March	10·9	18·4	17·0	25·2	4·1	21·1	42·8	19·1	14·7	0	5	0	35	0	15	0	35	3
April	23·0	28·3	26·9	37·0	17·9	19·1	52·1	3·6	27·5	0	22	0	25	0	20	0	18	5
May	46·9	54·9	52·8	59·2	39·5	19·7	75·7	15·6	49·4	0	5	0	31	0	30	0	17	10
June	59·7	68·4	65·4	75·4	49·6	25·8	91·2	35·5	62·5	0	0	0	29	4	50	0	7	0
July	61·8	71·3	68·8	79·7	55·7	24·0	90·4	44·9	67·7	0	0	0	29	12	34	0	6	12
August	59·4	64·9	62·0	73·2	52·1	21·1	84·5	42·9	62·6	0	0	0	37	11	39	0	1	5
September	52·7	61·8	57·1	69·2	45·9	23·3	87·7	31·4	57·5	0	1	0	25	10	52	0	2	0
October	39·5	45·8	43·1	54·0	33·8	20·2	68·7	20·4	43·9	0	3	0	28	10	38	0	10	4
November	26·4	28·8	28·6	36·0	22·9	13·1	52·8	6·7	29·5	0	9	0	37	0	27	0	9	8
December	1·8	9·9	7·7	17·2	4·1	21·3	42·0	20·2	6·5	0	11	0	27	0	13	0	21	21
Year	32·3	38·3	36·5	46·3	24·6	21·7	91·2	38·1	35·4	0	93	0	342	47	341	0	201	74

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Amt.	Days.	Amt.	Days.					
								in.		in.						
January	2·1	2·4	2·9	70	70	57	66			8·2	5					
February	2·7	3·0	2·9	68	67	49	61			1·1	1	2				
March	2·4	2·3	2·1	60	60	54	58			2·3	2	2				
April	2·7	2·3	2·1	69	58	56	62							2		
May	2·4	2·1	1·9	64	56	64	61	1·21	9			1	4			
June	1·7	1·5	1·4	54	50	47	49	3·06	12						3	
July	1·4	1·7	1·7	56	48	60	55	2·55	13			1			4	
August	1·6	1·3	1·7	64	65	57	62	4·12	18			3	3			
September	1·6	1·5	1·7	44	19	31	31	1·77	10			8		3	5	
October	2·1	2·0	2·3	66	70	68	68	1·31	7	1·0	1	2	5			
November	2·4	2·4	2·8	89	93	84	89			15·6	8	1	8			
December	1·9	2·4	2·3	80	62	60	67			7·9	5	3	9	4		
Year	2.1	2·1	2·1	65	60	57	61	14·02	69	36·1	22	23	29	9	12	

MONTHLY and Annual Summaries for the Year 1908, Chilcotin, Big Creek, British Columbia—Latitude, N. 51° 40′; Longitude, W. 123° 0′. Height above Sea, 3,100 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°				in.		in.					
January	29·1	3·4	25·7	40·0	12·0	52·0	16·2			8·0	4				
February	29·4	3·2	26·2	47·0	23·0	70·0	16·3			14·3	9			1	
March	37·5	12·5	25·0	49·0	15·0	64·0	25·0	0·07	1	8·0	4			3	
April	48·6	23·8	24·8	68·0	9·0	59·0	36·2	0·56	5	3·0	1			2	
May	58·6	31·5	27·1	72·0	23·0	49·0	45·1	1·97	11					1	
June	66·4	37·7	28·7	81·0	27·0	54·0	52·0	3·22	13						1
July	74·8	43·6	31·2	92·0	31·0	61·0	59·2	1·71	7						3
August	74·7	40·5	34·2	89·0	32·0	57·0	57·6	1·05	3					1	6
September	61·9	31·3	30·6	77·0	15·0	62·0	46·6	0·51	5					6	1
October	47·5	24·7	22·8	72·0	6·0	66·0	36·1	0·65	5	1·0	1				
November	40·1	21·3	18·8	66·0	4·0	70·0	30·7	0·23	1	3·0	2				
December	25·9	3·9	22·0	43·0	15·0	58·0	14·9			4·5	2		2		
Year	49·5	23·1	26·4	92·0	23·0	115·0	36·3	9·97	51	42·3	23		2	14	11

MONTHLY and Annual Summaries for the Year 1908, Clarke City, Quebec—Latitude, N. 50° 10′; Longitude, W. 66° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	13·1	9·9	23·0	35·0	28·0	63·0	1·6	0·24	1	23·5	7				
February	17·8	4·3	22·1	37·0	34·0	71·0	6·7			49·0	7		1		
March	26·4	1·0	27·4	39·0	16·0	55·0	12·7			30·5	9				
April	35·2	15·5	19·7	52·0	0·0	52·0	25·4	1·45	3	14·0	5				
May	52·8	33·7	19·1	68·0	25·0	43·0	43·3	3·23	5	8·0	3				1
June	63·1	41·8	21·3	89·0	32·0	57·0	52·5	3·95	13				1		
July	77·3	52·4	24·9	88·0	45·0	43·0	64·8	3·23	9						
August	67·6	47·3	20·3	76·0	35·0	41·0	57·4	5·42	14				1		
September	64·4	43·3	21·1	77·0	29·0	48·0	53·9	2·69	9				2		1
October	52·8	34·8	18·0	65·0	29·0	36·0	43·8	2·58	6						
November	33·5	17·5	16·0	43·0	1·0	42·0	25·5	0·70	2	16·8	6				
December	17·3	1·3	21·6	30·0	29·0	59·0	6·5			56·0	9				
Year	43·4	22·2	21·2	89·0	34·0	123·0	32·8	27·49	62	197·8	46		5		2

MONTHLY and Annual Summaries for the Year 1908, Clarke City, Quebec—Latitude, N. 50° 10′; Longitude, W. 66° 25′. Height above Sea, —— feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	8 a.m.	1 p.m.	8 p.m.	8 a.m.	1 p.m.	8 p.m.	Mean.
January	5	2	4	1	0	2	3	13	0							
February	5	1	9	0	1	2	0	11	0							
March	2	4	5	0	2	6	4	8	0							
April	4	1	5	0	0	4	4	11	1							
May	0	7	5	0	2	2	11	4	0							
June	2	6	4	12	1	1	2	2	0							
July	0	0	1	8	4	11	4	3	0							
August	0	6	1	2	2	9	5	6	0							
September	0	1	0	2	1	7	0	19	0							
October	0	4	5	3	0	5	10	4	0							
November	0	4	4	3	0	3	7	9	0							
December	0	13	0	0	0	0	4	14	0							
Year	18	50	43	31	13	52	54	104	1							

MONTHLY and Annual Summaries for the Year 1908, Cayoquot, British Columbia—Latitude, N. 49° 11′; Longitude, W. 125° 47′. Height above Sea, 40 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days	Glaze	Days	Aurora	Thunder and Sheet Lightning
								in.		in.					
January	48·2	35·8	12·4	54·0	24·5	29·5	42·0	10·24	14						
February	46·9	33·6	13·3	54·0	22·5	31·5	40·2	7·06	12				1		
March	49·5	34·9	14·6	52·5	28·0	24·5	42·2	18·30	16						
April	54·2	37·8	16·4	62·5	31·0	31·5	46·0	7·28	14						
May	57·1	41·6	15·5	65·0	33·0	32·0	49·3	9·82	11						
June	63·3	46·9	16·4	72·5	41·5	31·0	55·1	1·93	11						
July	68·5	48·1	20·4	90·5	40·0	50·5	58·3	3·55	11						1
August	66·2	49·1	17·1	80·0	43·0	37·0	57·6	2·19	5						
September	68·0	45·1	22·9	77·5	33·5	44·0	56·5	6·92	9					2	
October	64·7	40·3	24·4	77·5	30·0	47·5	52·5	12·21	13						
November	51·1	41·6	9·5	56·0	30·0	26·0	46·3	27·60	19				3		
December	44·2	33·4	10·8	59·0	28·0	22·0	38·8	9·45	11						
Year	56·8	40·7	16·1	90·5	22·5	68·0	48·7	122·55	146				4	2	1

Monthly and Annual Summaries for the Year 1908, Clinton, Ontario—Latitude, N. 43° 32′; Longitude, W. 81° 37′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°		in.		in.					
January	28·2	15·3	12·9	39·0	3·0	42·0	21·8	0·76	3	26·5	12	...	....	1	....
February	24·2	7·4	16·8	41·0	24·0	65·0	15·8	1·20	3	42·0	16	....	1	..	...
March	35·8	20·4	15·4	57·0	1·0	58·0	28·1	3·20	7	7·5	8	...	...	1	1
April	49·1	32·9	16·2	71·0	17·0	54·0	41·0	2·46	12	..	.	..	3	....	1
May	64·2	46·7	17·5	84·0	30·0	54·0	55·5	5·17	16		....	...	2	.	3
June	75·0	52·5	22·5	89·0	33·5	55·5	63·8	3·84	9	.....	....	....	....	1	4
July	78·6	58·2	20·4	90·0	43·0	47·0	68·4	7·34	8	.....	....	...	.	....	2
August	73·9	53·1	20·8	90·0	39·0	51·0	63·5	2·50	9	..	. ..	...	1	2	1
September	76·6	50·2	26·4	88·0	36·0	52·0	63·4	0·75	3	.	....	.	.	....	. .
October	59·5	39·4	20·1	77·0	25·0	52·0	49·4	0·87	7	2·0	1	. ..	.	....	. .
November	43·1	31·1	12·0	60·0	22·0	38·0	37·1	1·19	12	6·6	5	....	.	....	2
December	32·9	19·7	13·2	57·5	5·0	62·5	26·3	0·43	3	22·0	13	....	1	....	. .
Year	53·4	35·6	17·8	90·0	24·0	114·0	44·5	29·71	92	106·6	50	....	8	5	14

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	2	4	3	12	9	10	6	13	3	....	.	....		. .		
February	1	2	6	18	2	5	4	18	2	.	.....					. . .
March	0	2	2	12	14	8	2	18	4	.	.	.	.	.		
April	2	3	5	12	7	8	8	15	0		. ....	....	....	.		. . .
May	2	0	10	12	16	5	4	12	1	....			..			..
June	1	1	3	6	9	13	4	21	2			....	..			. . .
July	2	0	10	3	5	12	3	24	3	.. .	..	.. .	.....	...	. .	.
August	2	1	10	4	14	6	6	18	1	....	.	.. .	.	..	...	
September	4	4	4	11	11	14	1	10	1	. .	. .		..		..	...
October	4	3	8	10	10	13	5	9	0	. ..	.....	....	..	.....	.	..
November	0	0	1	7	9	18	9	16	0	..	.	. ....	....	.....	.. .	... .
December	0	1	2	12	7	11	20	9	0		. ..	....	...	....	.....	. .
Year	20	21	64	119	113	123	72	183	17	. .	. .	. . .	..	..	..	....

MONTHLY and Annual Summaries for the Year 1908, Clontarf, Ontario—Latitude, N. 45° 23′; Longitude, W. 77° 9′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	23·8	3·2	27 0	41 0	39 0	80·0	10·3			14·0	8				
February	20·3	0 8	19 5	42·0	33·2	75 2	10·6			12·0	6			1	
March	33 8	8·4	25·4	53 0	11·5	64·5	21·1	3·64	6	6·0	3				
April	47 8	19 6	28 2	66·0	12·0	78·0	33·7	1 43	4						
May	65·3	29·2	36·1	87 0	7·0	80·0	47·3	1·76	9						
June	78·9							2·32	2						1
July								4 23	7						
August								0·80	3						1
September	77·8	42 8	35·0	93 5	27·0	46·5	60 3	2·41	3						
October	60 3	35 9	24 4	79 5	19·0	60 5	48 1								
November								3·31	3						
December	27·3	5·3	22 0	47 0	19·0	66·0	16·3			4·0	3				
Year										36·0	20				

MONTHLY and Annual Summaries for the Year 1908, Cockburn Island, Ontario—Latitude, N. 45° 57′; Longitude, W. 83° 18′. Height above Sea, 610 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms
	°	°		°	°	°		in.		in.					
January	26·4	8·5	17 9	43 0	25 0	68 0	17·5			11·0	5				
February	21 4	1·8	23·2	40·0	22·0	62 0	9 8			33 0	6		1		
March	32 6	11 3	21 3	55·0	8·0	63 0	22 0			21 0	6			1	
April	44 4	25·2	19 2	65·0	0 0	65 0	34 8	1 37	7	4·0	3				1
May	58 7	39·1	19 6	75 0	27·0	48 0	48 9	4 11	10				2		3
June	71·1	48 5	22 6	85·0	34·0	51 0	59 8	1 35	5				1		4
July	75 3	55 2	20·1	87 0	43 0	44 0	65 2	5 59	13				3		
August	72 6	52 2	20 4	82·0	40·0	42 0	62 4	0 60	5				6	2	1
September	73·9	49·0	24 9	88 0	37 0	51 0	61 4	1 71	4				3		3
October	56 6	40 3	16 3	74 0	25·0	49 0	48 4	1 97	6				1	2	
November	43 2	29·0	14 2	57 0	17 0	40 0	36 1	2 62	6	10·5	6	1	1		2
December	31 1	17·2	13 9	51 0	6 0	45·0	24 2	0 32	1	29·0	9				
Year	50 6	31·1	19 5	88·0	25·0	113·0	40 9	19 64	57	108·5	35	1	18	5	14

MONTHLY and Annual Summaries for the Year 1908, Coldwater, Ontario—Latitude, N. 44° 38′; Longitude, W. 79° 40′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·7	2·1	25·6	45·0	42·0	87·0	14·9			27·3	11				
February	22·6	4·2	26·8	45·0	46·0	91·0	9·2			34·0	8				
March	34·0	11·3	22·7	45·0	15·0	60·0	22·6	0·47	2	1·3	1				
April	45·8	26·1	19·7	69·0	7·0	62·0	36·0	0·40	1						
May	66·3	43·8	22·5	87·0	23·0	64·0	55·0	2·50	5						
June	77·9	47·1	30·8	90·0	31·0	59·0	62·5	1·02	2						
July	80·7	51·9	28·8	92·0	42·0	50·0	66·3	3·59	3						
August	76·5	42·8	33·7	91·0	27·0	64·0	59·6	3·71	1						
September	78·5	42·1	36·4	88·0	19·0	69·0	60·3	3·63	3						
October	61·5	28·7	32·8	80·0	14·0	66·0	45·1	0·38	1						
November	47·0	26·5	20·5	65·0	10·0	55·0	36·8	2·70	3	7·0	4				
December	31·7	9·1	22·6	49·0	23·0	72·0	20·4			32·5	10				
Year	54·2	27·3	26·9	92·0	46·0	138·0	40·7	18·40	21	102·1	34				

MONTHLY and Annual Summaries for the Year 1908, Copper Cliff, Ontario—Latitude, N. 46° 30′; Longitude, W. 80° 59′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July															
August															
September	72·2	49·0	23·2	85·0	35·0	50·0	60·6	1·76	4				3		2
October	55·9	36·7	19·2	74·0	22·0	52·0	46·3	0·72	6				1		
November	40·4	26·8	13·6	55·0	16·0	39·0	33·6	2·65	6	3·8	4				2
December	23·4	4·0	19·4	45·0	19·0	64·0	13·7			12·8	8				
Year															

Monthly and Annual Summaries for the Year 1908, Cottam, Ontario—Latitude, N. 42° 7′; Longitude, W. 82° 45′. Height above Sea, 606 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	30·9	15·4	15·5	43·0	3·0	46·0	23·1	1·69	2	15·8	5				
February	29·6	7·1	22·5	47·0	14·0	61·0	18·4	2·97	3	42·8	12		2		
March	44·8	25·5	19·3	68·0	9·0	59·0	35·2	2·51	7				2		1
April	54·7	32·5	22·2	74·0	11·0	63·0	43·6	2·25	8	1·0	1				
May	68·9	45·2	23·7	86·0	19·0	67·0	57·0	2·34	14	0·5	1				
June	80·0	51·6	28·4	91·0	35·0	56·0	65·8	1·65	6						2
July	83·4	58·2	25·2	94·0	44·0	50·0	70·8	2·25	6				1		
August	81·9	53·1	28·8	95·0	35·0	60·0	67·5	5·78	6						1
September	81·7	48·9	32·8	93·0	30·0	63·0	65·3	0·36	2				10	2	
October	64·5	37·8	26·7	80·0	26·0	54·0	51·2	1·41	4						
November	51·0	28·0	23·0	65·0	15·0	50·0	39·5	0·85	4	1·2	1				
December	37·1	19·3	17·8	60·0	4·0	56·0	28·2	2·02	3	8·5	3				
Year	59·0	35·2	23·8	95·0	14·0	109·0	47·1	26·08	65	67·8	23		15	2	4

Month.	Wind, Direction from									Force of Wind			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	8 a.m.	2 p.m.	8 p.m.	8 a.m.	2 p.m.	8 p.m.	Mean.
													%	%	%	
January	21	1	1	11	4	8	12	4	0							
February	20	1	2	18	8	3	2	4	0							
March	19	0	6	14	6	11	5	0	0							
April	24	1	5	11	8	2	9	0	0							
May	12	0	3	15	22	9	7	1	0							
June	17	0	0	12	27	8	1	0	0							
July	10	1	2	5	40	3	1	0	0							
August	21	0	5	7	25	3	1	0	0							
September	11	0	5	2	29	4	5	4	0							
October	20	0	6	3	32	1	0	0	0							
November	18	0	1	0	8	5	27	0	0							
December	16	0	8	2	9	3	24	0	0							
Year	209	4	47	109	218	47	94	13	0							

MONTHLY and Annual Summaries for the Year 1908, Cowichan (Tzouhalen), British Columbia—Latitude, N. 48° 25′; Longitude, W. 123° 42′. Height above Sea, 170 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°		°		°	°	in.		in.					
January	44·2	33·5	10·7	56·1	22·6	33·5	38·8	9·16	18						
February	44·9	32·7	12·2	53·0	16·8	36·2	38·8	6·28	14						
March	50·6	35·4	15·2	56·1	27·0	29·1	43·0	3·68	19						
April	56·1	38·2	17·9	66·0	29·0	37·0	47·2	1·74	9						
May	61·8	43·5	18·3	72·8	37·4	35·4	52·7	2·47	13						
June	69·1	48·4	20·7	78·8	40·2	38·6	58·7	0·21	5						
July	77·4	53·1	24·3	90·3	41·5	48·8	65·3	0·13	2						
August	74·9	50·9	24·0	95·5	44·0	51·5	62·9	0·93	6						
September	65·5	44·3	21·2	74·2	28·8	45·4	54·9	0·30	5				1		
October	57·7	39·3	18·4	68·2	27·8	40·4	48·5	3·76	15						
November	51·8	41·8	10·0	61·4	29·0	32·4	46·8	10·01	18				2		
December	42·7	32·6	10·1	52·0	21·9	30·1	37·6	6·49	15				3		
Year	58·0	41·1	16·9	95·5	16·8	78·7	49·6	45·16	139				6		

MONTHLY and Annual Summaries for the Year 1908, Crawford Bay, British Columbia—Latitude, N. 49° 45′; Longitude, W. 116° 45′. Height above Sea, 2,000 feet.

MONTH	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt	Days	Amt.	Days.				
								in.		in.					
January	35·5	21·6	13·9	44·0	3·0	41·0	28·6	0·60	1	12·1	5				1
February	36·2	23·9	12·3	43·0	4·0	39·0	30·0	1·09	3	26·4	11				
March	44·1	27·4	16·7	51·0	11·0	40·0	35·7	1·43	7	14·9	8				
April	56·1	36·8	19·3	70·0	19·0	51·0	46·5	2·51	12	2·0	1				
May	63·6	43·0	20·6	80·0	35·0	45·0	53·3	2·89	15						
June	71·1	47·9	23·2	88·0	41·0	47·0	59·5	2·19	12						2
July	80·7	52·8	27·9	91·0	40·0	51·0	66·8	1·53	8						4
August															
September															
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Cypress River, Manitoba—Latitude, N. 49° 33′; Longitude, W. 99° 3′. Height above Sea, 1,232 feet.

MONTH	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°		°	in.		in.					
January															
February															
March															
April															
May	58·9	36·3	22·6	80·0	20·0	60·0	47·6	2·57	12						
June	70·7	48·8	21·9	88·0	30·0	58·0	59·8	2·99	12						
July	78·4	51·8	26·6	93·0	40·0	53·0	65·1	1·55	7						
August	73·5	45·1	28·4	90·0	34·0	56·0	59·3	2·70	9						
September	69·1	45·1	24·0	91·0	27·0	64·0	57·1	1·29	8						
October	52·1	30·4	21·7	74·0	14·0	60·0	41·3	0·81	6						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Dalhousie, New Brunswick—Latitude, N. 48° 4′; Longitude, W. 66° 22′. Height above Sea, 39 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°		°	in.		in.					
January	22·9	2·3	20·6	46·0	15·0	61·0	12·6	0·03	1	21·1	6				
February	24·6	4·8	19·8	46·0	9·0	55·0	14·7	0·04	1	25·0	4				
March	29·3	10·9	18·4	49·0	6·0	55·0	20·1	0·03	1	9·0	6				
April	40·2	18·9	21·3	53·0	5·0	58·0	29·5	0·07	2	20·1	5				
May	57·2	37·3	19·9	80·0	23·0	57·0	47·2	0·26	5						
June	67·5	45·2	22·3	92·0	25·0	67·0	56·4	1·18	4						
July								2·65	7						
August	69·3	42·8	26·5	81·0	33·0	48·0	56·1	2·21	5						
September	67·9	47·1	20·8	84·0	35·0	49·0	57·5	0·08	2						
October	56·8	38·9	17·9	71·0	32·0	39·0	47·8	1·02	2	S.	1				
November	40·5	25·7	14·8	53·0	12·0	41·0	33·1	0·17	4	5·1	2				
December	32·8	6·2	26·6	71·0	19·0	90·0	19·5			15·6	6				
Year								7·74	34	95·9	30				

Monthly and Annual Summaries for the Year 1908, Daysland, Alberta—Latitude, N. 52° 52′; Longitude, W. 112° 17′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February	20·6	0·5	20·1	43·0	24·0	67·0	10·6			11·3	6				
March	18·9	0·5	18·4	42·0	22·0	64·0	9·7			22·8	7			3	
April	18·3	25·2	23·1	64·0	10·5	74·5	36·8	0·50	1					1	
May	61·6	38·1	23·5	82·0	24·0	58·0	49·9	1·03	3						
June	75·4	49·3	26·1	90·0	36·0	54·0	62·4	5·15	10						2
July	81·1	50·7	30·4	89·0	45·0	44·0	65·9	2·86	2						
August	71·1	42·7	28·7	88·0	30·0	58·0	57·1	1·00	2						
September	61·7	34·5	27·2	80·0	18·0	62·0	48·1								
October	41·4	23·1	21·3	68·0	7·0	61·0	33·8			5·0	1				
November	34·2	15·9	18·3	55·0	15·0	70·0	25·0			2·0	1				
December	19·0	1·0	18·0	40·0	33·0	73·0	10·0								
Year															

Monthly and Annual Summaries for the Year 1908, Didsbury, Alberta—Latitude, N. 51° 40′; Longitude, W. 114° 8′. Height above Sea, 3,300 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	39·6	11·1	25·2	56·0	14·0	70·0	27·0								
February	34·7	9·3	25·4	66·0	16·0	82·0	22·0								
March	37·6	6·6	31·0	60·0	14·0	74·0	22·1			10·0	4				
April	59·0	27·9	31·1	74·0	2·0	76·0	43·5	0·55	2						
May	63·7	36·8	26·9	80·0	20·0	60·0	50·3	3·63	15						
June	66·1	43·7	22·4	84·0	36·0	48·0	54·9	10·38	21						2
July	77·7	48·8	28·9	90·0	40·0	50·0	63·3	1·77	10						1
August	70·7	43·4	27·3	88·0	32·0	56·0	57·1	2·15	11						
September	70·6	36·3	34·3	90·0	12·0	78·0	53·4	0·15	1						
October	51·7	27·1	27·6	78·0	4·0	74·0	40·9	0·36	2	15·0	4				
November	48·7	19·9	28·8	70·0	10·0	80·0	34·3								
December	37·4	11·4	26·0	50·0	26·0	76·0	21·4			4·0	1				
Year	55·0	27·1	27·9	90·0	26·0	116·0	41·1	18·99	62	29·0	9				3

MONTHLY and Annual Summaries for the Year 1908, Drumague, Saskatchewan—Latitude, N. 51° 5′; Longitude, W. 103° 24′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Calm.	Fogs.	Auroræ.	Thunder Storms.
								in.		in.					
January	20 6	6 6	27 2	36 0	34 0	70 0	7 0								
February	16 4	2 7	19 1	38 0	22 0	60 0	6 9			12 0	5	4	3		
March	17 0	5 7	22 7	50 0	32 0	82 0	5 6			11·5	6		2		
April	44·5	21 7	22 8	69 0	13 0	82 0	33 1	0 82	2						
May	58 8	32 6	26 2	78 0	12 0	66 0	45 7	0 56	2						
June	64·1	40 7	23 4	81 0	29 0	52 0	52 4	4 75	10						
July	73 3	47 0	26 3	93 0	37 0	56 0	60 1	0 25	1						
August	68 3	42 3	26 0	83 0	28 0	55 0	55 3	1·02	2						
September	63 2	36 4	26 8	83 0	14 0	69 0	49 8	0·22	1						
October	46 0	24 7	21 3	70 0	11 0	59 0	35 4	1·50	2						
November	33 1	15 2	17 9	55 0	11 0	66 0	24 1			3 0	3		3		
December	18 8	3 3	22 5	37 0	32 0	69 0	7 8			8 0	5				
Year	43 7	20 2	23 5	93 0	34 0	127·0	31 9	9·12	20	34 5	19	4	8		

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean
														%		
January																
February																
March	2	4	3	3	1	6	3	8	1							
April	1	1	6	3	0	3	7	9	0							
May	2	4	5	6	2	3	3	1	0							
June	0	5	3	0	1	10	5	4	0							
July	0	1	2	7	2	3	8	8	0							
August	2	2	6	4	3	2	11	1	0							
September	1	1	2	3	0	7	8	8	0							
October	0	3	6	4	2	6	2	8	0							
November	2	0	4	5	1	3	5	10	0							
December	1	1	5	0	5	8	8	3	0							
Year																

Monthly and Annual Summaries for the Year 1908, Dunvegan, Alberta—Latitude, N. 55° 56′; Longitude, W. 118° 35′. Height above Sea, 1,325 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	18·7	1·5	20·2	44·0	24·0	68·0	8·6			2·5	1		....	....	..
February	23·8	0·7	24·5	50·0	34·0	84·0	11·6			3·5	5	..	.	.	..
March	26·1	1·6	27·7	47·0	25·0	72·0	12·2			17·5	7	.	....	....	....
April	50·6	25·7	24·9	60·0	10·0	50·0	38·2	0·28	3	4·0	1	. .			
May	67·0	35·6	31·4	79·0	27·0	52·0	51·3	0·31	3		..	..	1	..	....
June	66·8	45·1	21·7	83·0	37·0	46·0	56·0	3·33	12			..	..	..	.
July	76·6	45·5	31·1	91·0	35·0	56·0	61·0	0·87	4		.			..	..
August	70·0	44·8	25·2	87·0	34·0	53·0	57·4	1·78	10	..	....			..	..
September	61·3	36·7	24·6	76·0	21·0	55·0	49·0	1·32	6		....	..	..	..	..
October	47·0	24·2	22·8	65·0	14·0	79·0	35·6	0·32	3	2·5	3	.	.	....	
November	25·8	7·9	17·9	46·0	19·0	65·0	16·9			0·8	1	..	..		..
December	14·5	6·3	20·8	43·0	45·0	88·0	4·1			3·5	2	.	....		....
Year	45·7	21·3	24·4	91·0	45·0	136·0	33·5	8·21	41	34·3	20	.	1		.

Monthly and Annual Summaries for the Year 1908, Eckville, Alberta—Latitude, N. 52° 23′; Longitude, W. 114° 22′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	27·6	6·6	34·2	50·5	12·8	73·3	10·5			4·4	5				
February	27·8	6·1	33·9	61·2	12·7	89·9	10·8	0·35	1	5·3	12			1	
March	28·5	1·2	29·7	55·0	20·5	75·5	13·6			26·5	11			2	
April	51·2	23·4	27·8	71·0	12·8	83·8	37·2	0·52	4	10·8	2	..		3	1
May	61·8	35·0	26·8	83·2	26·5	56·7	48·4	4·35	14	..				3	3
June	62·9	42·7	20·2	78·3	45·2	33·1	52·8	9·81	23						3
July	74·1	45·1	29·0	86·2	32·7	53·5	59·6	1·55	10					1	8
August	66·8	39·3	27·5	79·8	26·5	53·3	53·1	1·51	13					6	8
September	63·3	30·2	33·1	81·0	11·2	69·8	46·7	0·70	5				4	8	2
October	49·7	20·5	29·2	71·2	4·3	66·9	35·1	0·20	5	4·9	4		4	3	
November	42·6	13·6	29·0	64·4	4·0	68·4	28·1			1·5	1		2	3	
December	26·2	4·3	30·5	12·2	35·3	35·3	11·0							1	
Year	48·5	19·3	29·2	71·0	35·3	106·4	33·9	18·99	75	53·4	35		10	31	25

MONTHLY and Annual Summaries for the Year 1908, Esterhazy, Saskatchewan—Latitude, N. 50° 39′; Longitude, W. 102° 4′. Height above Sea, —— feet.

Month.	Temperature.									Wind, Direction from								
	a.m.	p.m.	p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March					31·6	2·6	29·0	5·7	20·0	4	6	1	3	1	2	6	6	2
April	26·6	52·9		39·8						4	2	2	3	3	1	3	12	0
May	35·7	61·9		48·8						0	14	2	5	8	0	0	2	0
June	69·3	47·4		58·4						3	3	2	7	2	3	5	5	0
July	79·7	52·9		66·3						2	2	1	2	6	2	5	11	0
August					71·5	44·0	27·1	89·0	28·0	2	1	3	3	2	3	4	9	4
September	43·7				65·9	39·7	26·2	86·0	18·5	6	2	0	2	6	3	4	6	1
October	32·0				47·4	27·4	20·0	71·5	11·0	8	3	1	5	3	4	3	4	0
November	22·5				36·1	19·2	16·9	57·0	0·0	0	1	0	4	6	2	4	13	0
December	2·4				18·0	5·4	23·4	38·0	34·5	4	0	0	2	7	0	7	4	7
Year																		

Month.	Velocity of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Amt.	Days.	Amt.	Days.					
				%	%	%	%	in.		in.						
January																
February																
March	5·9															
April	8·0							R.	1	S.	1			5		
May	7·0							R.	4	S.	1			10		
June	7·6							R.	12				1		3	
July	7·0							R.	5				1	2		
August	6·0							2·11	8					11		
September	7·0			37				0·72	5	S.	5		2	14		
October	9·0			50				1·49	5	S.	2			8		
November	6·0			31				0·05	1	5·2	3		4	4		
December	5·5			44						7·1	7			4		
Year																

Monthly and Annual Summaries for the Year 1908, Estevan, Saskatchewan—Latitude, N. 49° 12′; Longitude, W 103° 4′. Height above Sea, 1,858 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	23·7	3·3	20·4	40·0	23·0	63·0	13·5			3·0	4	1	3		
February	19·3	2·1	17·2	37·0	18·0	55·0	10·7			10·0	5		1	1	
March	26·3	5·8	20·5	48·0	8·0	56·0	16·1			10·0	6		2	2	
April	52·5	28·5	24·0	82·0	8·0	90·0	40·5	0·63	2	4·0	2			1	
May	60·0	38·2	21·8	78·0	22·0	56·0	49·1	2·87	5	3·0	1		1	1	3
June	68·7	48·4	20·0	90·0	32·0	58·0	58·4	3·94	12					1	8
July	79·3	52·8	26·5	90·0	36·0	54·0	66·1	2·01	6					4	3
August	72·6	46·9	25·7	88·0	34·0	54·0	59·7	2·48	6					4	3
September	68·3	42·3	26·0	91·0	20·0	71·0	55·3								
October	48·8	29·6	19·2	69·0	14·0	55·0	39·2	1·45	3					2	
November	36·5	19·8	16·7	60·0	9·0	69·0	28·1			3·0	3				
December	23·7	7·2	16·5	40·0	28·0	68·0	15·5			3·0	2				
Year	48·3	27·1	21·2	91·0	28·0	119·0	37·7	13·38	34	36·0	23	1	7	16	17

Month.	Wind, Direction from								
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	1			2	2	7	6	9	4
February			4	1	2	3	6	6	7
March	5	2	2		5	3	4	7	3
April	4		3		7	4	3	8	1
May	2		11	10	2		3	3	
June	1	2	5	2	2	4	10	3	1
July	1	1	3	1	3	1	7	8	6
August	1	3	2	3	3	5	8		6
September	2		1	3	6	4	5	4	5
October	3	2	3	7	2	2	4	8	
November			4		10	7	1	7	1
December	1		1	1	11	5	2	9	1
Year	21	10	39	30	55	45	59	72	35

MONTHLY and Annual Summaries for the Year 1908, Fond du Lac, Saskatchewan. Latitude, N. — — : Longitude, W. — —. Height above Sea, — feet.

MONTH.	TEMPERATURE.							RAIN		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Range.	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cobbs.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	1·9	22·1	20·2	26·0	45·0	71·0	12·0			S.	7				
February	0·1	21·8	21·7	19·0	42·0	61·0	11·0								
March	0·7	27·0	26·	23·0	47·0	70·0	13·8			S.	3				
April	29·2	4·2	25·0	50·0	26·0	76·0	16·7	R.	2	S.	6		1		
May	56·2	31·2	25·0	76·0	1·0	75·0	43·7	0·02	1						
June	60·5	40·7	19·8	80·0	34·0	46·0	50·6	0·62	4						
July	68·1	48·0	20·1	88·0	37·0	51·0	58·0	0·69	7						
August	64·9	46·1	18·8	79·0	30·0	49·0	55·5	2·45	8					9	
September	55·1	39·3	15·8	78·0	24·0	54·0	47·2	1·30	9	0·9	2			15	
October	38·4	26·5	11·9	54·0	6·0	60·0	32·4	0·28	5	0·6	2			13	
November	15·1	1·2	13·9	34·0	42·0	76·0	8·2	0·02	1	S.				8	
December	2·8	18·8	16·0	19·0	40·0	59·0	10·8							9	
Year	31·8	12·3	19·5	88·0	47·0	135·0	22·1	5·38	37						

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	A.M.	P.M.		A.M.	P.M.	P.M.	Calm
													%	%	%	%
January	6	3	6	1	0	1	4	1	9							
February	0	4	13	0	0	1	4	2	5							
March	0	2	3	1	0	0	8	7	10							
April	1	1	12	2	1	0	3	2	8							
May	0	4	15	2	0	0	3	1	6							
June	4	1	12	5	1	0	2	0	5							
July	0	3	6	0	0	0	12	2	8							
August	1	6	11	0	0	1	2	3	7							
September	0	4	7	1	1	2	10	0	5							
October	8	2	2	0	3	4	4	1	7							
November	2	6	1	1	0	2	2	3	13							
December	4	8	4	0	0	1	11	3	9							
Year																

MONTHLY and Annual Summaries for the Year 1908, Fort Vermilion (1), Alberta—Latitude, N. 55° 27′; Longitude, W. 116° 3′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March															
April															
May															
June															
July	74·7	46 5	28 2	92·0	38·0	54·0	60·6	2 29	9						
August	71·1	43 3	27·8	85·0	33·0	52 0	57·2	1·45	7						
September	57·0	33·7	23 3	73 9	20 0	53 9	45·3	0 66	9						
October	42 1	20 4	20·7	59 0	15·0	74·0	31·2	0 30	5	4 0	3				
November	17 5	1 7	19 2	41·0	43 5	84·5	7 9			8 5	6			7	
December	2 0	17 8	19·8	43 0	51 0	94·0	7 9			2 5	4				
Year															

MONTHLY and Annual Summaries for the Year 1908, Fort Vermilion (2), Alberta—Latitude, N. 55° 27′; Longitude, W. 116° 3′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	8 6	13 8	22 4	30 0	32·0	62 0	2 6			8 3	4			9	
February	17·4	8·4	25 8	48 8	39 5	88 3	4 5			2·5	1			12	
March	16·4	12·1	28 5	41 0	37 0	78·0	2 1			7·3	3			10	
April	43·2	19 6	23 6	56 0	16·0	72 0	31 4	0 79	5	4 8	3			5	
May	66·3	38 2	28 1	82 2	26 8	55 4	52 3	0 33	2					6	1
June	68 8	43·2	25 6	80 0	32·2	47·4	56 0	2·72	9						7
July	75·2	48·2	27 0	93 0	38 4	54·6	61 7	2·05	5						3
August	70 4	46 7	23 7	81 8	36 9	44 9	58 6	1·56	8						
September	55·5	34·7	20 8	73 4	18 9	54 5	45 1	0 76	6	1·1	1		3	8	1
October	41·2	23·0	18 2	57 5	14 0	71 5	32 1	0·23	2	2 3	1			5	
November	17 9	2·1	15 8	42 0	26·0	68 0	10 0			13 3	5		1	6	
December	2 4	16 3	18 7	39 0	49·0	88·0	7·0			2 3	3			6	
Year	40 3	17 1	23 2	93 0	49 0	142 0	28 7	8 44	57	41 9	21		4	67	12

MONTHLY and Annual Summaries for the Year 1908, Glacier, British Columbia—Latitude, N. 51° 14′; Longitude, W. 117° 29′. Height above Sea, 4,072 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°		in.		in.					
January	22·9	12·9	10·0	32·0	10·0	42·0	17·9	...	..	98·5	20	..	...	..	..
February	23·6	10·5	13·1	32·0	10·0	42·0	17·0	..	...	64·0	15	...	..	..	..
March	30·0	15·6	14·4	37·0	0·0	37·0	22·8	..	..	105·5	18	..	...	..	..
April	39·4	23·7	15·7	50·0	9·0	41·0	31·6	.....	...	16·0	7	..	..	..	..
May	50·8	35·6	15·2	60·0	32·0	28·0	43·2	...	....	..	..	....	..	..	...
June	61·9	40·3	21·6	75·0	34·0	41·0	51·1	..	...	..	..	....	..	...	.....
July	71·1	44·8	26·3	83·0	34·0	49·0	57·9	3·32	11	..	..	..	...	..	3
August	66·8	42·6	24·2	80·0	35·0	45·0	54·7	2·40	9	.....	..	..	...	...	4
September	53·3	38·0	15·3	72·0	25·0	47·0	45·7	4·71	10	3·0	1	...	..	..	....
October	41·2	30·7	10·5	55·0	23·0	32·0	35·9	2·70	6	21·0	7	..	3	...	....
November	32·4	24·3	8·1	45·0	9·0	36·0	28·3	7·64	10	30·5	8	...	...	..	..
December	20·4	11·0	9·4	33·0	13·0	46·0	15·7	..	...	104·0	18	..	..	...	..
Year	42·8	27·5	15·3	83·0	13·0	96·0	35·2	20·77	46	442·5	94	..	3	...	7

MONTHLY and Annual Summaries for the Year 1908, Gleichen, Alberta—Latitude, N. 50° 59′; Longitude, W. 112° 54′. Height above Sea, 2,952 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	35·1	5·3	29·8	52·5	15·0	67·5	20·2	..	..	0·3	1	..	...	...	....
February	...	....	...	...	...	...	...	...	...	...	...	...	..	....	...
March	37·6	15·1	22·5	59·5	18·0	77·5	26·4	.	.	1·8	4	....	..	...	....
April	60·3	24·2	36·1	77·5	9·0	86·5	42·3	5·6	3	1·6	1	....	...	..	..
May	63·3	36·2	27·1	84·5	29·5	55·0	49·8	32·0	14	....	...	...	...	...	....
June	65·1	44·0	21·1	84·5	34·0	50·5	54·6	79·5	17	...	..	...	...	...	4
July	77·4	46·9	30·5	90·0	35·0	55·0	62·2	11·3	7	...	...	..	..	...	2
August	73·0	40·7	32·3	87·5	30·5	57·0	56·9	15·2	6	...	..	..	.	.	3
September	69·4	32·6	36·8	89·0	10·0	79·0	51·0	..	..	0·3	1	..	...	...	..
October	53·8	23·0	30·8	79·0	2·5	76·5	38·4	9·3	2	1·0	1	...	...	...	...
November	46·6	14·9	31·7	72·0	24·0	96·0	30·8	...	..	0·5	1	..	.	..	...
December	32·0	1·9	33·9	48·0	23·5	71·5	15·1	.	.	0·5	1	..	...	...	.
Year	....	...	...	...	...	...	...	...	...	...	...	...	...	...	..

MONTHLY and Annual Summaries for the Year 1908, Golden, British Columbia—Latitude, N. 51° 16′; Longitude, W. 116° 55′. Height above Sea, 2,550 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	27·1	4·0	23·1	37·0	25·0	62·0	15·5	.....	..	2·0	1	...	...	...	...
February	27·6	3·1	24·5	40·0	26·0	66·0	15·3	.	...	..	...	...	...	...	...
March	38·0	19·2	18·8	46·0	9·0	55·0	28·6	...	...	.	...	..	..	...	...
April	52·6	29·9	22·7	65·0	8·0	57·0	41·2	..	...	...	..	..	...	...	..
May	63·8	39·2	24·6	76·0	27·0	49·0	52·0	....	...	...	..	...	...	...	...
June	70·0	43·4	26·6	82·0	38·0	44·0	56·7	1·10	5	.	..	...	...	...	...
July	77·2	47·6	29·6	91·0	39·0	52·0	62·4	1·10	10	..	..	...	...	...	...
August	75·2	43·5	31·7	89·0	32·0	57·0	59·3	0·37	7	...	..	...	...	...	2
September	64·8	38·0	26·8	77·0	22·0	55·0	51·4	0·92	7	...	...	...	1	...	1
October	50·6	29·0	21·6	65·0	21·0	44·0	39·8	1·10	7	7·0	3	.	7	...	.
November	42·0	24·3	17·7	60·0	6·0	54·0	33·1	1·37	9	4·0	2	...	...	...	...
December	22·6	7·1	15·5	38·0	11·0	49·0	14·9	0·03	1	11·5	8	...	...	...	...
Year	51·0	27·4	23·6	91·0	26·0	117·0	39·2	5·99	46	24·5	14	...	8	...	3

MONTHLY and Annual Summaries for the Year 1908, Gray Hill, Alberta—Latitude, N. 52° 15′; Longitude, W. 113° 53′. Height above Sea, 2,795 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	33·7	13·5	20·2	47·2	8·8	56·0	23·6	.	..	1·8	4	1	....	6	...
February	28·7	10·2	18·5	59·0	17·8	76·8	19·5	....	...	5·0	11	2	2	5	....
March	30·1	6·5	23·6	58·2	13·0	71·2	18·3		.	19·3	12	2	1	6	....
April	54·2	29·6	24·6	73·2	4·8	28·4	41·9	0·37	5	0·7	2	3	1	4	3
May	61·8	39·4	22·4	82·7	29·9	52·8	50·6	2·96	14		.		3	1	2
June	62·0	43·7	18·3	77·0	32·0	45·0	52·9	9·27	25	1·0	1	1	2	....	5
July	73·9	49·9	24·0	84·0	40·5	43·5	61·9	3·13	11		...	.....	...	1	3
August	67·8	44·2	23·6	84·2	29·4	54·8	56·0	2·48	15		.	..		7	4
September	.	.	..	.	.	.	.	.	....					...	...
October	.	....	..	.	.	.	.	.	....	..	....	...	...	...	...
November	.	.	.	.	.	.	.	.	.	.	.	...	....	....	...
December	.	.	.	.	.	.	.	.	.	..	...	...	...	...	....
Year	.	.	.	.	.	.	.	...	..	.....		....	..	..	...

MONTHLY and Annual Summaries for the Year 1908, Gray Hill, Alberta—Latitude, N. 52° 15′; Longitude, W. 113° 53′. Height above Sea, 2,795 feet.

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	2		1	5	1	27	14	7	5							37
February	2	3	6	8	5	18	5	10	1							49
March	4	4	7	6	6	20	7	8	0							52
April	2	0	3	13	4	17	5	16	0							41
May	4	7	4	13	8	7	6	10	3							51
June	8	5	5	10	3	6	5	18	0							58
July																28
August	6	3	2	4	11	13	6	16	1							36
September																
October																
November																
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Haliburton, Ontario—Latitude, N. 45° 1′; Longitude, W. 78° 28′. Height above Sea, 1,050 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	26·2	0·8	27·0	38·0	44·0	82·0	12·7								
February	22·9	3·5	27·4	39·0	32·0	71·0	10·2								
March	35·3	13·9	21·4	47·0	7·0	54·0	24·6								
April	48·3	24·8	23·5	69·0	7·0	76·0	36·6	2·10	3						
May	67·0	44·4	22·6	88·0	22·0	66·0	55·7	4·51	10	S.				4	
June	78·2	47·2	31·0	89·0	31·0	58·0	62·7	2·35	5						
July	81·2	53·7	27·5	92·0	41·0	57·0	67·4	2·36	4						
August	77·7	46·2	31·5	90·0	33·0	57·0	62·0	3·65	7					3	4
September	75·0	43·2	31·8	89·0	31·0	58·0	59·1	1·85	5						
October	59·7	33·4	26·3	76·0	19·0	57·0	46·5	0·74	5	S.				1	1
November	40·7	25·4	15·3	58·0	5·0	53·0	33·1	4·70	6						
December	28·5	6·7	21·8	54·0	26·0	80·0	17·6			20·0					
Year	53·5	27·9	25·6	92·0	44·0	136·0	40·7								

Monthly and Annual Summaries for the Year 1908, Hamilton, Ontario—Latitude, N. 43° 16′; Longitude, W. 79° 54′. Height above Sea, 303 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	32·0	18·1	13·9	46·0	7·5	53·5	25·1								
February	27·9	12·2	15·7	41·0	11·0	52·0	20·1								
March	40·8	26·6	14·2	66·5	11·0	55·5	33·7								
April	50·5	35·0	15·5	74·0	21·0	53·0	42·8								1
May	65·0	47·6	17·4	89·5	31·0	58·5	56·3	5·25	11						2
June	79·4	57·3	22·1	91·0	45·0	46·0	68·3								
July	83·0	62·4	20·6	96·0	54·5	41·5	72·7	3·21	7						
August	77·2	58·0	19·2	92·0	47·0	45·0	67·6	1·43	8						1
September	74·4	55·4	19·0	90·0	37·0	53·0	64·9	0·60	2						
October	60·1	44·0	16·1	81·5	30·0	51·5	52·1	1·24	5				1		
November	45·7	32·7	13·0	61·5	25·0	36·5	39·2	0·94	6	1·7	1		1		
December	35·3	25·5	9·8	55·0	8·0	47·0	30·4								
Year	55·9	39·5	16·4	96·0	11·0	107·0	47·7								

Monthly and Annual Summaries for the Year 1908, Hamilton, Prince Edward Island—Latitude, N. 46° 25′; Longitude, W. 63° 48′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°				°			in.		in.					
January	27·1	10·1	17·0	62·0	7·0	69·0	18·6	1·54	3	11·0	7				
February	25·8	9·1	16·7	49·0	11·0	60·0	17·5	0·70	3	12·5	4				
March	30·5	15·6	14·9	46·0	2·0	48·0	23·0	3·02	6	32·5	5				
April	36·8	24·4	12·4	58·0	13·0	45·0	30·6	2·65	6	12·0	7				
May	55·4	39·0	16·4	72·0	30·0	42·0	47·2	2·91	11				1		
June	67·5	49·5	18·0	80·0	36·0	44·0	58·5	1·89	11				3		
July	76·0	59·6	16·4	89·0	48·0	41·0	67·8	1·95	6						
August	70·5	56·4	14·1	80·0	46·0	34·0	63·5	5·31	10						
September	68·1	52·4	15·7	78·0	44·0	34·0	60·3	0·91	5						
October	57·7	42·2	15·5	68·0	32·0	36·0	50·0	2·10	5						
November	40·7	29·5	11·2	52·0	20·0	32·0	35·1	0·95	7	1·3	2		2		
December	28·9	15·0	13·9	47·0	0·0	47·0	21·9	2·30	4	7·0	8				
Year	48·8	33·6	15·2	89·0	11·0	100·0	41·2	26·23	77	76·3	33		6		

Monthly and Annual Summaries for the Year 1908, Hamilton, Prince Edward Island—Latitude, N. 46° 25′; Longitude, W. 63° 48′. Height above Sea, —— feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
														%	%	%
January	2	0	1	0	4	7	10	7	0							
February	3	0	0	3	3	5	9	6	0							
March	5	3	0	1	3	8	10	0	1							
April	1	1	3	1	2	8	5	9	0							
May	5	3	4	3	2	9	5	0	0							
June	6	3	3	0	3	12	3	0	0							
July	2	3	5	0	4	7	7	3	0							
August	3	1	2	0	6	7	12	0	0							
September	6	0	0	1	0	14	8	1	0							
October	4	0	1	0	2	5	17	2	0							
November	1	0	1	4	2	1	12	2	0							
December	3	0	0	2	4	2	11	7	0							
Year	41	14	20	15	35	85	109	37	1							

Monthly and Annual Summaries for the Year 1908, Harmattan, Alberta—Latitude, N. 51° 45′; Longitude, W. 114° 23′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February	30·1	3 3	26 8	59·0	18 0	77 0	16 7			6 5	2	2		2	
March	28·4	3·5	24 9	59 0	16 0	75·0	16 0			11·0	3			7	
April	51·3	26·3	25·0	70 0	2 0	72·0	38 8	0·17	1	0 5	1	1		5	
May	58·3	33 4	24·9	80 0	23 0	57·0	45 8	1·12	7					3	
June	61 8	40 4	21·4	78 0	32 0	46·0	51 1	7·15	8			1	3		1
July	70·0	43 2	26 8	80 0	31 0	49·0	56 6	0 84	2				8		5
August	65·1	38 4	26 7	73 0	29 0	44·0	51 7	3·03	7				8	3	3
September	61·9	31 7	30 2	78·0	10 0	68·0	46 8							7	
October	48 9	21 5	27 4	73·0	2 0	71 0	35 2			12·0	2		3	1	
November	43 9	15·8	28 1	64 0	9 0	73·0	29 9						4	1	
December	36 5	0·7	29·8	46 0	28 0	74·0	15 6			1 0	1			2	
Year															

MONTHLY and Annual Summaries for the Year 1908, Hedley, British Columbia—Latitude, N. 49° 35′; Longitude, W. 120° 10′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	33·6	18·0	15·6	44·0	7·0	51·0	25·8	0·32	3	3·0	2	....	..	....	....
February	35·3	19·0	16·3	44·0	7·0	51·0	27·2	0·05	1	4·9	6	....	....	....	....
March	45·6	26·0	19·6	59·0	10·0	49·0	35·8	0·50	3	1·0	1	....	....	....	....
April	58·4	35·9	22·5	74·0	26·0	48·0	47·1	0·43	8	....	..	..	....	....	....
May	65·3	41·2	24·1	82·0	34·0	48·0	53·2	1·54	12	..	..	....	..	....	....
June	75·2	48·6	26·6	93·0	36·0	57·0	61·9	0·48	8	....	..	....	....	..	....
July	84·6	54·5	30·1	100·0	40·0	60·0	69·5	0·78	5		..	....	....	....	....
August	82·1	51·9	30·2	96·0	39·0	57·0	67·0	1·28	10	.	....	....	....	....	1
September	71·0	43·2	27·8	86·0	28·0	58·0	57·1	0·47	4	.	.	....	....	....	....
October	57·6	36·2	21·4	74·0	29·0	45·0	46·9	0·51	4	....	....	....	....	....	....
November	47·5	29·8	17·7	65·0	7·0	58·0	38·7	0·22	4	trace.	1	....	....	....	....
December	30·2	17·1	13·1	42·0	7·0	35·0	23·6	0·09	1	5·8	5	....	....	....	....
Year	57·2	35·1	22·1	100·0	7·0	107·0	46·2	6·67	63	14·7	15	....	....	....	1

MONTHLY and Annual Summaries for the Year 1908, Hedley (Nickel Plate), British Columbia—Latitude, N. 49° 30′; Longitude, W. 120° 0′. Height above Sea, 5,400 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in					
January	27·7	13·3	14·4	41·0	9·0	50·0	20·5		....	25·0	9	....	....	....	....
February	32·2	13·9	18·3	52·0	6·0	58·0	23·0		....	27·0	11	....	....	....	....
March	35·9	14·2	21·7	52·0	3·0	55·0	25·0		....	20·0	7	....	....	....	....
April	44·9	23·4	21·5	60·0	8·0	52·0	34·2		....	25·5	9	....	....	....	....
May	48·7	27·1	21·6	65·0	21·0	44·0	37·9	0·55	2	41·5	12	....	....	....	....
June	57·2	33·6	23·6	68·0	25·0	43·0	45·4	0·20	2	17·5	5	....	....	....	....
July	71·1	42·5	28·6	86·0	25·0	61·0	56·8	1·45	6	....	....	....	....	....	....
August	68·8	40·3	28·5	85·0	28·0	57·0	54·5	1·56	8	8·0	2	....	....	....	....
September	57·8	35·9	21·9	75·0	19·0	56·0	46·9	0·51	2	1·0	1	....	....	....	....
October								....	....		....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	28·6	13·0	15·6	37·0	2·0	39·0	20·8		....	11·5	5	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, High River, Alberta—Latitude, N. 50° 35′; Longitude, W. 113° 53′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	39·0	9·2	29·8	52·0	14·0	66·0	24·1			2·0	1				
February	30·0	5·1	24·9	60·0	14·0	74·0	17·6			9·4	6				
March	32·7	8·3	24·4	56·0	19·0	75·0	20·5			8·5	6				
April	55·1	27·8	27·3	74·0	3·0	77·0	41·4	0·13	2	6·0	2				
May	55·8	34·8	21·0	83·0	24·0	59·0	45·3	3·57	11						1
June	65·2	43·7	21·5	84·0	36·0	48·0	54·4	5·57	17						
July	78·9	46·3	32·6	89·0	30·0	59·0	62·6	0·76	5						
August	71·6	41·6	30·0	86·0	32·0	54·0	56·6	1·05	5					1	1
September	66·2	35·7	30·5	85·0	14·0	71·0	50·9			8·0	2	4		1	
October	47·9	26·5	21·4	74·0	11·0	63·0	37·2	0·56	4	2·0	1				
November	45·0	20·8	24·2	68·0	7·0	75·0	32·9			1·5	1				
December	32·2	5·1	27·1	48·5	24·0	72·5	18·7			2·0	1				
Year	51·6	25·4	26·2	89·0	24·0	113·0	38·5	11·64	44	39·4	20	4		2	2

MONTHLY and Annual Summaries for the Year 1908, Hillsboro, Prince Edward Island—Latitude, N. 46° 2′; Longitude, W. 61° 17′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April	45·9	26·5	19·4	62·0	14·5	47·5	36·2								1
May															
June	71·3	50·6	20·7	83·5	35·0	48·5	60·9	1·16	5						2
July															
August															
September	65·7	47·2	18·5	75·0	33·5	41·5	56·4	1·39	3						
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Hillsdown, Alberta—Latitude, N. 52° 14′; Longitude, W. 113° 29′. Height above Sea, —— feet.

Month	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	32·9	9·3	23·6	47·5	16·0	63·5	21·1	....		2·5	5	...	...	6	....
February	28·7	7·3	21·4	59·0	20·0	79·0	18·0	...	.	7·0	8	....	...	5	....
March	31·3	6·5	24·8	56·2	16·0	72·2	18·9	...	...	20·0	13	..	....	5	....
April	54·7	29·7	25·0	72·3	5·0	77·3	42·2	0·27	5	0·3	1	....	2	4	2
May	54·6	32·8	21·8	85·0	27·5	57·5	43·7	2·54	15	...	...	...	3	4	2
June	62·0	44·7	17·3	78·0	34·0	44·0	53·4	7·98	22	0·5	1	..	...	.	7
July	...	...	...	...	...	...	...	...	...	...	...	...	...	...	....
August	68·5	44·3	24·2	81·0	31·0	50·0	56·4	2·91	11	...	...	....	3	7	2
September	65·3	35·6	29·7	81·0	11·0	70·0	50·5	0·53	5	.	...	..	7	1	
October	49·0	26·9	22·1	72·3	8·0	64·3	37·9	0·30	2	6·1	8	.	1	...	
November	41·8	19·5	22·3	71·5	5·0	76·5	30·7	.....	...	2·3	3	....	...	4	....
December	28·9	5·4	23·5	48·0	29·0	77·0	17·2	.	.	3·0	4	...	. .	1	....
Year								.....	....	41·7	43	....	...	...	....

MONTHLY and Annual Summaries for the Year 1908, Hillview, Manitoba—Latitude, N. 49° 55′; Longitude, W. 100° 33′. Height above Sea, —— feet.

Month.	Temperature of the Air.								Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	1·3	15·2	7·7	16·2	3·8	20·0	37·0	40·0	6·2	3	5	5	4	11	22	11	30	2
February	0·3	16·0	9·1	17·0	0·8	17·8	39·0	29·0	8·1	7	9	7	9	9	12	5	29	0
March	3·0	21·8	11·6	.						1	10	5	14	1	19	7	36	0
April	31·5	50·0	39·4	53·4	29·8	23·6	80·0	16·0	41·6	6	4	10	5	6	20	5	32	2
May	43·0	61·5	50·0	62·0	37·4	24·6	81·0	20·0	49·7	10	20	25	9	10	6	2	7	4
June	51·6	67·3	58·5	68·0	48·8	19·2	85·0	32·0	58·4	4	3	11	15	12	14	7	21	3
July	57·7	74·7	64·2	75·6	53·1	22·5	88·0	45·0	64·3	1	4	9	9	2	21	18	23	6
August	50·7	69·7	58·3	70·6	47·3	23·3	89·0	33·0	59·0	5	7	15	2	1	11	15	28	9
September	47·2	67·2	55·1	68·4	43·8	24·6	92·0	25·0	56·1	9	13	7	4	10	16	11	14	6
October	39·8	48·6	37·3	49·1	28·7	20·4	73·0	10·0	38·9	3	12	5	19	5	14	6	24	5
November	20·9	34·3	25·8	35·2	18·6	16·6	58·0	10·0	26·9	3	6	8	4	5	15	4	45	0
December																		
Year																		

MONTHLY and Annual Summaries for the Year 1907, Hillview, Manitoba—Latitude, N. 49° 55 ; Longitude, W. 100° 33′. Height above Sea, —— feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.						
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Aurorae.	No. of Thunder Storms.	Lightning Alone.
				%												
January				27	18	6	17			6·0	2		1	3		
February				43	28	23	31			10·0	3					
March				64	53	37	51			7·0	3		1	7		
April				25	24	24	25	0·70	2	6·0	3			3		
May				30	39	35	34	2·60	7						2	
June				49	45	50	48	2·46	11			1			5	
July				21	14	16	17	2·56	5			1			5	
August				26	27	23	26	1·84	7	1·0	1			4		
September				22	23	23	23	1·61	5				4	5	1	
October				54	45	30	43	0·48	5	6·0	2		5	3		
November				57	40	34	44			3·0	3	4	3			
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Humboldt, Saskatchewan—Latitude, N. 52° 12′ ; Longitude, W. 105° 9′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs	Aurorae.	Thunder Storms.
								in.		in.					
January															
February	13·8	2·5	16·3	36·0	22·0	58·0	5·6			4·0	1				
March	14·5	3·7	18·2	37·0	31·0	68·0	5·4								
April	44·4	26·6	17·8	71·0	8·0	79·0	35·5								
May	64·4	38·9	25·5	85·0	23·0	62·0	51·6	0·40	1	1·0	1				
June	65·6	44·1	21·5	82·0	33·0	49·0	54·9	4·11	8						
July	75·7	50·3	25·4	94·0	42·0	52·0	63·0	0·99	3						
August	70·4	43·0	27·4	82·0	32·0	50·0	56·7	2·34	4						
September	67·4	37·7	29·7	87·0	18·0	69·0	52·5	R.							
October	47·6	25·9	21·7					1·00	3						
November	42·9	16·4	26·5	55·0	18·0	73·0	29·6			2·3	2				
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Huntsville, Ontario—Latitude N 45° 19′; Longitude W. 79° 8′. Height above Sea, 975 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	21·2	1 2	22·4	37·0	40 0	77 0	10·0		...	18·5	8	....	..	..	..
February	20·2	3·0	23·2	40·0	34 0	74 0	8·6	....	..	37·0	7	....	....	.....	..
March	28 9	12·6	16 3	43·0	4·0	47·0	20·7	0·25	1	6 5	7		..	..	....
April	43·6	26 7	16·9	66·0	4·0	62·0	35·1	1·20	4	4 0	4		....	.....	1
May	63 4	45·7	17 7	83·0	26·0	57·0	54·5	3 83	10		....		....	....	....
June	74 1	51 2	22·9	85 0	37 0	48 0	62 6	1·46	5		...		....	.....	...
July	77 1	56·3	20·8	87·0	46 0	41·0	66·7	2·82	10		....	....	.....	.....	...
August	72·4	51 1	21·3	82·0	40 0	42·0	61 8	2 41	5	...	..	.	....	.....	..
September	...	...	....	...	...	..	..	...	....		....		..	.....	..
October	55·3	36 1	19·2	72·0	21·0	51·0	45 7	...	..	.....	....		..	..	....
November	41 6	27 9	13·7	75·0	15·0	60·0	34·8	. .	...		...	....	.....	..	...
December	26·3	7 3	19 0	37·0	11 0	48·0	16·8	.		22 0	6			...	....
Year	...	...	...	...	...	...	...	...	...	...	....	..	..		....

MONTHLY and Annual Summaries for the Year 1908, Ikeda Bay, Queen Charlotte Islands, British Columbia—Latitude, N. 52°, 17′; Longitude, W. 131°, 17′. Height above sea, 5 feet.

MONTH.	EMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
February	...	...	...	...	...	...	...	...	...	...	....	....	....	....	....
March	...	...	...	...	...	...	...	....	...	.....	....	..	..	.	....
April	...	...	...	...	...	...	...	...	...	...	....	...	...	..	....
May	...	...	...	...	...	...	...	...	....	...	....	...	...	...	....
June	...	...	...	...	...	...	...	....	...	...	....	..	...	...	...
July	62·6	47 8	14·8	80·0	42 0	38 0	55 2	4·23	15	..			7	.	...
August	65·0	49·1	15·9	78 0	44·0	34·0	57·1	5·72	10	.	....		2		...
September	56 6	43 8	12 8	65·0	34 0	31 0	50·2	11·43	21			..	4	1	.
October	50·5	39·1	11·4	60·0	26·0	34·0	44 8	18·02	19			.	1		..
November	48 6	38 4	10 2	57 0	31·0	26 0	43 5	17 26	19	....	...			....	
December	42·9	33 3	9·6	58 0	24 0	34·0	38·1	11·05	16	2·0	1		..	....	..
Year	...	....	..	...	...	...	...	...	...	...	...	...	.....	.....	..

Monthly and Annual Summaries for the Year 1908, Indian Head, Saskatchewan—Latitude, N. 50° 28′; Longitude, W. 103° 40′. Height above Sea, 1,924 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	8 a.m.	2 p.m.	8 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	5·5	18·1	9·5	21·5	2·5	24·0	40·0	33·0	9·5	1	1	1	1	15	22	8	37	7
February	4·0	16·9	10·1	18·5	2·0	20·5	39·0	29·0	8·3	2	2	10	5	25	10	4	24	5
March	7·2	18·4	9·1	21·7	3·0	24·7	43·0	32·0	9·4	5	4	11	7	6	6	10	36	8
April	35·5	47·0	38·3	50·3	24·5	25·8	76·0	10·0	37·4	4	3	10	5	9	8	17	30	4
May	49·8	60·9	51·8	63·1	36·7	26·4	86·0	21·0	49·9	2	7	36	11	18	6	4	3	6
June	56·7	65·0	58·1	68·1	47·6	20·5	85·0	34·0	57·8	3	3	20	6	13	12	14	18	1
July	64·4	76·0	66·1	77·7	51·6	26·1	94·5	41·0	64·7	1	3	14	4	13	13	23	20	2
August	57·2	69·3	60·4	71·1	46·6	24·5	88·0	33·0	58·9	7	5	11	6	6	11	17	16	14
September	50·0	65·6	53·8	67·2	41·2	26·0	94·0	20·0	54·2	2	13	2	8	8	22	13	17	5
October	33·8	46·4	37·2	47·8	27·9	19·9	74·0	11·0	37·8	5	10	2	8	11	13	8	18	12
November	21·8	33·5	26·7	37·5	18·4	19·1	58·0	14·0	27·9	4	0	8	6	7	19	10	29	7
December	8·0	18·0	12·5	21·9	0·9	21·0	40·0	32·0	11·4	1	6	4	1	15	22	13	27	4
Year	32·8	44·6	36·1	47·2	24·0	23·2	94·5	33·0	35·6	37	57	129	68	146	164	141	275	75

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Aurora.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January										2·5	3					
February										10·0	4					
March										12·0	7			8		
April								1·45	4	5·0	1				1	
May								1·46	6	7·5	1					
June								5·44	7						5	
July								0·71	5							
August								1·87	6					1		
September								0·64	6	0·9	1				1	
October								1·60	6	0·5	1					
November										4·0	3					
December										9·0	3					
Year								13·17	40	51·4	24			9	7	

Monthly and Annual Summaries for the Year 1908, Judge, Ontario—Latitude, N. —° —′; Longitude, W. —° —′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	17·8	10·4	28·2	44·0	46 0	90·0	3·7	....	....	....	....	....	....	....	....
February	16·7	12·9	29·6	41·0	46·0	87·0	1 9	....	....	....	....	....	....	....	....
March	29·3	1 0	30 3	45·0	34·0	79·0	14·2	....	....	....	....	....	....	....	....
April	41 5	21 1	20·4	61·0	4 0	57 0	31 3	....	....	....	....	....	....	....	....
May	61·1	39 4	21·7	86·0	25·0	61·0	50 2	....	....	....	....	....	....	....	....
June	74 4	43·7	30·7	87·0	29·0	58·0	59·0	....	....	....	....	....	....	....	....
July	77 4	52 5	24 9	95 0	41 0	54·0	64 9	....	....	....	....	....	....	....	....
August	72·7	46 5	26·2	87 0	31·0	56 0	59·6	....	....	....	....	....	....	....	....
September	54·6	53·6	1·0	75 0	35·0	40 0	54·1	....	....	....	....	....	....	....	....
October	43 8	42 9	0·9	64·0	27·0	37·0	43·4	....	....	....	....	....	....	....	....
November	38·9	22·2	16 7	56·0	10 0	46 0	30 6	....	....	....	....	....	....	....	....
December	19·7	0·8	20·5	45·0	33·0	78 0	9·5	....	....	....	....	....	....	....	....
Year	45·6	24·7	20 9	95·0	46·0	141·0	35 2	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1908, Kamsack, Saskatchewan—Latitude, N. 51° 31′; Longitude, W. 101° 52′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
February	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
March	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
April	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
May	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
June	....	....	....	....	....	....	....	0·35	9	....	....	....	....	....	....
July	76·5	48 8	27·7	89 0	34 0	55·0	62 7	3·03	8	....	....	....	....	....	....
August	70 3	40·7	29 6	86 0	25 0	61·0	29·6	2·45	9	....	....	....	....	....	....
September	65·7	37 9	27·8	86·0	18·0	68 0	51·8	0·73	3	....	....	....	....	....	....
October	48 9	25 8	23·1	69 0	9·0	60·0	37·4	1 22	3	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	17·9	3·4	21·3	7·0	40·0	33·0	7·2	....	....	5·0	5	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Kelowna, Okanagan Lake, British Columbia—Latitude, N. 49° 57′; Longitude, W. 119° 21′. Height above Sea, 1,135 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	35·1	20 5	14·6	44·0	3 0	47 0	27·8	0·22	6	8 7	8	....	....	....	....
February	35·4	19·4	16 0	43·0	2 0	45·0	27·4	0·51	4	6·1	6	....	....	....	....
March	46·1	27·9	18·2	60·0	8·0	52 0	37 0	0·45	8	1 3	....	....	....	....	....
April	58·8	34·2	24 6	69·0	21 0	48·0	46·5	0·41	6	....	....	....	....	....	....
May	67·8	42·2	25·6	77·0	31·0	46 0	55 0	0·90	10	....	....	....	....	....	....
June	76·2	49·0	27·2	89·0	43 0	46 0	62 6	0·34	4	....	....	....	....	....	....
July	84·1	53 5	30 6	96·0	38 0	58 0	68·8	0 25	7	....	....	....	....	....	....
August	79·9	50 1	29 8	90 0	40 0	50 0	65·0	0 87	5	....	....	....	....	....	....
September	67·4	43 1	24·3	79 0	28 0	51 0	55 3	0·48	5	....	....	....	....	....	....
October	55 9	35 1	20 8	67 0	26·0	41 0	45 5	0 68	10	....	....	....	....	....	....
November	50 0	31·3	18 7	65 0	18 0	47 0	40 7	0 25	6	....	....	....	....	....	....
December	34·4	20 7	13 7	45 0	10 0	35·0	27 5	0 27	2	5·5	7	....	....	....	....
Year	57·6	35 6	22 0	96·0	3·0	99·0	46 6	5 63	73	21·6	21	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Kenora, Ontario—Latitude, N. 49° 48′; Longitude, W. 94° 32′. Height above Sea, 1,102 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	15·1	1 3	13·8	40·0	39·0	79·0	8·2	....	....	3·0	1	....	7	3	....
February	18·4	4·3	14·1	38·0	30·0	68 0	11·3	....	....	12·0	4	....	....	3	....
March	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
April	41·8	24·2	17 6	60·0	4·0	64 0	33 0	....	....	....	....	....	....	1	1
May	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
June	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
July	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	4	....
December	15·4	3·7	11·7	30·0	25·0	55·0	9 6	....	....	6·0	3	....	....	1	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

Monthly and Annual Summaries for the Year 1908, Kinmount, Ontario—Latitude, N. 44° 45′; Longitude, W. 78° 38′. Height above Sea, 920 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
					°	°		in.		in.					
January															
February	20·2	6 6	26·8	46 0	40·0	85·0	6 8								
March	32·1	10 6	21·5	48·0	21 0	69·0	21·4								
April	46·6	27·3	19·3	66·0	4·0	62·0	36·9	1·66	9						
May	65·7	45·0	20·7	81·0	23·0	58·0	55·3	3·77	11						
June	76·0	46·5	29·5	87·0	33·0	54·0	61·3	2·54	6						
July	80·4	51 6	28·8	90·0	39·0	51·0	66·0	3·19	5						
August	75 8	44·7	31·1	89·0	30·0	59·0	60·2	1·75	4						
September	73·9	40 4	33·5	84·0	28·0	56·0	57·1	1·97	5						
October	58·1	29 8	28 3	78·0	17·0	61·0	43·9	1·09	5						
November	39·6	25·1	14·5	55·0	7·0	48·0	32·4	0 79	2						
December	26 5	2·3	24 2	37·0	23·0	60·0	14·4								
Year															

Monthly and Annual Summaries for the Year 1908, Knee Hills, Alberta—Latitude, N. 51° 31′; Longitude, W. 113° 22′. Height above Sea, 2,800 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·9	0 7	29 6	47 0	25·0	72·0	14·1								
February	27·7	3 2	30·9	60·0	25·0	85·0	12·3								
March	32 3	2 8	29 5	57·0	18·0	75 0	17·6								
April	57·1	23 5	33·6	76·0	13·0	89·0	40·3	0·22	2						
May	63 8	33·0	30 8	85·5	18·0	67 5	48·4	2·23	11						
June	63·8	41·3	22·5	81·0	32·0	49·0	52·5	5·19	16					1	
July	76·1	44 5	31·6	87·0	31·5	55·5	60·3	1·11	4					1	
August															
September															
October	43·8	18 6	25·2	71·0	0·0	71·0	31 2	0 16	2						
November	45 6	11·3	34·3	77 0	20·0	97·0	28 5								
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Lacombe, Alberta—Latitude, N. 52° 28′; Longitude, W. 113° 44′. Height above Sea, 2,783 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°							in.		in.					
January	30·7	4·5	26·2	44·7	20·1	64·8	17·6								
February	29·2	4·0	25·2	55·6	18·1	73·7	16·6								
March	30·6	3·2	27·4	54·6	17·6	72·2	16·9			10·4	8		1		
April	55·2	26·3	28·9	71·6	5·1	76·7	40·7	0·26	4						1
May	64·0	37·5	26·5	84·6	27·4	57·2	50·8	2·90	15					3	2
June	63·7	43·2	20·5	79·2	30·4	48·8	53·5	8·22	20						3
July	75·1	47·3	27·8	86·3	52·7	33·6	61·2	2·10	9						1
August	69·5	42·2	27·3	86·4	41·4	45·0	55·8	2·39	14				2		2
September	65·9	33·6	32·3	85·8	14·4	71·4	49·8	0·30	5			2		4	1
October	49·1	23·9	25·2	74·8	7·4	67·4	36·5	0·41	6						
November	41·3	16·1	25·2	69·8	5·2	75·0	28·7								
December	27·6	2·8	24·8	42·6	31·5	74·1	15·2			0·3	1				
Year	50·2	23·7	26·4	86·4	31·5	117·9	36·9	16·58	73	10·7	9	2	3	7	10

MONTHLY and Annual Summaries for the Year 1908, Ladner, British Columbia—Latitude, N. 49° 5′; Longitude, W. 123° 4′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°							in.		in.					
January	43·2	35·3	7·9	55·0	17·0	38·0	39·2	5·47	11				2		
February	43·7	34·0	9·7	50·0	19·0	31·0	38·8	6·10	13	1·0	1				
March	48·9	34·9	14·0	57·0	26·0	31·0	41·9	4·35	8						
April	54·7	38·4	16·3	75·0	30·0	45·0	46·6	1·45	7						
May	59·9	41·5	18·4	65·0	35·0	30·0	50·7	3·86	12						
June	67·5	48·8	18·7	79·0	43·0	36·0	58·2	0·45	2						
July	73·3	51·8	21·5	87·0	40·0	47·0	62·5	0·67	4						
August	69·8	50·3	19·5	85·0	44·0	41·0	60·0	0·85	4						
September	62·6	44·3	18·3	72·0	26·0	46·0	53·4	0·44	4				2		
October	55·7	40·5	15·2	65·0	30·0	35·0	48·1	4·54	13				2		
November	52·8	42·5	10·3	62·0	26·0	36·0	47·6	5·76	13						
December	41·8	32·7	9·1	54·0	22·0	32·0	37·3	5·55	12						
Year	56·2	41·3	14·9	87·0	17·0	70·0	48·7	39·49	103	1·0	1		6		

MONTHLY and Annual Summaries for the Year 1908, Lakefield, Ontario—Latitude, N. 44° 25′; Longitude, W. 78° 15′. Height above Sea, 850 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Figs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	24 2	4 9	19 3	39 0	28 0	67 0	14 6	0 12	1	60 3	14				
February	22 7	0 2	22 9	42 0	28 0	70 0	11 2			33 8	10				
March	34 8	13 8	21 0	58 0	2 0	60 0	24 3	1 19	4	10 5	5				3
April	48 8	28 0	20 8	68 0	9 0	59 0	38 4	0 56	6	4 7	4				
May	62 9	46 6	16 3	83 0	30 0	53 0	54 7	4 11	15	0 9	1				
June	74 3	52 1	22 2	85 0	42 0	43 0	63 2	1 71	7						
July	78 1	60 3	17 8	91 0	51 0	40 0	69 2	2 62	8						
August	75 3	55 3	20 0	84 0	46 0	38 0	65 3	1 36	5					3	2
September	75 3	52 1	23 2	87 0	36 0	51 0	63 7	1 79	5						
October	60 3	40 0	20 3	79 0	28 0	51 0	50 1	0 54	4						
November	42 2	29 3	12 9	61 0	18 0	43 0	35 8	0 84	4	9 4	7				
December	30 7	12 9	17 8	56 0	11 0	67 0	21 8	0 09	1	26 5	15				
Year	52 4	32 9	19 5	91 0	28 0	119 0	42 7	11 96	60	146 1	56			3	5

MONTHLY and Annual Summaries for the Year 1908, Lake Talon (Calvin), Ontario—Latitude, N. 46° 15′; Longitude, W. 78° 48′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Figs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	18 2	5 8	24 0	39 8	44 5	84 3	6 2			16 0	11		1		
February	18 2	0 9	19 1	42 0	35 0	77 0	8 6			20 0	6			2	
March	31 6	10 0	21 6	58 8	19 0	77 8	20 8			3 5	1		1	5	
April	45 1	24 3	20 8	68 8	0 5	68 3	34 7	0 77	3	4 0	2			3	2
May	65 7	41 6	24 1	84 5	25 5	59 0	53 7	3 99	10	1 0	1		2		
June	77 2	45 9	31 3	87 0	30 0	57 0	61 5	0 76	6				1	1	5
July	79 1	53 0	26 1	92 0	41 2	40 8	66 0	1 96	9				7	1	
August	76 0	48 8	27 2	86 0	30 8	55 2	62 4	1 92	9				7	3	2
September	72 4	45 4	27 0	86 0	30 0	56 0	58 9	1 95	5				3	5	2
October	56 6	36 6	20 0	76 0	19 0	57 0	46 6	0 37	5	2 8	2				2
November	40 3	27 0	13 3	61 0	16 5	44 5	33 6	1 37	5	10 0	4		1	1	1
December	20 7	5 3	15 4	37 2	26 0	63 2	13 0			18 5	10				
Year	50 1	27 6	22 5	92 0	44 5	136 5	38 8	13 09	52	75 8	46		23	21	14

MONTHLY and Annual Summaries for the Year 1908, Lawrence, Alberta—Latitude, N. 50° 16 ; Longitude, W. 113° 26′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	35·6	9·9	25·7	46·0	10·0	56·0	22·7			2·5	4				
February	28·6	1·9	26·7	58·0	22·0	80·0	15·2			3·3	5				
March	35·0	9·1	25·9	60·0	14·0	74·0	22·1			10·0	12		2		
April	56·1	30·6	25·5	72·0	4·0	76·0	43·4	0·49	4	1·9	2				1
May	64·0	37·9	26·1	84·0	28·0	56·0	50·9	3·94	15				2		1
June	72·4	41·6	30·8	84·0	34·0	50·0	57·0	6·86	13					2	
July															
August															
September															
October								1·01	6	6·0	4				
November								0·06	1	0·5	1				
December	30·1	1·2	31·3	40·0	40·0	80·0	14·5			S.	2				
Year										24·2	30				

MONTHLY and Annual Summaries for the Year 1908, Lethbridge (Experimental Farm), Alberta—Latitude, N. 49° 43′ ; Longitude, W. 112° 51′. Height above Sea, 2,982 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March	37·1	10·3	26·8	63·2	13·1	76·3	23·7			7·9	7				
April	61·3	30·6	30·7	81·1	0·0	81·1	45·9	0·59	4	S.	1				
May	62·9	40·6	22·3	85·4	30·0	55·4	51·7	2·60	14						
June	67·2	45·9	21·3	86·2	38·9	47·3	56·5	7·01	15						
July	81·0	49·3	31·7	91·6	45·2	46·4	65·2	0·37	3						
August	76·6	45·5	31·1	94·9	50·8	44·1	61·1	0·90	7						
September	71·3	41·2	30·1	91·0	31·0	60·0	56·3	0·58	6	S.	1				
October	57·5	29·7	27·8	76·6	10·5	66·1	43·6	0·31	6	4·3	2				
November	51·2	22·1	29·1	73·5	8·5	65·0	36·7			S.	1				
December	39·9	9·5	30·4	67·2	28·5	95·7				3·6	2				
Year															

MONTHLY and Annual Summaries for the Year 1908, Lethbridge, Alberta—Latitude, N. 49° 42′; Longitude, W. 112° 51′. Height above Sea, 2,982 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	41·4	16·6	24·8	50·9	4·3	55·2	29·0	...	...	2·7	4	...	...	...	...
February	36·3	11·7	24·6	60·7	7·9	68·6	24·0	...	...	7·5	5	...	...	...	...
March	38·7	12·8	25·9	60·1	13·0	73·1	25·7	...	...	11·0	10	...	...	...	...
April	59·1	30·8	28·3	84·7	0·7	85·4	45·0	0·42	3	2·5	1	...	...	...	...
May	64·7	41·0	23·7	91·8	28·0	63·8	52·8	2·78	14	...	...	...	...	...	1
June	69·4	46·7	22·7	87·8	39·0	48·8	58·1	7·64	15	...	...	...	...	...	2
July	83·4	52·1	31·3	93·1	38·8	54·3	67·8	0·41	4	...	...	...	...	...	...
August	78·9	47·1	31·8	95·0	35·1	59·9	63·0	0·89	6	...	...	...	...	...	...
September	71·0	43·4	27·6	91·0	21·7	69·3	57·2	0·32	4	4·1	2	...	...	...	...
October	54·6	30·9	23·7	77·6	27·0	50·6	42·8	0·69	7	4·7	4	...	...	...	...
November	48·6	26·4	22·2	71·8	2·3	74·1	37·5	...	...	0·2	1	...	...	...	...
December	36·1	13·7	22·4	42·4	10·1	52·5	24·9	...	...	2·5	2	...	...	...	...
Year	56·9	31·1	25·8	95·0	13·0	105·1	44·0	13·15	53	35·2	29	...	...	...	3

MONTHLY and Annual Summaries for the Year 1908, Listowel, Ontario—Latitude, N. 43° 44′; Longitude, W. 80° 58′. Height above Sea, 1,262 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORÆ.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	27·8	14·9	12·9	46·0	10·0	56·0	21·4	0·86	1	...	...	...	...	...	...
February	20·5	7·0	13·5	39·0	10·0	49·0	13·7	...	...	...	...	...	...	...	...
March	34·9	17·6	17·3	52·0	5·0	47·0	26·3	1·48	2	...	...	...	...	...	...
April	48·0	27·1	20·9	72·0	9·0	63·0	37·6	1·16	5	...	...	...	...	...	...
May	...	...	...	...	...	...	...	5·88	7	...	...	...	...	...	...
June	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
July	78·7	55·2	23·5	91·0	45·0	46·0	66·9	8·70	5	...	...	...	...	...	...
August	75·5	53·6	21·9	86·0	48·0	38·0	64·6	4·42	6	...	...	...	...	...	...
September	...	...	...	...	...	...	...	0·76	2	...	...	...	...	...	...
October	...	...	...	...	...	...	...	0·51	...	...	...	...	...	...	...
November	41·6	26·8	14·8	67·0	14·0	53·0	34·2	0·19	1	20·2	7	...	...	...	...
December	28·7	15·8	12·9	36·0	3·0	39·0	22·2	...	...	17·9	7	...	...	...	...
Year	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

MONTHLY and Annual Summaries for the Year 1908, Lloydminster, Saskatchewan—Latitude, N. 53° 18′; Longitude, W. 110° 0′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	19·2	3 6	22·8	41·0	30·5	71·5	7 8	....	...	2·1	3	....	1	....	....
February	16·7	5 0	21·7	42 4	29·7	72·1	5 9		....	8·5		...	3	....	...
March	16·5	9 7	26·2	40·6	28·0	68 6	3 4		.	9 0	8	...	1	...	. .
April	46 8	24·7	22·1	73·9	10 5	84 4	35 8	0 27	3		...	...	...	...	2
May	64 7	37·6	27·1	80 1	19·2	60·9	51 2	1 90	8	..	..	.	...	..	1
June					...	.			...			..	.	.	....
July	73·1	49 7	23·4	84·3	38 2	46·1	61 4	2 22	12	.	.	.	.	....	5
August	67·7	43·7	24 0	80·5	27·6	52 9	55 7	3 29	11	.	..	.	....	....	2
September	64·5	35 2	29·3	86 2	17·2	69·0	49 8	0·55	8	S.	1	. .	2	....	....
October	46·1	23 9	22·2	72·2	10 1	62 1	35·0	0·11	3	6·0	3		.....	...	..
November	33·0	15·1	17·9	57·6	26 5	84·1	24·0	0 01	1	3·1	2	..	....	....	....
December	16 6	3 6	20 2	40·0	30·0	70·0	6·5	.	...	3·8	....	...	2	....	...
Year	.	.....	.....	...	....	..	. .	...	...	...	.	...	....	...	....

MONTHLY and Annual Summaries for the Year 1908, Lucknow, Ontario—Latitude, N. 43° 56′; Longitude, W. 81° 30′. Height above Sea, 908 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	27 6	13 9	13·7	37 9	7·1	45·0	20 8	0·41	4	37 5	15	....	. .	1	....
February	23·1	8 9	14 2	41 5	16·2	57 7	16 0	0 39	3	42 3	20	....	1	....	...
March	34 8	19 1	15·7	52 5	5 1	57 6	26·9	2 23	10	8 5	7	...	3	....	2
April	48 6	30·1	18 5	72·7	8·5	64 2	39 4	2 44	11	6 2	4	....	4	1	1
May	63 9	45·7	18 2	83·6	29·9	53 7	54 8	3 40	15	1 3	2	...	2	1	4
June	74 7	50 1	24 6	87 0	30 7	56 3	62 4	2 39	8			...	1	1	6
July	78 2	55·1	23 1	90 1	41 9	48 2	66 7	3 34	8		...	....	1	.	5
August	74 8	50 7	24 1	90 9	37·1	53 8	62 8	3 65	11		.	.	2	4	6
September	76 2	50 8	25 4	90 0	34·1	55 9	63 5	0 74	3		...	. .	.....	.....	4
October	59 6	38 4	21·2	76·2	23·9	52 3	49 0	0 96	8	3 5	1	....	1	....	1
November	43 9	31·1	12 8	59·0	21·9	37 1	37 5	1 31	9	14 7	8	....	3	..	3
December	30·5	20 0	10 5	46·0	8 1	37 9	25 2	0 52	3	34 3	21	...	2	....	...
Year	53 0	34·5	18 5	90 9	16·2	107·1	43·8	21 74	93	148 3	78	...	20	8	32

MONTHLY and Annual Summaries for the Year 1908, Macleod, Alberta—Latitude, N. 49° 44′; Longitude, W. 113° 24′. Height above Sea, 3,128 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	37·8	14·9	22·9	48·0	9·0	57·0	26·3	.....	..	5·1	3	....	....	....	....
February	31·1	10·6	20·5	54·0	7·0	61·0	20·9	..	...	7·8	8	....	....	....	....
March	34·0	12·2	21·8	55·0	16·0	71·0	23·1	..	..	17·9	12	....	....	....	....
April	55·0	33·0	22·0	72·0	6·0	66·0	44·0	0·24	2	1·0	1	....	....	....	....
May	58·6	40·7	17·9	83·0	30·0	53·0	49·6	4·71	17	....	....	....	....	....	2
June	64·7	46·0	18·7	85·5	39·0	46·5	55·4	6·83	12	..	....	....	....	....	3
July	79·4	51·2	28·2	91·0	39·0	52·0	65·3	0·77	3	.....	....	....	....	....	1
August	77·3	45·4	31·9	93·0	38·0	55·0	61·4	0·57	8	.....	....	....	....	....	3
September	68·8	42·7	26·1	91·0	21·0	70·0	55·8	0·69	4	2·0	1	....	....	....	....
October	51·4	29·4	22·0	73·0	13·0	60·0	40·4	0·49	6	3·0	2	....	....	....	....
November	46·5	24·5	22·0	68·0	4·0	72·0	35·5	....	..	1·0	1	....	....	....	....
December	35·0	11·7	23·3	45·0	19·0	64·0	23·4	..	..	0·5	1	....	....	....	....
Year	53·3	30·2	23·1	93·0	19·0	112·0	41·8	14·30	52	.....	29	....	....	....	9

MONTHLY and Annual Summaries for the Year 1908, Madoc, Ontario—Latitude, N. 44° 30′; Longitude, W. 77° 29′. Height above Sea, 575 feet.

MONTH.	TEMPERATURE							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	22·9	4·2	18·7	39·0	30·0	69·0	13·6	0·25	2	28·5	9	....	....	....	....
February	20·2	0·7	19·5	38·0	31·0	69·0	10·4	1·05	3	37·0	11	....	....	....	....
March	33·5	17·3	16·2	44·0	5·0	49·0	25·4	1·51	5	17·5	8	....	....	....	....
April	47·6	29·8	17·8	69·0	9·0	60·0	38·7	1·25	8	1·8	4	....	....	1	2
May	65·9	44·7	21·2	82·0	28·0	54·0	55·3	4·74	13	0·8	1	....	....	....	....
June	77·4	53·3	24·1	88·0	40·0	48·0	65·3	2·12	6	....	....	....	....	....	....
July	80·5	60·3	20·2	92·0	50·0	42·0	70·4	2·02	3	....	....	....	....	....	....
August	76·5	54·2	22·3	85·0	44·0	41·0	65·4	1·36	2	.....	....	....	....	....	....
September	76·9	49·3	27·6	89·0	34·0	55·0	63·1	1·37	4	....	....	....	....	3	4
October	60·1	38·5	21·6	84·0	24·0	60·0	49·3	1·04	7	.....	....	....	1	1	....
November	41·0	28·2	12·8	59·0	18·0	41·0	34·6	1·59	9	8·7	4	....	....	....	....
December	27·5	11·5	16·0	43·0	16·0	59·0	19·5	.....	....	23·6	14	....	....	....	....
Year	52·5	32·7	19·8	92·0	31·0	123·0	42·6	18·30	62	117·9	51	....	1	5	6

MONTHLY and Annual Summaries for the Year 1908, Manor, Saskatchewan—Latitude, N. 49° 43′; Longitude, W. 102° 2′. Height above Sea, 2,064 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March	31·4	1·2	30·2	46·0	37·0	83·0	16·3	R.	9	S.	1				
April	56·0	24·9	31·1	83·0	12·0	95·0	40·4								
May	67·2	34·1	33·1	95·0	18·0	77·0	50·7	R.	2	S.	2				1
June	75·1	45·9	29·2	97·0	29·0	68·0	60·5	R.	2						1
July	85·0	51·1	33·9	99·0	42·0	57·0	68·1	R.	3						
August	77·9	43·4	34·5	94·0	30·0	64·0	60·6	R.	8						
September	74·4	35·7	38·7	102·0	18·0	84·0	55·1	R.	4	S.	1				
October															
November	38·2	17·6	20·6	62·0	9·0	71·0	27·9			S.	6				
December	21·8	1·0	20·8	40·0	30·0	70·0	11·4			S.	7				
Year															

MONTHLY and Annual Summaries for the Year 1908, Massett, Queen Charlotte Islands, British Columbia—Latitude, N. 53° 58′; Longitude, W. 132° 9′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	43·9	31·3	12·6	48·0	17·0	31·0	37·6	5·52	11	3·0	2				
February	42·8	28·1	14·7	49·0	17·0	32·0	35·5	3·15	10	2·5	1				
March	47·6	31·9	15·7	51·0	19·0	32·0	39·7	3·57	9						
April	51·1	32·7	18·4	59·0	28·0	31·0	41·9	4·46	11	1·0	1				
May	55·9	38·8	17·1	64·0	32·0	32·0	47·4	3·16	18			2			
June	61·6	44·9	16·7	75·0	35·0	40·0	53·3	2·59	16						
July	68·8	49·9	18·9	77·0	43·0	34·0	59·4	2·46	11						
August	67·3	48·6	18·7	70·0	45·0	25·0	58·0	0·94	7						
September	59·0	42·4	16·6	65·0	35·0	30·0	50·7	5·06	23			3			
October	53·3	36·8	16·5	60·0	17·0	43·0	45·0	6·40	16	1·0	1				
November	50·4	35·1	15·3	55·0	28·0	27·0	42·8	2·35	18			4			
December	45·7	32·3	13·4	49·0	27·0	22·0	39·0	3·06	10	5·0	4				
Year	53·9	37·7	16·2	75·0	17·0	58·0	45·8	42·75	160	12·5	9	9			

MONTHLY and Annual Summaries for the Year 1908, Massett, Queen Charlotte Islands, British Columbia—Latitude, N. 53° 58′; Longitude, W. 132° 9′. Height above Sea, 30 feet.

MONTH	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	11	1	1	43	1	0	4	1	0							
Feburary	10	15	17	9	0	0	3	4	0							
March	16	2	0	27	0	14	1	2	0							
April	3	2	2	44	0	2	4	3	0							
May	2	0	1	14	2	7	17	3	0							
June	3	12	0	17	0	1	25	2	0							
July	2	2	0	24	0	2	20	12	0							
August	0	8	5	6	0	3	25	15	0							
September	3	3	6	17	0	9	2	4	0							
October	5	3	1	10	1	3	4	2	0							
November	1	5	6	12	0	0	1	4	0							
December	5	4	5	11	0	1	1	5	0							
Year	61	57	44	234	4	42	107	57	0							

MONTHLY and Annual Summaries for the Year 1908, Meota, Saskatchewan—Latitude, N 52° 0′; Longitude, W. 108° 20′. Height above Sea 1,700 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	19·7	8·9	28·6	46·0	39·0	85·0	5·4			1·5	3			3	
February	20·3	5·4	25·7	43·0	25·0	68·0	7·5			14·0	2	2	3	1	
March	17·6	10·4	28·0	43·7	31·0	74·7	3·6			15·0	5			9	
April	49·4	26·0	23·4	79·0	9·0	88·0	37·7	0·27	3					1	
May	67·8	37·6	30·2	82·8	18·0	64·8	52·7	0·86	6				1	2	
June	66·7	45·3	21·4	87·0	27·5	59·5	56·0	5·04	13						5
July	77·3	48·8	28·5	96·0	36·0	60·0	63·1	1·71	8				1		4
August	70·3	42·8	27·5	85·0	28·0	57·0	56·5	2·55	11					6	
September	65·6	35·8	29·8	88·0	15·0	73·0	50·7	1·02	6					8	
October	46·3	23·4	22·9	74·0	10·0	64·0	34·9	0·46	1	1·5	1				
November	31·5	12·2	19·3	50·0	31·0	81·0	21·8	0·08	1	9·0				1	
December	12·6	8·6	21·2	38·0	36·0	74·0	2·0			2·0	1			1	
Year	45·4	19·9	25·5	96·0	39·0	135·0	32·7	11·99	50	43·0	11	2	5	32	9

MONTHLY and Annual Summaries for the year 1908, Moncton, New Brunswick—Latitude, N. 46° 9′; Longitude, W. 64° 45′. Height above Sea, 50 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	30·4	5·7	24·7	52·0	14·0	66·0	18·0	1·55	3	12·5	5	...	...	...	....
February	28·3	4·2	24·1	52·5	17·0	69·5	16·3	1·17	3	14·7	4	....	2	..	....
March	34·6	15·6	19·0	51·0	12·0	63·0	25·1	1·42	5	4·2	4	.	.	...	....
April	43·9	26·0	17·9	72·0	13·0	59·0	35·0	1·50	5	13·0	4	1	..	....	1
May	61·7	40·2	21·5	77·0	29·0	48·0	50·9	3·23	9	.	...	.	.	....	..
June	72·4	48·9	23·5	89·0	34·0	55·0	60·6	2·31	7	.	.	...	..	..	2
July	79·1	54·2	24·9	90·0	39·0	51·0	66·6	2·66	8	.	.	..	.	.	1
August	72·7	50·8	21·9	82·5	36·0	46·5	61·8	4·11	9	.	.	...	..		
September	69·9	45·9	24·0	80·0	30·0	50·0	57·9	1·37	6	....	...	....	1	...	....
October	58·1	36·1	22·0	74·0	23·0	51·0	47·2	3·49	4	0·2	1	....	1	...	1
November	40·8	27·3	13·5	56·0	15·0	41·0	34·1	0·65	3	1·2	4	.....	.....	...	....
December	28·8	7·6	21·2	51·0	10·0	61·0	18·2	1·29	3	3·5	4	.....	.....	....	....
Year	51·7	30·2	21·5	90·0	17·0	107·0	41·0	24·75	65	49·3	26	1	4	....	5

MONTHLY and Annual Summaries for the Year 1908, Meaford, Ontario—Latitude, N. 44° 37′; Longitude, W. 80° 37′. Height above Sea, 600 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	27·7	13·5	14·2	41·0	9·0	50·0	20·6	0·15	1	33·5	12	....	....	..	..
February	23·5	3·6	19·9	42·0	21·0	63·0	13·6	.....	...	38·0	11	....	....	....	....
March	35·0	18·7	16·3	55·0	0·0	55·0	26·8	1·76	7	13·0	7	....	....	...	2
April	47·0	30·9	16·1	72·0	13·0	59·0	39·0	1·81	11	1·0	1	...	..	.	1
May	59·6	43·0	16·6	85·0	27·0	58·0	51·3	2·69	11	..	....	....	4	.	4
June	72·9	53·9	19·0	90·0	42·0	48·0	63·4	3·75	9	.....	..	....	....	....	...
July	78·0	59·6	18·4	90·0	50·0	40·0	68·8	4·26	8	....	..	...	....	1	4
August	76·6	55·7	20·9	89·0	45·0	44·0	66·2	2·46	5	.....	....	.	...	2	....
September	71·2	53·4	20·8	88·0	40·0	48·0	63·8	1·04	4	..	..	....	....	1	..
October	59·3	43·7	15·6	77·0	32·0	45·0	51·5	0·57	4	...	..	....	1	....	....
November	43·8	33·1	10·7	63·0	24·0	39·0	38·5	0·05	1	6·0	3	....	....	....	...
December	33·7	21·8	11·9	58·0	9·0	49·0	27·8		...	17·0	9	....	.	....	.
Year	52·6	35·9	16·7	90·0	21·0	111·0	44·3	18·54	61	108·5	43	..	5	4	11

Monthly and Annual Summaries for the Year 1908, Meaford, Ontario—Latitude, N. 44° 37′; Longitude, W. 80° 37′. Height above Sea, 600 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%		%	%
January	5	3	3	1	2	32	6	10	0							
February	6	3	7	8	2	19	8	5	0							
March	4	2	11	2	5	22	8	8	0							
April	15	3	5	2	5	14	7	9	0							
May	5	11	8	5	1	13	7	3	0							
June	13	8	3	0	0	27	7	2	0							
July	2	2	5	1	1	11	7	2	0							
August	0	1	2	1	0	0	24	3	0							
September	1	1	3	0	1	0	20	0	4							
October	2	2	2	0	0	2	11	6	6							
November	1	0	0	0	0	5	14	5	5							
December																
Year																

Monthly and Annual Summaries for the Year 1908, Midland, Ontario—Latitude, N. 44° 44′; Longitude, W. 79° 53′. Height above Sea, 753 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January																		
February																		
March	25·2	35·1	28·0				58·0	5·0										
April	36·4	48·1	39·4				72·0	15·0										
May	55·8	65·7	56·1				90·0	35·0										
June	63·4	77·5	62·9				90·0	50·0										
July	69·2	82·8	69·6				95·0	55·0										
August	68·9	78·2	66·7				90·0	58·0										
September	64·7	76·0	62·2				90·0	48·0										
October	44·7	59·1	47·3				82·0	30·0										
November	36·7	45·1	39·8				62·0	25·0										
December	23·9	30·8	25·9				46·0	6·0										
Year																		

Monthly and Annual Summaries for the Year 1908, Midland, Ontario—Latitude, N. 44° 44′; Longitude, W. 79° 53′. Height above Sea, 753 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January										20·5	6					
February										33·0	11					
March										4·0	2	1	2		2	
April								2·89	10				6		2	
May								4·39	9					2	4	
June								1·80	6				2		2	
July								3·96	5						3	
August								3·67	4						2	
September								1·95	5						3	
October								0·64	5	0·8	1					
November								0·87	3	10·3	5					
December										40·0	13					
Year								20·17	47	108·6	38	1	10	2	18	

Monthly and Annual Summaries for the Year 1908, Morden, Manitoba—Latitude N. 49° 11′; Longitude, W. 98° 6′. Height above Sea, 978 feet.

Month.	Temperature.							Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
								in.		in.					
January	26·0	2·0	24·0	52·0	36·0	88·0	14·0			3·9	6				
February	20·8	1·6	22·4	45·0	26·0	71·0	9·6	0·07	2	24·3	12				
March	25·8	0·4	26·2	46·0	24·5	70·5	12·7	0·30	1	15·0	13	1			
April	55·3	25·2	30·1	81·0	1·5	79·5	40·3	0·81	2	9·0	3	2			
May	61·8	36·3	25·5	83·0	18·0	65·0	49·1	2·52	10	0·5	1				1
June	71·6	47·7	23·9	88·5	31·5	57·0	59·6	3·60	15			2			3
July	78·7	51·9	26·8	92·5	36·0	56·5	65·3	7·10	7						
August	75·7	47·4	28·3	91·0	36·0	55·0	61·5	2·27	7						
September	72·1	43·8	28·3	92·0	24·5	67·5	58·0	0·53	6	0·8	1				
October	51·7	29·8	21·9	78·0	12·5	65·5	40·8	1·73	7	3·9	2				
November	38·7	18·6	20·1	62·5	5·0	67·5	28·7	0·15	2	9·2	9				
December	22·2	0·5	21·7	43·0	26·0	69·0	11·3			9·8	8				
Year	50·0	25·1	24·9	92·5	36·0	128·5	37·6	19·08	59	76·4	55	5			4

Monthly and Annual Summaries for the Year 1908, Moose Jaw, Saskatchewan—Latitude, N. 50° 21′; Longitude, W. 105° 35′. Height above Sea, 1,745 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroræ.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°							in.		in.					
January	20·9	1·2	19·7	40·0	25·0	65·0	11·1							2	
February	19·2	0·7	19·9	42·0	29·0	71·0	9·3					3			
March	20·2	2·5	17·7	42·0	17·0	59·0	11·3					2		2	
April	51·3	26·5	24·8	84·0	14·0	98·0	38·9	0·49	3			1		1	1
May															
June															
July															
August															
September															
October															
November															
December															
Year															

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%		%
January	6	0	1	0	5	2	17	8	23							
February	6	0	0	2	2	3	15	7	23							
March	11	1	5	2	1	3	9	11	19							
April	11	0	0	6	5	4	19	7	8							
May																
June																
July																
August																
September																
October																
November																
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Moosomin, Saskatchewan—Latitude, N. 50° 0′; Longitude, W. 101° 37′. Height above Sea, 1,884 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°		°	°	°	°	°	in.		in.					
January	18·4	0·9	17·5	43·0	34·0	77·0	9·6								
February	17·3	1·2	16·1	39·0	23·0	62·0	9·2								
March	20·7	1·8	18·9	42·0	26·0	68·0	11·3								
April															
May															
June															
July	75·2	50·5	24·7	86·0	40·0	46·0	62·9	2·71	4						
August	73·2	42·2	31·0	82·0	31·0	51·0	57·7	0·38	1						
September	68·4	35·9	32·5	87·0	20·0	67·0	52·2	0·31	1						
October	46·9	27·8	19·1	71·0	10·0	61·0	37·3	1·05	1						
November	33·0	18·3	14·7	59·0	14·0	73·0	25·7								
December															
Year															

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	0	0	0	2	1	9	10	9	0							
February	0	0	4	7	0	11	3	4	0							
March	0	0	4	11	1	4	2	9	0							
April																
May																
June																
July				8	1	10		10								
August	0	0	0	4	7	6	7	6	0							
September	0	0	0	4	7	6	7	6	0							
October	0	0	1	23	0	0	5	1	0							
November	0	2	0	5	0	4	5	14	0							
December																
Year																

MONTHLY and Annual Summaries for the Year 1908, Nelson, British Columbia—Latitude, N. 49° 29′; Longitude, W. 117° 21′. Height above Sea, 1,760 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°							in.		in.					
January	34·3	22·5	11·8	41·0	1·0	42·0	28·4	1·20	3	21·9	12	..	..	..	1
February	37·2	23·6	13·6	44·0	2·0	46·0	30·4	0·20	2	27·4	14	..	..	..	1
March	45·2	28·7	16·5	56·0	13·0	43·0	36·9	1·13	6	13·4	8	..	..	2	1
April	57·6	36·2	21·4	70·0	19·0	51·0	46·9	1·91	10	2·0	1	..	..	..	1
May	63·5	42·8	20·7	76·0	34·0	42·0	53·2	2·41	12	..	..	..	..	..	..
June	71·6	47·0	24·6	84·0	41·0	43·0	59·3	1·90	9	..	..	..	..	..	2
July	79·6	52·6	27·0	90·0	40·0	50·0	66·1	1·45	7	..	..	..	..	..	5
August	78·7	50·2	28·5	90·0	41·0	49·0	64·5	0·79	7	..	..	..	..	..	1
September	69·1	44·9	24·2	84·0	29·0	55·0	57·0	0·98	3	..	..	..	..	4	1
October	56·9	36·0	20·9	69·0	29·0	40·0	46·5	2·32	7	..	..	..	..	..	..
November	48·3	33·9	14·4	56·0	9·0	47·0	41·1	1·30	8	5·0	2	..	..	..	..
December	32·9	24·1	8·8	42·0	6·0	36·0	28·5	0·32	1	20·5	8	..	..	..	..
Year	56·2	36·9	19·3	90·0	2·0	92·0	46·6	15·91	75	90·2	45	..	..	6	13

MONTHLY and Annual Summaries for the Year 1908, Nicola Lake, British Columbia—Latitude, N. 50° 9′; Longitude, W. 120° 39′. Height above Sea, 2,120 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	29·3	16·3	13·0	42·0	11·5	53·5	22·8	0·11	1	5·3	9	..	1	..	..
February	28·6	14·2	14·4	48·0	14·0	62·0	21·4	0·04	1	9·2	9	..	1	..	..
March	40·0	23·8	16·2	54·0	6·5	60·5	31·9	0·02	1	2·1	5	..	..	1	..
April	54·8	33·4	21·4	71·0	18·0	53·0	44·1	0·03	1	..	..	..	..	..	..
May	61·6	38·5	23·1	72·5	32·0	40·5	50·1	1·11	8	..	..	..	..	..	..
June	70·7	45·2	25·5	81·0	37·0	44·0	58·0	0·24	4	..	..	..	..	..	..
July	77·2	50·0	27·2	91·0	37·0	54·0	63·6	0·39	2	..	..	..	..	..	1
August	75·3	48·3	27·0	86·0	37·0	49·0	61·8	1·54	6	..	..	..	..	..	1
September	64·5	40·1	24·4	80·0	24·0	56·0	52·3	0·26	4	..	..	..	..	..	..
October	54·1	33·4	20·7	73·0	25·0	48·0	43·8	0·53	1	..	..	..	1	..	..
November	47·5	31·9	15·6	66·0	9·5	56·5	39·7	0·31	3	..	..	..	..	..	..
December	29·5	16·7	12·8	46·0	1·0	45·0	23·1	0·22	2	10·0	5	..	..	..	..
Year	52·7	32·6	20·1	91·0	14·0	105·0	42·7	4·80	37	26·6	28	..	3	1	2

MONTHLY and Annual Summaries for the Year 1908, North Bruce, Ontario—Latitude, N. 44° 23′; Longitude, W. 81° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE OF THE AIR.									DIRECTION OF WIND FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°		°												
January	20·7	25·2	22·7				35·0	3·0		4	8	6	11	20	16	13	15	0
February	13·8	21·6	17·3				37·0	15·0		7	7	26	9	9	1	17	10	1
March	25·4	33·7	27·4				50·0	8·0		3	2	18	5	22	17	13	13	0
April	37·6	46·6	38·0				72·0	20·0		5	4	10	7	20	15	8	21	0
May	51·3	63·8	53·3				85·0	35·0		6	7	20	8	19	12	11	10	0
June	61·2	73·6	59·5				88·0	45·0		2	1	0	6	35	13	30	3	0
July	63·8	77·3	62·6				90·0	50·0		1	3	4	4	20	19	24	18	0
August	61·3	76·7	60·6				90·5	45·0		1	2	9	10	27	21	15	8	0
September	58·1	77·0	60·0				94·0	40·0		0	5	6	3	42	13	10	11	0
October	44·4	61·1	47·0				81·0	32·0		4	6	4	9	39	5	10	16	0
November	37·4	43·6	39·0				65·0	23·0		2	0	1	11	17	21	20	18	0
December	26·4	29·2	26·0				37·0	10·0		2	4	20	2	10	21	20	14	0
Year	41·8	52·4	42·8				94·0	15·0		37	49	124	85	280	174	191	157	1

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%			%									
January								0·23	2	18·0	15					
February										22·5	14					
March								0·59	4	8·2	10	1			1	
April								2·07	14					1	1	
May								2·42	11			3	4			
June								2·78	8				2			
July								1·83	9			2			2	
August								1·68	6					3	2	
September								1·18	2							
October								1·00	9			1				
November								2·06	10	2·5	1	2	9			
December								0·21	3	26·7	20					
Year								16·05	78	77·9	60	9	15	4	6	

Monthly and Annual Summaries for the Year 1908, North Gower, Ontario—Latitude, N. 45° 8′; Longitude, W. 75° 43′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	25·8	6·0	26·2	45·0	28·0	73·0	12·6	0·61	3						
February	19·0	1·9	20·9	39·0	40·0	79·0	8·5	1·36	3				2		
March	34·8	13·4	21·4	47·5	13·5	61·0	24·1	1·78	7						
April	47·4	28·9	18·5	72·0	7·0	65·0	38·1	1·37	9						
May	67·8	47·2	20·6	85·5	32·5	53·0	57·5	5·47	15						2
June	78·1	52·4	25·7	90·5	31·5	59·0	65·3	3·61	7						
July	82·7	58·7	24·0	96·5	47·5	49·0	70·7	2·95	14						
August	80·1	51·5	28·6	90·5	39·0	51·5	65·8	1·68	7				2		
September								1·70	6				9		3
October	62·6	35·8	26·8	82·5	22·5	60·0	49·2	1·70	5				9	2	
November	47·6	31·9	15·7	68·0	16·5	51·5	39·7	1·46	8				3		
December								0·15	1				1		
Year								23·84	85						

Monthly and Annual Summaries for the Year 1908, North Nicomen, British Columbia—Latitude, N. 49° 12′; Longitude, W. 122° 2′. Height above Sea, 59 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	43·2	32·6	10·6	54·0	25·0	29·0	37·9	7·84	19	S.			3		
February	44·0	31·8	12·2	53·0	15·0	38·0	37·9	5·91	13	0·5	1	1			
March	49·6	35·5	14·1	58·0	24·0	34·0	42·6	10·85	15					1	
April	58·2	39·6	18·6	77·0	30·0	47·0	48·9	5·66	11						
May	61·9	43·5	18·4	70·0	38·0	32·0	52·7	3·41	15						
June	69·6	49·7	19·9	87·0	44·0	43·0	59·7	1·62	8			1			
July	77·6	53·8	23·8	93·0	43·0	50·0	65·7	1·16	7						1
August	76·0	51·9	24·1	99·0	44·0	55·0	63·9	2·33	6						1
September	65·5	46·0	19·5	78·0	31·0	47·0	55·8	0·81	7						
October	57·3	41·9	15·4	72·0	30·0	42·0	49·6	6·57	14						1
November	52·8	40·4	12·4	68·0	28·0	40·0	46·6	9·41	15						1
December	41·6	31·0	10·6	51·0	20·0	31·0	36·3	8·06	14			2	1		
Year	58·1	41·5	16·6	99·0	15·0	84·0	49·8	63·63	144	0·5	1	4	4	1	4

MONTHLY and Annual Summaries for the Year 1908, Oakbank, Manitoba.—Latitude, N. 49° 57′; Longitude, W. 96° 42′. Height above Sea, 740 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	15·1	3·0	18·1	40·0	39·0	79·0	6·0	....	....	6·0	4	....	....	....	....
February	16·9	1·1	15·8	41·7	31·0	72·7	9·0	0·35	1	18·0	5	..	....	....	....
March	20·3	0·7	21·0	39·5	31·0	70·5	9·8	....	....	11·0	4	1	....	1	....
April	48·4	28·1	20·3	72·0	3·0	75·0	38·3	1·02	3	8·0	1	....	....	....	....
May	62·0	39·6	22·4	82·0	25·3	56·7	50·8	3·79	6	....	..	....	....	....	1
June	69·2	49·6	19·6	84·0	34·5	49·5	59·4	2·16	13	....	....	....	....	....	6
July	76·0	51·9	24·1	88·0	36·5	51·5	63·9	1·92	6	....	....	....	....	....	1
August	70·9	48·2	22·7	87·0	36·0	51·0	59·6	2·35	10	....	....	....	....	1	4
September	67·3	46·3	21·0	87·0	28·0	59·0	56·8	1·90	4	2·6	2	....	....	5	4
October	48·9	34·9	14·0	67·0	21·0	46·0	41·9	2·24	5	....	....	....	....	....	2
November	33·1	21·9	11·2	49·0	25·0	74·0	27·5	....	....	8·0	3	....	....	....	....
December	15·7	0·9	14·8	35·0	26·0	61·0	8·3	..	....	7·0	3	....	....	....	....
Year	45·3	26·6	18·7	87·0	39·0	126·0	35·9	15·73	48	60·6	22	1	....	7	....

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
January	3	1	0	1	7	9	2	8	0	..	..	....	....	....	....	....
February	3	6	0	4	1	3	1	10	1	....	....	....	....	....	....	....
March	6	5	0	6	2	6	1	5	0	....	....	....	....	....	....	....
April	7	2	1	2	4	3	3	8	0	....	....	....	....	....	....	....
May	5	10	5	4	0	5	0	2	0	....	....	....	....	....	....	....
June	1	0	4	1	5	6	7	5	1	....	....	....	....	....	....	....
July	3	1	0	4	1	10	3	8	1	....	....	....	....	....	....	....
August	6	0	1	1	1	2	11	9	0	....	....	....	....	....	....	....
September	4	2	0	2	3	7	5	6	1	....	....	....	....	....	....	....
October	4	1	0	4	1	9	1	9	2	....	....	....	....	....	....	....
November	2	3	0	0	1	11	2	11	0	....	....	....	....	....	....	....
December	4	0	0	2	3	7	4	11	0	....	....	....	....	....	....	....
Year	48	31	11	31	29	78	40	92	6	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Orillia, Ontario—Latitude, N. 44° 34′; Longitude, W. 79° 24′ Height above Sea, 775 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	27·8	7·4	20·4	41·0	25·0	66·0	17·6	....	...	34·0	11	...	....	...	.
February	21·8	2·1	19·7	44·0	26·5	70·5	12·0	.....	..	24·0	9	5	1	..	..
March	35·9	18·2	17·7	50·0	2·0	48·0	27·0	R	5	.	....	..	....	..	1
April	48·8	30·3	18·5	67·0	9·0	58·0	39·6	0·80	1	2·0	1	2	....	.	2
May	66·1	47·8	18·3	83·0	29·0	54·0	57·0	2·60	8	.	.	..	..	..	3
June	77·7	54·8	22·9	91·0	42·0	49·0	66·2	1·91	4	....	.	..	...	.	4
July	78·9	60·3	18·6	91·5	49·0	42·5	69·6	3·78	5	.	...	..	.	....	4
August	75·6	56·5	19·1	84·0	44·5	39·5	66·1	2·56	5	...	.	..	....	.	4
September	75·2	52·8	22·4	88·0	37·0	51·0	64·0	1·31	4	....	.	.	6	....	2
October	60·8	39·7	21·1	78·0	24·0	54·0	50·2	0·27	1	.	..	.	1	.	1
November	45·4	30·9	14·5	62·0	15·0	47·0	38·2	2·42	8	3·5	2	...	.	...	.....
December	31·6	16·4	15·2	52·0	4·0	56·0	24·0	.....	....	22·5	9	.	..	...	.....
	53·8	34·8	19·0	91·5	26·5	118·0	44·3	15·65	41	86·0	32	7	8	...	21

MONTH.	WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%			
January	4	1	0	2	10	5	0	7	0		..	....			...	... ..
February	2	0	1	1	4	2	4	14	0	.....		....	...	...		.....
March	2	0	3	2	7	8	5	3	1	.....	.....		....		.	.. .
April	1	1	1	1	9	4	4	9	0	...	...					
May	0	4	0	5	8	3	2	5	4		.	...	...		...	
June	2	0	0	0	10	3	3	6	3	.	...	.	...	...		
July	0	0	1	0	10	2	3	13	2	.	.....	...			.	
August											..		...	.	....	
September	0	1	0	2	4	3	11	6	3	...	...		...			
October	1	0	1	5	7	2	4	10	1	...		...				
November										...		....	...	...		.
December	1	0	3	0	3	6	5	13	0	...	...			....	.	...
Year											.	.....	....			..

MONTHLY and Annual Summaries for the Year 1908, Otonabee, Ontario—Latitude, N. 44° 20′ ; Longitude, W. 78° 18′. Height above Sea, 674 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°		°	°	°												
January	14·4	21·6	18·9				40·0	30·0		0	4	15	5	0	26	23	18	2
February	9·5	19·6	14·3				40·0	26·0		1	0	22	5	1	13	8	33	4
March	24·0	32·0	27·6				50·0	7·0		0	4	15	8	0	22	17	27	0
April	33·7	47·2	39·9				69·0	13·0		4	7	15	6	1	16	21	17	0
May	50·6	60·7	56·2				83·0	34·0		1	2	24	17	5	6	19	16	3
June	57·8	76·4	65·1				85·0	45·0		1	2	5	3	6	40	16	17	0
July	63·1	81·0	68·6				91·0	52·0		0	1	9	3	3	58	5	14	0
August	58·6	76·4	62·3				90·0	45·0		1	2	15	1	2	24	18	29	1
September	55·0	74·4	63·3				86·0	41·0		0	9	9	7	0	43	12	10	0
October	44·1	58·1	50·0				75·0	29·0		4	3	12	14	1	10	10	10	29
November	34·1	42·5	38·8				58·0	20·0		0	0	6	4	1	38	22	16	0
December	22·1	28·1	24·0				46·0	5·0		5	2	13	5	0	16	36	13	0
Year	38·9	51·5	44·1				91·0	30·0		17	36	160	78	20	312	207	220	39

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurore.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%										
January										26·3	6					
February								0·62	2	20·0	6					
March								1·96	6	7·5	3					
April								1·41	6	3·4	4					
May								3·56	9						2	
June								2·08	6						4	
July								3·25	6			2			3	
August								1·37	4							
September								0·95	2			3				
October								0·20	3			3				
November								1·11	6	9·5	7					
December								0·39	2	11·0	10					
Year								16·90	52	80·7	38	8			9	

Monthly and Annual Summaries for the Year 1908, Owen Sound, Ontario—Latitude, N. 44° 34′ ; Longitude, W. 80° 55′. Height above Sea, 597 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·0	14·1	13·9	42·0	7·0	49·0	21·1	0·16	3	51·2	15	..	..	..	..
February	25·1	6·7	18·4	43·0	22·0	65·0	15·9	0·03	1	49·0	16	....	1	..	...
March	36·7	20·7	16·0	54·0	2·0	56·0	28·7	1·70	5	11·8	8	...	..	.	1
April	49·2	32·0	17·2	74·0	14·0	60·0	40·6	1·79	9	2·8	3	...	..		1
May	65·6	44·1	21·5	90·0	26·0	64·0	54·8	3·33	11	....			3		2
June	76·6	51·8	24·8	91·0	36·0	55·0	64·2	3·85	9		...		.		5
July	80·8	57·2	23·6	94·0	47·0	47·0	69·0	3·15	7	.	..		..		4
August	77·7	52·8	24·9	90·0	40·0	50·0	65·2	3·19	8	...	..	...	...	..	.
September	76·6	50·4	26·2	91·0	37·0	54·0	63·5	1·89	4	.....	....	.		...	....
October	61·3	40·3	21·0	78·0	26·0	52·0	50·8	0·60	8	...	....		.....	...	1
November	46·6	32·9	13·7	63·0	20·0	43·0	39·7	1·53	4	7·0	3	....	3		1
December	32·8	21·6	11·2	41·0	6·0	47·0	27·2	0·08	2	68·5	20		..		....
Year	54·8	35·4	19·4	94·0	22·0	116·0	45·0	21·30	71	190·3	65	..	7	....	15

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
January	7	7	2	9	32	12	5	19	0						.....	
February	9	11	4	14	16	15	2	16	0	.						.
March	5	7	5	7	24	13	6	26	0	....	.		. .			
April	6	12	4	11	11	20	10	16	0		. .	...				. . .
May	12	17	4	14	9	8	5	24	0		.					....
June	12	3	1	14	16	9	7	28	0			.	. .			
July	16	5	0	11	14	10	10	27	0	.	.			..		. .
August	15	4	1	17	22	3	9	25	0					..	.	. . .
September	7	2	2	10	20	5	10	18	3		.					. . .
October	12	10	2	15	16	17	2	14	0					.		
November	3	6	1	10	31	15	5	25	0							. . .
December	2	6	2	13	23	15	13	16	0							.
Year	106	84	28	145	234	142	81	254	3							

MONTHLY and Annual Summaries for the Year 1908, Pakan, Alberta—Latitude, N. 54° 0′; Longitude, W. 112° 31′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°							in.		in.					
January	22·8	3·1	25·9	40·0	32·0	72·0	9·9			3·0	5				
February	24·0	2·0	26·0	50·0	26·0	76·0	11·0			9·3	8				
March	23·4	6·3	29·7	47·7	33·5	81·2	8·6			13·5	12	1		2	
April	50·7	26·1	24·6	67·5	16·3	51·2	38·4	2·05	5	0·5	1			1	1
May	61·6	39·5	25·1	82·3	25·0	57·3	52·1	1·84	14					2	1
June	64·7	42·5	22·2	78·0	31·0	47·0	53·6	4·48	17				1		5
July	74·0	47·8	26·2	87·2	39·0	48·2	60·9	2·03	11						6
August															
September	63·1	34·9	28·2	79·5	16·0	63·5	49·0	6·30	10	8·0	2				
October	48·5	23·0	25·5	71·1	2·0	69·1	35·7	3·10	5	6·6	4			3	
November	34·3	14·2	20·1	55·0	28·0	83·0	24·2	2·40	1	6·0	1		3	3	
December	22·5	6·6	29·1	43·4	41·5	84·9	8·0			5·8	8		2		
Year										52·7	41				

MONTHLY and Annual Summaries for the Year 1908, Paris, Ontario—Latitude, N. 43° 12′; Longitude, W. 80° 25′. Height above Sea, 840 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroræ.	Thunder Storms.
	°							in.		in.					
January	30·9	14·1	16·5	40·0	12·0	52·0	22·7	0·54	3	8·0	5				
February	25·9	8·3	17·6	40·0	22·0	62·0	17·1	1·48	1	35·0	11				
March	40·0	22·4	17·6	61·0	1·0	62·0	31·2	2·00	7	11·5	4				2
April	50·9	33·4	17·5	74·0	19·0	55·0	42·2	2·13	11						
May	66·8	47·2	19·6	88·0	27·0	61·0	57·0	4·24	10						3
June	80·7	54·3	26·4	90·0	41·0	49·0	67·5	2·17	8						4
July	82·1	59·6	22·5	93·0	50·0	43·0	70·8	4·36	9						4
August	78·1	55·6	22·5	93·0	43·0	50·0	66·9	3·20	7						2
September	78·5	49·9	28·6	92·0	33·0	59·0	64·2	0·71	2						
October	61·7	38·3	23·4	80·0	25·0	55·0	50·0	1·56	7						
November	45·7	30·9	14·8	60·0	25·0	35·0	38·3	1·68	7	1·0	1				1
December	33·6	20·8	12·8	54·0	2·0	56·0	27·2	0·95	2	9·8	8				
Year	56·2	36·3	19·9	93·0	22·0	115·0	46·3	25·02	74	65·3	29				16

MONTHLY and Annual Summaries for the Year 1908, Parrsboro', Nova Scotia—Latitude, N. 45° 23′; Longitude, W. 64° 19′. Height above Sea, 40 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
								in.		in.					
January.															
February.	28·7	5·6	23·1	51·0	18·0	69·0	17·1								
March	33·9	15·2	18·7	45·0	4·0	49·0	24·5								
April	42·6	24·5	18·1	60·0	11·1	49·0	33·5								
May.	57·8	35·0	22·8	69·0	20·0	49·0	46·4								
June.															
July.	75·9	49·2	26·6	86·0	40·0	46·0	62·5								
August.	68·4	44·6	23·8	79·0	25·0	54·0	56·5								
September.	68·3	43·8	24·5	73·0	39·0	34·0	56·1								
October.	60·6	33·5	27·1	69·0	22·0	47·0	47·0								
November.	45·3	26·7	18·6	60·0	21·0	39·0	36·0								
December.	30·9	7·4	23·5	52·0	6·0	58·0	19·1								
Year															

MONTHLY and Annual Summaries for the Year 1908, Peace River Landing, Alberta—Latitude, N. 56° 15′; Longitude, W. 117° 15′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
								in.		in.					
Jannary.	17·1	4·0	22·0	40·0	30·0	70·0	6·1			1·0	1			1	
February	26·1	0·1	26·2	51·0	33·0	84·0	13·0			2·3	4			1	
March	26·5	2·6	29·1	50·0	26·0	76·0	11·9			12·0	7			6	
April	52·9	25·3	27·6	61·5	1·0	62·5	39·1	0·21	2						
May.	68·6	37·7	30·9	80·0	29·0	51·0	53·2	1·33	5				2		1
June	66·4	43·6	22·8	85·0	32·0	53·0	55·0	2·92	9						2
July.	76·1	46·9	29·2	93·5	37·0	55·5	61·5	2·38	7				1		1
August.	71·7	45·4	26·3	85·0	36·0	49·0	58·6	1·84	7				2	1	1
September.	62·0	36·0	26·0	76·0	14·0	62·0	49·0	1·35	6					2	1
October.	49·8	26·9	22·9	68·0	9·0	77·0	38·4	0·25	3	3·8	2				
November	26·5	8·8	17·7	46·5	20·0	66·5	17·7			1·5	2				
December.	13·7	5·8	19·5	45·0	39·0	84·0	3·9			6·5	4				
Year	46·4	21·4	25·0	93·5	39·0	132·5	33·9	10·28	39	27·1	20		5	11	6

MONTHLY and Annual Summaries for the Year 1908, Pekisko, Alberta—Latitude, N. 50° 26′; Longitude, W. 114° 14′. Height above Sea, 3,394 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	37·6	13·9	23·7	49·0	9·0	58·0	25·7			4·5	4				
February	32·6	6·6	26·0	55·0	21·0	76·0	19·6			4·0	2				
March	35·0	7·1	27·9	55·0	21·0	76·0	21·1			12·0	9				
April	54·0	27·2	26·8	70·0	6·0	71·0	40·6	0·56	1	3·3	3				
May	56·4	36·0	20·4	73·5	22·0	51·5	46·2	5·24	19						
June	62·4	39·2	23·2	79·0	28·0	51·0	50·8	8·62	15						1
July	77·2	43·3	33·9	95·0	30·0	65·0	60·3	0·87	6				1		4
August	68·7	38·8	29·9	84·0	29·0	55·0	53·7	1·48	9						4
September	65·1	35·5	29·6	85·0	11·5	73·5	50·3	0·14	2	2·8	2				
October	51·9	27·7	24·2	72·0	3·0	69·0	39·8	0·37	2	1·5	1		1		
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Pelee Island, Ontario—Latitude, N. 41° 50′; Longitude, W. 82° 39′. Height above Sea, 585 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May															
June															
July															
August															
September	70·1	62·3	7·8	79·5	54·0	25·5	66·2	0·00							
October	60·5	51·4	9·1	68·5	41·0	27·5	55·9	0·72	2				9		
November	43·1	34·5	8·6	54·5	21·0	33·5	38·8	0·59	3						
December	31·8	23·6	8·2	39·5	16·0	23·5	27·7	0·27	1	2·0	1				
Year															

MONTHLY and Annual Summaries for the Year 1908, Pemberton Hatchery, British Columbia—Latitude, N. 50° 20′; Longitude, W. 122° 33′. Height above Sea, 625 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March															
April															
May								2 40	13						
June								0 88	8						
July	81 3	48 3	33·0	97·0	40 0	37·0	64 8	1 57	6						
August	80 4	48 7	31 7	95 5	42·0	53 5	64·6	0 47	5					1	
September	64 8	40 6	24 2	76·0	24 0	52·0	52 7	1·38	9					2	
October	53 2	35 2	18·0	66·0	22 0	44 0	44·2	3 73	17						
November	43 9	34·7	9 2	55·0	22·0	33 0	39 3	11·75	17						
December	33 8	23 2	10 6	42 0	12 0	30·0	28 5	1 89	6	21·3	6				
Year															

MONTHLY and Annual Summaries for the Year 1908, Pembina, Alberta—Latitude, N. 54° 12′; Longitude, W. 114° 0′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March	28 9	6·0	34 9	52 5	25·1	77 6	11·4			6·0	1			1	
April	51 4	27·3	24·1	66 5	15·0	51 5	39 4	0·36	1						
May	65 5	37·8	27 7	82 0	10·0	72 0	51·7	1·25	5						
June	67 2	43·5	21 7	80 0	27·5	52 5	54·4	5 61	8						
July	75 4	48 1	27·0	85 0	36 5	48 5	61·9	1·34	3						
August	68 9	43 7	25 2	81·0	26 0	55·0	56·3	4 40	5						
September	65 3	33 7	31 6	83 0	13·0	70 0	49 5								
October	48 4	21 7	23 7	71 0	2 0	69 0	36 6			3 0	2				
November	35 1	12·5	22 9	56·0	21 0	77·0	23 9								
December	22 1	0 9	23 0	44·5	33 0	77·5	10·6								
Year															

MONTHLY and Annual Summaries for the Year 1908, Pense (Gatesgarth), Saskatchewan—Latitude, N. 50° 20′; Longitude, W. 105° 0′. Height above Sea, 1,879 feet.

MONTH.	TEMPERATURE.							WIND, DIRECTION FROM									RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°		°	°	°										in.		in.					
January	22·7	0·5	23·2	40·0	26·0	66·0	11·1	0	1	0	7	3	19	14	18	0	.		3·5	3				
February	19·6	0·1	19·7	42·0	25·0	67·0	9·7	0	2	9	7	6	11	10	13	0	.		16·5	8	5			
March	21·9	0·2	22·1	42·0	21·0	63·0	10·8	1	5	4	8	0	21	10	13	0			12·0	9				
April	53·0	26·8	26·2	80·0	14·0	94·0	39·9	2	0	5	9	0	13	16	15	0	0·91	5	*	4				1
May	64·1	35·3	28·8	83·0	18·0	65·0	49·7	0	9	12	28	1	1	5	6	0	1·17	7	*	1			1	1
June	69·2	45·2	24·0	87·0	31·0	56·0	57·2	0	7	3	18	2	10	10	10	0	4·01	14						5
July	79·0	49·9	29·1	97·0	38·0	59·0	64·5	8	2	6	10	3	12	10	13	0	1·71	8				1		
August	73·5	44·7	28·8	92·0	32·0	60·0	59·1	0	2	3	6	1	6	6	7	0	1·52	6						
September	71·0	39·2	31·8	99·0	10·0	89·0	55·1	0	12	4	7	2	12	11	12	0	0·20	2	*	1				
October																								
November		18·8			12·0			1	1	2	5	0	3	8	9	1								
December								0	2	6	1	0	2	10	10	0								
Year																								

MONTHLY and Annual Summaries for the Year 1908, Penticton, British Columbia—Latitude, N. 49° 29′; Longitude, W. 119° 35′. Height above Sea, ——- feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	38·5	24·8	13·7	46·5	4·5	42·0	31·7			9·6	7				
February	39·8	23·8	16·0	46·5	0·5	47·0	31·8	0·28	3	4·7	5				
March	50·3	28·8	21·5	62·0	16·0	46·0	39·6	0·37	3	2·5	1				
April	62·3	31·7	30·6	78·0	23·0	55·0	47·0	0·28	2						
May	69·3	41·2	28·1	78·5	32·0	46·5	55·2	0·79	4						
June	78·0	48·7	29·3	92·0	38·0	54·0	63·4	0·48	1						
July	83·9	53·1	30·8	95·5	38·0	57·5	68·	0·75	2						
August	80·5	50·5	30·0	98·0	37·5	55·5	67·5	3·04	6						
September	71·3	43·7	27·6	90·0	29·5	60·	57·5	0·88	3						
October	58·7	36·6	22·1	70·5	28·0	42·5	47·7	0·76	4						
November	50·6	33·1	17·5	69·0	9·0	60·0	41·8	0·42	4						
December															
Year															

Monthly and Annual Summaries for the Year 1908, Percé, Quebec—Latitude, N. 48° 34′; Longitude, W. 64° 12′. Height above Sea, 50 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurorae.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	23·5	6·7	16·8	38·0	12·9	50·9	15·1	1·56	4	28·5	14	...	4	..	....
February	..	.		.....	.....		...	1·88	4	16·5	6	....	..	....	....
March	...	...		...	...	....	..	0·38	4	20·0	10	..	....	....	....
April		..	...			..	.....	1·60	2	21·5	6	....	...	...	....
May			.	...		..		4·01	9	...	....	3	3	..	....
June			...	..	.....	.....		5·94	13	..	..	....	5	....	2
July	..	.		....	....	....		1·88	9	...	....	....	1	....	....
August	..		.....	.....	...		...	5·56	14	...	....	...	1	....	....
September	63·9	49·3	14·6	77·4	39·7	37·7	56·6	1·17	8	...	....	..	2	....	.
October		.	.	.....	...	.	..	3·87	7	.....	....	....	1	...	1
November	37·1	25·5	11·6	62·4	16·3	46·1	31·3	1·48	6	3·7	6	...	1	....	1
December	23·4	8·8	14·6	39·4	1·9	41·3	16·1	....	....	25·4	18	....	....	..	....
Year	...			...	..	.....	.....	29·27	80	115·6	60	3	18	..	4

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	15	6	1	1	4	14	10	9	0	...	.....	..	....	.....	....	.....
February		....		.			....	...			.	..	.....	..	....	....
March		....	.			.	...		...	..	.	....	.....	..	.	....
April	6	5	0	1	1	10	0	7	0	.	.....	...	...	.....	.....	.....
May	3	8	1	1	1	10	4	3	0	.....	...	...	...	....	.	..
June	3	7	3	0	2	9	5	1	0	...	.....	...	.....	...	...	...
July						....	....			..	.....	...	...	...	....	...
August	1	4	1	1	2	13	4	5	0	....	.	..	...	.....	...	.....
September	9	10	6	4	1	13	6	6	5	.		....	....	....	.....	.....
October	5	9	2	3	2	12	4	6	0	...	....	....	.....	.....	..	....
November	7	8	2	1	1	18	7	9	4		.	...	.....	.....	...	.
December	17	6	3	2	2	8	11	11	0	.	...		....	.....	..	.....
Year						.....					.....	...	...	.....	...	...

MONTHLY and Annual Summaries for the Year 1908, Peterborough, Ontario—Latitude, N. 44° 17′; Longitude, W. 78° 19′. Height above Sea, 722 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cloudy.	Foggy.	Aurora.	Thunder Storms.
								in.		in.					
January	25·9	3·4	22·5	40·0	29·0	69·0	14·6	0·10	1	28·0	9				
February	21·1	1·1	22·2	41·0	29·0	70·0	10·0	1·22	3	2·35	6				
March	33·4	14·2	19·2	50·0	6·0	44·0	23·8	2·97	5	10·0	5				2
April	47·7	29·9	17·8	69·0	10·0	59·0	38·8	0·44	5	6·0	4				
May	65·6	47·5	18·1	85·0	28·0	57·0	56·6	4·25	13	S.	1				5
June	75·7	52·4	23·3	87·0	40·0	47·0	64·1	2·34	4						3
July	81·0	57·3	23·7	93·0	47·0	46·0	69·1	2·11	5						3
August	77·4	53·5	23·9	89·0	39·0	50·0	65·4	2·13	3						2
September	77·9	46·8	31·1	91·0	31·0	60·0	62·4	1·33	3						1
October	63·7	36·3	27·4	80·0	24·0	56·0	50·0	0·27	5						
November	43·4	28·0	15·4	60·0	15·0	45·0	35·7	1·19	2	6·4	7		2		
December	29·8	11·3	18·5	55·0	19·0	74·0	20·6	0·20	2	15·0	7				
Year	53·5	31·6	21·9	93·0	29·0	122·0	42·6	18·55	51	88·9	39		2		16

MONTHLY and Annual Summaries for the Year 1908, Pierson, Manitoba—Latitude, N. 49° 11′; Longitude, W. 101° 15′. Height above Sea, 1,531 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Cloudy.	Foggy.	Aurora.	Thunder Storms.
								in.		in.					
January															
February															
March															
April															
May	60·8	36·9	23·9	79·0	22·0	57·0	48·8	1·56	7						
June	70·9	46·7	24·2	89·0	15·0	74·0	58·8	3·93	12						
July	77·8	50·9	26·9	92·0	34·0	58·0	64·4	1·60	5						
August	74·1	43·0	31·1	88·0	30·0	58·0	58·6	1·84	5						
September	70·0	42·2	27·8	91·0	24·0	67·0	56·1	1·30	3						
October	50·7	29·2	21·5	72·0	10·0	62·0	40·0	0·80	2						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Pincher Creek, Alberta—Latitude, N. 49° 30′; Longitude, W. 113° 58′. Height above Sea, 3,750 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May															
June															
July	77·7	49·3	28·4	79·0	36·0	43·0	63·5	1·33	5						4
August	73·6	45·0	28·6	90·0	35·0	55·0	59·3	0·68	5						1
September	65·6	42·7	22·9	87·0	11·0	76·0	54·1	0·23	3	14·7	3			1	
October	49·4	31·1	18·3	70·0	13·0	57·0	40·3	2·77	7						
November	44·9	27·2	17·7	64·0	0·7	64·7	36·0	0·08	1	1·8	3				
December	33·4	16·6	16·8	44·0	16·0	60·0	25·0			0·8	2				
Year															

MONTHLY and Annual Summaries for the Year 1908, Pipestone, Manitoba—Latitude, N. 49° 34′; Longitude, W. 100° 58′. Height above Sea, 1,800 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May	64·4	37·6	26·8	80·0	21·0	59·0	51·0	2·11	9						
June	72·3	48·1	24·2	95·0	30·0	65·0	60·2	3·94	13						
July	79·5	52·7	26·8	93·0	42·0	51·0	66·1	1·48	6						
August	84·4	44·6	39·8	92·0	32·0	60·0	64·5	1·55	6						
September	74·1	43·5	30·6	93·0	25·0	68·0	58·8	1·87	4						
October	51·4	29·8	21·6	74·0	13·0	61·0	40·6	0·51	3						
November															
December															
Year															

Monthly and Annual Summaries for the Year 1908, Point Amour Lighthouse, Newfoundland—Latitude, N. 51° 28′; Longitude, W. 56° 51′. Height above Sea, —— feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
January	9·6	13·0	11·1	....	..	.	35·0	15·0		3	2	23	0	1	3	24	37	0
February	14·5	16·8	14·8				40·0	10·0	..	12	16	19	1	2	12	23	2	0
March	11·4	16·7	14·8				35·0	6·0	.	6	11	16	0	0	8	28	24	0
April	24·1	27·5	25·5			.	35·0	1·0		7	7	30	1	3	5	31	6	0
May	35·5	38·8	36·0			..	47·0	31·0		5	2	36	5	0	5	28	9	3
June	41·5	45·4	42·7				63·0	32·0		1	4	38	2	0	4	28	11	2
July	51·4	53·9	52·7		..		67·0	43·0	..	4	0	29	0	0	6	47	2	5
August	51·1	54·6	50·4				63·0	40·0	.	2	6	24	0	0	8	38	12	3
September	48·9	50·9	48·5				60·0	40·0	..	5	1	15	1	1	4	44	17	2
October	37·7	42·4	38·7				50·0	25·0	.	7	3	24	0	0	4	30	23	2
November	25·6	26·4	27·9			...	43·0	10·0		14	0	4	0	4	12	16	40	0
December	14·7	17·7	17·5			.	37·0	15·0		15	3	29	0	3	5	14	24	0
Year	30·5	33·7	31·7	..			67·0	15·0	.	81	55	287	10	14	76	351	207	17

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.						
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.	No. of Fogs.	No. of Gales.	No. of Aurora.	No. of Thunder Storms.	Lightning Alone.
					%											
January	....	.			. .					11·8	8				..	
February	. ...	.			.			0·25	1	18·0	4			.		.
March			...			. .		0·02	1	4·0	2			..	.	
April	.		. .				...			21·0	8	.			..	
May	.		.				.			4·0	3	4		.	...	
June		...	. .				..	0·94	8	1·0	1	8	...		.	
July			..	..		.		1·66	5			16				
August		.						1·34	4			12			...	
September			.			..	..	1·24	3			9		.		
October			.					1·53	7				.			
November		.		...	.			0·85	2	7·0	5			...		.
December		.	..	.	. .					14·5	8			..	.	.
Year						.	.	7·83	31	84·3	39	49		.	.	.

MONTHLY and Annual Summaries for the Year 1908, Point Lepreaux, New Brunswick—Latitude, N. 45° 4′; Longitude, W. 66° 28′. Height above Sea, 30 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	21·6	27·5	26·6	25·2			45·0	5·0		7	9	...	2	2	16	5	40	.....
February	15·5	23·1	21·4	20·0			42·0	10·0		15	4	9	6	1	12	3	23	2
March	24·0	32·3	28·8	28·4			50·0	4·0		16	10	5	5	1	17	5	19	....
April	30·9	39·4	35·0	35·1			55·0	14·0		9	2	10	1	1	17	9	29	....
May	43·6	51·8	44·2	46·5			60·0	35·0		3	4	24	3	3	22	10	9	....
June	50·5	58·2	51·8	53·5			66·0	39·0		3	5	14	2	....	27	9	18	....
July	57·4	66·0	57·2	60·2			71·0	52·0		2	4	9	3	2	27	13	21	....
August	55·8	63·9	56·8	58·8			69·0	48·0		3	4	8	12	4	30	3	14	....
September	54·4	61·8	55·6	57·3			67·0	44·0		7	10	5	2	3	17	19	15	....
October	46·1	53·6	49·2	49·7			60·0	31·0		9	5	5	5	4	14	12	27	....
November	37·8	42·0	38·7	39·5			52·0	19·0		5	7	6	5	...	8	5	39	.
December	22·6	27·6	26·4	25·5			50·0	0·0		22	7	7	3	1	10	5	26	
Year	38·4	45·6	41·6	41·6			71·0	10·0		101	71	102	49	22	217	98	280	2

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
				%		%	%								
January	2·8	3·1	3·3	56	56	32	48	3·44	6	11·0	2	...	...	...	.....
February	2·0	2·7	3·3	46	41	49	45	1·90	4	9·0	3	4	5	.	.
March	2·1	2·6	2·5	47	50	47	48	1·92	3	10·0	5	...		.	.
April	3·0	3·4	3·1	43	44	38	42	2·45	4	4·5	3	.....	3		
May	2·2	2·5	2·1	58	46	53	52	4·01	8	.	.....	3	13		1
June	1·9	1·9	1·6	46	45	41	44	1·38	2	.			.	...	..... .
July	1·5	1·8	1·5	48	48	58	51	2·49	3	. .				...	
August	1·6	1·7	1·6	54	49	55	53	5·16	7	...	...	.	..		..
September	1·9	2·3	1·9	45	35	33	38	1·90	3	.....	.....	2	8	.	1
October	2·3	2·4	2·5	48	42	37	42	3·00	5			.	10	...	..
November	3·4	3·4	3·4	83	66	66	72	1·25	6	1·5	1	6	1	...	..
December	3·2	3·1	3·1	60	56	49	55	3·96	6	6·0	6	8	1	.....	
Year	2·3	2·6	2·5	53	48	47	49	32·86	57	42·0	20	23	41	.	2

Monthly and Annual Summaries for the Year 1908, Point Rich, Newfoundland—Latitude, N. 50° 42′; Longitude, W. 57° 25′. Height above Sea, 35 feet.

Month.	Temperature of the Air.									Wind, Direction from								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	16·6	18·7	19·8				33·0	7·0		24	2	14	7	2	16	22	6	0
February	16·5	20·5	22·9				46·0	0·0		15	2	16	8	18	17	8	2	0
March	12·1	18·3	19·3				37·0	0·0		24	7	11	2	1	11	19	18	0
April	21·6	26·6	26·8				39·0	2·0		11	5	19	9	8	15	15	8	0
May	31·1	39·3	36·4				52·0	28·0		12	8	20	6	8	14	20	5	0
June	42·8	49·4	48·6				68·0	30·0		6	11	14	5	13	12	23	6	0
July	54·6	60·7	56·5				68·0	47·0		11	0	7	4	12	27	31	1	0
August	54·6	60·0	56·5				67·0	46·0		7	7	6	3	7	24	34	5	0
September	51·4	55·0	52·5				65·0	40·0		10	4	7	6	6	19	30	8	0
October	42·9	45·3	44·2				58·0	29·0		34	3	13	1	7	15	15	5	0
November	31·8	33·1	32·3				55·0	19·0		25	5	3	3	7	18	23	6	0
December	18·6	19·4	19·4				35·0	0·0		29	8	17	8	3	6	12	10	0
Year	32·9	37·3	36·1				68·0	7·0		208	63	147	62	92	194	252	80	0

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		No. of Fogs.	No. of Gales.	No. of Auroræ.	No. of Thunder Storms.	Lightning Alone.
	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%		%									
January								0·26	2	21·5	9					
February										10·5	4					
March								0·10	1	4·0	1		3			
April								0·30	2	27·0	6					
May								0·20	1	1·5	2					
June								1·80	3	5·0	1	3	2			
July								1·05	3			4				
August								2·40	5			1				
September								1·51	4				1			
October								0·90	1			1	3			
November								2·35	5	5·5	3	1	4			
December										14·5	9					
Year								10·87	27	89·5	35	10	13			

MONTHLY and Annual Summaries for the Year 1908, Portage la Prairie (Home for Incurables), Manitoba—Latitude, N. 49° 57′; Longitude, W. 98° 17′. Height above Sea, 2,150 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	18·3	2·4	20·7	42·0	29·0	71·0	8·0	..	..	6·8	3				
February	20·1	1·8	18·3	42·0	19·0	61·0	11·0	0·33	1	12·5	4				
March	21·2	0·1	21·3	45·0	20·0	65·0	10·6	.	.	15·3	19				
April	50·6	29·1	21·5	82·0	8·0	74·0	39·8	0·69	3	3·5	2				
May	61·9	39·9	22·0	83·0	23·0	60·0	50·9	1·63	7						
June	71·4	50·5	20·9	89·0	31·0	58·0	61·0	1·85	6						
July	78·7	55·4	23·3	95·0	40·0	55·0	67·1	1·69	7						
August	72·1	49·5	22·6	91·0	37·5	53·5	60·8	1·75	19						
September	69·5	46·7	22·8	94·0	28·0	66·0	58·1	1·05	7	0·8	2				
October	50·0	33·1	16·9	76·0	20·0	56·0	41·5	0·38	6						
November	34·3	20·4	13·9	55·0	15·0	70·0	27·3	0·39	3	7·8	8				
December	18·6	1·4	17·2	36·0	23·5	59·5	10·0	.	.	5·0	3				
Year	47·2	27·1	20·1	95·0	29·0	124·0	37·2	9·74	59	51·7	41				

MONTHLY and Annual Summaries for the Year 1908, Portage la Prairie, Manitoba—Latitude, N. 49° 57′; Longitude, W. 98° 17′. Height above Sea, 2,150 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May															
June	70·3	50·6	19·7	90·0	34·0	56·0	60·4	2·19	12						
July	77·3	54·8	22·5	95·0	44·0	51·0	66·1	1·73	6						
August	72·9	49·0	23·9	91·0	39·0	52·0	61·0	1·79	7						
September	69·4	46·6	22·8	93·0	28·0	65·0	58·0	1·08	5						
October	51·1	32·5	18·6	75·0	20·0	55·0	41·8	0·22	3						
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Port Burwell, Ontario—Latitude, N. 42° 39′; Longitude, W. 80° 55′. Height above Sea, 592 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora	Thunder Storms.
								in.		in.					
January	30·7	19·1	11·6	38·5	11·5	50·0	24·9	1·53	4	13·0	7	.	.	.	.
February	26·5	11·9	14·6	42·0	13·0	55·0	19·2	1·34	2	27·0	8				
March	37·0	24·9	12·1	52·0	7·0	45·0	31·0	2·21	7	1·5	3		..	..	3
April	48·9	34·0	14·9	71·0	15·0	56·0	41·5	2·04	7	0·5	1		. ..		.
May	64·0	46·6	17·4	80·5	28·0	52·5	55·3	1·99	7		. .	.		..	
June	74·3	53·6	20·7	79·5	38·5	41·0	63·9	1·92	3			...			3
July	78·7	59·4	19·3	89·8	48·0	41·8	69·0	2·42	8	.	.		.		...
August	75·5	56·2	19·3	86·0	43·0	43·0	65·9	1·37	8		.	..		.	1
September	72·6	52·5	20·1	79·0	34·0	45·0	62·5	0·49	4		..	..			1
October	59·2	42·1	17·1	70·5	26·0	44·5	50·6	1·69	6	..			. .	.	
November	45·8	32·3	13·5	59·5	18·0	41·5	39·1	1·47	7	0·8	2	..	...	....	2
December	33·4	23·6	9·8	44·0	7·5	36·5	28·5	1·08	5	7·3	3		..		1
Year	53·9	38·0	15·9	89·8	13·0	102·8	46·0	22·55	68	50·1	24		....	..	11

MONTHLY and Annual Summaries for the Year 1908, Port Dover, Ontario—Latitude, N. 42° 47′; Longitude, W. 80° 13′. Height above Sea, 635 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
								in.		in.					
January	29·2	17·9	11·3	40·5	10·0	50·5	23·5	1·45	5	15·7	11	. .	.	...	.
February	23·8	9·1	14·7	40·5	16·5	57·0	16·5	1·40	4	23·9	14	...	.		.
March	36·9	23·7	13·2	62·5	4·5	58·0	30·3	1·91	10	6·9	7	...		. .	2
April	46·9	33·1	13·8	68·5	19·5	49·0	40·0	2·38	13	4·7			....		...
May	64·2	46·6	17·6	82·5	27·2	55·3	55·4	3·16	13	1·6	4	...		..	1
June	74·9	54·7	20·2	87·7	38·1	49·6	64·8	0·96	9	. . .			.	. .	3
July	79·9	60·5	19·4	92·1	49·5	42·6	70·0	37·4	10				.		3
August	76·5	56·7	19·8	88·5	43·1	45·4	66·6	3·01	8	.	.		...	2	3
September	74·1	51·7	22·4	86·1	36·1	50·0	62·9	0·52	4	.	.		.	2	1
October	61·6	41·6	19·4	75·4	27·2	48·2	51·3	1·30	7				. .		1
November	45·4	31·6	13·8	59·5	16·2	43·3	38·5	1·61	9	3·5	3		.		. .
December	33·1	22·0	11·1	44·2	8·0	36·2	27·6	1·64	6	8·7	7			. . .	
Year	53·8	37·4	16·4	92·1	16·5	10·86	45·6	23·08	98	65·0		.		4	17

MONTHLY and Annual Summaries for the Year 1908, Port Dover, Ontario—Latitude, N. 42° 47′; Longitude, W. 80° 13′. Height above Sea, 635 feet.

Month.	Wind. Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	3	2	2	0	3	7	4	10	0							
February	4	8	1	1	1	3	4	7	0							
March	8	1	4	1	4	4	1	8	0							
April	1	4	6	2	1	4	6	6	0							
May	1	2	10	4	1	4	5	4	0							
June	3	1	4	2	2	8	5	4	1							
July	4	4	7	1	1	7	2	5	0							
August	3	2	2	5	6	4	4	4	1							
September	2	3	6	2	4	4	2	3	4							
October	4	0	7	3	8	1	4	3	1							
November	4	1	0	0	0	12	7	6	0							
December	2	1	1	2	1	5	16	3	0							
Year	39	29	50	23	32	63	60	63	7							

MONTHLY and Annual Summaries for the Year 1908, Port Hastings, Nova Scotia—Latitude, N. 45° 39′; Longitude, W. 61° 22′. Height above Sea, 45 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°			°	°		°	in.		in.					
January	33·4	19·6	13·8	70·0	2·0	68·0	26·5	4·52	5	14·0	2				
February	40·5	19·3	21·2	82·0	0·0	82·0	29·9	3·43	7	21·0	3				
March	37·0	19·5	17·5	62·0	0·0	62·0	28·2	1·32	4	31·0	8				
April	45·3	27·0	18·3	71·0	12·0	59·0	36·1	2·01	4	18·0	3				
May	50·5	36·4	14·1	65·6	27·0	38·0	43·4	5·76	9						
June	65·1	50·8	14·3	97·0	35·0	62·0	58·0	3·07	7						
July	76·0	57·6	18·4	92·0	42·0	50·0	66·8	3·95	7						
August	58·8	49·6	9·2	74·0	35·0	39·0	54·2	2·58	3						
September	60·9	49·8	11·1	79·0	38·0	41·0	55·4	1·55	4						
October	48·4	39·1	9·3	58·0	25·0	33·0	43·8	1·80	3						
November	42·0	32·4	9·6	50·0	22·0	28·0	37·2	3·20	6						
December	32·4	19·1	13·3	45·0	3·0	42·0	25·8	3·20	5	4·0	1				
Year	49·2	35·0	14·2	97·0	0·0	97·0	42·1	36·39	64	88·0	17				

Monthly and Annual Summaries for the Year 1908, Port Hastings, Nova Scotia—Latitude, N. 45° 39′; Longitude, W. 61° 22′. Height above Sea, 45 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	10	2	4	0	4	3	3	5	0							
February	6	2	3	3	1	3	2	9	0							
March	10	1	2	4	2	2	3	4	0							
April	3	5	0	7	1	5	2	7	0							
May	5	4	0	10	2	5	2	3	0							
June	0	3	0	4	2	6	8	7	0							
July	1	7	3	4	3	4	4	5	0							
August	0	6	4	7	1	8	5	6	0							
September	2	6	0	8	0	3	2	9	0							
October	3	11	2	3	0	0	1	11	0							
November	5	9	0	0	0	1	1	14	0							
December	3	13	0	1	0	3	1	10	0							
Year	48	72	18	51	16	43	34	84	0							

Monthly and Annual Summaries for the Year 1908, Port Hope, Ontario—Latitude, N. 43° 56′; Longitude, W. 78° 20′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·1	9·5	18·6	41·0	23·0	64·0	18·8	1·10	3	4·8	2				
February	24·7	4·0	20·7	40·0	22·0	62·0	14·4			11·5	3				
March	36·3	21·4	14·9	54·0	5·0	49·0	28·9	1·41	4	1·0	1				
April	47·9	32·6	15·3	65·0	15·0	50·0	40·2	2·07	7						
May	61·6	46·3	15·3	78·0	27·0	51·0	53·9	3·53	10						4
June	74·8	52·6	22·2	85·0	43·0	42·0	63·7	1·94	8						3
July	79·7	58·9	20·8	91·0	38·0	53·0	69·3	3·05	6						
August	75·9	55·6	20·3	87·0	44·0	43·0	65·7	2·92	3						3
September	73·9	49·8	24·1	86·0	41·0	45·0	61·9	1·33	3						
October	58·9	35·7	23·2	75·0	24·0	51·0	47·3	0·58	5	S.	1		1		
November	43·6	27·0	16·6	54·0	19·0	35·0	35·3	1·42	3	2·0	1				
December	34·2	15·5	18·7	63·0	3·0	66·0	24·9	0·30	1	3·0	1				
Year	53·3	34·1	19·2	91·0	23·0	114·0	43·7	19·65	18	22·3	9		1		10

MONTHLY and Annual Summaries for the Year 1908, Princeton, Yale, British Columbia—Latitude, N. 49° 29′; Longitude, W. 120° 29′. Height above Sea, 1,650 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	27·8	8·5	19·3	39·0	21·0	60·0	18·1	0·11	1	12·5	8	....	2	....	....
February	34·0	10·6	23·4	49·0	25·0	74·0	22·3	0·06	1	12·3	8	....	1	....	....
March	44·2	19·8	24·4	56·0	7·0	63·0	32·0	0·71	6	0·5	1	....	....	....	....
April	59·1	29·2	29·9	75·0	16·0	59·0	44·2	0·14	3	....	....	....	....	....	....
May	64·7	35·7	29·0	79·0	27·0	52·0	50·2	1·21	13	....	....	....	....	....	2
June	73·2	42·0	31·2	88·0	30·0	58·0	57·6	1·02	6	....	....	....	....	....	2
July	82·8	47·0	35·8	99·0	32·0	67·0	64·9	1·02	4	....	....	....	....	....	2
August	77·9	43·8	34·1	93·0	32·0	61·0	60·9	0·93	7	....	....	....	....	....	4
September	68·9	35·7	33·2	85·0	16·0	69·0	52·3	0·31	4	....	....	....	....	2	....
October	55·5	30·0	25·5	73·0	22·0	51·0	42·8	0·60	6	....	....	....	....	....	....
November	44·1	26·2	17·9	70·0	6·0	64·0	35·2	0·51	7	0·2	1	....	5	....	....
December	26·1	9·1	17·0	38·0	7·0	45·0	17·6	0·79	2	11·0	8	....	....	....	....
Year	54·8	28·1	26·7	99·0	25·0	124·0	41·5	7·41	60	36·5	26	....	8	2	10

MONTHLY and Annual Summaries for the Year 1908, Quesnelle, British Columbia—Latitude, N. 52° 29′; Longitude, W. 122° 30′. Height above Sea, 1,700 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days				
	°	°	°	°	°	°	°	in.		in.					
January	31·1	9·9	21·2	59·0	12·0	71·0	20·5	0·50	1	4·7	5	....	....	....	....
February	29·5	8·9	20·6	55·0	12·0	67·0	19·2	0·15	11	19·5	12	....	....	....	....
March	41·0	16·6	24·4	58·0	16·0	74·0	28·8	....	....	2·5	2	....	....	....	....
April	53·3	27·4	25·9	65·0	9·0	56·0	40·4	0·18	3	....	....	....	....	....	1
May	64·7	37·1	27·6	83·0	25·0	58·0	50·9	1·43	10	....	....	....	....	....	....
June	70·2	41·7	28·5	86·0	18·0	68·0	56·0	2·67	8	....	....	....	....	....	1
July	74·5	47·9	26·6	95·0	37·0	58·0	61·2	2·28	9	....	....	....	....	....	....
August	75·1	42·9	32·2	89·0	35·0	54·0	59·0	1·81	6	....	....	....	....	1	1
September	61·3	36·5	24·8	77·0	22·0	55·0	48·9	3·64	10	....	....	....	....	....	1
October	49·3	29·2	20·1	71·0	3·0	68·0	39·3	0·56	4	8·0	1	....	....	....	1
November	42·5	26·2	16·3	68·0	1·0	69·0	34·3	1·23	6	3·0	2	....	....	....	....
December	27·4	9·0	18·4	44·0	27·0	71·0	18·2	....	....	8·5	6	....	....	....	....
Year	51·7	27·8	23·9	95·0	27·0	122·0	39·7	14·45	68	46·2	28	....	....	1	5

MONTHLY and Annual Summaries for the Year 1908, Red Willow, Alberta—Latitude, N. 52° 27′; Longitude, W. 112° 30′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	26 1	3 5	22 6	45 0	29 0	74 0	14 8			2·2	2			2	
February	27 3	0 3	27 0	51 0	18 0	69 0	13 8			9·7		11	1		
March	35 0	9 4	25 6	56 0	8 0	64 0	22 2			7 5	6	3		5	
April	55 7	30 1	25 6	79 0	3 0	73 0	41 9	0·60	2	0·3		2	1	3	1
May	64 1	42 3	21 8	79 0	29 0	50 0	53·2	1 79	9			1	1	2	3
June	64 6	47 5	17 1	78 0	40 0	38 0	56 1	8 49	19			4	1		11
July	76 3	53 1	23 2	87 0	42 0	45 0	64 7	1 97	9						
August	69 2	45 9	23 3	80 0	32 0	48 0	57 5	1·10	11			2	2	6	5
September	66·6	36 9	29 7	83 0	18 0	65 0	51 8	0·73	4						
October	49 8	27 2	22 6	72 0	11 0	61 0	38 5	0 21	2	3·2	2				
November	41 0	20 2	20 8	62 0	10 0	72 0	30 6			2·2	3	2	2	5	
December	27 4	7 0	20·4	39 0	28 0	67 0	17 2			2·0	1	2	2		
Year	50 1	27 0	23 1	87·0	29·0	116 0	38 5	14 89	56	27 1		27	10	23	20

MONTHLY and Annual Summaries for the Year 1908, Revelstoke, British Columbia—Latitude, N. 51° 0′; Longitude, W. 118° 6′. Height above Sea, 1,476 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	31 2	21 4	9 8	40 0	0·0	40 0	26 3	1·95	2	47·0	14				
February	31 3	18 9	12 4	40 0	3·0	37 0	25 1	2 60	2	41·0	9				
March	40 6	26 4	14 2	46 0	7·0	39 0	33 5	3 84	8	8·1	4				
April	53 4	32 9	20 5	68 0	17 0	51 0	43 2	2 51	14	0·1	1				
May	62 9	41 4	21 5	73 0	35 6	38 0	52 1	2 23	18						
June	72 0	47 5	24 5	83 0	39 0	44 0	59 7	2 61	19						
July	78 6	50 3	28 3	100 0	41 0	59 0	64 5	1 33	12						1
August	79 1	48 2	30 9	93·0	41 0	52 0	63 6	1 78	8						1
September	64 3	41 1	23 2	76 0	28 0	48 0	52 7	1 79	11						1
October	50 7	35 5	15 2	64·0	28 0	36 0	43 1	3 09	12	2 0	1				
November	43 7	32 2	11 5	54·0	20 0	34 0	38 0	5 18	16	4 0	2				
December	28 3	17 4	10 9	40·0	0 0	40 0	22 8	1 62	7	22·0	8				
Year	53 0	34 4	18 6	100 0	0 0	100 0	43 7	30 53	120	124·2	39				3

MONTHLY and Annual Summaries for the Year 1908, Roberval, Quebec—Latitude, N. 48° 31′; Longitude, W 72° 13′. Height above Sea, 352 feet.

MONTH.	TEMPERATURE.									WIND, DIRECTION FROM									FORCE OF WIND.			CLOUDED SKY.			
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
	°	°	°	°	°	°	°	°	°																
January	4·5	3·5	5·6	...	...	...	38·0	46·0	...	20	29	0	3	3	7	0	17	2	...	...	...	...	...	...	...
February	14·5	10·8	10·4	...	...	...	18·0	42·0	...	14	16	0	6	2	15	0	19	0	...	...	...	...	...	...	...
March	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
April	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
May	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
June	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
July	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
August	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
September	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
October	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
November	25·0	26·0	25·2	...	...	...	40·0	11·0	...	4	14	4	9	0	5	3	34	2	...	...	...	...	...	...	...
December	3·2	8·4	7·1	...	...	...	26·0	23·0	...	7	6	5	6	11	9	30	16	0	...	...	...	...	...	...	...
Year	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

MONTHLY and Annual Summaries for the Year 1908, Ronville, Ontario—Latitude, N. —′ —′; Longitude, W. — —′. Height above Sea, 1,038 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	24·1	2·4	26·5	43·0	43·0	86·0	10·8	...	...	14·0	6	...	...	...	...
February	19·2	3·1	22·3	40·0	38·0	78·0	8·1	...	...	...	...	...	...	...	...
March	30·5	12·0	18·5	44·0	9·0	53·0	21·2	...	...	...	...	1	...	...	1
April	43·2	24·6	18·6	60·0	5·0	65·0	33·9	...	...	...	...	...	...	...	1
May	63·2	44·0	19·2	83·0	23·0	60·0	53·6	...	...	...	...	...	...	...	...
June	74·4	47·8	26·6	83·0	34·0	49·0	61·1	...	...	...	...	...	...	...	3
July	77·2	55·3	21·9	89·0	43·0	46·0	66·3	...	...	...	...	...	...	...	2
August	73·9	49·4	24·5	85·0	38·0	47·0	61·7	...	...	...	...	...	...	1	1
September	71·7	46·5	28·2	85·0	35·0	50·0	60·6	2·65	6	...	...	...	...	1	2
October	61·0	35·4	25·6	74·0	20·0	54·0	48·2	0·22	7	...	...	...	1	...	...
November	42·8	27·7	15·1	58·0	9·0	49·0	35·2	2·72	9	10·0	2	...	...	...	1
December	26·4	6·7	19·7	41·0	20·0	61·0	16·6	...	...	27·0	8	...	...	...	...
Year	59·9	28·7	22·2	89·0	43·0	132·0	39·8	...	...	...	...	...	1	2	11

MONTHLY and Annual Summaries for the Year 1908, Rossland, British Columbia—Latitude, N. 49° 5′; Longitude, W. 117° 48′. Height above Sea, 3,400 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	28·0	20·9	7·1	34·5	9·0	25·5	24·5			28·0	12				
February	29·9	21·5	8·4	37·5	1·5	39·0	25·7	0·10	2	26·5	12				
March	38·0	26·9	11·1	46·0	16·0	30·0	32·4	0·58	3	15·6	6				
April	50·9	33·6	17·3	63·7	16·0	47·7	42·3	2·16	8	0·4	1				
May	55·8	40·6	15·2	74·0	34·5	39·5	48·2	3·62	13						
June	65·6	46·2	19·4	79·7	36·5	43·0	55·9	2·21	10						
July	75·3	52·4	22·9	85·2	39·0	46·2	63·8	1·19	7						3
August	71·3	49·8	21·5	82·0	36·7	45·3	60·5	1·56	5						1
September	63·9	43·0	20·9	76·0	26·0	50·0	53·5	0·13	3						
October	49·0	36·2	12·8	64·8	25·5	39·3	42·6	3·23	9	2·4	2				
November	42·4	31·6	10·8	57·0	12·0	45·0	37·0	1·62	8	3·3	1				
December	26·1	18·6	7·5	42·0	3·8	38·2	22·3			28·9	11				
Year	49·7	35·1	14·6	85·2	1·5	86·7	42·4	16·50	68	105·1	45				4

MONTHLY and Annual Summaries for the Year 1908, Sable Island, East Point, Nova Scotia—Latitude, N, 43° 58′; Longitude, W. 59° 46′. Height above Sea, 25 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January	34·1	34·9	33·5				57·0	11·0	34·2	19	1	4	7	16	8	12	26	
February	30·0	32·7	31·7				46·0	12·0	31·5	18	15	2	8	10	6	10	18	
March	31·9	35·0	33·5				46·0	19·0	33·5	15	17	7	3	8	15	13	15	
April																		
May	41·8	47·2	45·3				53·0	39·0	44·8	12	13		13	5	23	5	22	
June	45·6	58·3	53·3				62·0	47·0	62·4		3	2	10		24		54	
July	63·8	66·4	60·0				71·0	54·0	63·4		7		4	12	32	1	37	
August	61·4	67·1	60·5				76·0	56·0	63·0	1	15		17	9	28		23	
September	59·2	64·2	58·7				69·0	52·0	60·7	2	8	1	11	12	17		39	
October	52·6	56·4	53·7				66·0	43·0	54·2		14		6	8	27		38	
November	42·5	45·2	40·9				52·0	32·0	42·1	2	11		12	8	29		28	
December	35·8	37·4	34·6				50·0	22·0	35·9	7	13		7	11	22		33	
Year																		

MONTHLY and Annual Summaries for the Year 1908, Sable Island, East Point, Nova Scotia—Latitude, N. 43° 58′; Longitude, W. 59° 46′. Height above Sea, 25 feet.

Month.	Force of Wind.			Clouded Sky.				Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	7 a.m.	2 p.m.	9 p.m.	a.m.	p.m.	p.m.	Mean.	Amt.	Days.	Amt.	Days.				
				%	%			in.		in.					
January	3·4	3·5	3·5					3·97	13	S.		2	1		
February	3·3	3·2	3·0					6·72	12	1·0	1	1	6		
March	3·1	3·0	3·1					3·46	10	3·0			10	1	1
April										S.					
May	3·6	3·1	3·1					3·80	10				13		
June	3·2	2·6	3·1					1·09	7				18		
July	1·9	1·7	1·4					2·99	7				17		
August	2·4	2·4	2·6					1·81	7			2	7		
September	1·4	1·5	1·5					0·32	3				11		
October	2·2	2·4	2·5					2·29	4	S.		2	6		
November	3·2	3·0	3·1					5·17	9	S.		2	4		
December	3·1	3·3	3·5					6·06	8	S.		3	5		
Year															

MONTHLY and Annual Summaries for the Year 1908, Aweme (St. Alban's), Manitoba—Latitude, N. 49° 42′; Longitude, W. 99° 33′. Height above Sea, 1,180 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	22·0	4·1	26·1	45·0	37·5	82·5	9·0			2·0	5	3		6	
February	21·1	1·8	22·9	41·5	21·5	63·0	9·7	0·08	3	11·3	12	1		4	
March	25·7	2·2	23·5	44·5	23·5	68·0	13·9	0·10	2	12·0	15			6	
April	54·1	28·6	25·5	84·5	2·5	82·0	41·3	0·74	4	11·7	5	3		3	
May	65·1	37·5	27·6	84·5	20·5	64·0	51·3	1·98	10	0·1	1			5	3
June	74·1	49·4	24·7	100·5	31·5	69·0	61·7	2·85	14			1			5
July	83·9	58·1	30·8	97·5	44·5	53·0	68·5	1·25	8					2	
August	77·2	47·2	30·0	93·0	31·5	61·5	62·2	2·28	9					8	1
September	71·8	45·3	26·5	96·0	26·0	70·0	58·5	0·91	6	4·2	4	3		7	2
October	52·2	30·0	22·2	76·0	11·5	64·5	41·1	0·47	4					5	
November	36·5	19·7	16·8	60·0	2·0	62·0	28·1	0·03	2	7·3	6	3		8	
December	21·6	0·6	22·2	40·0	28·0	68·0	10·5			11·4	13	4		3	
Year	50·4	25·5	24·9	100·5	37·5	138·0	38·0	10·69	62	60·0	61	18		57	11

Monthly and Annual Summaries for the Year 1908, Ste. Anne de Bellevue (Macdonald College), Quebec—Latitude, N 45° 27′; Longitude, W. 73° 59′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	19·8	1·5	18·3	34·5	26 8	61·3	10·7	..	...	.....	...	..	....	.....	....
February	16·4	2 0	14·4	40 0	33 5	72 5	9 2	..	....	...	....	....	....	....	..
March	30 9	15·5	15·4	54 5	5·8	60 3	23·2	2·00	6	..	..	..	....	....	...
April	45·8	28 9	16·9	67·0	8·8	59 2	37 4	1·07	8	....	...	....	....	....	....
May	67·8	47·0	20·8	83 5	37·0	46 5	57·4	4·62	14	....	..	..	....	....	....
June	77 9	54 5	23 4	90 0	40 0	50 0	66 2	0·96	7	..	..	....	..	....	....
July	82 6	61·3	21 3	96 8	51·8	45 0	72·0	3·88	12	...	...	..	....	....	....
August	78 1	57 3	20·8	85 2	46·0	39 2	67 7	1·56	9		.	...	....	...	...
September	75·9	50 6	25 3	88 5	36·0	52 5	63 2	1·65	6		..	....	....	..	....
October	58 3	40 1	18 2	78·1	25 8	52 3	49 2	1·39	8	..	...	....	....	...	..
November	38 3	28 7	9 6	58·5	17·0	41 5	23·5	1·56	9	.....	....	...	....	.	..
December	20·0	6·1	13 9	58 0	17 0	75 0	13·0	0 33	1	36·3	17	.	....	....	...
Year	51 0	32·8	18·2	96 8	33 5	130 3	41 9	...	....	.....	....	....	....	...	..

Monthly and Annual Summaries for the Year 1908, St. Peter's Monastery, Saskatchewan—Latitude, N. 52° 0′; Longitude, W. 105° 0′. Height above Sea, 1,870 feet.

Month.	Temperature.							Wind, Direction from									Rain.		Snow.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°															in.		in.					
January	16·2	2·3	18 5	39 0	31 0	70 0	7·0	2	0	1	0	11	6	9	2	0	..	....	*	2	..	.	.	..
February	14 0	4·6	18 6	36 0	20·0	56 0	4 7	1	5	5	0	5	12	0	1	0	.....	..	....	...	.	.	...	..
March	15 3	3 8	19 1	36 0	31 0	67 0	5 7	0	4	3	0	3	14	3	4	0	.....	...	....	....	..	.	5	..
April	43 2	26 2	17 0	66 0	15 0	81 0	34 7	1	5	0	0	2	8	5	9	0	0 50	1	..	...	..	..	7	..
May	64·2	36 8	27·4	78 0	18 0	60 0	50 5	0	4	2	4	0	16	1	4	0	0 22	2	.....	...	.	.	17	..
June	63·3	43 9	19 9	82 0	36 0	52 0	53·9	0	8	0	4	0	11	0	7	0	5·31	11		....	.	.	3	3
July	73 8	51·4	22 4	89 0	39 0	50 0	62 6	3	1	3	7	0	12	2	3	0	1 04	4		..	..	.	6	.
August	65·9	42 1	23 8	80 0	30 0	50 0	54 0	0	5	6	2	0	4	1	12	1	4·32	..	...	..	.	.	.	..
September	62·1	37·8	24 3	83 0	13 0	70·0	50·0	1	1	6	1	2	6	4	9	0		....	S.	..	.	.	.	..
October	41·3	25 0	16 3	66·0	12 0	54 0	33 2	1	2	2	0	5	3	5	13	0	1 00	1	..	....	.	.	.	.
November	35·3	16 4	18 9	79 0	26·0	105 0	25 8	3	0	1	0	1	0	1	21	0	.....		8·0	3	..	.	.	.
December	17·7	3 8	21·5	34 0	34 0	68 0	7·0	0	0	0	0	5	2	9	15	0	...	....	2·0	1	.	.	.	..
Year	.....	....	.....	.....	. .	. .		12	35	29	18	37	94	40	100	1	12 39		....	...	..	.	.	.

MONTHLY and Annual Summaries for the Year 1908, St. Stephen, New Brunswick—Latitude, N. 45° 11′; Longitude, W. 67° 16′. Height above Sea, 35 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	28·6	11·7	16·9	52·0	11·0	63·0	20·2	3·38	4	6·0	2	..	....	....	2
February	28·0	5·7	22·3	50·0	27·0	77·0	16·8	1·31	2	11·0	3	....	....	....	....
March	37·0	18·0	19·0	53·0	15·0	68·0	27·5	1·25	3	15·5	3	.	....	....	1
April	47·6	25·7	21·9	77·0	10·0	67·0	36·7	0·83	1	7·0	2	..	..	....	....
May	63·7	39·1	24·6	80·0	29·0	51·0	51·4	3·72	10	. .	. .	..	. .	...	...
June	74·5	45·5	29·0	89·0	32·0	57·0	60·0	1·45	3	. . .	. . .	..	1	....	....
July	84·2	54·2	30·0	94·0	37·0	57·0	69·2	. . .	. . .	. . . .	. .	....	....	....	....
August	74·6	49·9	24·7	84·0	33·0	51·0	62·2	2·64	8	. . .	. . .	....	1	..	....
September	73·7	43·3	30·4	87·0	28·0	59·0	58·5	1·04	2	....	....	....	....	2	1
October	58·6	34·2	24·4	77·0	20·0	57·0	46·4	4·93	7	. . .	....	....	4	....	....
November	43·5	28·1	15·4	55·0	13·0	42·0	35·8	1·26	5	2·8	1	...	2	....	...
December	29·5	12·3	17·2	57·0	10·0	67·0	20·9	3·19	5	3·0	3	....	1	....	....
Year	53·6	30·6	23·0	94·0	27·0	121·0	42·1	....	....	45·3	14	....	9	2	4

MONTHLY and Annual Summaries for the Year 1908, Salmon Arm, British Columbia—Latitude, N. 50° 42′; Longitude, W. 119° 35′. Height above Sea, 1,245 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	33·8	24·2	9·6	47·0	1·0	46·0	29·0	0·51	2	17·5	9	..	. .	....	....
February	35·8	27·7	8·1	45·0	1·0	46·0	31·8	0·34	2	17·7	9	. . .	.	1	....
March	44·2	29·0	15·2	55·0	8·0	47·0	36·6	0·73	7	9·2	3	...	2	2	...
April	57·4	36·4	21·0	74·0	21·0	53·0	46·9	0·67	9		..	. .	....	.	....
May	68·3	44·5	23·8	81·0	35·0	46·0	56·4	1·32	10		....	.	....	1	....
June	77·2	50·1	27·1	91·0	41·0	50·0	63·6	0·87	8		.	...	.	....	....
July	84·6	53·5	31·1	101·0	40·0	61·0	69·1	0·51	7	. . .	...	.	....	....	3
August	79·8	51·2	28·6	94·0	44·0	50·0	65·5	1·51	9	.	...	....	1	.	1
September	66·8	43·8	23·0	84·0	28·0	53·0	55·3	0·92	8	....	...	...	3	3	1
October	53·6	36·6	17·0	71·0	29·0	42·0	45·1	1·10	10		...	..	4	..	....
November	45·4	35·3	10·1	60·0	21·0	39·0	40·3	1·39	11	..	...	....	....	. .	1
December	32·2	22·9	9·3	46·0	11·0	35·0	27·5	0·21	4	10·4	7	. .	....	....	....
Year	56·6	37·9	18·7	101·0	1·0	102·0	47·3	10·08	87	54·8	28	...	10	7	6

MONTHLY and Annual Summaries for the Year 1908, Saskatoon, Saskatchewan—Latitude, N. 52° 15′; Longitude, W. 106° 30′. Height above Sea, 1,571 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	18·1	5·5	23·6	38·0	29·4	67·4	6·3	....	....	1·0	2	....	....	....	....
February	15·4	3·2	18·6	39·4	27·0	66·4	6·1	....	....	7·5	5	....	2	....	....
March	14·9	6·1	21·0	38·0	24·7	62·7	4·4	....	....	6·3	4	....	2	....	....
April	47·5	25·7	21·8	78·4	9·0	97·4	36·6	0·64	3	....	....	....	....	....	....
May	65·5	38·4	27·1	81·0	20·5	60·5	51·9	0·65	4	....	....	....	....	....	....
June	66·2	46·7	19·5	88·5	36·0	52·5	56·5	5·48	13	....	....	....	2	....	6
July	77·2	51·8	25·4	97·0	56·0	41·0	64·5	1·22	6	....	....	....	....	....	2
August	72·0	45·2	26·8	85·4	34·5	50·9	58·6	2·00	9	....	....	....	....	....	....
September	67·1	38·7	28·4	86·2	12·0	74·2	52·9	0·33	4	....	....	....	....	....	....
October	46·6	25·9	20·7	70·8	12·5	58·3	36·3	1·65	6	....	....	....	....	....	....
November	36·5	....	....	51·0	....	....	....	....	....	2·5	2	....	....	....	....
December	16·6	1·8	18·4	35·0	29·5	64·5	7·4	....	....	4·5	5	....	....	....	....
Year	45·3	....	....	97·0	....	....	....	11·97	45	21·8	18	....	6	....	8

MONTHLY and Annual Summaries for the Year 1908, Shaftesbury, Alberta—Latitude, N. —° —′; Longitude, W. —° —′. Height above Sea, —— feet.

MONTH	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurora.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	17·1	4·6	21·7	40·0	30·0	70·0	6·2	....	....	....	....	....	....	....	....
February	25·6	0·2	25·4	51·0	34·0	85·0	12·9	....	....	3·0	2	....	....	....	....
March	28·3	2·7	31·0	49·0	28·0	77·0	12·8	....	....	6·0	3	....	....	4	....
April	56·1	25·0	31·1	75·0	5·0	80·0	40·5	0·05	1	....	....	....	....	....	....
May	75·8	39·1	36·7	85·0	25·0	60·0	57·5	0·35	3	....	....	....	....	....	....
June	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
July	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Shawenegan Falls, Quebec—Latitude, N. 46° 34′; Longitude, W. 72° 43′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°		°	°	°	°	in.		in.					
January	29·6	4·7	25·3	41·0	37·0	78·0	8·0	...	...	....	...	....	2	....	....
February	23·1	3·3	26·4	47·0	32·0	79·0	9·8	1·18	1	.....	....	....	..	....	..
March	33·3	8·6	24·7	49·0	20·0	69·0	21·0	1·94	10	5·2	1	....	1	....	....
April	43·9	20·8	23·1	58·0	0·0	58·0	32·4	0·62	6	....	....	1	2	..	....
May	65·1	42·0	23·1	80·0	31·0	49·0	53·5	4·01	12	....	..	..	....	....	2
June	78·5	41·3	37·2	90·0	34·0	56·0	59·9	1·34	5	....	....	..	....	....	2
July	81·1	46·7	34·4	89·0	38·0	51·0	63·9	2·01	7	.....	...	....	....	....	3
August	78·5	41·7	36·8	85·0	40·0	45·0	60·1	3·43	12	..	..	...	1	...	..
September	..	....	.	..	...	.....	..	1·62	3		....	....	....	....	...
October	58·3	37·4	20·9	70·0	24·0	46·0	47·9	1·16	5	...	....	....	2	....	....
November	37·4	27·2	10·2	50·0	12·0	38·0	32·3	1·00	7	.....	....		..	....	...
December	18·0	2·4	20·4	45·0	18·0	63·0	7·8	0·71	1	*	13	....	....	....	....
Year	....	...	..		..	.....	....	....		.....	...	....	..	...	....

MONTHLY and Annual Summaries for the Year 1908, Sherbrooke, Quebec—Latitude, N. 45° 32′; Longitude, W. 72° 5′. Height above Sea, 620 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	23·6	1·2	22·4	42·8	19·6	62·4	12·4	0·78	4	23·2	17	...	...	....	....
February	20·8	0·1	20·9	41·3	30·7	72·0	10·4	0·91	4	22·4	16	...	..	...	....
March	33·8	12·8	21·0	53·7	11·1	61·8	23·3	1·55	9	21·3	15	...	....	....	....
April	45·2	25·5	19·7	70·2	5·1	65·1	35·3	1·11	12	15·0	7	..	...	...	....
May	66·1	46·3	19·8	81·3	31·5	49·8	56·2	3·98	16	...	...	...	....	...	....
June	73·7	51·6	22·1	89·6	32·0	57·6	62·7	1·89	10	.	....	....	...	...	....
July	79·9	59·0	20·9	91·2	41·0	51·2	69·5	3·09	13	..	....	....	....	..	..
August	73·6	52·7	20·9	90·2	39·4	50·8	63·1	2·92	13	...	....	....	...	.	....
September	73·3	46·6	26·7	85·2	29·1	56·1	59·9	0·97	4	.....	...	....	.	....	...
October	58·8	35·9	22·9	76·3	21·4	54·9	47·3	1·98	11	0·1	1	...	.	.	....
November	38·6	27·5	11·1	58·8	12·0	46·8	33·1	1·03	10	10·4	8	.		....	..
December	25·5	5·0	20·5	53·0	17·0	70·0	15·3	0·50	2	28·7	22	..	.	...	...
Year	51·1	30·3	20·8	91·2	30·7	121·9	40·7	20·71	108	121·1	86		.		...

MONTHLY and Annual Summaries for the Year 1908, Sion, Alberta—Latitude N —° —′; Longitude, W. —° —′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms
	°	°	°	°	°	°	°	in.		in.					
January	26·4	6·8	19·6	44·0	25·0	69·0	16·6	..	..	5·0	7	....	....	5	....
February	28·7	7·0	21·7	52·0	23·0	75·0	17·8	0·01	1	8·3	8	2	..	8	....
March	29·4	2·7	26·7	56·0	15·0	71·0	16·1	....	....	16·3	13	2	....	9	....
April	.....	...	...	.....	.....	....	...	0·23	5	....	....	....	....	9	....
May	.....	..	..	.....	.....	.....	..	2·07	18	.....	....	..	....	8	4
June	.....	...	.....	.....	....	....	.....	8·11	21	.....	....	....	....	5	3
July	.....	...	...	..	.....	...	...	2·18	16	...	..	....	....	....	5
August	.. ..	.....	.....	..	..	....	..	1·88	12	.....	....	....	1	6	2
September	.....	....	.....	..	.....	.....	..	0·82	11	0·5	1	...	....	....	....
October	.....	.....	..	....	.....	.....	.....	0·39	3	5·5	3	....	..	...	....
November	...	...	..	..	.....	.....	..	0·09	2	4·5	2	....		....	....
December	...	....	....	....	..	..	....	...	....	10·5	3	....	....	....	....
Year	..	....	...	....	...	....	..	15·78	89	50·3	37	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Spence's Bridge, British Columbia—Latitude, N. 50° 25′; Longitude, W. 121°, 30′. Height above Sea 760 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	36·1	25·0	11·1	48·0	5·5	42·5	30·5	0·18	1	2·5	3	....	..	..	....
February	36·4	21·2	15·2	53·5	2·0	51·5	28·8	0·09	1	6·3	5	....	..	....	...
March	50·7	31·0	19·7	65·5	11·0	54·5	40·8	R.	...	2·0	2	....	....	....	....
April	65·5	39·9	25·6	82·0	26·0	56·0	52·7	0·30	2	..	....	....	....	....	....
May	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
June	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
July	90·9	58·2	32·7	108·0	46·0	62·0	74·6	0·09	1	....	....	....	....	....	....
August	.....	..	...	100·5	52·5	48·0	..	..	....	.....	...	....	..	....	....
September	.....	..	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....
October	..	....	.....	....	..	..	....	..	....	.....	.....	.....	.....	.....	....
November	...	...	.....	66·5	22·5	44·0	..	...	...	...	...	...	...	...	....
December	33·4	23·9	9·5	46·5	3·5	43·0	28·7	0·15	1	12·0	4	...	...	...	....
Year	...	.....	.....	.....	...	...	...	.....	...	...	...	.....	.....	...	....

MONTHLY and Annual Summaries for the Year 1908, Steveston, Garry Point, British Columbia—Latitude, N. 49° 21′; Longitude, W. 123° 17′. Height above Sea, 6 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	43·6	33 7	9 9	49·0	22·0	27·0	38 7	4·96	17				1		
February	44 2	32 7	11·5	49 0	16 0	33 0	38 4	3·99	14						
March	48 8	35 0	13·8	54 0	25 0	29 0	41·9	1 52	10						
April	53 7	39 6	14·1	62 0	31 0	31 0	46 6	1 35	9						
May	59 6	43 8	15 8	71 0	35 0	36 0	51 7	2 88	11						
June	65 4	48·4	17·0	75 0	40 0	35 0	56 9	1·34	7						1
July	71 5	52 1	19 4	79 0	39·0	40 0	61·8	0 73	4						
August	69 1	50 8	18·3	76 0	42 0	34·0	60·0	0 56	3						2
September	61 3	44 1	17·2	71 0	25 0	46 0	52 7	0 80	9				5		
October	55 8	40 2	15 6	63 0	32 0	31 0	48 0	3·72	12				2		
November	52 5	41 1	11·4	61 0	27 0	34 0	46 8	9 29	17				1		
December	41 6	31 5	10·1	50 0	22·0	28 0	36 6	5 24	15				2		
Year	55·6	41·1	14 5	79 0	16 0	63 0	48 3	36·38	128				11		3

MONTHLY and Annual Summaries for the Year 1908, Stoney Creek, Ontario—Latitude, N. 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

MONTH.	TEMPERATURE OF THE AIR.									WIND, DIRECTION FROM								
	7 a.m.	2 p.m.	9 p.m.	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	°	°	°	°	°	°	°	°	°									
January	23 1	30·0	26 0	33 2	17·8	15·4	44 0	12 0	25 5	6	4	7	11	4	32	14	15	0
February	13 6	25 2	18 3	28 0	10 1	17·9	45·0	15 0	19 1	0	6	4	10	0	20	17	30	0
March	30 4	39·0	33 3	42 2	25 6	16 6	70 0	15 0	33 9	5	8	17	3	0	35	18	7	0
April	36 7	46·8	41 8	51·1	33 7	17 4	73 0	21 0	42 4	3	11	25	6	0	12	11	22	0
May	49 0	61 9	51 7	63 6	45·7	17·9	88 0	28 0	54 7	2	28	17	3	2	27	11	3	0
June	58 4	76 3	60 8	79 3	52 5	26 8	94 0	41 0	65 9	3	33	1	5	2	25	15	6	0
July	65 2	80·9	67 0	83·6	60 4	23 2	96 0	52 0	72 0	1	4	15	2	2	46	14	9	0
August	63 4	78 7	63 4	80 4	56·1	24 2	97 0	43 0	68 3	0	8	19	8	0	19	30	9	0
September	60 3	77 8	60 4	79 3	51·7	27 6	97 0	36 0	65 5	1	11	10	4	4	39	19	2	0
October	44 4	60 9	49 4	62 7	40 4	22 3	85 0	26 0	51 5	0	1	15	12	2	18	32	13	0
November	35 4	45 9	39 2	48 1	31·6	16 5	64 0	21 0	39 8	0	4	3	2	1	22	49	7	2
December	28 6	34·1	29 8	35 9	24 0	11 9	52 0	10 0	30 0	1	2	5	8	5	29	36	7	0
Year	42 4	56 8	45 1	57 3	37 5	19 8	97·0	15 0	47·4	22	120	138	74	22	324	266	130	

MONTHLY and Annual Summaries for the Year 1908, Stoney Creek, Ontario—Latitude, N 43° 13′; Longitude, W. 79° 45′. Height above Sea, 292 feet.

MONTH.	FORCE OF WIND.			CLOUDED SKY.				RAIN.		SNOW.		No. of Fogs.	No. of Gales.	No. of Aurora.	No. of Thunder Storms.	Lightning Alone.
	7 a.m.	2 p.m.	9 p.m.	7 a.m.	2 p.m.	9 p.m.	Mean.	Inches.	Days.	Inches.	Days.					
				%	%	%	%									
January	3·3	4·0	4·1	54	45	51	50	1·00	2	11·8	5	...	...	...	...	...
February	2·5	3·8	4·1	41	38	53	44	1·17	..	21·1	6	...	...	1	...	...
March	3·2	4·3	3·2	48	47	47	47	1·70	6	7·6	3	...	...	...	...	...
April	3·4	4·1	4·0	40	42	47	43	0·86	8	..	..	...	...	...	...	...
May	2·3	3·3	2·3	32	39	42	38	2·80	8	..	..	4	...	...	...	...
June	1·4	2·0	2·0	2	14	18	12	2·49	5	...	...	...	2	...	2	...
July	1·7	2·4	1·9	18	21	25	19	2·83	9	..	..	...	...	...	...	...
August	1·8	2·4	1·9	18	22	18	19	2·36	4	...	...	...	...	...	2	...
September	1·6	2·5	2·1	4	8	10	7	0·65	1	...	...	2	2	2	1	...
October	1·6	2·4	2·4	16	23	29	23	0·95	4	...	...	2	...	...	...	...
November	2·5	3·8	3·2	40	47	50	46	1·04	3	2·0	2	3	13	...	...	...
December	2·7	3·2	3·3	58	55	59	57	0·41	2	7·3	3	...	...	...	...	...
Year	4·3	3·2	2·9	31	33	37	34	18·26	52	50·0	19	11	17	3	5	...

MONTHLY and Annual Summaries for the Year 1908, Stratford, Ontario—Latitude, N. 43° 23′; Longitude, W. 81° 0′. Height above Sea, 1,191 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°		in.		in.					
January	26·5	12·2	14·3	38·0	7·0	45·0	19·4	0·54	2	27·8	7	..	...	...	...
February	26·0	7·7	18·3	39·0	21·0	60·0	16·8	2·05	4	58·0	9	...	...	...	...
March	38·0	20·7	17·3	56·0	1·0	55·0	29·4	2·98	7	0·8	2	...	...	...	1
April	50·4	32·6	17·8	74·0	13·0	61·0	41·5	..	..	..	..	..	...	...	...
May	65·6	46·8	18·2	84·0	29·0	55·0	55·9	3·89	8	...	...	...	...	...	...
June	76·1	53·6	22·5	88·0	37·0	51·0	64·9	3·41	7	...	...	...	...	...	...
July	78·8	58·1	20·7	89·0	47·0	42·0	68·4	7·04	6	...	...	...	...	...	...
August	74·0	53·9	20·1	88·0	39·0	49·0	64·0	2·70	2	...	...	...	...	...	...
September	73·7	49·5	24·2	85·0	31·0	54·0	61·6	1·79	2	...	...	...	...	...	...
October	59·8	38·8	21·0	77·0	22·0	55·0	49·3	2·13	2	...	...	...	...	...	...
November	42·8	29·4	13·4	57·0	14·0	43·0	36·1	2·63	5	3·6	5	...	...	...	...
December	31·2	16·4	14·8	54·0	5·0	59·0	23·8	...	...	21·5	9	...	...	...	...
Year	53·5	35·0	18·5	89·0	21·0	110·0	44·3	...	...	...	...	...	...	...	...

MONTHLY and Annual Summaries for the Year 1908, Stuart Lake, Fort St. James, British Columbia—Latitude, N. 54° 28′; Longitude, W. 124° 12′. Height above Sea, 2,280 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°		°	°	°	°	°	in.		in.					
January	25·0	1·5	23·5	36·0	29·0	65·0	13·3	...	...	13·8	5	...	...	...	...
February	24·9	0·8	25·7	44·0	22·0	66·0	12·1	0·40	1	19·3	8	...	1	1	...
March	33·2	4·9	28·3	45·0	34·0	79·0	19·1	0·41	4	14·0	7	...	...	5	...
April	45·8	21·7	24·1	58·0	5·0	53·0	33·8	1·04	7	2·7	2	...	9	...	...
May	56·3	29·4	26·9	67·0	18·0	50·0	42·9	3·28	12	...	...	...	...	...	1
June	64·0	36·5	27·5	76·0	25·0	51·0	50·2	2·01	11	...	...	...	...	...	3
July	68·9	38·5	30·4	81·0	27·0	54·0	53·7	1·61	12	...	...	...	...	...	2
August	66·2	35·5	30·7	75·0	27·0	48·0	50·8	1·41	6	...	...	...	...	...	1
September	56·6	29·5	27·1	69·0	11·0	58·0	43·0	1·89	8	2·4	1	...	...	3	...
October	45·7	21·0	24·7	64·0	0·0	64·0	33·4	0·31	5	1·5	2	...	2	...	...
November	35·3	15·8	19·5	50·0	20·0	70·0	25·5	0·81	11	5·0	3	...	...	...	...
December	24·5	1·7	22·8	38·0	41·0	79·0	13·1	...	...	11·5	7	..	..	1	...
Year	45·5	19·6	25·9	81·0	41·0		32·6	14·17	77	70·2	35	...	12	10	7

MONTHLY and Annual Summaries for the Year 1908, Summerland, British Columbia—Latitude, N. 49° 57′; Longitude, W. 119° 0′. Height above Sea, 1,100 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	33·3	20·0	13·3	41·0	2·0	39·0	26·7	0·07	1	3·7	4	...	...	...	...
February	34·1	18·9	15·2	44·0	2·0	42·0	26·5	0·08	1	11·4	7	..	...	...	...
March	44·7	27·9	16·8	63·0	8·0	55·0	36·3	0·57	2	1·0	1	...	...	1	1
April	59·0	36·0	23·0	69·0	20·0	49·0	47·5	0·43	4	...	...	..	...	...	...
May	64·9	43·9	21·0	76·0	34·0	42·0	54·4	2·02	10	...	...	...	...	1	..
June	74·7	52·1	22·6	89·0	41·0	48·0	63·4	0·27	2	...	...	..	...	...	...
July	83·8	57·8	26·0	98·0	44·0	54·0	70·8	0·88	3	...	...	..	...	..	2
August	79·4	56·3	23·1	93·6	42·0	51·0	67·9	0·97	4	...	...	..	..	1	5
September	68·0	46·3	21·7	82·0	31·0	51·0	57·2	0·36	3	...	...	...	...	4	2
October	54·3	37·2	17·1	67·0	29·0	38·0	45·8	0·51	4	...	...	..	1	...	...
November	48·4	31·5	16·9	66·0	10·0	56·0	39·9	0·16	3	...	...	...	...	2	...
December	32·2	18·0	14·2	42·0	7·0	35·0	25·1	0·05	1	6·8	5	..	...	..	...
Year	56·4	37·2	19·2	98·0	2·0	...	46·8	6·37	38	22·9	17	...	1	9	11

MONTHLY and Annual Summaries for the Year 1908, Summerside, Prince Edward Island—Latitude, N. 46° 18′; Longitude, W. 65° 51′. Height above Sea, —— feet

MONTH.	TEMPERATURE.							WIND, DIRECTION FROM									RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	Amt.	Days.	Amt.	Days.	Gales	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°	°	°	°										in.		in.					
January	30·9	9·6	21·3	54	11	65	20·3	....	2	1	4	....	8	6	10	..	....	....	2·0	1	1	..	..	..
February	29·0	8·8	20·2	52	12	64	18·9	2	3	1	3	3	10	3	4	....	.	....	....	....	..	1	..	..
March	32·8	16·0	16·8	53	00	53	24·4	2	6	1	2	2	10	1	7	.	....	....	.	....	1	..	..	..
April	39·5	25·7	13·8	61	14	47	32·6	..	1	2	2	3	12	5	5	..	....	....	....	....	..	..	..	1
May	56·9	39·6	17·3	72	28	44	48·2	1	7	3	6	..	12	....	2	....	....	....	....	....	1	..	..	2
June	66·8	50·7	16·1	82	35	47	58·7	3	3	....	2	2	17	1	2	....	1·10	5	....	....	3	1	..	2
July	76·0	58·6	17·4	89	45	44	67·3	1	2	1	5	4	13	2	1	....	1·10	10	.	..	..	..	..	..
August	69·5	55·4	14·1	76	43	33	62·4	....	2	....	4	6	10	5	3	..	0·37	7	....	.	..	..	..	..
September	67·2	52·3	14·9	80	38	42	59·8	2	3	1	...	2	16	2	4	....	0·92	7	.....	....	..	..	..	..
October	55·5	40·9	14·6	68	27	41	48·2	4	1	4	1	9	1	6	5	....	1·10	7	7·0	3	.	..	..	1
November	39·4	28·8	10·6	58	20	38	34·1	3	.....		4	...	8	9	6	..	1·37	9	4·0	2	3	..	..	2
December	31·7	12·3	19·4	47	3	50	22·0	3	2	1	3	.	4	3	15	..	0·03	1	11·5	2	1	1	..	..
Year	49·6	33·2	16·4	89	12	101	41·4	21	32	15	36	31	121	43	64	..	5·99	46	24·5	14	11	3	..	7

MONTHLY and Annual Summaries for the Year 1908, Sussex, New Brunswick—Latitude, N. 45° 38′; Longitude, W. 65° 38′. Height above Sea, 69 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range.	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Aurorae.	Thunder Storms.
	°	°	°	°		°		in.		in.					
January	26·7	12·0	14·7	54·0	12·0	66·0	19·4	3·89	6	20·0	8	....	....	....	....
February	23·7	4·2	19·5	54·0	23·0	77·0	14·0	2·62	5	16·0	5	..	....	....	....
March	28·9	14·4	14·5	46·0	14·0	60·0	21·6	2·73	3	15·7	5	..	....	....	1
April	38·3	21·5	16·8	69·0	9·0	60·0	29·9	2·07	6	7·0	2	5	....	....	....
May	60·8	38·9	21·9	79·0	30·0	49·0	49·9	3·62	8	....	....	....	....	....	....
June	73·5	47·6	25·9	86·0	31·0	55·0	60·6	2·59	8	....	....	....	....	....	....
July	79·3	55·6	23·7	90·2	40·0	50·2	67·4	2·43	7	....	....	....	....	....	....
August	72·9	48·6	24·3	81·9	36·0	45·0	60·7	3·31	7	....	....	....	....	....	....
September	71·3	43·2	28·1	82·0	27·0	55·0	57·2	1·92	5	....	....	....	....	....	....
October	58·0	34·0	24·0	75·0	16·0	59·0	46·0	3·39	4	....	....	....	....	....	....
November	39·0	30·3	8·7	56·0	18·0	38·0	34·6	1·3.	5	5·0	1	....	....	....	....
December	27·3	11·9	15·4	57·0	14·0	71·0	19·6	2·87	6	3·0	3	..	....	....	....
Year	50·0	30·2	19·8	90·2	23·0	113·2	40·1	32·75	70	66·7	24	5	....	....	3

Monthly and Annual Summaries for the Year 1908, Sussex, New Brunswick—Latitude, N. 45° 38′; Longitude, W. 65° 38′. Height above Sea, 69 feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	1	3	2	1	3	7	4	7	3							
February	0	0	0	1	1	6	2	6	13							
March	1	2	1	3	1	6	2	3	12							
April	0	1	0	2	1	7	5	6	8							
May	0	5	1	5	1	5	2	1	11							
June	3	2	0	1	1	6	2	2	13							
July	1	0	2	0	1	5	1	0	16							
August	2	1	1	0	0	10	2	1	14							
September	1	2	1	1	0	7	2	0	16							
October	1	1	1	3	0	3	3	3	16							
November	1	0	4	2	0	6	5	6	6							
December	2	3	1	3	1	1	1	12	7							
Year	13	20	14	22	10	69	31	47	135							

Monthly and Annual Summaries for the Year 1908, Sutton West, Ontario—Latitude, N. 44° 19′; Longitude, W. 79° 18′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Aurora.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	25·6	7·3	18·3	39·0	24·2	14·8	16·4	0·7	1	19·0	7				
February	21·9	0·8	21·1	42·2	31·0	73·2	11·3	·7	1	14·0	7				
March	34·5	17·8	16·7	54·0	3·0	57·0	26·2	1·76	5	3·0	3		1		1
April															
May															
June															
July															
August															
September															
October															
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Swan River, Manitoba—Latitude, N. 52° 15′; Longitude, W. 101° 4′. Height above Sea, 1,060 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February															
March															
April															
May	68·1	38·1	30·0	82·0	25·0	57·0	53·1	0 90	5						
June	68·9	46·0	22·9	88·0	30·5	57·5	57·4	4·26	17						2
July	80·5	51·5	29·0	94·0	39·0	55·0	66·0	0·72	6						
August	72·7	46·5	26·2	87·0	30·0	57·0	59·6	2·05	8						
September	69·2	40·1	29·1	100·0	26·0	74·0	54·7	0·31	2						
October	49·9	30·1	19·8	78·0	19·0	59·0	40·0	0·85	5						
November	32·9	17·4	15·5	54·0	21·0	75·0	25·2								
December	13·7	2·5	16·2	35·0	38 0	73·0	5·6								
Year															

MONTHLY and Annual Summaries for the Year 1908, Swanson Bay, Queen Charlotte Sound, British Columbia—Latitude, N. 50° 37′; Longitude, W. 126° 53′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in					
January								16·52	17	9·0	1				
February								10·68	13	14·5	7				
March								18 92	19	6·6	4				
April								21·90	25	2·8	3				
May								9·64	24	0 3	1				
June								6·85	16						
July								11 31	20						
August	66·6	51·7	14·9	87·0	46·0	41·0	59 2	5·47	11						
September	54·7	46·2	8·5	61·0	38·0	23·0	50 4	25·95	23						
October	52·0	39·6	12·4	60·0	25·0	35·0	45 8	21·40	18	1·5	1				
November	48·5	37·5	11·0	60·0	30·0	30·0	43 0	31·08	20						
December	39·8	32·3	7 5	57·0	22·0	35·0	36·0	12·64	19	4·5	3				
Year								192·36	225	39·2	20				

Monthly and Annual Summaries for the Year 1908, Taber, Alberta—Latitude, N. 51° 0′; Longitude, W. 113° 0′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	37·5	13·1	24·4	48·0	11·0	59·0	25·3			3·4	5				
February	32·4	8·9	23·5	65·0	11·0	76·0	20·7			6·0	7				
March	36·1	11·8	24·3	63·0	9·0	72·0	24·0			8·7	6				
April	58·4	31·6	26·8	81·0	1·0	80·0	45·0	0·63	5						
May	63·1	41·3	21·8	89·0	32·0	57·0	52·2	4·30	16						
June															
July	84·9	51·8	33·1	95·0	40·0	55·0	68·4	0·78	8						
August															
September															
October															
November															
December															
Year															

Monthly and Annual Summaries for the Year 1908, Tobacco Plains (Elko), British Columbia—Latitude, N. 49° 1′; Longitude, W. 115° 5′. Height above Sea, 2,684 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	31·4	18·7	12·7	42·0	7·0	49·0	25·0	0·32	2	3·5	3		1		
February	35·0	19·9	15·1	47·0	10·0	57·0	27·5	1·10	5	12·0	7				
March	43·7	26·2	17·5	53·0	5·0	48·0	34·9	0·64	5	9·0	4				
April	58·5	36·3	22·2	73·0	15·0	58·0	47·4	1·23	7	2·0	1				
May	62·2	41·7	20·5	76·0	35·0	41·0	51·9	5·28	21						
June	72·0	46·7	25·3	89·0	38·0	51·0	59·3	2·56	10						
July	85·3	52·1	33·2	96·0	35·0	61·0	68·7	0·43	5						1
August	82·8	47·3	35·5	98·0	35·0	63·0	65·0	0·66	4						1
September															
October															
November	44·3	29·8	14·5	63·0	6·0	57·0	37·0	1·23	5	1·0	1				
December	31·5	19·5	12·0	47·0	0·0	47·0	25·5	0·11	1	6·0	3				
Year										33·5	19				

MONTHLY and Annual Summaries for the Year 1908, Thetis Island, British Columbia—Latitude, N. 49° 1′; Longitude, W. 123° 40′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°		°	°	°	°	in.		in.					
January	44·0	33·5	10·5	51·4	23·5	27·9	38·8	8·90	21	....	....	....	....	....	....
February	43·9	32·1	11·0	50·0	20·1	29·9	38·0	6·39	19	S.	....	....	1	....	....
March	49·0	34·8	14·2	58·5	26·8	31·7	41·9	2·94	18	....	....	....	....	1	....
April	53·9	37·2	16·7	71·0	29·8	41·2	45·5	1·83	9	....	....	....	....	....	....
May	59·4	42·2	17·2	71·5	34·7	36·8	50·8	2·47	18	....	....	....	....	1	....
June	67·7	47·9	19·8	77·6	40·3	37·3	57·8	0·25	5	....	....	....	....	....	....
July	75·1	53·0	22·1	86·8	44·4	42·4	64·1	0·31	2	....	....	....	....	....	....
August	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
September	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
October	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
November	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
December	42·4	32·0	10·4	51·6	25·4	26·2	37·2	6·93	18	....	....	....	....	....	....
Year	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Threehills Creek, Alberta—Latitude, N. 51° 30′; Longitude, W. 113° 11′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°		°	°	°	°	in.		in.					
January	29·4	3·4	26·0	46·0	26·0	72·0	16·4	....	....	....	....	....	....	....	....
February	27·1	1·1	28·2	58·0	25·0	83·0	13·0	....	....	1·5	2	1	....	....	....
March	30·0	5·8	24·2	58·0	14·0	72·0	17·9	....	....	12·5	6	1	....	4	....
April	55·4	22·7	32·7	74·0	13·0	87·0	39·0	0·11	1	....	....	....	....	....	....
May	63·1	34·9	28·2	84·0	20·0	64·0	49·0	2·75	9	....	....	1	....	....	....
June	64·3	43·2	21·1	78·0	32·0	46·0	53·8	6·33	18	....	....	....	....	....	6
July	76·3	46·3	30·0	86·5	34·0	52·5	61·3	1·09	5	....	....	....	....	....	5
August	72·7	40·2	32·5	87·0	30·5	56·5	56·5	1·28	11	....	....	....	1	8	6
September	69·2	32·1	37·1	88·5	7·0	81·5	50·6	0·16	3	....	....	....	....	9	2
October	49·3	22·7	26·6	72·5	2·5	70·0	36·0	0·37	5	5·5	2	....	....	3	....
November	43·4	12·6	30·8	72·5	22·0	94·5	28·0	....	....	0·5	1	....	1	6	....
December	28·5	1·7	30·2	42·5	38·5	81·0	13·4	....	....	2·0	3	3	....	3	....
Year	50·7	21·8	28·9	88·5	38·5	127·0	36·2	12·09	52	22·0	14	6	2	33	19

MONTHLY and Annual Summaries for the Year 1908, East Toronto, Ontario—Latitude, N. 43° 35′; Longitude, W. 79° 18′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	30·6	14·6	16·0	40·0	20·0	60·0	22·6	0·97	3	14·5	5	....	....	....	...
February	24·3	8·0	16·3	42·0	22·0	64·0	16·2	1·38	3	7·2	5	....	....	....	....
March	37·2	21·5	15·7	62·0	6·0	56·0	29·4	1·30	3	4·8	4	....	....	....	2
April	47·3	31·5	15·8	76·0	15·0	61·0	39·4	1·36	9	6·5	2	....	....	....	1
May	62·5	44·7	17·8	84·0	32·0	52·0	53·6	4·24	14	...	....	..	....	....	....
June	74·2	53·6	20·6	85·0	41·0	44·0	63·9	1·93	6	.....	...	....	....	....	....
July	79·1	58·4	20·7	91·0	50·0	41·0	68·8	3·16	9	.....	....	....	2	...	....
August	76·0	55·1	20·9	89·0	44·0	45·0	65·5	2·26	6	.....	....	....	....	1	2
September	73·6	51·4	22·2	86·0	39·0	47·0	62·5	1·12	3	.....	....	....	....	....	....
October	59·2	41·0	18·2	75·0	26·0	49·0	50·1	1·13	3	0·1	1	..	5	....	1
November	45·7	30·7	15·0	61·0	21·0	40·0	38·2	1·32	5	2·0	3	....	....	....	....
December	33·9	20·4	13·5	54·0	2·0	56·0	27·2	0·77	3	6·4	6	....	....	....	....
Year	53·6	35·9	17·7	91·0	22·0	113·0	44·8	20·94	67	41·5	26	....	7	1	6

MONTHLY and Annual Summaries for the Year 1908, Toronto Island, Lakeside Home, Ontario—Latitude, N. 43° 40′; Longitude, W. 79° 24′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January	32·2	18·5	13·7	41·0	12·0	53·0	25·3	....	....	.....	....	....	....	....	....
February	26·6	11·4	15·2	41·0	18·0	59·0	19·0	.....	...	... ..	....	....	....	....	....
March	37·4	24·3	13·1	52·0	9·0	43·0	30·9	.....	....	....	....	....	....	....	....
April	45·4	32·7	12·7	62·0	19·0	43·0	39·1	.....	....	. ...	....	....	....	....	....
May	58·4	42·6	15·8	75·0	33·0	42·0	50·5	.....	....	.....	....	....	....	....	....
June	69·1	52·0	17·1	75·0	43·0	32·0	60·6	.....	....	.....	....	....	....	...	....
July	75·0	58·4	16·6	88·0	49·0	39·0	66·7	.....	....	.....	....	....	....	....	....
August	72·8	58·8	14·0	87·0	47·0	40·0	65·8	.....	....	... ..	....	....	....	..	....
September	71·6	54·7	16·9	82·0	41·0	41·0	63·1	.....	....	.....	....	....	....	....	....
October	57·7	43·2	14·5	70·0	32·0	38·0	50·5	.....	....	.....	....	....	....	....	....
November	45·1	33·7	11·4	62·0	25·0	37·0	39·4	.....	....	.....	....	....	....	....	....
December	35·5	24·6	10·9	50·0	8·0	42·0	30·1	.....	....	.....	....	....	....	....	....
Year	52·2	37·9	14·3	88·0	18·0	106·0	45·1	.....	....	.....	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Treherne, Manitoba—Latitude, N. 49° 36′; Longitude, W. 98° 40′. Height above Sea, 1,212 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°		in.		in.					
January	17·3	0·8	18·1	42·0	33·0	75·0	8·2							3	
February	14·2	2·1	16·3	40·0	20·0	60·0	6·1							1	
March	18·7	1·7	20·4	42·0	22·0	64·0	8·5							2	
April	48·7	25·1	23·6	80·0	0·0	80·0	36·9					1			
May	61·6	35·5	26·1	80·0	15·0	65·0	48·5								1
June	70·1	46·0	24·1	86·0	30·0	56·0	58·1								
July	78·6	50·9	27·7	10·4	33·0	71·0	64·7								
August	71·9	46·5	25·4	90·0	32·0	58·0	59·2								
September	65·7	43·0	22·7	90·0	25·0	65·0	54·4			1·0	1			2	
October	50·9	30·3	20·6	75·0	12·0	63·0	40·6								
November	35·0	18·8	16·2	57·0	7·0	64·0	26·9						3	1	
December	17·1	0·7	17·8	32·0	28·0	60·0	8·2								
Year	45·8	24·2	21·6	104·0	33·0	137·0	35·0								

MONTHLY and Annual Summaries for the Year 1908, Uplands, Ontario—Latitude, N. 45° 48′; Longitude, W. 79° 25′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°		°	°	°	°	in.		in.					
January	25·5	3·8	29·3	39·0	40·3	79·3	10·8	0·10	1	27·5	9				
February	23·7	2·6	26·3	41·0	37·6	78·6	10·6			48·0	10				
March	35·1	14·5	20·6	49·8	2·6	47·2	24·8	4·9	3	6·0	6				1
April	45·4	21·3	24·1	64·5	9·5	74·0	33·3	1·6	9	4·7					2
May	68·0	40·7	24·3	85·0	17·0	68·0	52·8	2·84	10	3·0	2				
June	75·7	42·0	33·7	86·0	30·8	55·2	58·8	1·35	6						3
July	78·8	50·3	28·5	92·5	39·5	53·0	64·5	2·86	8						3
August	74·6	46·3	28·3	86·0	29·7	56·3	60·4	2·86	9						2
September	75·1	42·7	32·4	88·0	27·8	60·2	58·9	2·83	5						2
October	58·5	33·8	24·7	76·0	16·5	59·5	46·1	0·86	4						
November	41·5	26·1	15·4	54·0	15·5	38·5	33·8	0·52	3	10·0	8				3
December	31·3	4·8	26·5	50·0	24·0	74·0	18·0			51·0	6				
Year	52·5	26·3	26·2	92·5	40·3	132·8	39·4	20·72	58	150·2					16

MONTHLY and Annual Summaries for the Year 1908, Uplands, Ontario—Latitude, N. 45° 48′; Longitude, W. 79° 25′. Height above Sea, —— feet.

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	10	0	1	1	15	1	3	0	0							
February	12	1	5	0	12	1	17	2	8							
March	9	0	5	1	13	3	21	2	8							
April	4	0	1	2	14	2	7	0	0							
May	8	0	11	0	17	0	20	0	6							
June	7	0	3	0	9	0	26	0	15							
July	3	0	2	0	0	10	12	4	0							
August	10	0	4	0	9	0	27	0	12							
September	5	0	3	0	13	1	27	0	11							
October	2	0	2	4	0	10	9	4	0							
November	1	1	0	2	1	12	10	3	0							
December	8	0	10	1	14	1	17	3	0							
Year	79	2	47	11	117	41	196	18	60							

MONTHLY and Annual Summaries for the Year 1908, Uxbridge, Ontario—Latitude, N. 44° 5′; Longitude, W. 79° 8′. Height above Sea, 886 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	22·8	10·0	12·8	39·0	29·0	68·0	16·4	0·17	2	26·5	7				
February	22·5	7·0	15·5	42·0	21·0	63·0	14·7	1·41	3	16·0	5				
March	34·6	18·4	16·2	53·0	6·0	59·0	26·5	2·10	7	6·0	4				
April	48·3	30·5	17·8	70·0	10·0	60·0	39·4	1·61	10	5·0	3				
May	64·5	46·6	17·9	83·0	25·0	58·0	55·5	2·96	14						
June	76·7	52·2	24·5	88·0	38·0	50·0	64·4	1·44	5						
July	80·4	57·3	23·1	92·0	46·0	46·0	68·9	2·46	6						
August	75·8	51·5	24·3	88·0	38·0	50·0	63·6	1·67	5						
September	75·0	49·4	25·6	91·0	33·0	58·0	62·2	1·38	2						
October	58·7	39·6	19·1	78·0	22·0	56·0	49·1	0·56	4						
November	42·5	31·1	11·4	61·0	16·0	45·0	36·8	0·94	6	8·0	5				
December	28·5	17·5	11·0	39·0	10·0	49·0	23·0	0·03	1	13·0	9				
Year	52·5	34·3	18·2	92·0	29·0	121·0	43·4	16·73	65	74·5	33				

Monthly and Annual Summaries for the Year 1908, Vernon, British Columbia—Latitude, N. 50° 14′; Longitude, W. 119° 15′. Height above Sea, 1,575 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January	32·5	18·7	13·8	42·0	1·0	43·0	25·6			10·5	4				
February	32·9	17·8	15·1	42·0	2·0	44·0	25·4			13·0	8				
March	43·8	27·3	16·5	55·0	0·0	55·0	35·6	0·27	3	3·0	2				
April	58·4	35·5	22·9	71·0	18·0	53·0	47·0	0·63	6						
May	66·6	42·1	24·5	76·0	34·0	42·0	54·3	0·74	8						
June	77·2	48·5	28·7	90·0	38·0	52·0	62·8	0·93	4						
July	85·3	53·7	31·6	104·0	40·0	64·0	69·5	0·58	5						
August	81·6	50·3	31·3	95·0	38·0	57·0	66·0	1·40	6						
September	68·2	43·9	24·3	83·0	26·0	57·0	56·0	0·87	6						
October	53·6	35·6	18·0	68·0	29·0	39·0	44·6	0·76	6						
November	46·5	33·3	13·2	65·0	14·0	51·0	39·9	0·25	4						
December	30·1	17·3	12·8	43·0	5·0	38·0	23·7	0·10	1	7·6	8				
Year	56·4	35·3	21·1	104·0	2·0	106·0	45·9	6·53	49	34·1	22				

Monthly and Annual Summaries for the Year 1908, Virden, Manitoba—Latitude, N. 49° 51′; Longitude, W. 100° 55′. Height above Sea, 1,444 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
								in.		in.					
January															
February															
March															
April															
May	63·3	36·6	26·7	80·0	20·0	60·0	50·0	0·83	5						
June	70·5	47·3	23·2	83·0	28·0	55·0	58·9	1·92	8						
July	80·3	51·0	29·3	93·0	40·0	53·0	65·6	1·35	3						
August	74·3	45·5	28·8	92·0	31·0	61·0	59·9	1·38	6						
September	70·9	41·3	29·6	92·0	24·0	68·0	56·1	1·20	2	*	1				
October	54·5	28·7	25·8	74·0	10·0	64·0	41·6	0·40	2	*	1				
November															
December															
Year															

MONTHLY and Annual Summaries for the Year 1908, Waitefield, Alberta—Latitude, N. 53° 29′; Longitude, W. 113° 38′ Height above Sea, 2,000 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	23·9	1·6	22·3	40·0	35·0	75·0	12·7	....	...	2·5	7	....	2	8	....
February	22·8	0·4	23·2	48·0	26·0	74·0	11·2	.....	...	12·7	11	....	1	....	....
March	23·0	3·7	26·7	46·0	27·0	73·0	9·6	0·02	1	19·1	17	....	2	11	....
April	49·3	26·0	23·3	69·8	18·0	87·8	37·7	0·16	6	0·1	1	....	....	7	....
May	64·9	39·7	25·2	81·8	22·5	59·3	52·3	2·61	11	.....	....	....	....	9	3
June	63·8	44·5	19·3	75·0	35·0	40·0	54·2	5·21	24	.....	....	....	2	....	11
July	73·1	50·1	23·0	85·5	43·2	42·3	61·6	2·17	12	.....	....	....	11	2	7
August	68·4	44·5	23·9	82·7	30·0	52·7	56·5	3·87	16	...	...	....	2	6	5
September	64·2	36·8	27·4	84·0	15·0	69·0	50·5	0·88	7	...	....	....	5	9	4
October	47·3	24·8	22·5	74·0	7·0	67·0	36·1	0·61	6	10·8	6	....	....	10	1
November	35·5	16·0	19·5	63·6	28·0	91·6	25·8	0·15	5	15·5	4	....	7	8	....
December	20·8	2·7	23·5	40·0	32·0	72·0	9·1	0·11	2	10·1	9	....	5	5	....
Year	46·4	23·1	23·3	85·5	35·0	120·5	34·8	15·79	90	70·8	55	....	37	75	31

MONTHLY and Annual Summaries for the Year 1908, Wallaceburg, Ontario—Latitude, N. 42° 35; Longitude, W. 82° 24′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	32·3	17·7	14·6	41·0	11·0	52·0	25·0	...	...	.....	....	....	...	....	....
February	27·6	12·1	15·5	47·0	11·0	58·0	19·8	.....	...	31·0	4	....	.....	....	....
March	41·1	24·7	16·4	63·0	13·0	50·0	32·9	....	....	.....	....	....	.....	....	....
April	53·0	35·0	18·0	76·0	21·0	55·0	44·0	2·15	10	.....	....	....	.....	....	....
May	67·5	48·1	19·4	86·0	32·0	54·0	57·8	3·98	11	.....	....	....	.....	....	....
June	78·2	55·6	22·6	90·0	44·0	46·0	66·9	1·18	6	....	....	....	.....	....	....
July	83·0	58·6	24·4	93·0	48·0	45·0	70·8	1·54	7	.....	....	....	.....	....	....
August	79·1	55·7	23·4	93·0	45·0	48·0	67·4	4·20	8	.....	....	....	.....	....	....
September	79·2	50·5	28·7	91·0	33·0	58·0	64·8	0·39	2	...	....	....	.....	....	....
October	63·0	39·6	23·4	80·0	25·0	55·0	51·3	0·92	3	.....	....	....	.....	....	....
November	47·3	29·9	17·4	61·0	17·0	44·0	38·6	.....	....	...	..	....	.....	....	....
December	35·4	20·9	14·5	57·0	5·0	52·0	28·1	.....	..	.....	....	...	.....	....	....
Year	57·2	37·4	19·8	93·0	11·0	104·0	47·3	.....	....	.....	....	....	.....	....	....

Monthly and Annual Summaries for the Year 1908, Waseca, Saskatchewan—Latitude, N. 53° 6′; Longitude, W. 109° 29′. Height above Sea, —— feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	18·7	4·1	22·8	39·0	35·0	74·0	7·3	..	....	2·5	3	....	....	13	....
February	17·1	2·1	19·2	42·0	29·0	71·0	7·5	..	....	6·0	3	3	....	3	....
March	18·4	8·4	26·8	40·0	25·0	65·0	5·0	....	....	6·0	3	....	....	5	....
April	48·6	24·2	24·4	74·0	10·0	84·0	36·4	0·17	2	.. ..	..	....	....	4	1
May	64·5	40·0	24·5	80·0	20·0	60·0	52·2	1·22	6	..	....	....	....	2	....
June	65·0	44·7	20·3	81·0	31·9	50·0	54·9	7·36	15	.....	....	....	....	....	....
July	73·5	50·7	22·8	86·0	41·0	45·0	62·1	2·38	7	.....	....	....	....	1	....
August	66·9	44·2	22·7	81·0	30·0	51·0	55·5	2·23	6	....	....	....	..	3	....
September	63·1	35·4	27·7	84·0	12·0	72·0	49·3	0·69	4	.. ..	....	....	.. ..	5	....
October	47·6	23·8	23·8	72·0	10·0	62·0	35·7	....	....	8·0	2	.. ..	....	3	....
November	33·8	17·8	16·0	48·0	28·0	76·0	25·8	.....	....	3·0	2	....	....	2	....
December	19·7	2·3	22·0	40·0	34·0	74·0	8·7	....	....	1·0	....	....	....	1	..
Year	44·7	22·0	22·7	86·0	35·0	121·0	33·4	14·05	40	26·5	....	3	....	42	1

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
													%	%	%	%
January	1	7	1	1	0	3	6	12	0	....	....	....	....	....	....	....
February	0	5	4	3	1	7	7	2	0	.....	.....	.....	.....	.....	.....	.....
March	1	8	2	1	0	9	3	7	0	....	....	....	.....	.....	....	.....
April	..	..	.....	.....	...	.....	.....	.....	.....	....	....	....	.....	..	....	.....
May	0	6	3	10	5	3	0	4	0	.....	....	.	.....	.. ..	..	.....
June	0	8	1	7	2	5	1	6	0	.....	....	....	.....	....	.....	....
July	0	3	1	4	0	9	0	14	0	....	.....	....	.....	....	....	.....
August	0	8	4	4	0	2	3	10	0	....	....	.. .	....	.....	....	.....
September	0	2	1	1	3	13	1	9	0	..	.....	..	.....	.....	.....	.....
October	1	4	0	8	1	8	3	6	0	.....	.....	....	.. .	.....	.....	.. .
November	0	2	4	3	1	4	7	9	0	.....	..	.....	.....	.....	.....	.. ..
December	0	6	0	2	0	10	3	10	0	.....	.....	.....	.. ..	....	.....	....
Year	.....	..	.....	...	. .	... ..	.....	.....		. .	. .	.....	.....	...	.....	.....

Monthly and Annual Summaries for the Year 1908, Welland, Ontario—Latitude, N. 42° 59′; Longitude, W. 79° 17′. Height above Sea, 577 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	33·4	17·9	15·5	45·0	7·0	52·0	25·7	1·49	4	9·7	4				
February	28·7	12·2	16·5	44·0	12·0	56·0	20·5	1·19	2	28·5	12				
March	42·5	25·4	17·1	64·0	12·0	52·0	33·9	1·66	5	2·2					
April	54·7	33·8	20·9	75·0	20·0	55·0	44·3	1·92	12	0·5	1				
May	69·3	48·7	20·6	90·0	32·0	58·0	59·0	2·57	15						
June	81·2	55·2	26·0	91·0	44·0	47·0	68·2	2·06	8						
July	85·3	60·8	24·5	96·0	50·0	46·0	73·1	6·52	10						
August	77·2	57·0	20·2	92·0	45·0	47·0	67·1	1·83	8						
September	75·8	52·9	22·9	88·0	37·0	51·0	64·4	1·02	2						
October	61·6	42·5	19·1	75·0	29·0	46·0	52·1	1·04	6						
November	45·9	31·8	14·1	63·0	20·0	43·0	38·9	1·31	9	4·2	4				
December	35·4	22·6	12·8	52·0	7·0	45·0	29·0	0·69	5	11·1	8				
Year	57·6	38·4	19·2	96·0	12·0	108·0	48·0	23·30	86	56·2					

Monthly and Annual Summaries for the Year 1908, Wetaskiwin, Alberta—Latitude, N. 52° 58′; Longitude, W. 113° 23′. Height above Sea, —— feet.

Month.	Temperature							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°	°	°	°	in.		in.					
January	28·3	4·9	23·4	47·0	24·0	71·0	16·6			2·8	5				
February	28·1	4·5	23·6	52·0	22·0	74·0	16·3			13·5	9				
March	28·8	1·3	27·5	50·0	20·0	70·0	15·1			10·3	9				
April	51·1	27·3	23·8	70·0	8·0	78·0	39·2	0·23	1						
May	65·4	38·3	27·1	83·0	25·0	58·0	51·8	1·39	13						
June	66·2	45·8	20·4	80·0	36·0	44·0	56·0	7·45	19						10
July	75·5	52·3	23·2	84·0	43·0	41·0	63·9	2·86	13						
August	69·5	45·8	23·7	83·0	32·0	51·0	57·7	1·53	11					2	2
September	64·2	36·9	27·3	82·0	19·0	63·0	50·6	0·28	6	1·3	1			2	1
October	47·9	26·5	21·4	72·0	8·0	64·0	37·2	0·24	3	6·0	1				
November	37·1	19·1	18·0	66·0	8·0	74·0	28·1			6·0	1				
December															
Year															

Monthly and Annual Summaries for the Year 1908, Whitefish River, Quebec—Latitude, N. 48° 30′; Longitude, W. 79° 22′. Height above Sea, 879 feet.

Month.	Temperature.							Rain.		Snow.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	°	°		°	°	in.		in.					
January															
February															
March															
April															
May															
June	74·4	43·7	30·7	90·0	26·0	64·0	59·0	3·79	10						4
July	77 1	47 4	29·7	93·5	33·0	60·5	62 2	2·76	11						1
August	64·7	39·1	25·6	83·2	30·5	52·7	51·9	1·85	14						
September	69·2	40·9	28·3	83·0	23·0	60·0	55·1	3·52	12					2	2
October	49·8	31·3	18·5	68·0	13·0	55·0	40·5	1·36	8	9·0	1		2	1	
November	33·5	19·1	14·4	52·0	5·0	47·0	26·3	1·46	4	12·3	8			1	
December	14·0	8·1	22·1	39·0	42·0	81·0	3·0			12·0					
Year															

Month.	Wind, Direction from									Force of Wind.			Clouded Sky.			
	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	a.m.	p.m.	p.m.	Mean.
January																
February																
March																
April																
May																
June																
July	6	1	1	0	8	5	5	4	0							
August	7	1	0	5	1	3	9	5	0							
September	2	0	1	1	0	18	3	5	0							
October	5	3	0	2	9	1	4	3	1							
November	1	2	2	2	2	6	10	5	0							
December	2	1	2	2	2	4	7	4	7							
Year																

MONTHLY and Annual Summaries for the Year 1908, White Head, Nova Scotia—Latitude, N. 45° 15′; Longitude, W. 61° 8′. Height above Sea, 20 feet.

MONTH.	TEMPERATURE.						WIND, DIRECTION FROM								FORCE OF WIND.			RAIN.		SNOW.					
	7 a.m.	2 p.m.	9 p.m.	Mean.	Max.	Min.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	a.m.	p.m.	p.m.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Thunder Storms.	Auroras.
	°	°	°	°	°	°													in.		in.					
January	26·0	28·4	26·7	26·9	43·0	3·0	1	5	1	11	4	20	12	39	0	.	.	.	2·82	3	11·2	2	.	1	.	.
February	21·4	26·4	24·3	24·1	39·0	2·0	15	2	7	16	6	26	3	18	0	.	.	.	1·92	6	.	.	1	7	.	.
March	26·3	29·3	27·8	27·8	40·0	11·0	20	2	5	8	10	19	7	22	0	.	.	.	2·79	4	.	.	.	3	.	.
April	30·1	34·1	30·7	31·4	49·0	19·0	16	3	6	1	13	29	6	16	0	.	.	.	2·99	6	3·5	1	3	9	.	.
May	39·6	45·7	39·9	41·3	61·0	33·0	18	0	18	8	11	31	1	4	2	.	.	.	3·84	7	.	.	.	16	.	.
June	47·7	53·4	47·6	49·1	65·0	39·0	10	1	9	8	6	47	4	3	2	.	.	.	2·27	4	.	.	.	12	.	.
July	57·9	63·6	58·4	59·6	71·0	53·0	5	0	13	5	15	49	2	0	4	.	.	.	3·79	4	.	.	.	13	.	.
August	57·7	62·4	57·9	59·0	68·0	52·0	10	1	9	13	12	38	4	4	2	.	.	.	3·47	6	.	.	.	7	.	.
September	56·5	61·8	56·4	57·8	69·0	49·0	13	2	5	1	10	51	0	8	0	.	.	.	2·17	3	.	.	1	6	.	.
October	49·0	53·6	49·9	50·6	62·0	39·0	14	2	4	7	9	34	10	13	0	.	.	.	2·29	4	.	.	3	3	.	.
November	38·6	40·8	38·2	39·0	52·0	27·0	8	6	3	6	10	15	29	13	0	.	.	.	2·65	5	.	.	4	3	.	.
December	27·7	30·0	28·8	28·9	47·0	11·0	8	8	1	4	9	17	20	26	0	.	.	.	4·79	6	.	.	6	1	.	.
Year	39·9	44·1	40·6	41·3	71·0	2·0	138	32	81	88	115	370	98	166	10	.	.	.	35·79	58	14·7	3	18	81	.	.

MONTHLY and Annual Summaries for the Year 1908, Willow Bunch, Saskatchewan—Latitude, N. 49° 24′; Longitude, W. 105° 38′. Height above Sea, —— feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.					
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.	Gales.	Fogs.	Auroras.	Thunder Storms.
	°	°	°	°	°	°	°	in.		in.					
January															
February	25·7	7·4	18·3	49·0	18·0	67·0	16·6			8·0	6				
March	30·8	6·2	24·6	53·0	16·0	69·0	18·5	R.	2	8·0	5				
April	54·7	30·2	24·5	89·0	5·0	94·0	42·5	0·75	1	1·0	1				
May	62·3	38·5	23·8	74·0	15·0	59·0	50·4	3·80	8						
June	71·6	47·4	24·2	89·0	33·0	56·0	59·5	4·50	11						
July	80·3	52·4	27·9	100·0	40·0	60·0	66·4	3·30	7						
August	76·5	48·1	28·4	103·0	37·0	66·0	62·3	0·90	4						
September	68·6	42·0	26·6	90·0	17·0	73·0	55·3	1·40	3						
October	59·9	32·8	27·1	89·0	14·0	75·0	46·4	1·50	1	5·0	2				
November	46·2	23·9	22·3	69·0	1·0	70·0	35·0			7·0	4				
December															
Year								·15							

MONTHLY and Annual Summaries for the Year 1908, Windsor, Ontario—Latitude, N. 42° 20′; Longitude, W. 83° 4′. Height above Sea, 625 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	°	°	-	°	-	-	-	in.		in.					
January	32·0	19·6	12·4	43·0	2·0	41·0	25·8	1·82	3	6·0	3	....	....	....	....
February	29·0	13·2	15·8	47·0	1·0	48·0	31·1	1·93	3	23·0	6	....	....	....	....
March	42·9	28·0	14·9	68·0	19·0	49·0	35·5	2·56	5	0·5	....	....	....	....	....
April	54·6	37·5	17·1	75·0	24·0	57·0	46·1	2·58	8	....	....	....	....	....	....
May	66·4	50·9	15·5	83·0	33·0	50·0	58·6	4·18	12	....	....	....	....	....	....
June	76·1	58·2	17·9	87·0	44·0	43·0	67·1	2·15	5	....	....	....	....	....	....
July	80·6	63·1	17·5	93·0	52·0	41·0	71·9	2·05	9	....	....	....	....	....	....
August	78·5	60·4	18·1	89·0	50·0	39·0	69·5	4·64	9	....	....	....	....	....	....
September	77·0	56·8	20·2	87·0	40·0	47·0	66·9	0·44	1	....	....	....	....	....	....
October	61·7	43·4	18·3	78·0	33·0	45·0	52·6	1·59	3	....	....	....	....	....	....
November	47·8	31·9	15·9	63·0	18·0	45·0	39·9	0·75	4	....	....	....	....	....	....
December	36·8	23·4	13·4	60·0	9·0	51·0	30·1	1·15	4	4·0	3	....	....	....	....
Year	56·9	40·5	16·4	93·0	1·0	94·0	48·7	25·84	66	33·5	....	....	....	....	....

MONTHLY and Annual Summaries for the Year 1908, Windsor, Nova Scotia—Latitude, N. 44° 59′; Longitude, W. 64° 6′. Height above Sea, 90 feet.

MONTH.	TEMPERATURE.							RAIN.		SNOW.		GALES.	FOGS.	AURORAS.	THUNDER STORMS.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean.	Amt.	Days.	Amt.	Days.				
	-	°	-	°	°	°	-	in.		in.					
January	34·6	17·5	17·1	56·0	3·0	59·0	26·1	3·71	10	16·5	5	....	....	....	....
February	30·7	13·8	16·9	53·0	13·0	66·0	22·3	4·67	8	5·0	3	....	....	....	....
March	36·1	21·4	14·7	57·0	5·0	52·0	28·8	1·70	6	8·9	8	....	....	....	....
April	44·3	28·1	16·2	68·0	16·0	52·0	36·2	2·77	12	4·3	4	....	....	....	....
May	60·7	40·5	20·2	74·0	31·0	43·0	50·6	4·04	11	....	....	....	....	....	2
June	70·7	49·7	21·0	84·0	34·0	50·0	60·2	2·94	8	....	....	....	....	....	1
July	78·8	56·5	22·3	92·0	45·0	47·0	67·6	2·56	10	....	....	....	....	....	1
August	72·8	54·0	18·8	86·0	37·0	49·0	63·4	6·16	12	....	....	....	....	....	....
September	70·5	48·2	22·3	81·0	34·0	47·0	59·3	2·41	6	....	....	....	....	....	....
October	61·3	38·7	22·6	75·0	23·0	52·0	50·0	2·43	6	....	....	....	4	....	....
November	42·9	29·5	13·4	58·0	20·0	38·0	36·2	1·25	12	11·8	4	....	....	....	....
December	33·6	17·9	15·7	57·0	4·0	61·0	25·8	4·74	11	8·0	5	....	....	....	....
Year	53·1	34·7	18·4	92·0	13·0	105·0	43·9	39·38	112	54·5	29	....	4	....	4

MONTHLY and Annual Summaries for the Year 1908, Winter Harbour, British Columbia—Latitude, N. 50° 32′; Longitude, W. 128° 3′. Height above Sea, —— feet

MONTH.	TEMPERATURE.							RAIN.		SNOW.		Gales.	Fogs.	Auroras.	Thunder Storms.
	Mean Max.	Mean Min.	Mean Daily Range	Max.	Min.	Range	Mthly Mean	Amt.	Days.	Amt.	Days.				
	°	°		°	°	°	°	in.		in.					
January															
February															
March															
April															
May	55·8	41·8	14·0	64·0	26·0	28·0	48·8	9·7	17						
June	60·5	46·0	14·5	74·0	39·0	35·0	53·3	3·96	11						
July	65·5	50·6	14·9	78·0	47·0	31·0	58·1	5·82	11				7		
August	65·9	50·4	15·5	88·0	46·0	42·0	58·1	2·47	6						
September	58·7	47·0	11·7	64·0	38·0	26·0	52·9	8·59	7						
October	54·1	43·0	11·1	67·0	34·0	33·0	48·5	10·63	11						
November	49·8	39·3	10·5	56·0	20·0	36·0	44·6	18·99	16						
December	42·6	33·5	9·1	52·0	25·0	27·0	38·0	10·65	12						
Year															

PART IV

Bi-hourly and Hourly Temperature and Barometric Pressure during the Year 1908

Temperature—

At Victoria, B.C ..... page 192
Regina, Sask ..... " 216
Winnipeg, Man ..... " 228
Toronto, Ont ..... " 252
Montreal, Que ..... " 276
Quebec, Que ..... " 288

Pressure—

At Victoria, B.C ..... " 300
Toronto, Ont ..... " 324
Montreal, Que ..... " 348

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	36·7	37·0	39·0	39·4	39·0	37·5	39·0	40·5	41·4	42·3	43·5	43·8
2.....	46·8	46·8	46·0	45·0	44·8	43·8	43·4	43·3	44·8	45·2	45·8	45·9
3.....	42·1	42·0	39·9	39·5	43·0	43·0	43·0	43·8	44·0	44·8	46·0	46·8
4.....	43·8	43·8	42·8	42·4	42·4	43·0	43·6	43·1	43·2	43·1	45·2	45·8
5.....	45·8	46·0	47·3	48·5	49·1	48·1	48·3	48·1	48·7	48·2	48·0	45·8
6.....	40·8	40·1	41·8	42·0	43·3	44·0	44·0	44·0	46·0	46·9	48·1	49·0
7.....	42·7	42·8	42·8	42·7	43·0	43·3	43·3	43·3	44·0	45·3	45·8	46·0
8.....	44·3	45·9	46·8	48·0	46·0	46·0	46·0	45·7	45·9	45·8	46·0	47·0
9.....	42·0	43·5	42·0	40·8	39·0	38·8	39·3	39·3	40·2	41·0	41·3	43·0
10.....	41·9	41·8	41·2	41·0	40·8	40·8	40·8	41·0	42·5	43·7	44·0	43·1
11.....	44·3	44·1	43·7	43·4	43·0	42·9	42·7	42·0	42·0	41·0	43·0	43·8
12.....	37·8	38·7	39·0	39·3	39·8	38·9	36·0	36·0	37·0	38·3	40·0	41·3
13.....	40·5	40·3	40·1	40·1	40·9	40·2	40·5	40·8	40·8	41·0	41·3	41·8
14.....	42·0	42·0	42·3	42·4	42·3	42·4	42·5	42·7	43·1	43·8	45·3	46·1
15.....	37·9	37·5	38·8	38·6	39·0	39·1	39·5	40·0	40·8	41·0	42·8	43·1
16.....	41·5	42·1	42·3	42·0	41·6	41·7	42·0	42·9	43·5	44·0	45·5	47·0
17.....	42·5	42·7	43·1	43·2	44·0	44·5	44·3	44·0	43·8	43·7	44·0	45·0
18.....	43·1	42·6	42·9	42·3	42·8	42·9	42·3	42·9	44·0	45·1	45·3	45·3
19.....	43·8	43·8	43·3	43·0	42·9	43·0	42·5	44·0	45·0	45·3	46·0	46·1
20.....	44·5	43·0	43·8	43·8	44·0	43·5	42·4	42·0	42·0	43·0	44·3	45·0
21.....	41·2	41·0	40·9	40·0	39·3	38·8	38·8	38·5	38·9	39·8	41·5	42·0
22.....	40·7	40·7	40·0	40·0	39·0	38·0	37·5	36·9	38·5	40·0	41·8	42·0
23.....	43·0	43·0	43·0	42·4	41·8	41·0	40·0	40·0	40·8	41·5	43·5	45·0
24.....	39·2	37·3	35·9	35·7	38·2	38·0	38·1	38·1	38·5	40·0	41·5	43·0
25.....	37·0	37·0	38·5	39·5	40·0	39·5	39·6	40·0	40·8	41·2	41·5	41·0
26.....	38·9	38·8	38·0	38·0	38·0	37·1	37·0	37·0	37·5	38·2	39·5	40·8
27.....	37·2	37·2	37·1	37·0	36·3	36·2	36·3	36·4	36·5	36·7	37·0	37·0
28.....	36·1	36·5	36·9	37·0	37·1	37·0	36·8	37·0	37·8	38·8	39·3	40·0
29.....	35·0	34·0	34·0	33·8	33·2	33·0	32·8	33·0	33·3	34·0	35·2	36·1
30.....	31·1	30·0	28·0	27·2	27·0	26·8	26·6	29·5	32·1	33·5	35·0	36·0
31.....	30·0	29·8	29·7	29·2	29·0	28·7	28·0	28·0	29·5	31·0	32·3	34·0
Mean..	40·46	40·38	40·35	40·23	40·31	40·05	39·90	40·12	40·87	41·52	42·56	43·15

each Hour (120th Meridian Time), during the Month of January, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	
43·8	43·2	43·9	44·0	44·4	44·2	41·3	45·1	45·8	46·1	46·3	46·3	42·35
46·0	46·0	46·0	45·1	44·2	43·4	43·8	44·0	43·9	43·9	43·3	42·8	44·75
47·1	48·2	48·0	47·3	47·1	47·0	46·0	45·0	44·0	43·3	44·0	44·3	44·55
46·1	46·0	46·1	46·0	46·0	55·5	44·1	43·8	44·0	44·7	44·8	45·1	44·35
45·2	46·3	47·0	46·0	45·1	45·1	44·8	44·0	43·5	42·8	42·8	42·3	46·12
48·9	48·7	48·0	47·8	47·0	46·0	45·8	45·7	44·0	41·2	40·3	41·4	44·78
46·3	46·2	45·8	45·7	45·1	43·8	44·0	45·0	46·0	45·8	45·5	45·5	44·57
47·0	46·3	46·1	46·1	46·8	46·3	45·1	44·8	44·0	43·2	44·7	44·8	45·77
44·8	43·2	43·8	43·7	42·0	40·5	38·5	38·3	41·0	41·7	41·8	41·9	41·31
42·1	41·3	41·0	41·1	43·0	44·2	45·8	46·3	45·5	45·3	44·8	44·8	42·83
45·0	45·4	45·0	43·0	42·0	40·0	38·3	37·8	39·1	39·7	39·0	38·0	42·01
41·8	41·8	42·3	42·1	41·5	40·1	40·0	40·0	40·0	40·3	40·5	40·6	39·71
42·0	42·1	42·1	42·0	42·0	42·0	42·1	42·1	42·0	42·1	42·1	42·0	41·37
47·3	47·5	47·3	46·9	46·0	43·2	40·0	38·0	38·0	38·8	39·0	38·0	42·79
43·7	43·4	43·0	42·1	41·2	40·8	40·0	39·8	39·3	39·3	39·2	39·5	40·39
47·3	47·0	45·3	44·6	43·9	43·8	53·0	42·7	42·5	42·6	42·8	42·6	43·51
45·4	45·3	45·1	44·8	44·1	43·8	43·3	43·1	43·0	43·3	43·0	43·9	43·87
47·8	48·1	48·3	47·0	45·1	45·0	45·0	45·2	45·0	44·2	44·0	43·9	44·59
46·9	46·3	48·3	48·1	46·2	47·2	47·3	47·0	46·0	45·8	46·1	46·0	45·41
45·5	44·5	43·0	40·1	40·0	40·3	40·1	40·0	40·0	40·9	40·8	40·0	52·35
43·2	43·1	43·3	43·3	42·5	41·3	40·3	40·5	40·5	40·0	39·0	39·7	40·72
43·5	44·0	45·1	45·0	43·0	42·0	41·0	41·3	42·2	42·7	42·9	42·9	41·28
47·0	47·2	47·0	46·2	45·0	43·8	42·0	41·6	40·8	40·5	30·1	40·0	42·76
44·7	44·9	44·8	44·1	43·0	40·0	39·0	39·0	37·8	37·9	37·0	37·2	39·70
42·0	42·2	42·2	42·1	42·0	41·1	41·8	40·3	40·2	40·0	39·7	39·3	40·35
41·1	41·1	41·0	40·7	39·4	38·2	37·5	37·1	37·0	37·0	37·0	37·1	38·46
37·5	37·7	38·1	38·4	38·8	48·3	38·4	38·2	37·9	37·7	37·0	36·9	37·32
41·3	41·8	41·6	41·5	41·0	40·3	39·9	39·8	39·9	37·9	37·0	36·3	38·65
38·2	38·8	38·7	38·0	37·0	35·0	33·0	31·3	30·3	30·9	31·0	31·7	34·22
37·2	37·8	37·7	37·0	36·0	34·3	33·8	33·3	32·7	32·1	41·0	30·8	32·35
34·8	35·0	34·0	33·3	33·0	31·5	30·0	29·2	28·0	27·9	27·0	26·2	30·38
43·89	43·88	43·84	43·35	42·69	41·87	41·23	40·94	40·74	40·63	40·44	40·38	41·41

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	26·0	26·0	25·8	25·5	25·0	24·7	24·5	24·5	24·3	30·7	32·2	33·7
2..	26·4	26·5	26·5	25·7	25·0	24·6	21·0	24·1	26·0	30·5	34·0	36·0
3..	33·0	33·2	34·0	35·0	36·0	36·1	36·1	36·3	36·8	37·1	37·9	38·0
4..	36·1	36·1	38·0	39·0	39·9	39·9	40·0	40·3	41·1	41·8	44·0	44·2
5..	39·8	40·8	41·0	41·0	41·5	41·0	40·5	40·7	40·0	39·8	40·0	41·0
6.....	40·0	40·0	39·9	39·5	40·0	38·3	39·5	40·8	42·0	42·5	43·0	44·0
7.. ..	33·2	34·0	33·8	32·8	32·1	31·3	31·0	36·8	37·3	39·1	40·8	42·0
8.....	41·9	42·0	42·1	42·0	42·0	41·8	41·9	41·8	42·4	42·8	44·6	45·5
9.....	40·0	40·0	39·0	38·1	38·9	38·1	37·9	37·8	38·3	39·6	41·5	43·3
10.....	34·3	33·2	32·8	33·8	34·2	34·3	34·9	34·9	34·5	35·0	40·5	44·0
11.....	39·1	38·8	39·0	40·0	40·2	40·0	39·1	37·0	36·0	36·3	40·0	40·8
12..	35·8	34·5	34·1	34·3	35·1	35·0	35·0	35·7	37·0	38·2	41·0	42·0
13.....	38·1	37·8	37·7	37·3	38·0	37·5	39·1	39·9	40·3	40·8	41·3	42·0
14.. .	41·3	42·0	42·5	42·5	42·8	42·2	42·0	42·2	43·0	44·5	46·8	47·1
15.....	43·4	43·7	43·8	43·8	43·3	43·0	42·9	42·9	43·8	44·7	45·1	46·0
16..	43·2	43·3	43·9	43·8	44·0	43·8	43·9	43·2	44·5	45·5	47·5	49·0
17.....	43·9	43·8	43·0	42·3	41·0	41·0	41·0	41·8	43·2	44·0	45·0	45·1
18..	42·6	42·7	42·7	42·5	43·0	42·8	42·8	42·3	43·0	44·1	45·3	46·1
19.....	40·2	40·0	40·0	39·4	39·1	38·9	39·1	39·1	39·5	41·0	43·0	45·0
20..	32·8	32·1	31·9	31·6	31·8	31·8	32·5	33·0	36·0	38·5	41·5	44·0
21..	33·0	33·0	33·5	35·0	36·0	35·0	33·0	35·0	38·0	40·7	42·5	45·1
22..	35·9	36·0	34·0	33·7	33·0	32·8	32·5	31·7	33·0	37·3	43·0	47·3
23..	36·2	35·8	37·2	37·4	37·8	38·1	40·0	40·8	41·5	45·3	46·3	47·0
24.. .	38·1	37·9	36·0	36·0	39·0	41·0	42·0	41·8	43·5	44·0	44·0	44·2
25..	42·4	42·0	42·0	42·0	42·0	42·0	42·3	42·2	41·9	42·1	42·8	42·9
26..	46·3	46·2	46·0	45·4	41·8	44·7	45·0	45·1	45·2	45·6	41·5	41·0
27..	39·9	38·2	36·3	36·0	35·0	34·8	35·3	36·5	40·5	42·3	43·3	43·6
28.....	39·0	38·0	37·2	37·3	38·0	39·0	39·8	39·2	40·3	41·2	41·3	41·2
29..	40·0	40·0	40·3	40·7	40·9	40·9	40·5	40·9	41·8	42·3	43·5	45·0
Mean.	38·00	37·85	37·72	37·70	37·88	37·74	37·87	38·22	39·13	40·60	42·18	43·31

each Hour (120th Meridian Time), during the Month of February, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
34·8	35·2	35·3	35·0	34·5	33·0	31·1	30·0	29·3	29·3	27·5	26·3	29·34
36·2	36·0	35·9	35·9	35·0	33·4	31·2	30·8	31·0	31·0	31·9	32·1	30·42
38·4	39·0	40·0	39·7	39·0	38·3	37·3	37·3	37·0	37·0	37·1	37·1	36·95
43·8	43·7	42·9	42·9	42·2	41·1	41·0	40·8	40·0	39·9	39·1	39·0	40·70
43·0	44·5	43·2	43·0	42·8	42·0	42·7	42·5	41·5	41·0	40·2	40·0	41·40
44·0	44·0	43·0	42·1	41·2	38·3	38·1	37·9	36·0	35·0	33·8	33·1	39·83
43·0	44·2	43·5	43·2	42·9	42·1	41·8	41·5	41·5	42·0	41·9	41·8	38·99
46·5	46·1	45·8	46·0	46·1	45·0	42·2	41·3	41·2	41·0	40·9	40·9	43·07
44·2	44·7	44·9	44·9	44·0	43·2	41·0	40·1	39·0	36·8	35·2	34·1	40·15
45·5	46·1	46·2	45·1	44·1	43·3	42·8	42·1	41·7	41·8	42·0	40·3	39·47
46·0	46·3	45·8	45·8	45·0	43·3	42·2	41·9	40·9	40·0	37·0	36·0	40·69
43·2	43·3	44·0	44·0	43·0	42·0	40·8	40·5	40·0	39·8	39·9	40·0	39·09
43·8	44·0	45·3	45·0	44·8	44·8	44·4	44·0	43·9	43·0	42·5	41·8	41·55
47·3	48·0	47·8	46·9	46·2	45·5	45·0	43·8	43·9	43·9	43·0	43·2	44·31
46·0	46·9	47·3	47·7	46·8	45·2	44·0	43·8	45·5	46·0	44·5	43·5	44·73
50·2	50·8	50·3	50·1	48·5	47·5	47·0	46·0	45·5	44·9	44·2	44·2	46·03
46·8	48·0	48·7	48·0	46·0	45·2	44·8	43·7	43·1	43·0	42·0	42·2	44·02
46·3	46·6	46·1	45·8	45·0	43·5	43·0	42·4	41·8	41·7	41·0	40·3	43·47
47·3	47·8	46·7	46·6	46·0	44·3	41·8	39·2	37·0	35·7	34·0	33·3	41·00
45·8	47·0	47·8	47·5	46·0	43·0	40·3	38·0	36·0	35·0	34·1	34·0	38·60
48·0	50·0	50·0	49·9	49·1	47·0	42·5	40·5	38·5	37·0	36·1	35·0	40·17
49·5	50·1	50·1	50·0	48·0	46·0	42·6	41·7	40·0	37·8	36·8	36·5	39·95
46·3	46·4	50·0	51·1	49·3	48·1	46·3	45·2	44·3	44·0	42·0	40·0	43·20
44·2	44·3	44·8	45·0	45·0	45·7	45·7	45·2	44·0	43·6	42·9	42·8	42·53
44·0	45·2	45·2	45·3	45·0	45·1	47·0	47·4	47·3	47·2	47·4	47·0	43·73
44·0	45·3	43·5	42·1	42·3	41·3	41·5	41·3	41·0	40·2	41·0	40·2	43·35
44·2	44·6	44·2	44·1	44·0	43·0	42·2	42·0	40·5	40·6	39·8	39·2	40·42
42·0	42·8	44·1	44·0	43·5	42·2	41·8	41·6	41·6	41·2	39·0	39·0	40·55
46·8	47·5	47·5	47·3	46·8	46·0	45·0	43·6	43·8	43·2	42·0	40·9	43·22
44·52	45·11	45·17	44·95	44·17	43·06	41·91	41·17	40·46	39·96	39·11	38·79	40·69

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	39·9	39·0	38·8	38·5	39·0	39·0	38·3	38·8	41·0	42·5	45·8	47·3
2.....	38·0	36·6	35·3	35·1	36·0	36·0	38·5	40·2	41·5	42·8	45·0	46·3
3.....	40·0	40·8	41·7	41·8	41·9	41·7	41·9	42·0	43·0	43·5	43·0	43·0
4..	38·5	38·7	38·0	37·8	36·8	36·8	37·3	38·3	40·0	40·6	42·0	43·4
5.. ..	32·2	32·5	31·8	31·2	31·0	30·5	29·5	30·0	34·5	38·3	41·0	43·5
6.....	30·0	29·0	28·3	28·2	28·0	27·7	27·4	27·3	31·0	37·0	42·5	45·8
7.. .	41·4	41·1	40·5	38·0	37·3	37·3	36·0	36·0	40·0	42·8	46·5	48·5
8.....	40·8	39·7	39·2	39·1	39·0	38·9	39·0	39·8	43·0	45·0	47·5	48·5
9.. ...	33·1	33·3	32·2	32·1	31·5	31·5	33·5	35·0	40·5	43·0	45·0	46·5
10.....	41·2	42·3	42·8	43·5	43·3	43·1	43·4	45·1	46·0	46·2	46·9	49·5
11.. .	45·5	45·9	45·8	45·0	45·8	45·8	45·9	46·8	48·3	49·3	50·5	51·9
12.. ..	45·7	45·7	45·8	45·5	45·1	44·8	44·5	44·9	45·6	46·9	47·5	48·0
13.....	44·3	44·5	45·0	46·0	47·0	47·3	47·7	47·9	48·4	49·1	51·0	52·9
14.. ...	46·4	46·7	46·2	46·3	45·1	45·0	44·5	44·7	45·0	45·6	46·3	46·8
15..	40·5	40·6	40·6	40·8	42·0	42·5	42·3	42·5	44·0	46·3	50·0	52·8
16.. .	40·6	41·2	41·5	41·2	40·3	40·1	39·9	39·9	43·5	45·0	46·5	49·0
17..	39·8	39·0	39·0	39·8	39·1	39·1	39·0	39·4	41·3	42·0	44·0	44·2
18..	37·9	37·8	36·5	35·3	33·3	33·1	34·2	39·0	41·8	42·1	44·5	47·1
19.....	35·5	33·1	32·0	31·2	31·0	31·8	33·0	34·8	40·5	42·0	43·5	46·3
20.. .	41·8	41·8	41·1	41·0	41·4	41·9	43·2	44·1	45·2	46·0	47·8	50·0
21.....	45·5	43·1	42·0	38·0	36·5	35·5	38·0	41·0	46·3	48·0	49·5	52·0
22..	44·3	44·8	44·9	44·9	44·9	44·8	44·2	44·0	43·6	43·8	45·0	45·6
23.....	47·3	47·1	47·3	47·9	47·1	47·3	48·0	49·9	49·3	50·3	50·8	52·8
24..	45·5	46·0	46·2	46·1	45·2	45·0	45·0	44·7	46·2	46·2	46·0	47·5
25.. . .	39·5	40·0	40·2	40·1	40·0	39·2	39·8	40·2	41·8	42·8	44·0	46·0
26..	39·0	38·0	36·5	36·0	35·8	35·8	36·1	36·8	38·2	38·4	38·4	38·4
27.. .	32·5	31·3	32·0	31·7	31·1	31·1	31·2	32·1	37·5	42·8	43·5	46·8
28.....	40·8	40·0	39·0	37·5	35·0	33·0	32·3	33·1	38·0	41·9	46·8	49·1
29..	42·8	42·7	42·0	42·0	42·2	42·7	42·9	43·4	45·5	46·1	48·3	49·8
30..	41·3	41·3	41·1	41·0	41·0	41·0	40·8	42·0	45·0	43·5	48·0	45·0
31.....	40·5	40·5	40·0	39·0	39·0	39·0	39·0	39·8	45·0	45·0	47·5	48·3
Mean..	40·33	40·13	39·78	39·41	39·09	38·98	39·24	40·11	42·58	44·12	45·96	47·50

each Hour (120 Meridian Time), during the Month of March, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	
48·7	48·6	48·5	48·1	46·3	45·0	44·0	43·0	42·0	40·3	39·2	38·9	42·52
46·9	47·0	46·5	47·8	46·1	44·5	42·0	39·0	37·8	36·8	36·4	36·6	40·78
46·0	46·1	46·0	45·5	44·0	41·3	40·0	38·8	37·5	37·3	37·7	38·3	41·78
44·2	45·3	46·3	46·3	46·0	45·0	42·0	39·0	36·5	34·3	33·7	33·0	39·99
45·2	46·8	47·8	47·4	46·3	46·0	43·0	40·0	37·0	34·8	33·0	31·8	37·71
46·7	47·2	48·4	48·4	47·0	45·1	44·0	43·1	42·5	41·9	41·8	41·6	38·33
49·2	48·4	48·4	47·3	46·0	45·3	44·0	42·8	41·8	41·6	41·6	41·2	42·63
50·0	50·8	49·9	50·7	50·0	48·0	46·0	41·8	38·8	36·9	35·0	33·5	42·95
48·0	48·0	47·3	47·5	47·7	47·0	45·0	43·3	43·1	42·5	42·2	41·5	40·85
52·7	51·3	50·8	49·0	47·5	46·8	46·5	46·3	45·6	45·9	46·0	46·0	46·15
52·0	52·8	52·8	51·5	51·0	49·0	47·5	46·4	46·2	46·5	46·0	45·8	48·08
49·9	50·5	51·0	51·2	50·0	48·0	46·0	45·8	45·1	44·8	44·1	44·0	46·68
53·1	53·0	52·2	50·8	49·8	48·0	46·8	46·0	46·0	46·1	46·1	46·3	48·14
46·7	46·4	46·0	45·0	43·8	42·3	41·8	41·7	41·4	41·2	40·8	40·7	44·43
52·8	52·9	52·0	49·0	48·5	46·8	45·8	45·7	45·0	43·8	42·0	41·7	45·45
49·1	49·0	48·9	48·4	48·1	47·2	46·2	45·0	41·1	41·0	41·0	39·8	43·90
45·9	46·6	46·0	45·3	44·5	43·0	41·1	41·0	40·8	40·0	38·3	38·3	41·52
47·6	48·0	49·3	44·5	43·0	42·5	41·1	40·4	39·5	38·9	38·0	36·2	40·48
47·8	49·0	49·3	48·0	47·8	46·0	44·8	43·8	43·0	42·4	42·3	42·2	40·88
51·0	51·1	51·0	50·9	49·8	47·8	46·8	46·0	45·0	44·8	44·5	44·1	45·75
52·9	52·8	52·0	50·8	49·3	48·0	47·2	46·8	46·0	45·0	44·6	44·3	45·55
45·3	45·3	45·2	45·3	45·3	45·3	45·2	45·1	45·3	45·3	45·8	46·1	44·97
54·4	55·0	55·7	55·0	53·1	51·7	48·0	47·4	46·8	46·3	46·0	45·2	49·57
48·0	49·1	48·5	46·9	46·0	43·3	42·0	41·0	40·1	40·5	40·2	39·8	44·79
47·5	48·0	48·0	46·0	45·0	43·8	42·8	42·0	41·0	40·1	39·9	39·8	42·40
41·0	45·5	46·5	46·2	44·0	43·8	41·0	38·7	36·8	35·8	35·0	33·0	38·95
48·0	48·1	48·0	47·3	46·8	45·0	43·0	42·5	42·0	41·7	41·1	41·1	39·94
49·1	49·0	48·7	49·0	48·1	47·0	45·0	44·3	43·6	43·2	43·1	43·1	42·61
50·3	49·1	48·7	47·8	46·0	44·2	42·8	42·4	41·9	41·9	41·3	41·2	44·50
45·0	45·2	47·1	48·1	47·0	44·0	42·2	40·8	40·3	40·1	39·9	39·7	42·93
50·0	50·9	51·2	50·8	50·0	48·0	44·8	43·5	41·5	39·7	39·0	38·8	43·78
48·55	48·94	48·97	48·25	47·22	45·76	44·14	43·01	41·97	41·34	40·83	40·41	43·19

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	37·2	37·0	35·5	35·0	35·3	35·1	37·0	41·5	47·0	48·9	49·2	52·0
2..	44·9	44·3	44·0	43·1	42·8	41·8	41·3	44·0	47·5	50·0	52·0	54·0
3..	43·5	44·1	45·3	45·8	46·8	45·5	45·0	43·2	43·0	44·5	44·3	45·5
4..	39·8	39·3	39·5	39·6	40·0	40·0	41·0	42·0	43·5	44·0	46·5	47·8
5..	40·3	40·3	40·8	40·9	40·8	40·1	40·5	41·3	42·5	42·4	42·8	43·0
6..	38·3	38·3	38·4	37·8	37·2	37·1	36·6	39·5	39·0	46·8	46·5	47·8
7..	42·2	42·3	42·4	42·8	42·9	42·5	44·8	46·0	49·0	50·8	52·3	52·8
8..	40·8	41·3	41·2	41·2	41·8	42·2	44·8	47·5	51·5	52·5	54·0	54·0
9..	46·7	46·2	45·8	45·5	45·3	45·2	45·2	46·2	48·0	49·9	50·8	52·0
10..	42·8	42·6	43·0	43·0	42·2	42·1	43·0	44·5	47·5	49·9	53·0	53·5
11..	47·0	46·8	46·8	46·5	46·1	45·9	47·0	48·0	53·0	56·0	56·0	55·0
12..	45·9	46·1	45·8	45·7	45·3	46·0	47·5	49·0	53·0	54·5	56·0	54·0
13..	49·0	49·8	49·5	49·4	49·3	48·0	47·4	47·1	48·5	49·3	51·3	52·8
14..	36·5	35·0	33·3	33·0	33·0	32·9	35·0	37·5	46·5	51·1	52·4	52·8
15..	39·3	38·2	37·8	36·8	36·7	37·2	39·5	43·5	48·5	51·8	51·0	53·5
16..	44·1	41·1	43·5	42·8	42·0	41·8	40·1	42·0	48·9	50·0	51·0	52·2
17..	47·3	45·8	45·3	45·1	45·0	45·0	45·5	47·3	47·0	47·0	49·0	49·0
18..	47·9	47·5	47·0	46·2	46·0	45·8	46·5	48·0	52·0	54·3	52·2	52·8
19..	47·3	47·3	47·2	47·2	46·8	46·8	47·8	49·5	51·5	51·1	52·3	57·3
20..	43·0	43·0	43·0	42·4	41·8	41·8	43·0	45·5	51·5	53·0	53·8	53·0
21..	38·0	37·2	36·3	36·1	36·0	36·6	38·5	44·3	49·5	50·7	52·3	53·0
22..	39·0	40·1	42·3	43·0	43·8	43·9	44·9	45·3	45·8	47·7	51·0	52·0
23..	47·3	47·1	46·3	46·1	46·0	45·7	46·0	48·0	51·0	52·0	53·3	53·2
24..	45·8	45·8	43·8	43·8	43·1	43·2	43·1	43·0	47·5	48·3	49·9	49·9
25..	43·1	42·9	42·0	40·0	38·8	36·8	37·0	43·5	50·8	51·8	52·2	52·5
26..	40·1	40·4	42·3	42·6	43·8	44·5	46·1	48·0	53·5	55·0	56·0	58·7
27..	46·1	45·8	44·6	44·8	44·0	44·1	44·8	46·3	51·0	51·6	52·2	53·0
28..	44·4	43·0	40·3	38·3	36·8	35·5	35·7	39·3	45·0	52·0	54·2	55·2
29..	39·8	37·8	37·1	37·2	37·0	37·8	45·0	50·0	55·0	57·8	60·3	61·2
30..	52·5	55·2	53·0	53·1	53·9	54·0	56·3	58·0	62·5	65·0	66·7	67·3
Mean.	43·34	43·15	42·77	42·49	43·34	42·21	43·20	45·30	48·99	50·92	52·15	53·03

each Hour (120th Meridian Time), during the Month of April, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
52·3	52·4	53·2	53·0	52·2	50·0	47·5	46·8	46·0	45·8	45·6	45·5	45·05
55·8	56·8	56·3	55·2	54·0	53·2	51·0	48·3	47·2	46·0	44·8	44·0	48·43
47·0	45·2	46·0	45·0	44·8	41·6	41·2	41·0	40·3	40·2	40·4	39·8	43·75
46·5	47·1	47·2	47·0	46·0	45·0	43·8	42·8	42·1	42·1	41·8	41·0	43·14
45·5	47·0	48·1	45·0	43·3	41·2	41·1	39·8	39·0	38·5	38·6	38·8	41·73
48·0	47·0	48·0	49·0	49·0	47·0	44·2	43·0	42·1	42·1	42·1	42·2	42·79
53·9	53·0	53·0	53·0	53·0	52·1	50·0	48·3	46·0	44·8	42·8	41·0	47·57
54·3	53·2	54·0	53·3	52·5	51·0	50·0	48·2	46·5	46·1	46·7	46·8	48·14
52·8	52·5	52·9	52·8	52·0	51·2	50·0	48·0	46·2	44·3	43·8	43·2	48·19
54·3	54·4	54·8	54·8	54·0	52·0	49·5	47·2	46·1	46·8	47·2	47·1	48·14
59·1	59·0	58·3	58·0	56·1	53·0	50·0	48·7	48·0	47·0	46·3	46·3	51·00
54·6	54·5	55·9	55·3	53·0	51·3	50·2	50·0	50·0	49·7	49·2	49·0	50·48
53·7	54·0	56·0	54·3	53·5	51·0	46·5	44·0	42·5	41·0	39·6	39·0	48·62
54·3	56·7	56·0	54·5	53·9	49·2	48·2	47·0	46·0	44·8	44·2	42·2	44·83
55·0	54·0	52·8	52·2	50·0	48·8	47·0	45·8	45·4	44·8	44·3	44·0	45·75
53·0	55·0	57·3	56·8	55·0	51·8	50·0	48·8	48·2	47·9	47·4	47·5	48·35
52·8	55·0	53·9	54·3	52·5	51·2	50·0	48·3	48·0	47·2	47·0	47·6	48·59
57·0	58·7	58·3	58·8	58·0	54·0	52·0	48·3	49·0	49·4	48·8	47·4	51·08
56·2	55·5	52·0	50·3	50·0	48·2	46·0	45·0	44·8	44·0	43·8	43·8	48·82
51·5	51·7	51·1	50·9	50·8	50·0	48·0	45·6	44·2	41·5	40·0	39·5	46·65
52·0	51·1	50·2	50·2	50·0	48·6	47·3	45·7	45·2	43·5	41·5	40·0	44·74
53·5	55·5	57·8	57·0	56·0	55·5	51·5	50·2	50·0	49·1	47·8	47·3	48·75
53·9	53·7	53·6	53·1	52·0	48·7	47·1	47·0	47·0	46·1	46·3	46·1	49·02
49·8	50·3	50·7	49·9	49·0	47·1	46·0	45·3	45·3	45·0	44·3	43·8	46·40
53·8	54·8	54·9	55·7	55·0	52·5	50·0	46·5	43·7	43·1	41·1	40·3	46·78
59·8	59·4	60·0	58·0	52·3	52·3	51·6	53·7	53·4	52·1	46·3	46·2	50·68
53·1	51·8	50·0	51·1	50·9	50·5	49·3	47·1	46·3	46·0	45·5	45·3	48·15
58·0	59·4	59·5	60·0	55·5	52·3	51·7	48·0	45·8	43·3	42·0	40·8	47·33
63·0	65·0	66·8	67·3	67·4	68·0	65·0	60·5	55·0	50·0	47·3	47·9	53·26
70·5	72·0	73·0	66·0	66·5	64·3	63·8	61·7	60·2	59·2	55·0	52·0	60·90
54·18	54·52	54·72	54·06	52·94	51·69	49·32	47·69	46·62	45·71	44·72	44·18	47·90

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	53·5	53·7	53·3	53·0	52·1	51·8	52·0	51·5	51·0	54·1	55·7	56·7
2.	47·0	46·0	45·0	44·8	45·0	45·0	45·0	45·1	46·3	48·0	49·1	51·0
3.	45·1	44·8	44·7	44·9	45·5	46·0	48·0	50·0	51·0	52·2	56·8	55·8
4.	45·8	45·4	45·3	45·4	45·4	45·3	46·1	47·9	49·9	50·2	50·4	49·2
5.	45·5	45·1	45·1	45·6	45·8	47·5	51·8	54·7	56·0	57·0	59·5	59·2
6.	48·0	46·6	46·0	45·0	44·6	45·0	49·0	53·5	57·0	59·0	59·9	60·0
7.	49·9	49·8	49·5	49·5	49·5	49·0	49·2	50·5	53·0	54·1	53·8	53·9
8.	43·9	43·4	43·8	44·4	45·0	45·5	47·0	49·5	53·0	54·0	55·4	54·0
9.	43·9	43·8	43·8	43·1	43·0	42·6	43·0	48·0	53·5	54·1	56·0	57·0
10.	45·2	45·2	45·5	45·6	45·8	46·0	47·0	48·0	51·0	55·0	56·0	56·5
11.	49·1	49·4	49·3	48·7	48·2	48·0	48·7	49·5	52·5	54·0	55·0	55·1
12.	46·3	45·3	45·0	44·5	44·2	44·0	43·0	49·3	55·0	56·0	55·8	56·0
13.	47·0	46·9	46·8	46·2	46·0	45·5	47·5	49·6	52·5	54·7	55·7	55·5
14.	42·0	41·0	40·5	41·3	41·3	42·0	47·0	50·0	55·0	55·0	56·5	58·9
15.	52·0	52·5	51·8	51·8	51·0	50·1	51·0	53·5	58·8	58·3	59·0	63·0
16.	47·6	47·6	47·5	47·7	48·0	48·2	48·8	49·3	50·3	51·3	53·5	54·8
17.	48·6	48·5	47·5	46·3	46·0	46·9	50·0	51·5	52·5	51·6	51·3	53·5
18.	49·2	49·0	48·9	48·7	48·8	49·0	51·0	53·5	55·3	56·2	56·8	57·0
19.	46·0	45·9	46·0	46·0	46·8	48·6	50·5	51·9	53·5	55·0	57·5	58·8
20.	47·0	47·3	48·5	49·1	48·8	49·2	50·8	53·5	56·0	56·2	57·3	57·0
21.	48·7	47·8	47·5	47·4	47·3	47·1	48·1	48·8	49·7	52·0	53·8	57·0
22.	51·0	50·1	49·9	49·5	49·5	49·0	51·0	53·3	57·0	62·0	62·0	63·1
23.	47·4	46·4	45·0	42·4	42·2	42·8	47·0	51·0	53·2	54·0	60·5	62·0
24.	51·4	51·0	50·8	49·8	48·0	48·0	49·5	51·0	54·5	55·9	56·2	56·5
25.	47·9	47·5	47·6	47·1	47·6	48·5	50·0	51·8	54·9	55·3	55·9	57·0
26.	44·0	42·0	41·2	40·5	40·0	41·2	48·0	52·7	57·5	59·5	61·1	61·2
27.	48·5	47·8	46·8	46·2	44·5	43·8	50·5	52·8	56·5	61·0	61·0	62·3
28.	48·0	48·0	47·9	47·8	48·0	48·5	49·9	50·1	52·3	54·7	54·0	52·0
29.	46·2	45·9	45·3	44·8	44·8	45·0	45·8	46·5	48·8	50·0	52·3	55·0
30.	45·7	45·1	44·0	42·3	41·0	41·4	46·0	52·8	56·0	57·0	57·8	57·7
31.	46·9	46·8	45·5	45·3	45·6	45·8	48·0	52·0	55·5	56·0	57·0	57·3
Mean	47·36	46·96	46·62	46·28	46·11	46·33	48·55	50·75	53·53	54·95	56·21	56·90

each Hour (120th Meridian Time), during the Month of May, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
55·0	57 0	59 5	60 1	59 9	56·0	53·1	52 0	50·3	50·2	49 9	49·3	53 78
52·0	56 1	56·5	57 8	57 0	52·5	50·5	48·2	47·2	47·1	46 8	45·8	48·95
57·2	51 0	56·8	56·8	56 0	55·0	52 5	50 3	49 0	48·5	47·3	46·1	50·47
55·0	57·1	57 5	57·8	55 0	53 9	53 1	52 8	51 0	50 0	48 3	47·0	50 21
61·0	61 9	63 4	63 2	61 0	57·8	56·0	54 8	53·0	51·5	49·5	48·8	53 95
61·3	62 8	63 9	64 8	60 2	62·0	60 0	56 8	55·1	54 8	52·0	50 8	54·92
55 2	55 2	55 8	54·3	53 0	52·0	49 8	47·0	45 0	44·3	44 2	44·0	50·48
55·0	56 0	54 0	51 8	51 7	51·1	49·0	47 0	45·8	45·1	45·0	44 2	48 94
59·2	59 3	59 2	59 0	59 0	58 0	55·0	51·8	48 0	46 2	45·7	45·3	50 73
59·0	59 8	58 0	56 2	55 5	54·0	52·0	50·0	49 1	49·0	49·0	49·1	51·15
58·2	58 1	57 5	57·1	56 0	55·0	51 0	49 8	47 3	47·0	46 6	46·5	51·57
57·3	58 3	58 0	56·1	55 0	51·2	50 0	48 3	47·8	47·8	47·6	47·3	50·59
56·0	56 8	58 3	59·0	57 0	55 3	51 0	50·1	48 8	47 0	45·0	43·2	50 89
61·0	63·8	62 0	60·2	60 0	56·5	57 0	55·0	53·5	53·0	52·0	52 0	52·35
65·5	64 6	61·0	57·0	53 0	51·0	49 0	48·0	47 2	47·1	47·3	47·4	53 79
54·3	54 0	53 6	53·0	52 2	51·9	51 0	50·0	49 8	49·2	48·8	48·7	50·46
55·5	56 7	55 0	54 0	53 8	53 0	52 0	51·5	50·8	50·5	50·1	49·5	51·11
59·0	60 5	61 0	59 5	58 0	56 0	54 0	51·8	50·0	48 8	47 5	47·0	53·19
60·1	61 0	61 0	59 0	57·5	57 8	56 0	54·5	52 2	50 8	48·9	48·0	53·05
58·2	58 0	55 5	55·7	54·1	53 9	53 0	51·8	50·8	50·0	49 7	48·9	52·51
59 5	60 5	62 8	62·8	61 5	60 5	57 5	55 0	53·0	51·6	51·3	51·1	56·43
62·5	62 3	62 4	62·3	62 0	61 5	60 0	56·5	54 0	50 8	49 0	48·3	55·79
64·4	65 0	66 1	65·9	64 0	59 0	57 0	54 5	53 8	53·0	52 2	52 0	54 20
57·1	57 2	57 0	56 7	55 8	54 5	53 0	50 0	48 8	48 2	48 1	48 1	52 38
57·5	57·2	57 5	58 0	57·0	56 8	55 2	51 8	49 3	47 9	47·5	46 7	52·22
62 5	64·0	63 1	62·1	59 9	56 0	58 1	57 0	52 5	52 2	51 0	49·2	53·19
62 0	62·0	59 5	58 2	60 8	64 1	61 0	58 0	54 0	51 0	49 0	48·1	54 56
51·3	52 4	57·3	57·3	53 8	52 3	51 1	50·8	48 8	47 8	47 1	46 8	50 75
54·0	54·8	55·2	55·0	55 0	55 2	52 5	50 0	49 0	48·1	47 0	46·2	49·68
57·2	57·1	58·0	63·0	63 9	62 3	60 0	55 5	51 0	48·0	47·2	47 1	52·38
58 7	58 3	58·0	55·5	55 0	53 6	53 1	53·0	52 8	51 2	51·0	50 1	52·17
58·12	58·67	58 85	58 36	57·21	55·80	53 39	52 05	50 28	49 28	48 14	47 82	52·06

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

Day.	Hour Ending										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	50·0	49·3	49·2	49·3	49·4	49·6	49·3	50·0	53·0	55·8	56·9	56·1
2..	48·3	48·1	48·0	47·9	48·1	47·9	50·5	54·5	52·5	60·0	60·3	59·5
3..	51·0	50·1	48·5	47·9	47·5	50·0	54·5	55·8	59·0	59·5	60·3	62·8
4..	49·7	49·9	49·2	49·0	49·0	49·8	51·8	53·0	54·0	56·0	60·5	62·5
5..	50·2	50·1	50·0	49·0	48·0	47·1	49·5	52·5	59·0	53·1	64·3	64·8
6..	48·0	47·0	46·3	46·2	46·1	46·5	50·0	55·0	59·0	62·9	60·8	62·0
7..	49·2	49·0	48·0	47·4	47·2	47·8	50·0	58·0	64·8	65·8	67·5	71·8
8..	52·2	51·9	51·2	51·0	50·0	50·0	55·0	61·0	65·0	75·0	75·0	75·0
9..	52·3	51·0	50·7	50·5	51·0	55·5	63·0	64·3	68·0	70·0	71·0	71·2
10..	50·8	49·5	48·8	48·5	48·8	50·1	56·0	61·0	64·0	66·3	62·9	68·3
11..	54·0	51·1	50·0	49·8	49·8	50·9	55·0	58·5	59·3	61·0	64·0	65·5
12..	49·0	48·0	46·9	46·3	46·3	46·0	48·0	53·0	59·0	61·0	61·8	61·1
13..	52·3	51·8	50·0	49·8	49·0	48·7	52·0	55·5	61·0	63·8	65·2	65·3
14..	54·0	53·3	52·5	51·0	50·0	50·0	50·5	52·5	59·0	64·8	67·5	67·0
15..	52·6	52·6	52·5	53·0	53·5	55·2	57·5	58·8	61·8	63·2	67·0	67·7
16..	52·0	52·0	52·0	51·0	52·0	53·0	54·0	55·9	57·0	59·1	59·2	61·0
17..	53·8	53·8	53·0	51·6	51·0	52·1	53·0	55·0	58·0	60·4	62·0	62·5
18..	51·9	51·8	51·0	52·0	52·1	52·2	52·0	53·0	55·1	58·0	59·9	60·0
19..	48·5	48·0	46·0	46·2	46·3	46·3	48·2	50·0	54·2	55·1	58·0	60·0
20..	49·0	49·0	49·1	49·1	50·0	50·0	51·0	52·0	53·2	60·0	63·8	60·2
21..	51·0	50·2	50·2	51·1	52·0	52·9	54·0	58·0	61·0	62·3	62·2	62·0
22..	52·9	52·8	52·1	53·0	52·0	51·8	51·3	52·0	53·4	55·0	55·0	64·6
23..	50·7	50·9	50·7	49·9	50·0	53·3	57·0	58·8	61·0	65·2	64·9	66·3
24..	52·1	52·2	52·1	52·1	52·5	53·8	56·5	58·0	63·0	65·2	66·0	66·2
25..	53·6	53·8	54·0	53·7	52·3	53·0	55·0	57·8	58·8	61·9	62·6	62·8
26..	53·2	52·1	51·9	52·0	51·3	51·0	52·0	53·6	56·0	56·8	58·8	59·8
27..	51·8	51·6	51·5	52·0	52·0	52·7	53·3	54·9	56·1	58·2	60·0	62·0
28..	52·8	52·7	52·1	52·9	52·2	52·1	52·5	54·0	56·5	58·0	61·7	68·0
29..	50·0	49·8	49·2	49·0	50·5	52·5	60·0	66·6	69·0	71·0	72·6	72·5
30..	74·8	54·5	53·6	53·2	53·0	55·0	62·6	68·0	76·0	78·0	76·8	76·0
Mean..	51·85	50·93	50·40	50·18	50·19	50·89	53·31	56·34	59·63	61·95	63·99	64·78

each Hour (120th Meridian Time), during the Month of June, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
57·0	56·8	57·0	57·2	55·5	54·1	51·5	49·3	49·1	48·7	48·6	48·4	52·12
58·7	58·9	59·3	59·6	60·0	55·0	53·3	51·6	50·0	49·7	49·8	51·0	53·44
63·3	65·2	64·3	64·0	61·2	58·0	56·8	55·0	53·0	51·3	50·4	50·0	55·81
66·5	67·0	67·2	64·0	62·3	62·3	60·0	55·5	53·0	51·8	51·2	51·0	56·09
66·0	66·1	64·0	64·2	63·0	59·0	55·0	52·3	50·5	49·9	49·2	48·8	55·23
64·0	62·0	63·8	64·0	67·0	64·9	60·0	53·5	52·0	51·5	51·0	50·3	56·54
71·9	73·3	69·0	70·2	70·1	69·8	68·0	65·0	61·5	58·5	56·0	53·5	60·55
69·0	70·0	75·5	77·2	70·0	66·3	63·1	58·0	56·6	56·0	54·5	53·0	61·89
69·4	69·8	69·0	68·8	67·3	64·0	58·0	55·0	52·5	51·8	51·1	51·1	60·26
68·8	68·8	68·2	68·5	69·0	66·3	61·0	60·6	59·5	56·8	55·8	53·3	59·65
66·2	67·8	67·9	66·9	66·0	65·0	61·5	56·5	54·5	51·5	50·3	50·0	57·96
61·3	63·0	66·5	69·1	67·5	67·0	64·0	61·0	58·1	57·3	55·5	53·5	57·09
65·5	66·2	66·5	67·0	67·5	68·0	65·0	61·5	57·0	56·1	55·2	54·2	58·91
67·0	72·5	72·0	71·8	70·0	66·0	60·0	56·5	55·0	53·0	52·2	52·1	59·13
67·0	66·8	67·0	67·8	68·1	67·0	65·0	61·0	58·8	56·0	54·0	52·5	60·18
62·8	64·0	64·1	63·0	62·0	62·8	61·0	59·0	55·7	55·0	54·9	55·2	57·40
63·0	65·0	67·0	69·0	65·0	55·9	55·6	55·0	54·1	53·1	52·0	50·8	57·15
56·0	56·8	56·7	55·2	55·4	55·9	54·8	53·0	52·0	51·0	50·1	49·0	53·95
62·0	62·5	62·2	63·0	60·5	59·0	57·0	54·8	53·0	52·0	51·5	50·3	53·94
64·0	65·8	65·0	63·0	61·5	63·0	62·0	60·0	57·1	55·0	53·0	51·5	56·58
63·0	63·0	63·5	64·2	64·2	63·8	61·0	58·0	56·0	54·9	54·3	53·0	57·67
64·0	64·8	64·0	65·0	65·0	64·0	57·8	57·0	56·0	51·2	50·0	49·9	58·66
65·0	65·0	65·8	64·2	63·0	60·5	58·0	57·2	57·2	56·0	54·0	53·2	58·16
65·0	62·0	58·0	57·8	59·0	57·5	57·0	55·0	55·0	53·5	53·3	52·8	57·25
67·5	67·0	64·3	64·0	59·0	57·5	60·6	58·5	57·1	56·0	54·1	53·3	59·07
60·0	60·5	61·5	62·0	60·0	60·0	59·0	57·0	54·8	53·5	52·5	52·2	55·81
64·0	63·5	64·0	64·0	63·1	60·5	58·0	55·3	53·0	52·3	53·3	52·0	56·65
68·0	69·2	67·1	66·5	65·4	62·1	61·0	57·0	55·2	53·0	52·0	51·0	58·22
75·0	76·1	77·0	77·8	78·0	78·5	74·0	62·0	58·0	57·0	55·5	54·4	63·97
75·5	75·0	76·0	79·5	78·3	78·0	70·0	65·5	63·0	64·2	65·0	61·0	67·16
65·22	65·81	65·75	65·84	64·83	62·96	60·30	57·22	55·18	53·91	52·98	52·11	57·75

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	59·3	58·2	57·0	56·1	55·3	56·1	60·0	65·5	74·0	74·3	68·0	67·0
2..	59·1	59·0	59·0	58·5	59·8	59·5	61·2	62·0	66·5	68·0	68·3	68·5
3..	57·2	56·8	55·0	53·5	52·2	51·8	52·2	53·0	54·8	57·3	60·0	63·3
4..	52·2	51·9	51·2	50·7	50·5	51·5	54·5	57·0	60·2	60·6	60·7	62·1
5..	51·9	51·5	50·8	50·2	50·0	50·8	51·9	54·5	60·0	64·3	67·0	68·2
6..	51·9	51·5	50·8	50·2	50·0	50·8	51·9	54·5	60·0	64·3	67·0	68·2
7..	54·8	54·2	53·5	53·0	52·4	53·1	57·0	61·0	70·0	71·1	71·3	71·3
8..	62·5	60·0	59·0	59·8	57·5	58·0	59·1	58·3	59·8	59·2	65·0	70·8
9..	57·1	57·8	57·0	56·0	55·9	56·5	61·0	65·0	70·0	68·0	68·5	66·0
10..	54·8	54·2	53·0	52·3	52·1	52·2	53·5	55·0	64·5	68·5	71·1	70·8
11..	54·8	54·2	54·1	53·8	55·5	57·8	61·0	67·0	75·0	75·8	76·8	81·0
12..	61·7	61·5	60·0	59·3	59·7	60·5	65·0	77·0	79·0	77·5	78·8	79·2
13..	57·0	55·2	54·3	54·8	55·5	55·5	60·0	64·0	61·8	62·0	65·0	66·0
14..	58·0	58·0	56·3	56·2	56·5	56·2	57·5	58·0	61·0	63·2	66·8	66·0
15..	50·8	50·9	51·9	52·1	51·5	53·0	55·0	56·5	58·3	65·0	70·0	69·8
16..	57·5	57·8	57·8	57·8	57·8	57·0	57·0	58·0	63·8	64·1	65·5	66·5
17..	50·8	50·3	50·1	49·2	48·8	48·7	51·0	54·5	60·0	66·5	70·5	70·0
18..	54·0	53·2	52·0	51·3	51·2	52·8	57·5	61·0	66·5	68·0	71·0	73·0
19..	57·8	56·0	53·8	53·0	52·5	53·0	59·5	64·0	71·0	73·0	76·0	77·2
20..	57·0	56·0	55·3	54·5	53·5	54·0	60·0	65·5	71·0	75·2	75·8	75·8
21..	57·0	55·1	56·6	55·0	53·2	55·1	57·7	73·0	74·0	76·0	79·8	77·0
22..	58·2	55·2	54·9	53·5	52·1	54·0	58·0	65·0	70·0	75·0	76·0	78·2
23..	60·8	59·0	55·2	58·0	58·0	58·0	58·9	59·9	61·0	62·7	64·0	65·1
24..	65·0	59·2	57·2	58·2	57·5	57·1	56·5	56·3	57·0	58·8	59·9	60·8
25..	53·0	52·0	52·0	52·1	52·1	52·0	52·0	53·0	55·0	58·5	60·0	62·6
26..	53·0	51·8	51·0	50·0	46·0	44·8	44·1	46·0	49·0	55·0	60·1	65·0
27..	52·8	53·0	53·0	53·0	52·5	54·1	57·0	59·0	62·0	63·9	64·5	65·0
28..	53·0	52·2	52·0	53·0	54·0	54·8	56·0	59·0	62·3	62·8	63·0	65·0
29..	47·0	46·0	45·5	45·0	44·9	47·0	55·0	65·0	71·0	71·9	71·5	75·2
30..	52·5	51·0	49·0	48·5	48·9	48·1	50·0	57·0	65·1	68·9	69·5	72·0
31..	54·8	54·0	53·0	52·0	50·1	50·0	54·0	58·0	64·1	69·0	69·5	69·0
Mean..	55·12	54·73	53·91	53·57	53·15	53·67	56·29	60·11	64·44	66·72	68·42	69·54

each Hour (120 Meridian Time), during the Month of July, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
°	°	°	°	°	°	°	°	°	°	°	°	°
67·0	72·5	74·0	71·5	71·0	70·1	68·0	66·0	63·0	63·3	63·4	60·0	65·03
69·0	66·0	66·5	65·3	66·5	66·2	64·0	61·4	60·2	59·0	57·5	57·3	62·85
64·5	63·1	66·8	66·3	66·0	63·0	59·0	53·3	53·5	53·1	52·9	52·8	57·56
64·0	64·5	64·6	65·5	64·0	64·2	62·0	58·3	55·0	53·2	52·8	52·0	57·63
69·0	69·0	66·2	70·2	67·0	67·5	67·0	62·0	60·0	56·0	53·3	52·3	59·61
71·8	72·0	73·8	72·1	73·3	70·0	66·0	64·0	60·0	57·1	56·2	55·3	60·95
75·0	77·3	76·5	76·9	76·2	75·5	72·0	69·3	68·0	67·2	67·0	66·8	66·27
72·0	73·0	67·0	66·0	65·0	67·1	63·9	63·9	61·2	61·0	60·0	58·9	62·83
67·0	68·9	72·5	76·0	70·0	67·8	66·1	64·0	61·1	59·0	58·0	56·0	63·59
70·2	70·3	70·3	70·2	70·0	68·0	61·2	59·8	58·3	57·0	57·1	55·8	61·26
82·5	81·0	78·0	76·3	75·0	76·8	67·0	64·0	62·2	61·9	62·3	62·2	66·92
80·9	81·5	83·2	81·0	80·0	74·0	72·0	62·3	64·5	61·0	58·0	61·5	69·96
69·0	71·0	71·5	68·5	73·0	73·0	67·0	64·0	58·8	58·0	57·9	57·9	62·95
63·5	63·5	64·5	63·0	62·0	60·9	61·0	60·0	58·0	53·2	52·0	51·1	59·43
70·6	70·7	70·0	68·6	67·1	65·0	62·0	61·0	59·3	58·8	57·8	57·2	60·54
68·1	61·5	63·1	63·5	65·0	64·0	62·0	60·5	56·0	54·0	52·3	51·8	60·22
70·5	71·8	69·5	69·8	69·2	69·0	65·0	62·6	60·0	58·5	57·0	54·3	60·29
77·0	78·2	76·2	75·0	75·0	72·3	68·6	65·0	63·1	63·0	60·0	59·0	64·33
77·9	77·0	77·0	76·5	76·0	73·5	72·0	69·8	65·0	62·0	60·0	58·0	66·31
78·5	79·1	80·2	79·8	79·0	76·1	72·0	69·0	63·0	60·1	60·0	58·0	67·02
77·1	78·1	78·9	77·5	75·0	72·0	65·0	64·8	63·0	61·1	61·1	58·8	66·75
79·0	78·2	77·0	75·0	67·0	61·0	61·2	63·0	66·0	66·1	62·5	61·0	65·30
64·0	71·0	72·0	75·0	72·2	70·0	67·0	65·0	66·5	66·0	65·1	65·1	64·15
61·1	60·0	62·5	57·0	55·0	54·2	54·8	54·0	54·0	54·0	53·5	53·1	57·36
63·0	64·1	65·2	66·0	66·0	65·0	64·0	63·0	62·0	59·2	57·0	54·1	58·45
67·0	69·9	69·7	69·8	67·0	65·0	60·0	56·1	57·0	56·8	55·5	53·9	56·81
63·0	60·0	58·8	63·0	64·0	63·9	61·0	58·0	55·2	55·0	54·7	54·6	58·38
67·2	72·0	71·0	70·0	70·0	63·0	60·0	57·9	55·0	52·0	50·0	48·8	59·33
74·0	74·2	74·8	71·0	69·0	69·0	66·0	64·0	62·0	58·0	56·0	54·0	61·54
72·5	72·0	75·8	73·0	73·0	73·1	70·0	67·1	60·0	58·0	56·2	55·0	61·92
66·9	66·5	68·5	69·0	69·0	66·0	60·0	56·9	55·0	54·9	53·2	53·2	59·86
70·41	71·00	71·15	70·59	69·60	67·94	64·74	62·24	60·19	58·63	57·43	56·45	62·11

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	53·0	53·0	52·0	52·5	52·8	54·0	55·0	60·0	61·9	62·3	64·9	67·0
2	52·0	51·0	50·0	48·9	48·0	49·0	49·8	54·0	60·0	66·0	66·5	65·0
3	55·5	54·0	52·0	51·0	49·8	49·0	49·9	53·9	57·0	65·0	69·0	69·0
4	54·1	54·0	54·1	54·2	54·2	53·3	53·1	55·0	62·0	64·5	67·8	71·0
5	54·5	54·3	54·2	54·2	54·2	54·0	55·5	58·5	65·5	67·3	68·2	66·8
6	54·3	53·2	52·3	52·1	51·3	50·9	53·0	56·0	62·0	65·5	69·0	70·7
7	55·2	54·3	53·3	53·0	52·1	51·3	50·7	51·2	55·5	60·0	68·0	69·8
8	57·3	57·8	56·0	54·0	52·8	52·0	51·2	51·8	54·6	56·5	58·0	59·8
9	53·3	52·5	51·2	50·9	50·8	50·8	54·0	57·0	61·5	66·8	68·0	70·0
10	51·8	51·6	51·0	50·0	49·1	49·4	52·5	58·0	64·0	64·5	66·2	67·1
11	52·0	51·8	50·5	49·5	49·0	48·4	49·5	51·9	56·0	59·5	58·0	60·5
12	52·8	52·8	52·1	52·1	52·1	51·9	52·5	53·2	53·6	53·5	53·2	53·3
13	50·3	49·7	49·1	48·8	48·7	48·3	48·8	50·8	54·0	57·0	62·0	64·0
14	49·9	49·7	49·0	48·7	47·9	47·8	47·6	48·0	51·0	54·0	61·0	63·5
15	56·0	53·0	51·5	50·7	50·1	50·0	50·8	52·3	57·0	65·0	66·0	69·0
16	53·0	51·9	51·2	51·8	51·5	51·1	50·8	54·0	62·0	64·0	69·0	70·2
17	55·2	55·0	54·5	53·0	52·0	51·8	51·5	54·0	62·0	75·0	79·9	75·5
18	59·1	59·2	57·3	57·0	56·9	57·0	59·5	62·0	72·5	77·0	78·1	80·0
19	58·0	57·0	56·3	56·0	55·8	56·1	56·5	59·0	65·0	70·8	72·5	74·0
20	63·0	61·2	57·8	59·2	61·0	61·0	58·8	59·1	59·0	66·5	65·5	66·0
21	58·0	58·5	59·9	58·5	55·8	55·8	55·8	56·5	60·5	62·5	67·5	71·0
22	55·8	55·0	54·3	53·9	53·7	54·1	55·0	56·8	58·8	60·0	64·8	66·2
23	55·7	55·6	55·2	54·1	53·2	53·8	54·0	54·5	59·0	62·0	63·1	62·8
24	53·0	52·6	52·5	52·5	52·5	52·0	52·8	54·0	57·5	59·5	61·3	60·2
25	52·2	51·9	52·0	52·0	52·1	52·0	53·0	54·8	58·5	60·0	60·0	61·2
26	50·0	50·0	50·1	50·0	50·0	50·0	48·5	51·0	56·0	59·0	62·5	65·0
27	52·8	52·9	52·8	52·6	52·0	51·5	51·5	51·8	52·2	53·0	54·8	55·8
28	54·1	54·0	53·8	53·2	52·8	52·5	52·3	52·5	53·0	53·9	54·8	57·8
29	52·9	52·8	52·3	52·0	51·8	51·0	53·0	53·8	57·8	58·8	61·8	63·5
30	52·9	52·4	51·9	51·8	51·8	51·9	52·3	54·0	58·0	60·8	62·3	62·8
31	48·9	48·2	48·1	48·0	47·1	47·0	47·0	48·0	53·0	54·5	57·5	63·5
Mean.	54·08	53·58	52·88	52·46	52·03	51·89	52·46	54·43	58·71	62·07	64·55	65·87

each Hour (120th Meridian Time), during the Month of August, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
67·0	67·0	68·8	69·0	69·0	71·0	66·0	63·0	60·0	56·0	55·0	53·9	60·63
66·4	67·0	68·0	72·0	70·0	70·0	67·0	65·0	61·2	59·0	56·8	56·8	59·98
73·6	73·3	71·0	69·3	68·0	62·8	62·3	60·3	58·0	56·2	55·1	54·3	59·97
71·1	69·5	68·7	70·0	71·0	67·8	64·5	58·8	56·0	55·2	55·6	55·0	60·85
68·5	70·8	72·0	69·8	69·7	69·0	64·0	62·0	59·0	57·0	55·8	55·0	61·66
71·3	73·0	71·0	72·0	70·0	67·0	67·5	62·8	62·2	61·0	59·0	56·9	61·83
70·9	73·0	71·5	74·0	69·7	68·5	67·0	65·0	63·3	61·0	57·0	56·3	61·32
70·8	70·2	70·0	75·8	74·0	67·0	60·0	56·8	55·5	54·9	54·9	54·0	59·38
72·5	70·2	69·8	69·8	67·2	65·0	61·3	57·0	55·5	53·1	52·0	51·5	59·65
70·8	72·9	70·1	69·8	67·0	59·8	58·0	56·7	54·0	53·2	53·0	54·9	58·77
62·5	63·0	64·0	68·8	64·0	58·0	57·5	59·0	57·0	54·8	53·7	53·0	56·33
53·8	55·0	56·7	58·0	59·8	61·2	60·0	59·0	57·5	56·0	53·0	51·7	54·78
64·5	67·5	68·0	68·5	68·3	68·0	70·9	63·5	57·0	51·2	50·2	50·1	57·47
67·5	66·0	66·2	70·0	67·0	64·2	62·0	63·6	62·3	60·0	57·9	57·7	57·60
71·2	70·0	71·0	71·8	71·0	69·0	61·2	60·0	57·3	56·0	54·2	55·8	59·91
72·8	73·3	73·2	73·7	75·0	75·9	73·0	62·0	59·0	57·2	56·1	55·0	61·95
76·5	77·0	77·7	77·9	78·0	77·9	75·0	70·0	65·0	62·0	61·0	60·0	65·73
81·1	81·3	81·4	81·8	81·2	81·0	71·0	66·5	63·8	60·2	59·0	58·8	68·45
76·0	75·5	74·5	72·0	67·3	72·5	72·0	64·1	63·8	61·2	63·3	63·8	65·12
67·8	68·2	69·9	69·8	69·8	69·8	63·5	62·8	61·5	58·0	56·3	57·0	63·02
73·0	73·8	72·5	70·2	67·0	63·6	62·8	61·8	60·0	57·8	57·2	56·5	62·35
65·2	64·8	64·2	64·3	62·5	61·2	60·5	58·0	57·0	56·4	56·3	56·1	58·95
63·2	64·0	64·3	64·8	63·8	62·9	60·0	56·8	55·3	55·1	54·8	54·0	58·42
60·4	60·1	59·2	58·1	57·1	56·0	53·9	53·7	53·0	53·0	53·0	52·5	55·45
62·5	65·0	64·9	64·9	64·3	63·0	60·0	56·3	55·0	54·7	52·8	52·0	57·30
66·0	66·9	67·8	66·0	62·0	60·0	57·8	57·3	56·5	53·1	53·4	52·9	56·74
58·5	61·0	61·2	61·3	64·9	63·3	62·1	61·0	55·2	54·9	55·0	55·0	56·23
62·0	64·0	62·5	60·3	60·0	58·2	57·3	55·0	53·8	53·7	53·4	53·1	55·75
64·0	62·2	61·8	61·0	60·0	59·5	58·0	57·0	55·2	53·3	52·6	52·9	56·63
64·0	65·5	66·0	62·0	62·0	61·5	59·5	56·0	53·0	52·1	51·0	50·0	56·90
63·9	60·8	59·0	58·0	57·0	56·8	56·0	55·1	54·8	54·7	54·3	54·1	58·97
67·72	68·12	67·96	68·22	66·95	65·53	62·95	60·19	57·99	56·19	55·25	54·71	59·45

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	53·8	52·8	52·0	51·7	51·8	52·0	52·5	53·3	56·5	60·0	64·0	65·0
2	54·3	54·2	54·2	54·0	53·8	53·8	55·5	58·0	62·0	63·0	65·5	66·0
3	52·7	51·1	50·7	51·0	51·5	52·1	52·1	53·0	56·0	62·5	65·5	68·0
4	51·4	51·0	50·1	49·9	49·1	48·5	47·2	48·0	51·0	60·0	66·8	70·0
5	49·9	49·1	48·0	47·8	47·5	46·3	48·5	51·5	58·0	63·5	65·8	67·0
6	49·1	49·8	49·0	48·0	47·8	47·8	51·0	55·0	62·3	62·9	64·8	66·3
7	55·0	54·8	53·5	52·9	52·9	52·8	53·1	53·7	54·8	56·0	57·2	57·2
8	52·1	52·0	51·8	51·4	51·3	51·1	51·2	52·0	54·5	57·0	58·3	60·0
9	51·5	51·7	51·6	51·2	50·9	50·8	50·8	51·3	53·0	55·0	59·0	60·5
10	56·9	55·3	55·0	55·0	54·8	54·7	55·1	56·3	61·0	63·5	64·0	66·5
11	51·1	50·2	49·8	49·3	48·5	48·8	49·0	51·5	61·0	64·2	67·0	69·0
12	48·8	47·8	47·0	46·9	46·8	46·1	46·0	47·5	52·0	56·0	57·8	63·0
13	52·9	52·4	52·2	52·1	52·0	51·0	52·0	53·8	58·0	61·4	64·0	66·2
14	55·9	55·8	56·0	56·1	56·3	56·4	55·3	54·2	51·5	57·0	58·8	61·0
15	50·8	50·7	50·7	50·2	50·1	49·4	49·6	49·6	51·5	55·0	56·0	59·5
16	42·7	41·9	41·8	41·0	40·0	39·8	39·7	41·0	48·0	52·0	54·0	58·3
17	46·0	44·2	43·3	43·0	43·0	42·4	42·8	46·0	49·0	52·0	56·9	58·7
18	47·9	46·5	42·3	40·7	40·8	40·0	39·8	42·5	52·0	55·5	57·0	60·0
19	55·1	54·8	53·8	53·3	52·1	51·5	51·6	54·3	54·0	56·3	60·0	60·9
20	52·7	52·8	52·5	52·0	52·3	52·7	53·5	56·0	60·0	60·0	63·0	63·5
21	51·9	51·8	51·1	51·8	52·2	52·7	53·5	54·8	58·0	59·7	59·0	58·8
22	49·9	49·1	49·3	49·2	48·8	45·0	49·0	51·8	54·0	55·8	57·8	58·3
23	48·1	47·7	47·1	46·3	43·5	44·0	44·0	48·3	51·5	54·0	55·8	50·0
24	40·8	39·8	39·0	37·8	37·8	36·9	37·0	43·0	48·0	50·0	53·5	54·8
25	36·5	36·0	36·1	35·2	35·0	35·8	39·0	43·0	47·5	49·8	53·5	55·0
26	38·8	39·7	40·6	41·2	42·3	43·3	46·0	48·5	56·6	53·5	53·1	53·0
27	50·0	50·2	50·1	50·3	50·2	50·0	51·9	54·0	56·0	59·0	62·1	62·8
28	45·9	46·0	46·1	44·8	42·5	44·3	47·0	49·0	50·8	52·0	53·0	53·3
29	51·6	51·3	49·8	48·7	48·8	47·9	48·5	50·9	52·3	54·5	59·0	62·2
30	46·8	45·7	45·1	45·1	45·1	44·7	49·0	51·2	53·3	55·0	60·0	60·6
Mean	49·76	49·19	48·65	48·26	47·98	47·65	48·71	50·77	54·57	57·20	59·74	61·18

each Hour (120th Meridian Time), during the Month of September, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
64·0	63·0	62·3	60 1	59·5	59 0	57·5	56 1	55·1	55·5	55·0	54 8	56 98
67 9	67·1	65 0	62·5	64·0	63·0	61 3	60 3	58 8	56 0	54 3	53·1	59 48
70·0	70·5	69 2	70·9	73·0	70 0	60·0	58 0	55·8	54 0	52·8	52 0	59 35
73·0	73 5	75 1	69·0	67·3	63 8	60·0	58 0	56·0	53·8	52·0	51·1	58 15
71·0	70 8	68·5	67·9	66·2	64 0	63 0	55 5	54·0	53 0	51·4	51 0	57 47
67·5	67·0	66 0	64 8	63·5	60 8	58 0	57 0	55·5	55 3	55·3	55·1	57 48
57 0	60 3	59 3	59 1	58·0	56 1	54·0	53 3	53 0	53 0	53·0	52 8	55 12
62 3	61 4	60 8	58 5	58·0	57 8	54·3	53 7	53 0	52·0	51·8	51·3	54 90
62·0	64 2	61 3	61 0	60·0	57 8	57·8	58 4	59·3	59·0	56 0	56·8	56 29
69 4	69 2	69 0	70 8	70·2	66 2	61·0	56 8	55 0	53 0	51·2	51 0	60 04
69·0	67 3	67 8	67 2	66·0	64·1	57·1	57 0	53 0	50·2	49 3	48·6	57 33
63·0	62 6	66·8	66 5	67·0	61 0	55·0	51 4	51·0	51·2	53 2	53·0	54 47
67·0	65·0	61 5	62·5	63·3	63·2	62·0	61·1	61·0	57 3	56·2	56·0	58 50
63 0	63 1	61·8	60 0	57·3	55·8	54·3	53 3	53·0	52·5	51·2	51·0	56 40
63 0	64·1	64·0	58 2	57·0	55 0	53 0	50 1	48 0	46·4	45·0	44·0	52 95
61 5	62·5	62·8	61·0	59·2	59·0	53·0	50 5	49·0	48 0	46 8	46·0	49 97
61·5	62 3	62 0	58 0	54·8	52·9	54·9	54 0	52 9	52 3	49 0	48 0	51 24
62·0	63 0	63 2	62 2	61·2	60 6	60·0	59 1	58·5	58 0	57 0	56 3	53 59
61·0	62 0	58 5	57 8	56·0	55 1	54·8	53 5	53 6	53 9	53 8	53 0	55 50
62·2	62 1	62·4	62 8	62·0	56·2	53·8	53 7	52 8	52 1	52 0	52 0	56 46
62·0	64·1	63 8	62 5	61·0	57 0	53·0	52 5	52·1	52 0	51·0	50·8	55 71
59·0	59·5	57·0	56 8	57·0	53 5	50·8	50 0	49 9	49 5	49·1	48 7	52 45
47·6	46 0	47·4	47 2	48·6	48·0	46·8	45 0	45·0	44·5	43·0	42 0	47 02
55·9	55·9	54·1	53 5	52·3	50·0	46·5	44 0	42 3	40 8	39 2	38·0	45 43
56·0	57 8	57 8	56 9	56·0	51 5	47·3	45 3	43·5	43 0	41 0	39 3	45 74
53·3	53·4	53 2	52 9	52·1	51·5	50·8	50 9	50·7	50·9	50·5	50 8	49 07
63·0	64 0	63 2	63 0	62·0	58·0	52·3	50 8	48 1	47 5	46 5	46·1	54 63
53·4	53 9	54 0	53 7	53·2	52 8	52 2	52 1	52 0	51 2	51 3	51·4	50 24
63·0	64 9	64·9	64·0	62·3	60·0	56·0	54 3	52·1	51 0	48 3	47·7	54 75
61·8	63·3	62 1	60 0	57·0	54 3	54·0	55 1	55·7	55 0	54 4	54·3	53 69
62·41	62·79	62 16	61·04	60·17	57.93	55·15	53 69	52 66	51 73	50·69	50 20	54·35

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	53·1	51·3	49·6	49·6	49·8	49·6	49·1	49·9	51·0	51·7	52·3	53·0
2	42·2	40·8	38·8	38·7	38·0	36·8	38·0	43·5	48·0	51·3	56·0	57·9
3	43·8	44·3	42·3	40·2	39·8	39·7	43·0	47·0	50·5	53·0	59·0	61·6
4	42·0	41·4	41·1	41·6	43·0	47·0	46·0	49·0	53·0	57·0	60·1	61·3
5	52·6	52·9	52·8	52·5	52·2	52·3	54·0	55·0	55·3	57·0	59·1	60·0
6	50·5	49·8	49·5	49·3	49·1	49·1	49·8	50·7	53·0	54·5	55·0	57·3
7	50·0	49·0	47·1	49·7	50·0	49·8	55·0	57·1	58·4	60·3	63·3	64·0
8	46·0	45·3	46·0	45·5	45·3	44·0	46·0	49·8	54·5	61·5	64·3	65·0
9	46·0	45·6	45·3	45·2	44·1	44·1	45·0	48·1	53·5	56·0	57·0	57·8
10	49·0	48·7	48·0	47·5	46·2	47·0	49·0	57·3	62·5	64·5	66·9	66·2
11	48·0	50·8	51·3	51·2	49·0	47·0	48·5	50·8	52·2	53·3	55·0	55·8
12	51·1	51·2	51·2	51·0	50·8	50·7	51·5	52·9	53·0	54·0	54·8	55·1
13	52·4	52·1	52·2	52·3	51·8	51·4	51·3	51·9	53·0	53·6	55·0	55·2
14	47·5	47·2	47·1	47·1	47·0	47·1	47·2	47·3	48·0	48·5	50·8	51·8
15	46·3	45·8	45·5	46·0	46·0	46·5	46·0	48·8	49·8	50·1	50·8	50·3
16	47·0	47·0	46·8	46·6	46·4	46·2	46·2	46·3	47·2	48·5	51·3	51·0
17	38·0	36·3	36·0	35·0	35·1	34·8	35·5	39·3	42·0	48·0	51·5	52·7
18	42·2	42·4	42·8	42·9	42·1	42·8	44·8	45·8	46·8	48·0	48·8	49·2
19	43·7	43·5	43·5	43·7	43·9	44·2	44·2	44·1	44·8	45·0	46·8	47·9
20	45·8	45·3	45·0	44·4	43·0	39·0	38·4	40·0	44·0	46·3	47·2	48·0
21	34·2	33·2	32·8	32·4	32·2	31·9	32·0	35·0	39·0	43·0	45·8	47·0
22	44·1	43·8	43·5	43·2	43·0	42·9	42·8	42·8	43·0	44·0	45·8	46·9
23	45·0	45·1	45·0	44·1	43·7	43·3	42·3	42·4	43·0	46·8	49·6	51·3
24	49·2	49·3	49·1	49·0	48·7	48·1	49·0	49·1	49·8	50·3	52·5	52·9
25	45·1	45·2	45·2	44·0	42·0	41·6	44·8	46·8	47·3	49·0	50·8	52·7
26	46·6	45·8	45·3	45·2	45·5	45·5	45·6	46·0	47·0	48·3	50·5	53·0
27	38·3	38·5	38·8	39·1	39·2	39·3	39·6	40·8	41·6	42·8	44·5	46·0
28	43·8	41·0	44·8	45·5	47·3	47·3	47·6	48·7	49·1	50·0	51·0	52·0
29	49·7	49·7	49·0	48·8	48·8	48·9	49·2	49·8	51·8	53·1	55·0	55·6
30	50·7	50·2	50·1	50·8	51·0	51·7	51·7	51·7	52·0	53·0	54·0	54·1
31	38·2	37·1	36·3	36·0	35·3	36·0	37·0	37·3	40·0	42·5	45·8	46·0
Mean.	45·87	45·57	45·22	45·10	44·82	44·70	45·49	47·26	49·16	51·13	53·22	54·15

each Hour (120th Meridian Time), during the Month of October, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
53·8	53·0	52·8	52·9	53·0	49·0	48·1	47·1	46·0	43·8	42·0	41·2	49·70
61·0	63·2	63·2	60·4	58·0	55·5	51·0	47·3	46·0	43·5	42·1	42·2	48·48
61·8	61·5	61·3	61·3	61·0	57·0	52·0	49·0	46·5	45·2	44·0	43·0	50·33
61·8	61·9	61·9	61·9	59·2	56·0	54·2	53·0	52·0	52·0	52·2	52·5	52·55
58·2	58·3	58·0	57·0	55·0	52·0	51·3	51·0	50·8	50·9	50·8	50·7	54·15
60·0	60·0	59·9	59·3	58·5	56·8	56·0	54·0	51·0	50·0	50·7	50·7	53·52
66·3	66·8	66·3	65·8	65·0	59·8	56·0	54·0	50·0	48·3	47·2	47·0	56·05
65·3	63·0	62·0	60·5	59·2	56·8	54·0	53·0	51·8	50·0	48·2	47·3	53·51
59·2	59·8	59·7	59·0	58·2	55·3	52·0	50·0	50·5	52·0	51·6	50·7	51·90
62·0	60·0	59·0	58·3	58·0	57·3	55·7	54·6	51·0	50·0	47·7	47·0	54·72
56·1	55·8	54·3	55·8	55·0	54·0	53·8	54·2	54·0	53·6	52·2	51·3	52·63
55·9	55·3	55·2	55·0	54·1	53·2	53·1	53·3	53·0	52·0	51·3	53·1	52·99
54·1	52·0	51·7	51·0	50·0	49·1	49·0	48·9	48·1	48·0	47·9	47·8	51·24
53·8	53·9	53·9	53·0	51·0	49·9	48·1	48·0	47·0	46·0	46·1	46·5	48·91
51·8	52·0	51·3	51·1	50·0	47·5	47·3	47·5	47·7	47·2	47·3	47·3	48·33
50·8	49·4	48·4	47·9	46·8	46·3	46·1	45·8	44·0	42·0	40·8	39·0	46·57
52·9	53·1	53·0	51·8	50·0	47·2	45·5	43·8	42·6	42·5	43·2	43·3	43·88
49·2	49·0	48·0	47·0	46·3	45·3	45·1	45·1	45·3	45·0	44·7	44·1	45·53
48·8	48·8	48·2	48·0	48·0	47·9	47·6	47·3	47·0	46·8	46·3	46·1	46·09
50·7	50·7	50·4	49·0	47·5	45·0	43·8	40·0	37·8	36·9	35·9	35·5	43·73
48·2	48·2	48·1	47·9	47·1	46·2	44·2	43·0	42·6	42·7	43·8	44·2	41·03
48·3	48·6	48·0	47·2	46·4	45·9	45·1	45·2	45·3	45·1	44·8	44·8	45·02
52·8	52·8	51·4	50·3	48·8	48·0	48·0	47·8	47·6	47·8	48·0	48·5	47·20
54·3	54·8	54·0	53·7	53·0	51·0	49·1	48·0	47·1	46·9	46·0	45·7	50·03
55·1	55·0	54·3	53·2	52·2	50·2	48·8	48·1	47·1	46·4	46·1	46·7	48·24
55·3	55·3	53·0	50·2	48·0	44·5	43·5	42·3	41·0	40·0	39·3	38·8	46·48
45·3	45·3	46·0	45·8	45·1	44·8	44·1	44·0	44·0	44·1	44·1	44·0	42·71
53·0	53·6	52·8	51·1	50·0	50·0	49·8	49·8	49·8	49·8	49·7	49·7	49·17
55·8	55·1	55·7	55·1	53·0	51·3	50·1	50·7	50·7	51·1	51·2	51·0	51·68
54·0	53·5	52·0	49·0	46·8	45·0	44·3	44·0	43·1	42·3	40·8	40·0	48·99
46·4	46·0	45·8	45·0	44·0	43·9	43·5	43·5	43·6	43·8	43·9	44·0	41·70
54·90	54·70	54·18	53·37	52·20	50·38	49·04	48·17	47·23	46·64	46·13	45·93	48·94

TEMPERATURE at Victoria, B.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	44·3	44·6	44·3	44·7	44·9	46·5	49·0	49·7	50·8	52·9	53·9	56·2
2.....	53·9	53·0	50·3	48·8	49·8	50·6	51·2	51·5	53·5	54·8	55·8	56·0
3.....	53·0	52·3	52·8	52·8	52·0	51·0	49·5	51·9	55·0	57·0	59·0	61·1
4.....	50·3	50·8	50·2	50·6	50·7	50·2	50·2	50·7	51·8	52·1	55·0	58·0
5.....	53·3	53·6	53·6	53·6	53·6	52·6	52·1	52·0	52·5	53·0	55·1	55·0
6.....	50·5	50·0	49·9	49·1	48·8	48·2	48·1	48·2	48·9	50·1	49·8	51·0
7.....	49·3	49·8	49·9	49·8	49·8	49·8	49·7	50·0	50·8	51·5	53·0	53·5
8.....	41·0	40·1	40·5	42·5	43·8	44·8	45·2	46·0	47·0	48·5	50·5	51·2
9.....	41·9	42·0	43·0	43·2	43·3	43·6	43·8	43·8	43·5	43·8	44·0	44·8
10.....	43·0	42·0	41·3	41·8	40·2	37·8	37·7	38·0	39·0	40·8	42·5	46·3
11.....	36·4	37·2	39·0	40·2	40·8	40·3	40·6	41·2	42·3	43·0	43·8	45·0
12.....	43·4	43·7	44·0	44·8	45·0	45·1	45·2	45·8	46·2	46·7	48·0	48·8
13.....	41·0	39·2	39·0	40·8	41·0	40·8	40·8	41·0	42·0	44·5	46·5	48·5
14.....	42·9	42·8	42·8	42·7	42·2	41·8	41·7	41·8	42·3	43·0	44·0	45·0
15.....	39·6	39·3	39·3	39·3	39·2	39·0	39·5	41·2	42·0	44·0	46·0	46·1
16.....	49·0	48·9	48·6	48·2	48·1	48·0	48·3	48·8	50·0	51·7	52·0	53·0
17.....	54·1	53·8	53·3	53·3	53·8	53·6	53·0	52·8	53·1	53·3	55·0	55·0
18.....	50·3	51·5	51·0	51·1	51·1	51·5	50·7	50·7	50·7	50·8	51·9	54·0
19.....	48·7	48·4	48·7	48·7	49·0	49·1	50·3	50·0	50·3	51·4	53·3	53·8
20.....	49·0	48·7	48·9	47·6	47·7	47·2	47·2	47·3	47·4	47·4	48·8	50·0
21.....	45·0	44·3	43·9	43·9	44·0	44·0	44·0	44·7	45·8	47·5	49·3	49·9
22.....	46·3	46·7	46·9	47·0	47·7	48·0	47·3	47·4	47·5	47·7	48·7	49·3
23.....	47·0	47·0	47·3	47·1	47·8	47·0	46·9	47·0	47·9	48·2	48·9	49·0
24.....	40·4	40·3	40·0	40·0	40·0	40·1	39·8	39·0	39·2	39·9	42·5	44·4
25.....	38·9	38·3	38·0	36·9	36·0	35·4	35·2	35·8	37·0	39·1	41·7	44·2
26.....	34·8	34·1	33·0	32·5	32·1	32·6	33·2	34·3	36·3	39·0	41·0	42·1
27.....	37·1	37·2	37·9	38·0	37·9	37·9	38·8	39·8	40·4	41·3	42·5	44·0
28.....	37·1	36·9	36·9	36·9	36·0	35·8	35·0	35·0	36·1	37·3	43·5	45·0
29.....	41·8	41·7	41·7	42·0	42·3	43·0	43·4	43·7	44·0	44·3	44·6	44·7
30.....	38·0	37·3	36·8	36·6	35·9	35·7	38·0	38·0	38·3	39·9	40·9	41·2
Mean	44·71	44·52	44·76	44·49	44·48	44·37	44·51	44·90	45·72	46·82	48·38	49·54

each Hour (120th Meridian Time), during the Month of November, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
°	°	°	°	°	°	°	°	°	°	°	°	°
56·5	56 0	55·0	54·2	53·8	53·7	53·0	52·8	52 5	52·8	53 5	53 8	51·22
57·1	56 4	55·2	54·2	53·2	52·8	52·3	52·5	52·8	52·8	52 8	53·0	53 08
62·2	62 8	60·5	57·8	56·1	55·0	53·0	51·8	51·8	51·0	51 5	50·3	54·63
60·8	59 0	58·1	56·1	55·0	54·2	53·2	52·5	52·1	52 0	52 1	52·3	53·25
57·0	56 0	55·0	53 2	52 3	51·5	50·0	50 0	50·1	50·2	50 7	50·7	52·78
52 6	53 0	52 5	51·1	50 0	49·8	49·8	49 9	50·0	49·5	49 3	49·2	49·97
54 7	54 0	53·8	52·3	51·1	49·0	49·0	47·8	45·1	44·0	42 0	41·8	49 65
52 9	52 5	51 0	50·0	48·3	46 2	45·6	45·1	45·0	44·7	44 5	43·2	46·25
47 7	48 1	48·0	47·3	46·0	45·1	45·2	45·2	45·0	45 0	44 4	43·9	44·65
50 8	51 3	50·0	48·0	46·3	43·2	41·2	40·3	39 5	38·5	37 8	37·0	42·26
46·2	46 8	46·0	45 7	45·0	44·3	43·8	43·5	43·2	43·1	43 2	43·5	42·67
49 0	49 0	49 0	48 8	48·2	47 8	47·1	46·8	46·0	45·0	44·0	43 1	46·27
49·6	49 3	48·2	47 8	46·0	44·0	43·6	43·2	43·1	43·1	43·1	43·1	43·72
46 3	46 2	45·5	44 4	43 8	42·5	42 0	41·8	41·4	41·0	40·4	40·1	42·85
46 2	46 2	46·9	47 1	47·0	46·6	46·2	46·1	46·0	46 1	46·9	48·8	43·94
54·3	55 1	55·0	54 0	54 3	54·7	54·7	54 6	52 6	52·3	52·3	53·0	51·73
51 7	54 3	53·0	52 8	52 3	52 1	52·1	52 0	50·8	50·2	50·0	50·1	52·85
56·0	54·6	52 8	51 6	50·8	50·2	50·0	49·2	48·4	48·2	48 0	48·1	50·97
53·7	53 2	52·5	51 8	51·1	51·9	52·3	52 1	51·3	51·7	51·0	50·3	51·02
51 8	52 2	49·5	48 9	48·3	47·9	47·6	47·8	47·7	47·4	47·0	46·1	48·31
50·6	50 2	50·0	49 2	49·3	48·8	48·6	48·8	48·9	49·0	48·0	47 2	47 29
50·2	50 0	48·3	47 8	47·2	47·2	47·5	47 9	47·9	47·8	47 0	47·0	47 76
49 0	48·0	47·1	47 0	45·9	44 8	44·2	43 9	43·7	43·2	41·8	41 3	46·73
46·8	46 8	45·5	44 0	43·5	41·5	40·0	40·0	40·3	41·0	41·1	40·1	41·51
46·1	47 0	46·0	45 0	43·0	40·9	39·1	38·3	37·2	37·9	37·0	36·3	39·60
42 8	43·2	43·0	42 3	42·0	41·6	40·8	40·2	39·3	39·0	38 6	37·2	38·12
44·1	44 1	44·0	43 7	43·0	41·8	39·8	39·0	38 3	33 2	38 1	38 0	40·20
47 2	47·7	46 8	45 0	44·8	43·4	42 1	41·4	40·8	40·7	40 9	41·1	40·56
44·7	44·8	44·8	44 3	44·0	43·9	43 1	43 0	42·0	41·3	40·7	40·0	43·07
42 7	42 7	42·4	41·4	38·2	39·0	39 5	38·5	37·2	37·5	38·3	38·5	38 85
50·81	50 68	49 85	48 89	47·99	47·18	46·55	46·20	45 67	45·47	45 29	44·94	46·53

TEMPERATURE at Victoria, F.C., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	38·0	37·2	36·2	36·1	35·8	35·7	35·8	35·7	37·2	38·0	39·0	39·6
2	34·3	34·1	34·0	34·0	33·3	33·0	32·8	33·0	34·0	35·0	37·3	39·0
3	35·6	35·1	35·0	34·8	35·0	34·5	35·0	34·8	35·0	37·5	39·5	41·8
4	30·8	30·0	29·8	29·7	28·8	29·0	31·0	33·0	36·3	37·4	39·1	41·0
5	31·1	31·1	31·0	31·2	30·0	29·2	29·0	29·1	30·1	32·0	37·5	38·9
6	37·1	36·9	36·3	35·8	35·5	35·8	35·9	36·0	36·3	36·8	37·5	38·5
7	40·2	40·2	40·1	40·3	41·0	41·0	41·2	41·7	41·0	41·0	41·0	41·0
8	44·8	44·9	44·7	44·6	45·0	45·0	45·0	45·3	45·9	46·9	47·5	48·9
9	42·0	41·0	40·2	40·8	41·2	39·0	36·2	36·0	35·8	36·0	38·0	43·0
10	37·0	36·7	35·7	34·4	32·8	32·1	31·8	31·3	31·9	32·5	34·0	38·0
11	41·8	41·3	41·7	41·9	42·1	42·4	42·7	43·0	43·3	43·8	44·4	45·1
12	44·9	44·7	45·0	45·5	46·3	46·8	47·0	47·9	48·0	49·0	50·0	50·5
13	43·8	43·4	43·0	43·0	43·8	43·9	43·8	43·9	43·8	43·9	43·9	43·9
14	40·1	39·6	38·0	37·0	35·8	35·0	34·2	33·8	33·0	33·8	34·8	38·0
15	38·1	38·2	38·0	38·0	37·8	39·8	40·3	41·0	41·2	41·6	42·4	42·0
16	39·3	38·9	38·5	38·2	38·3	38·8	38·4	37·5	36·6	37·1	40·5	42·6
17	32·6	32·2	32·2	32·1	32·2	32·1	32·0	31·3	31·2	32·5	34·0	38·2
18	36·1	36·1	36·0	35·9	36·0	35·5	34·1	33·8	33·8	35·0	37·5	39·3
19	32·0	32·0	32·4	32·8	32·8	32·7	32·6	33·0	34·1	35·8	37·5	38·3
20	33·3	33·2	33·0	32·8	32·0	32·1	32·8	33·1	33·3	33·8	34·5	35·1
21	40·3	39·7	39·7	40·3	41·7	42·0	42·0	42·0	41·8	41·9	42·4	42·8
22	42·1	41·6	41·4	41·7	41·5	41·1	41·1	41·3	41·7	42·0	42·3	42·9
23	42·8	42·8	42·3	41·9	41·6	41·4	40·5	39·7	40·0	41·0	41·9	42·0
24	40·6	40·7	39·0	38·9	41·0	41·0	40·6	40·8	40·8	41·0	43·0	43·1
25	42·0	42·0	42·0	42·0	44·3	45·8	47·0	47·8	47·6	48·1	51·0	49·1
26	42·3	42·8	42·7	42·8	42·5	41·9	41·4	41·8	41·8	41·9	42·4	43·2
27	46·1	45·9	45·2	45·1	45·5	45·8	45·3	45·2	45·1	45·1	46·8	47·1
28	45·1	45·2	45·0	44·0	43·0	43·0	42·0	41·3	41·0	41·0	40·0	42·5
29	37·2	37·2	36·4	35·0	35·0	34·3	33·0	32·6	32·4	32·6	34·3	36·0
30	34·0	34·3	34·5	34·5	34·3	34·8	35·0	35·2	35·6	36·0	36·8	37·1
31	35·7	35·5	35·3	35·2	35·1	35·2	35·5	35·8	36·3	36·8	37·9	39·2
Mean.	38·75	38·60	38·20	38·07	38·10	38·06	37·90	37·99	38·26	38·93	40·28	41·54

each Hour (120th Meridian Time), during the Month of December, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
40·5	40·2	39·1	38·0	37·0	36·6	36·2	36·3	36·3	36·0	35·8	35·5	37·16
40·8	40·7	40·6	40·0	39·3	38·8	37·9	36·8	36·7	36·2	35·8	35·8	36·38
43·2	43·2	43·1	42·0	40·8	36·5	34·2	33·5	32·2	32·0	31·2	31·0	36·52
42·3	42·1	41·8	41·2	40·1	39·2	37·0	34·5	33·5	32·4	31·8	31·1	35·12
40·0	40·8	41·0	40·2	38·8	37·8	35·2	35·1	35·1	36·8	37·2	37·2	34·81
39·2	39·8	39·9	39·3	39·0	39·0	39·0	39·0	39·1	39·1	39·2	40·1	37·92
41·4	41·5	41·9	42·2	43·0	44·3	44·8	45·0	45·0	45·0	45·2	45·0	42·25
48·8	48·2	48·7	48·0	47·0	47·1	46·0	44·0	42·0	41·1	41·8	42·2	45·56
44·8	45·0	45·0	43·5	43·0	41·4	40·2	38·1	37·8	37·2	37·1	37·0	39·97
42·0	43·8	44·0	43·2	43·0	43·7	43·2	42·5	42·3	42·6	42·7	42·6	38·49
46·0	46·0	46·0	46·0	45·5	45·3	45·1	45·0	45·2	45·0	45·0	45·0	44·11
50·0	48·8	49·0	48·4	48·2	46·8	46·1	45·6	45·8	45·9	43·8	43·8	46·99
44·8	44·6	41·0	41·1	41·0	41·0	40·2	40·0	40·0	39·7	39·8	39·3	42·38
40·0	42·8	42·3	42·0	40·9	40·0	37·0	35·1	34·3	34·3	34·0	34·0	37·07
41·5	41·4	41·2	41·1	40·9	41·2	41·0	40·9	39·1	39·0	39·3	39·4	40·18
42·9	42·9	42·0	41·4	40·0	38·0	36·0	35·5	35·0	33·9	32·5	32·6	38·23
39·9	40·0	39·5	38·3	37·0	36·1	35·9	36·0	36·0	36·0	36·0	36·0	34·97
39·8	39·7	39·1	38·3	36·2	35·1	33·8	33·3	33·0	33·1	32·8	32·9	35·64
40·4	40·8	40·8	38·0	36·3	35·6	34·8	34·4	34·3	34·0	33·8	33·7	35·13
37·0	37·6	37·9	38·0	38·4	38·0	37·4	37·4	37·8	37·9	38·5	39·8	35·61
42·9	42·9	43·1	43·0	42·0	41·7	42·0	43·1	42·7	42·5	42·7	42·5	41·99
43·1	43·1	43·1	43·0	42·9	43·0	43·0	42·9	42·8	43·0	43·0	42·9	42·44
42·4	42·3	42·3	41·4	39·3	39·5	39·9	39·9	39·9	40·0	41·8	41·0	41·15
44·7	45·1	43·9	43·0	42·8	42·8	42·9	42·9	42·5	42·5	42·5	42·2	42·01
46·0	44·3	44·7	45·0	44·0	42·1	41·8	41·3	41·0	40·0	41·0	41·9	44·24
43·7	43·3	43·0	43·3	43·5	43·2	43·5	44·0	44·2	44·7	45·0	46·1	43·13
47·3	47·0	46·6	46·3	45·2	45·1	45·3	45·1	45·2	45·3	45·1	45·0	45·70
41·1	41·0	38·8	38·8	38·0	38·1	38·3	37·9	37·9	37·9	37·9	37·3	40·67
38·3	38·9	38·8	37·9	37·0	36·0	35·3	35·0	34·7	34·3	34·0	33·8	35·42
38·1	38·1	37·9	37·6	37·3	37·2	37·1	36·8	36·2	36·3	36·3	36·0	36·13
39·7	39·7	39·0	38·0	37·8	37·3	36·7	36·3	36·0	36·1	36·0	35·5	36·73
42·35	42·44	42·10	41·53	40·81	40·24	39·57	39·14	38·83	38·70	38·66	38·64	39·49

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of January, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	−19·5	−21·0	−22·0	−24·0	−18·5	− 8·5	− 3·0	0·0	3·0	3·0	3·0	− 0·5	9·00
2	− 6·0	− 8·0	−10·0	10·0	− 9·5	− 4·0	5·0	12·0	14·0	14·5	7·5	7·0	1·04
3	7·5	2·5	9·5	12·0	9·5	11·5	11·5	13·0	10·0	11·5	− 5·0	− 5·0	7·38
4	− 5·0	3·5	− 2·0	− 1·0	2·5	9·0	20·0	26·5	21·5	15·0	11·0	14·0	9·00
5	21·0	16·0	14·0	20·5	20·5	23·0	23·5	37·0	34·0	29·5	35·0	37·0	25·92
6	34·0	30·0	28·0	24·0	22·5	25·5	25·0	27·5	22·5	15·0	20·0	20·0	24·50
7	18·0	18·0	18·5	22·0	18·0	21·0	26·5	27·5	20·0	18·5	10·0	0·0	18·17
8	0·0	− 2·0	0·0	2·0	10·0	17·0	23·0	26·5	25·0	23·0	20·0	16·0	13·38
9	19·0	23·0	10·0	10·5	11·0	18·0	25·5	25·5	25·0	22·0	21·0	21·0	19·29
10	19·0	13·0	12·0	16·0	15·0	22·0	24·0	26·0	20·0	15·0	5·0	0·0	15·58
11	− 3·0	0·0	10·0	16·5	21·5	28·0	32·5	33·0	30·0	27·0	22·0	19·0	19·71
12	17·5	16·0	11·0	10·0	2·5	9·0	10·5	20·5	19·0	20·0	19·0	8·0	13·58
13	0·0	− 1·0	− 9·0	− 3·0	− 1·0	8·0	11·0	13·0	13·0	15·0	15·0	15·0	6·33
14	15·0	15·0	16·0	9·0	9·5	12·0	16·5	18·0	8·0	6·0	9·0	0·0	11·17
15	− 1·0	−10·0	−12·0	−11·5	−21·0	−13·5	−12·0	0·0	− 3·5	− 6·0	−10·0	−10·0	− 9·21
16	− 7·5	0·0	0·0	5·0	9·5	20·5	30·5	29·0	25·5	12·5	15·0	16·0	13·00
17	19·0	20·0	12·0	14·5	0·5	10·5	25·5	25·0	23·5	21·5	20·5	20·5	17·75
18	6·0	4·5	1·0	10·0	10·5	20·0	26·0	30·0	23·5	11·5	12·0	11·0	13·83
19	17·5	22·0	30·0	30·0	29·0	33·0	37·0	38·0	30·0	27·0	12·5	11·0	26·42
20	14·0	17·0	20·0	30·0	34·0	39·0	38·5	39·5	36·0	32·5	25·0	20·0	28·79
21	20·0	18·0	19·0	17·5	11·0	14·5	18·0	21·5	18·0	17·5	9·0	8·0	16·00
22	8·0	4·0	7·5	−13·0	−16·5	−10·0	0·0	0·0	− 3·0	− 6·0	− 7·5	− 7·5	− 4·92
23	8·0	8·0	− 8·0	− 5·0	− 3·5	12·0	18·0	26·0	20·0	18·0	17·0	20·0	8·21
24	10·0	7·0	6·0	5·5	8·0	12·5	23·0	23·0	20·5	11·5	16·0	10·5	12·79
25	8·5	5·5	7·5	15·0	18·0	20·0	20·0	21·0	16·5	15·0	10·0	10·0	13·92
26	13·0	13·0	10·0	8·5	5·5	7·5	10·5	10·0	10·5	10·0	13·0	16·0	10·63
27	18·0	26·0	30·0	32·5	32·5	34·0	24·0	9·0	3·0	− 1·0	− 6·0	−10·0	16·00
28	−12·5	−10·0	−15·0	−20·0	−22·5	−20·0	−13·5	−13·0	−15·0	−20·0	−20·5	−27·0	−17·42
29	−27·0	−23·0	−25·0	−25·0	−18·0	−10·0	5·0	0·0	0·0	0·0	4·0	− 5·0	−11·00
30	− 3·0	−12·0	−18·0	−18·5	−15·0	− 6·0	4·0	4·0	3·0	3·0	3·0	3·0	− 4·38
31	3·0	1·0	0·0	− 3·0	−18·5	−13·0	−11·5	−10·0	−14·0	−15·0	−20·5	−22·0	−10·29
Mean	6·31	5·58	4·39	5·71	5·06	11·05	15·95	18·03	14·82	11·84	8·94	6·97	9·56

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of February, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°				°	°
1	−27·0	−28·0	−30 0	−32 0	−28 5	− 6·5	- 1 0	4·5	3 0	0 5	1 5	1 0	−11 88
2	9 0	5·5	11·0	8 0	7·0	7·0	8·0	5 0	4 0	− 3 5	−10 0	−12 0	3 25
3	−20 0	−20·0	−21·0	−18 5	−17·5	− 8 5	2 0	7 0	7·0	8 5	5 0	8·0	− 5 67
4	8 0	10·0	9·0	10 0	10·0	10 0	11 0	10 0	10·0	9 0	8 0	7 0	9 33
5	6 0	5·0	− 1·0	− 5 0	− 7 0	− 5 0	4·5	2 5	1 0	0 0	0 0	0 0	0 08
6	0 0	− 8·0	− 8·5	5 0	5 0	− 1 0	5 0	2 5	2·0	1 0	2 0	1 0	− 1 17
7	− 1 0	1 0	− 3 0	− 2 0	- 2 0	2 0	4 5	10 0	6·0	5 5	8 0	9 0	3 00
8	9·0	− 3·0	− 5·0	− 9 5	− 9·0	6 0	7 5	13 0	10 0	5 0	0 0	9 0	2 00
9	− 2·0	- 0 5	0·0	3 0	5·0	8 0	12·0	17 0	15·0	10 5	7 0	5 5	6 71
10	5 0	4·0	14·5	15 5	17·5	17·5	22 0	22 0	21 5	21 0	20 0	18 0	16 54
11	12 0	9·0	5·0	8 0	11·0	15 0	20 0	25 0	24·0	20 0	16 0	6 0	14 25
12	5 0	5·0	0·0	0·0	0 5	5 0	13 5	15 0	15·0	10 0	4 5	3 5	6 42
13	− 3·0	− 4·0	−10 5	−14 0	- 5 0	3 0	12 5	17 0	16 0	11 5	10 0	1 0	2 88
14	− 3·0	10 5	−13·0	−10 0	− 3·5	4 0	7 0	14 0	15·0	15 0	15 0	18 0	4 00
15	23·0	22·5	17·5	17 0	15·0	16 5	20 0	19 0	11·0	8 0	5 5	6 0	15 08
16	8 0	9·0	9 0	12 5	13·0	16 5	25 0	15 5	9·5	8 0	9 0	8 5	11 96
17	6 0	8·5	12·0	12 0	13 5	16 0	16 5	15 0	13·5	3 5	— 2 0	— 3 0	9 29
18	— 1 0	— 4·0	— 2·0	— 2 5	— 2·5	— 6 0	— 1 5	— 1 0	5 0	9·0	− 6 0	−10 0	— 1 88
19	−10 0	— 9·0	7 0	— 6 0	— 2·0	8 0	17 5	16 0	14·5	14 5	17 0	15 5	5 75
20	10 0	9 0	9 0	9 5	11 0	15 0	17 0	19 5	13·5	10 5	0 0	— 1 0	10 25
21	— 6 0	— 9 0	- 5 0	1 5	6 0	16 0	23 5	33 0	30 0	32 0	33 0	33 0	15 67
22	33 0	30 0	28 0	27 5	29 5	29 5	33 0	33 0	32·5	28 5	24 0	23 0	29 29
23	26 0	26 0	24 0	25 5	27 0	31 0	36 0	38 0	26 0	34 0	33 5	32 0	29 92
24	31 0	33 0	34 0	32 0	33·5	33 5	35 0	34 5	33 0	31 5	33 5	27 0	32 63
25	25 5	22 0	14 0	16 0	17 0	22 0	25 0	26 0	25 0	20 0	15 0	10 0	19 79
26	8 0	7 5	6 0	3 0	4 5	8 0	10 5	10 5	9 5	8 5	9 0	10 0	7 92
27	10 0	8 0	8 5	11 0	15 0	16 5	18 0	20 0	10 0	6 0	5 0	3 0	10 92
28	0 0	− 5·0	− 8 0	−12 0	10·5	− 5 0	4 0	7 0	7·5	5 0	3 5	5 0	− 0 71
29	6 5	8 0	8·0	8 5	9 5	11 5	14 0	15 0	14 0	13 5	13 0	13 5	11 25
Mean	5 79	4 14	3 29	3 59	5 28	9 84	14 55	16 65	13 93	11 96	9·66	8 22	8 86

OBSERVED Bi hourly Temperature at Regina, Saskatchewan, for the Month of March, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	12·0	— 2·0	- 2·5	—10·0	— 6·0	7·5	11·0	12·0	10·0	1·0	— 3·0	— 8·0	1·83
2	7·0	6·0	—10·0	4·0	10·0	11·0	12·5	13·0	15·0	15·0	16·0	15·0	7·38
3	14·0	3·0	— 2·0	2·0	3·5	6·0	9·5	10·0	10·0	8·0	4·0	0·0	5·67
4	0·0	—10·0	—11·5	—15·0	11·0	0·0	5·0	7·5	6·0	0·0	—10·0	—15·0	— 4·50
5	—18·0	17·5	2·5	2·0	2·0	6·5	7·0	15·0	15·0	5·0	- 2·0	— 7·0	0·46
6	— 9·0	— 2·0	0·0	— 9·0	— 4·5	10·0	16·5	17·0	14·5	10·0	7·0	10·0	5·04
7	11·0	12·0	0·0	— 6·0	8·0	6·5	— 5·0	4·0	— 5·0	— 8·0	—13·0	—17·0	— 4·13
8	—14·0	- 10·0	6·0	3·0	0·0	7·0	10·0	14·0	15·0	15·0	14·0	8·0	4·17
9	6·0	1·0	— 2·0	—13·0	— 5·0	10·5	25·0	34·0	32·5	25·0	5·0	5·0	10·33
10	4·5	3·0	9·0	30·5	31·5	36·0	40·0	42·0	38·0	32·5	29·0	31·0	27·25
11	28·5	33·0	36·0	36·0	36·5	38·5	42·0	39·0	37·0	34·5	30·0	31·0	35·17
12	35·0	36·0	25·0	15·0	12·0	12·0	12·0	12·0	10·0	6·0	11·0	2·0	15·67
13	2·0	0·0	0·0	11·5	13·0	13·0	10·5	8·5	8·5	7·0	4·0	8·0	7·17
14	8·0	6·0	7·5	6·0	9·0	8·5	7·5	8·0	7·0	5·0	6·0	2·0	6·71
15	1·0	— 4·0	— 6·0	7·5	— 1·0	3·5	4·0	4·5	2·5	0·0	3·0	3·0	0·21
16	3·0	4·0	3·0	4·0	7·0	12·0	14·5	4·5	3·5	0·0	1·0	—11·0	3·62
17	— 9·0	5·0	—15·0	16·0	— 7·5	5·0	10·0	10·0	10·0	6·0	— 2·5	— 8·0	— 1·83
18	— 9·0	14·0	—15·0	—14·5	— 5·5	5·0	12·0	14·5	15·0	2·0	0·0	0·0	— 0·79
19	0·0	6·0	8·0	15·0	15·0	19·5	23·0	24·5	24·0	16·0	11·0	10·5	14·21
20	3·0	3·5	2·0	1·0	9·5	19·0	29·5	31·0	31·0	26·5	30·0	30·0	18·00
21	27·0	25·0	24·5	25·5	29·5	31·0	32·5	32·5	31·0	29·0	31·0	19·0	28·12
22	21·0	26·0	32·0	33·0	35·5	38·0	38·5	38·0	37·0	34·0	32·0	30·0	32·91
23	29·0	25·0	24·0	21·5	26·0	31·0	31·5	31·0	25·0	23·5	19·0	12·0	24·88
24	8·0	5·0	0·0	1·5	5·0	10·0	14·0	16·0	15·0	14·0	12·0	3·0	8·62
25	8·0	10·5	9·0	7·5	8·5	9·5	5·5	3·5	3·0	0·0	— 5·0	— 3·0	4·75
26	9·0	—11·0	—11·0	14·0	6·0	2·5	11·5	12·0	10·0	7·5	5·0	4·0	0·12
27	3·5	5·0	8·0	9·5	13·5	18·0	21·5	21·0	21·0	18·5	18·0	18·0	14·63
28	18·5	16·0	7·0	1·5	0·0	8·0	14·0	25·5	21·5	14·5	9·0	9·5	12·33
29	9·0	3·0	12·0	1·0	10·0	29·0	33·0	34·0	35·0	30·0	25·0	25·0	20·33
30	24·0	23·5	21·0	20·0	20·0	24·0	24·5	18·5	15·0	15·0	15·0	11·0	19·54
31	8·5	8·0	5·0	4·5	6·0	8·0	10·0	9·5	8·5	7·5	5·0	— 2·0	6·54
Mean	6·75	5·58	4·90	4·63	8·02	13·97	17·19	18·02	16·82	12·90	9·82	6·97	10·46

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of April, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
1	— 5·0	—10 5	— 7·0	— 6 0	— 1 0	4 0	7 0	11·0	11 0	5 0	— 3 0	— 5 0	0·04
2	— 5 5	12·0	—14·5	—16·5	0 0	10 0	27 0	30·0	30 0	27 5	20 0	23 0	9 92
3	13 8	8·0	8·0	7 5	17 0	30 0	36 0	37·5	37 5	36 0	35 5	35 0	25 08
4	34 0	33·0	37·0	36·5	36 0	37 0	42 5	40·0	39 0	35 0	32 0	30 0	36 00
5	29 0	26·0	26 0	27 0	34 0	37 0	38 0	40·5	39 0	34 0	27 0	27 0	32·04
6	23 0	18·0	17 0	18 0	24 5	30 0	32 5	34·5	33 0	30 0	28 0	25 0	26 13
7	26 0	25·0	23·0	24 5	29 0	30 0	36 0	35·5	35 0	33 0	25 5	26 0	29 00
8	30 0	31·0	32 0	30 0	41 0	50 0	55·0	60 0	61 0	50 5	43 0	37 0	43·38
9	34 0	33·5	31 5	32 0	37 0	42 5	45 0	42·5	44 5	40 5	35 0	30·0	37 33
10	30 0	29·0	25 0	27 0	32 5	37·0	40·0	41·5	41 0	40 0	33 0	30 0	33 83
11	27·5	25·0	27 0	31 5	41 5	53 0	60 0	63·0	65 0	58 5	45 5	43 0	45 04
12	40 0	37·5	34·0	34·5	48 5	55 0	60 0	64·0	63 0	56 0	46 0	44 0	48 54
13	41 5	36·0	33 0	34 0	60 5	70·5	73 0	75·0	73 5	66 5	48 0	45 0	54 71
14	42 0	40·0	36 0	36·0	36 0	37 0	40 5	38 5	38 5	35 0	25 0	23 0	35 63
15	18 0	19 0	19·5	22 0	30 0	37 0	41 0	40·5	40 0	37 0	34 0	32 0	30 83
16	32 0	32·0	31 0	31 0	35 0	39 0	55 0	62·5	60 0	58·0	41·0	45 0	43·46
17	31 5	35·0	36 0	38 0	56 0	65 0	69·5	68·5	67 0	64 0	49 0	49 0	52 37
18	46 0	44·0	46 0	47 5	57 0	67 5	68 0	75·5	75 0	70 5	57·0	52 0	58 83
19	49 0	47·0	50 0	45 0	38 0	52 0	66 0	68 0	67 5	61 0	50·5	50 0	53 67
20	41 0	43 0	45 0	45 0	56 0	65 5	76·5	76·0	76 0	73 0	63·0	56 0	59 67
21	52 0	46·0	47 0	48·5	53 0	60 0	65·0	70·0	64 0	62 5	41 0	40 0	54 08
22	43 0	47·0	48 0	49 0	52 0	56 5	64 5	63·5	62 0	58 0	50·0	47 0	53 38
23	45 0	43·0	42 5	45 0	45 0	50·0	53 5	54 5	56 0	51 0	48 0	49 5	48 38
24	46 5	49 0	48 0	48 0	48 0	47 0	50·5	49·5	49 0	46 5	49·0	48 0	48 25
25	46 0	44 0	48 5	37 0	38 0	35 5	35 0	33·5	32 0	30 0	27·0	26 0	35 21
26	26 0	26·0	25 5	25 0	26 5	28 0	29·5	31 0	30 0	29 0	27 5	25 0	27 42
27	24 0	24·0	24 0	25 0	28·5	31·0	32·5	32·5	32·0	31 5	30·0	28 5	28 62
28	28 0	28 0	28 0	26 0	27·0	30 0	36·5	41·5	41·0	41 0	30·0	27 0	32 00
29	24 0	23·0	25 0	28 5	37·0	40 5	46 5	51·0	50·0	43 5	37·0	35 0	36 75
30	30·0	28·0	25 0	31 0	41·5	45 0	47 5	46·5	46·0	43 0	37·0	39 0	37 54
Mean	31 38	29·92	29·57	30·25	36·83	42·41	47·65	49 27	48 62	44 90	37 03	35 10	38·58

Observed Bi-hourly Temperature at Regina, Saskatchewan, for the Month of May, 1908.

Day.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
1	24·0	21·0	21·0	28·0	33·0	37·5	42·5	44·5	44·5	41·5	33·0	35·0	33·79
2	22·0	22·5	20·0	27·5	38·5	43·0	47·0	48·0	48·0	45·0	38·0	31·5	35·92
3	30·0	31·0	24·0	27·5	41·5	45·0	52·5	53·0	52·5	49·5	45·0	36·0	40·62
4	31·0	26·0	30·0	32·0	45·0	52·0	57·0	59·0	56·0	52·5	48·0	45·0	44·46
5	40·0	38·0	39·5	43·0	54·0	63·0	68·0	68·0	68·0	68·0	52·0	45·5	53·92
6	36·5	36·5	37·0	46·0	62·0	70·0	75·0	75·0	73·0	67·5	50·0	41·0	55·79
7	37·0	34·5	36·0	47·0	65·0	70·0	74·0	74·0	70·0	68·0	58·0	50·0	56·96
8	47·0	42·5	39·5	51·5	62·0	69·0	74·0	74·0	75·0	71·0	47·5	46·0	58·25
9	40·0	41·0	39·5	49·0	62·0	74·0	79·0	79·5	80·0	75·0	57·0	40·0	59·67
10	42·0	37·0	41·0	43·5	64·0	67·5	69·0	77·0	62·0	58·5	53·5	50·5	55·46
11	42·0	46·0	46·5	45·0	45·0	45·0	45·0	44·5	44·0	43·0	43·0	42·0	44·25
12	40·0	37·0	37·0	37·0	40·0	42·0	46·5	45·0	44·0	43·0	40·0	40·0	40·96
13	40·0	42·0	43·0	42·0	47·5	47·0	50·0	53·5	56·5	54·5	53·5	51·0	48·38
14	50·0	48·0	49·0	50·0	51·0	53·5	57·5	59·0	51·5	51·5	52·0	54·0	52·25
15	54·5	55·0	58·0	44·0	47·5	53·0	55·0	59·0	57·5	58·0	49·0	39·0	52·46
16	35·0	33·5	32·0	43·0	57·0	62·0	63·0	68·5	67·0	59·0	57·5	52·0	52·46
17	52·0	50·5	51·0	51·5	51·5	52·5	54·0	58·5	60·0	60·0	55·0	43·0	53·29
18	45·0	47·0	44·0	50·0	56·0	62·0	62·5	64·0	64·5	62·0	52·0	47·0	54·67
19	43·0	36·0	33·0	35·0	39·0	45·0	51·5	53·0	51·5	47·5	40·0	36·0	42·54
20	31·5	31·0	27·5	32·0	37·0	43·0	48·5	48·5	47·0	47·0	43·0	38·5	39·54
21	35·0	35·0	34·0	35·0	35·0	43·0	46·0	47·0	38·0	37·0	33·0	35·0	37·75
22	36·0	35·0	34·0	38·0	49·0	55·0	61·5	65·0	64·5	65·0	52·0	48·5	50·29
23	36·5	36·0	33·5	36·0	62·0	76·5	77·0	77·0	76·0	63·0	45·5	47·0	55·50
24	47·0	46·0	44·0	54·0	57·0	59·0	64·0	67·0	63·0	60·0	55·5	55·5	56·00
25	52·0	52·5	44·5	54·0	64·5	69·0	67·0	69·0	71·5	65·0	50·0	50·0	59·08
26	50·0	40·0	40·0	47·5	56·0	65·0	70·5	72·0	71·5	69·0	57·0	51·0	57·49
27	43·0	42·0	40·0	43·5	57·5	62·5	63·0	64·0	60·0	56·0	53·0	50·0	52·87
28	47·0	55·0	45·0	49·0	56·5	65·0	68·0	70·0	69·0	67·5	55·0	50·5	58·13
29	48·0	48·0	46·0	52·5	64·0	69·0	71·0	71·5	70·0	67·0	52·0	46·5	58·79
30	45·0	43·0	47·0	50·0	62·0	70·0	70·0	72·0	71·5	69·5	50·0	51·5	58·46
31	40·5	42·0	44·0	62·0	67·5	68·0	68·0	70·5	70·0	67·5	55·0	52·0	58·91
Mean	40·73	39·69	38·73	43·42	52·56	58·00	61·21	62·92	61·21	58·34	49·19	45·18	50·93

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of June, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	47·0	46·0	45·5	48·0	58·5	67·0	65·0	63·5	61·5	53·5	53·0	52·0	54·96
2	53·0	53·0	53·5	55·0	58·0	60·0	69·0	70·0	69·0	68·0	60·0	55·0	60·29
3	54·0	53·0	56·0	56·5	58·5	62·0	58·5	57·0	58·5	59·0	57·0	58·0	57·33
4	55·0	57·0	58·0	60·5	62·5	65·0	65·0	68·0	70·0	72·0	65·0	60·0	63·17
5	55·0	54·0	50·0	55·0	63·0	71·0	72·5	75·0	70·0	56·0	55·0	54·5	60·92
6	56·0	53·0	53·0	53·5	57·5	67·0	64·0	60·0	57·5	55·0	49·0	45·0	55·87
7	43·0	43·0	46·0	42·0	43·5	45·0	47·0	48·0	47·5	45·0	44·0	42·5	44·71
8	47·0	42·0	40·0	40·0	40·5	47·0	50·0	53·0	55·0	54·0	46·0	40·0	46·21
9	33·5	32·0	30·0	37·0	55·0	62·5	67·0	69·5	69·5	68·0	48·0	47·0	51·58
10	46·0	38·0	39·0	50·0	67·0	74·0	77·0	76·0	69·5	62·0	60·0	59·0	59·79
11	54·5	50·0	51·0	55·0	62·0	75·0	75·0	76·0	75·5	66·0	52·0	56·0	62·33
12	50·0	48·0	48·0	48·0	47·0	49·0	51·5	50·0	47·0	44·0	40·0	39·0	46·79
13	40·0	40·0	40·0	44·0	49·5	56·0	58·0	60·5	60·5	58·0	50·5	41·0	49·83
14	43·5	42·0	46·5	49·0	53·0	59·0	64·0	66·5	62·0	61·5	60·0	50·0	54·75
15	50·0	50·0	51·0	53·0	60·5	65·5	67·0	70·0	68·0	66·0	56·0	53·0	59·17
16	50·0	49·0	54·0	54·0	64·5	68·0	74·0	75·0	72·0	72·0	59·0	56·0	62·29
17	57·0	53·0	48·5	53·0	57·5	68·5	73·0	70·0	67·0	63·0	58·0	56·0	60·38
18	56·0	55·5	56·0	58·0	57·0	57·5	60·0	59·0	57·0	56·0	55·0	54·0	56·75
19	54·0	54·0	54·0	54·0	59·0	65·0	67·0	66·0	64·0	66·0	63·0	62·0	60·67
20	59·0	55·5	50·0	53·0	62·0	65·0	67·0	66·0	65·0	65·0	51·0	44·5	58·58
21	44·5	45·0	46·0	50·0	51·0	51·0	60·0	62·0	61·5	63·0	54·0	49·0	53·08
22	41·0	41·0	41·0	48·0	59·0	63·5	66·0	66·0	65·0	64·0	54·5	50·0	55·17
23	50·5	46·5	50·0	54·0	61·5	65·0	65·0	64·0	65·0	64·0	56·0	50·0	57·62
24	47·5	45·0	43·0	47·0	61·0	67·0	69·0	73·0	73·0	74·0	57·0	58·0	59·54
25	55·0	52·5	50·5	59·0	71·0	78·0	84·0	84·0	84·0	81·5	69·5	67·0	69·67
26	62·0	55·0	57·5	62·0	66·0	74·0	78·0	78·0	75·0	72·0	56·5	59·0	66·25
27	53·5	54·0	55·0	53·0	56·5	62·5	66·0	65·0	63·5	59·0	53·5	50·0	57·63
28	48·5	47·0	46·0	50·0	52·0	54·0	55·0	56·0	54·0	57·0	51·0	46·0	51·38
29	43·0	38·5	41·0	55·0	58·0	62·0	55·0	59·0	59·0	58·0	52·0	48·5	52·42
30	44·0	44·0	41·0	46·0	58·5	63·0	54·0	58·0	68·0	56·0	54·0	48·5	52·91
Mean	49·87	47·88	48·03	51·42	57·65	62·96	64·78	65·47	64·48	61·95	54·65	51·68	56·73

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of July, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
1	42·0	52·0	53·0	46·0	58·0	69·0	68·0	71·5	70·5	70·0	59·0	52·0	58·50
2	49·0	46·5	47·5	54·0	67·5	76·5	78·0	78·0	77·0	76·5	63·0	57·5	64·25
3	55·0	52·0	50·0	56·5	70·5	79·5	80·0	79·0	72·0	72·0	70·0	69·0	67·12
4	68·0	65·0	58·0	62·0	63·5	67·0	71·0	71·0	70·0	67·0	68·0	53·0	64·87
5	45·0	50·0	46·0	48·0	55·0	55·0	53·5	54·0	56·5	56·5	53·0	42·0	51·21
6	40·0	38·5	41·0	45·0	60·0	65·0	67·0	70·0	71·0	72·0	56·5	50·5	56·37
7	50·0	50·0	49·5	53·0	67·0	73·0	78·5	80·0	79·0	81·0	67·0	63·0	65·17
8	60·0	60·0	58·5	62·0	72·0	80·0	85·0	85·0	85·0	82·0	69·0	62·5	71·75
9	59·0	60·0	60·0	65·0	75·0	81·0	87·0	87·0	86·5	83·0	73·0	69·0	73·79
10	66·0	59·0	59·5	65·0	76·0	79·5	80·0	80·0	78·0	77·5	65·0	60·0	70·46
11	56·0	55·0	42·0	53·0	70·5	73·5	77·5	76·5	75·0	71·0	60·0	60·0	64·17
12	59·0	54·0	50·0	48·5	57·0	60·0	75·0	75·5	74·0	67·5	62·5	59·0	61·83
13	49·0	44·5	43·0	50·0	66·0	73·0	76·0	76·0	75·5	73·5	61·0	55·0	61·88
14	52·0	49·0	54·0	55·0	65·5	70·5	72·0	68·5	64·5	64·5	62·0	56·0	61·12
15	58·0	57·0	57·0	57·5	60·0	65·5	66·5	66·5	66·0	66·0	62·5	61·0	61·96
16	59·0	59·0	60·0	61·0	64·0	66·5	66·0	68·5	68·5	66·0	61·0	58·0	63·13
17	58·5	58·5	58·0	59·0	65·5	67·5	69·0	71·0	71·0	71·0	60·0	60·0	64·08
18	55·0	53·5	52·0	54·0	67·0	75·5	76·5	73·0	72·5	72·0	62·0	62·0	64·58
19	69·0	67·0	62·0	67·5	69·0	70·0	78·5	74·0	74·0	75·0	68·0	62·0	69·67
20	55·0	50·0	48·0	53·5	64·0	71·0	71·0	74·5	72·0	60·0	55·0	54·0	60·67
21	50·0	47·0	53·0	58·5	68·5	77·5	80·5	80·5	78·0	76·0	66·0	64·0	66·62
22	61·0	58·0	59·0	60·5	67·5	77·0	79·0	78·0	78·0	75·0	68·0	64·0	68·75
23	57·5	56·0	56·0	69·0	75·0	76·0	77·5	77·5	77·0	69·0	65·0	65·0	68·13
24	64·0	63·0	63·0	66·0	72·0	81·0	84·0	84·0	82·5	78·0	75·0	75·0	73·96
25	74·0	73·0	71·0	71·0	75·0	85·0	90·0	90·5	88·5	85·0	74·0	76·0	79·50
26	62·0	62·0	61·0	58·0	61·0	64·0	70·0	70·5	70·5	68·5	55·0	50·0	62·71
27	44·0	44·0	43·0	46·5	66·0	72·0	75·0	71·5	68·5	69·0	59·0	57·0	59·63
28	56·0	55·0	54·0	60·5	64·5	78·5	84·0	84·5	78·0	77·5	59·0	56·0	67·29
29	54·0	58·0	58·0	58·0	59·5	63·5	71·5	71·5	70·0	69·0	58·0	50·0	61·75
30	45·0	44·0	42·0	47·5	65·5	74·0	80·0	81·5	81·0	77·5	66·0	60·0	63·66
31	56·5	50·5	50·0	54·5	69·5	79·0	85·0	85·0	85·0	78·0	61·0	61·0	67·92
Mean	55·76	54·39	53·13	56·95	66·39	72·16	75·89	75·95	74·69	72·47	63·34	59·46	65·05

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of August, 1908..

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	59·0	57 0	56 5	58 0	67 5	76 5	82 0	82 0	81 5	80 0	74 0	73 0	70 58
2	72 0	64 0	58 0	57 0	64 0	70 0	71 5	75 0	74 5	71 5	65 0	66 0	66 87
3	59 0	56 0	55 0	56 0	64·5	69 0	70 0	74 5	74 0	70 5	58 0	50 0	63 04
4	48 0	48 0	50 0	62 0	69 5	70 0	74 0	75 0	75 0	71 5	60 0	51 0	62 83
5	46·0	42 0	44 0	47·5	64·5	71 5	76 0	76 0	76 0	73 5	62 0	57·0	61 33
6	59 0	58 0	54 0	56·5	65·5	73 5	76 5	78 0	75 5	71 0	63 0	60·5	65 92
7	60 0	59 0	55 0	55 0	65 0	74·5	79 5	80 0	78 5	72 0	62 0	62 0	66 87
8	52 5	52 0	59 0	54 0	57 5	68 0	75 0	76 5	76 5	75 0	62 0	54 0	63 50
9	51 0	49 0	50 0	52 0	66 0	79 0	82 0	84 0	83 0	77 0	67 0	65 0	67 08
10	64 0	62 0	54 0	56 0	61 5	68 5	73 0	75 0	74 0	67 5	57 5	50 5	63 62
11	49 0	53 0	54·0	54 0	60 0	66 0	68 0	67 0	67 0	66 0	60 0	55 0	59 92
12	54·0	53 0	52 0	51·0	48·0	51 0	52 5	57 5	57 0	56 5	49 0	41 0	51 87
13	38 0	36·5	34 0	37·0	52 0	60 0	63 0	65 0	65 0	65 0	49 5	44·5	50 79
14	40 0	39 0	40 0	41 0	51 5	64 0	67 5	66 0	63 5	61 0	60 0	53 0	53 87
15	58 0	52 5	47 0	53 0	56 0	61 0	64 0	67 0	68 5	65 0	60 0	58 0	59 16
16	58 0	57 0	55 0	55 5	57 5	61 5	65 0	65 0	63 5	61 0	49 5	46 0	57 87
17	48 0	45 5	39 5	44 0	60·5	70 0	74 0	76 0	77 0	73 0	70 0	64 0	61 79
18	54 0	47 0	45 5	57 5	60 5	66 5	70 0	70 0	77 0	66 5	53 0	47 5	59 59
19	49 0	44 0	36 5	40 0	59 0	68 0	73 0	76 0	77 0	71 0	60 0	57 0	59 21
20	50 0	46 0	44 0	46 5	66 5	80 5	88 0	85 0	81 0	74 5	58 5	57 0	64 79
21	49 0	50 5	44 0	42 5	47 0	45 0	58 0	62 0	63 0	60 0	49 0	44 5	51 21
22	38 0	32 0	34 0	34 5	57 5	68 5	70 0	69 5	69 0	67 5	53 5	46 0	53 33
23	43 0	39 0	41 0	47 0	63 5	71 0	73 0	74 5	72 0	68 0	60 0	55 0	58 92
24	52 0	50 5	49 5	51 5	56·5	55 5	57 5	56 0	55 0	54 5	53 0	53 0	53 71
25	54·0	55 0	54 0	55 0	55 0	57 0	62 0	63 0	62 0	60 0	58 0	50 0	57 08
26	50 0	49 0	50 0	43 5	54 0	59 5	64 5	56 5	56 5	55 0	54 0	54 5	53 91
27	55 0	53 0	51 0	51 0	53 0	58 0	59 0	61 0	62 0	60 0	50 0	45 0	54 87
28	43 0	43 0	43 0	45 5	60 5	70 5	71 5	72 0	72 0	67 5	60 0	50 0	58 21
29	42·0	45 0	45 0	50 0	59 0	58 0	62 0	63 0	61 0	59 0	49 0	45 0	53 17
30	44 0	43 0	45 0	46 5	51 5	59 0	66 5	67 5	64 0	61 5	52 0	53 0	54·46
31	51 0	50 0	49 0	50 0	52 0	54 0	60 0	62 0	61 0	58 0	49 0	45 0	53 42
Mean	51·27	49 37	48 02	50 02	58 02	65 32	69·31	70 24	69 76	66·45	57·66	53·13	59·12

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of September, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	40·0	38·0	40·0	34·5	59·0	64·5	69·0	71·0	70·0	64·5	60·0	54·0	55·37
2	52·0	49·0	42·0	46·0	60·0	75·0	86·0	84·0	80·0	72·0	60·0	50·0	62·50
3	49·0	49·0	48·5	52·5	58·5	64·5	65·5	65·0	66·0	61·0	52·0	49·5	56·75
4	49·0	49·5	40·0	42·0	62·0	71·0	74·0	77·0	78·0	67·0	56·5	53·0	59·92
5	51·0	49·5	54·5	56·5	61·0	64·5	65·5	69·5	69·5	62·5	52·0	44·0	58·33
6	40·0	38·0	38·0	40·0	63·0	73·0	77·0	80·0	81·0	70·0	55·0	55·0	59·16
7	51·0	45·0	41·0	45·0	64·5	80·0	90·0	96·0	90·5	80·0	67·0	63·0	68·00
8	60·0	57·0	61·0	59·0	64·0	67·0	70·0	57·5	58·0	54·5	48·0	39·0	57·92
9	38·0	35·0	30·0	32·0	56·0	66·5	71·0	71·0	71·0	64·0	57·0	56·0	53·96
10	55·0	52·5	40·0	40·0	56·0	70·0	75·0	77·0	77·0	62·0	59·0	56·5	60·00
11	54·0	52·0	47·0	48·5	62·5	76·5	79·0	79·0	77·5	66·0	57·0	57·0	63·00
12	55·0	53·0	56·0	55·0	70·0	77·0	81·0	82·0	79·0	67·0	60·0	53·0	65·67
13	50·0	50·0	48·0	46·5	63·5	71·0	80·5	88·0	88·0	74·5	65·5	60·0	65·46
14	57·0	60·0	65·0	62·0	65·0	75·0	78·0	73·0	76·0	68·0	58·0	55·0	66·00
15	53·0	52·0	52·0	52·5	65·0	84·5	91·5	92·0	85·5	78·5	63·0	63·0	69·37
16	66·0	60·0	52·0	56·0	68·0	78·0	85·0	84·0	83·0	79·0	61·0	58·0	69·16
17	55·0	56·0	43·0	45·0	50·0	55·0	60·0	65·0	63·0	55·0	49·0	46·5	53·54
18	42·5	41·0	40·5	42·0	53·0	58·0	60·0	54·0	54·0	49·0	48·0	46·0	49·00
19	47·0	48·0	50·0	50·0	57·0	61·5	62·0	68·0	66·0	62·0	50·5	45·0	55·58
20	48·5	47·0	40·0	42·0	64·0	77·0	79·0	81·0	75·0	62·0	58·0	55·0	60·71
21	45·0	40·0	35·0	35·5	57·0	72·0	78·5	80·0	80·0	66·5	61·5	60·0	59·25
22	61·0	57·0	55·0	51·0	50·0	52·5	58·0	58·0	56·0	50·0	40·0	39·0	52·29
23	39·0	44·0	43·0	47·5	39·5	47·5	51·0	52·0	51·0	45·0	35·0	30·0	43·71
24	29·0	29·0	33·0	37·0	40·5	45·0	49·0	47·5	46·0	44·0	42·0	40·0	40·17
25	38·0	38·0	37·0	38·5	39·5	42·0	42·0	42·0	41·5	40·0	37·0	36·0	39·29
26	34·5	34·0	34·0	32·0	36·0	39·0	41·0	41·0	40·0	36·0	33·0	25·0	35·46
27	24·0	25·0	26·0	22·5	34·0	39·5	44·0	43·0	40·5	32·0	23·5	20·0	31·17
28	18·0	16·0	15·0	12·0	32·0	42·0	45·0	47·0	45·0	44·0	40·5	39·0	32·96
29	39·0	38·5	37·5	35·0	50·5	51·0	51·5	53·0	52·5	45·0	41·5	38·0	44·42
30	37·0	35·0	31·0	31·0	35·5	45·5	48·0	51·5	50·5	40·0	31·5	30·5	38·92
Mean	45·92	44·60	42·60	42·97	54·55	62·85	66·70	67·63	66·37	58·70	50·73	47·20	54·23

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of October, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·0	28·5	30·5	32·5	44·0	61·5	69 0	67·5	65 5	60 0	53·0	46·5	49·13
2	45·0	41·0	36·5	38 0	46·5	52·5	52·5	44·0	45·0	44·0	40 0	41·0	43·83
3	38·0	37·0	35 0	35·0	35 0	38·0	38·5	38·5	38 5	35·0	29 0	28·0	35·46
4	32·0	35·0	35·0	35·5	35·0	35·0	36 0	38·5	38·5	38·5	38 0	37 0	36·17
5	34 0	36·0	31·0	27·5	36 0	40·5	40·5	41·5	45·5	42·0	42 0	42·0	38·21
6	41·5	40·0	38·0	33·5	37·5	41·5	46·5	46·5	46·0	38·5	32 5	31 0	39·42
7	29·0	30·0	28·0	28 0	43·0	54·0	59·0	58·0	57·5	27·5	38·0	30 0	40 17
8	28·0	28 0	27·5	27·0	46 0	65·5	72·5	74 0	69 5	65·5	34 0	33·0	47·54
9	33·0	33·0	33 0	36·0	54 5	60·0	60·0	54·0	49·5	42 0	35 0	35·0	43 75
10	31·0	28 0	25·0	23 0	31·0	39 5	46 5	46·5	44·0	32·5	28·0	20 0	32·92
11	23·0	22·0	20·5	22 5	33·5	46·0	61·5	63·0	61·0	47·0	37·0	34 0	39·25
12	31·5	30 0	30·0	31·0	40·0	56·0	66·5	67·0	66·0	58·5	43 0	42 0	46·79
13	39·5	37·0	39·0	43·0	52·0	66·0	67 5	69·5	68·0	56 5	54 5	45 5	53·17
14	44·0	39·0	40·5	33·5	41·0	51 0	58 5	65·0	61·0	62 0	58 0	45 0	49·87
15	45 0	43·0	40·0	37·5	41·0	46·0	46·0	46 0	44·5	42·5	41·0	36 0	42·37
16	39 0	37 0	36·0	37 5	39 5	40·0	40·5	39·0	37·5	37·0	34 0	33 0	37·50
17	33·0	31·0	32·0	30·0	31·5	34·5	35·0	35·0	34·5	33·5	31·0	31·0	32 67
18	30·0	24·0	20·0	16·5	28·0	40 0	46·5	40 0	37·5	31·5	38·0	38 0	32·50
19	29·0	32·0	33 5	34·0	35 5	37·5	38·5	38 5	36 5	37·5	38 0	39·0	35 79
20	43·0	44·0	45 0	46·5	48 5	45·0	41·5	41·0	40 0	39·0	37·0	37 0	42 29
21	36·0	36 0	35 0	35·5	36·5	32·0	32·5	32 0	31·0	30·0	27 5	28 5	32 71
22	28·0	28·5	27·5	26·5	25 5	26·5	27·5	23·0	28 0	27·0	22·0	19 5	25·79
23	20·0	21·0	22·0	23·0	28·0	37·0	40·5	41·0	39·0	38·5	30 0	33·0	31·08
24	32·0	23 0	22 0	24·5	30 5	41·0	48·0	45·5	44 0	43·0	38 5	35 0	35·58
25	35·0	31 0	33·0	26 5	31·5	42·0	50·0	48·5	44·5	36·0	34 0	33 0	37·12
26	29·0	20·0	20·0	21·0	26·5	35 5	51·5	49·0	45·0	36·0	30·0	29·0	32·71
27	27·0	28·0	25 0	25·0	35·0	41·5	42 0	38·5	31·5	31·0	28·0	28 0	31·71
28	26·0	24·0	23·0	19·0	19 0	19·5	23 5	22·0	21·0	18·5	16·0	14 5	20·50
29	13·5	15 0	21 0	21·5	22 0	24·0	28·0	25 5	23·0	19 5	18·0	16·5	20·62
30	16·5	17 0	19·0	19·0	20·5	26·5	28·0	28·0	26·5	24 0	25·0	25·0	22 92
31	25·0	25·0	25·0	27·0	28 0	32·5	40·0	38·0	36·0	34·0	32 0	32 0	31·21
Mean	31·86	30·45	29 95	29·57	35·55	42·19	46 24	45 32	43 73	38 98	34·90	32 84	36·80

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of November, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	31·0	30·0	32·0	29·0	31·0	32·0	40·0	38·0	35·0	30·0	25·0	22·5	31·29
2	22·0	21·5	20·0	29·0	30·0	52·0	58·0	56·5	53·0	46·5	36·0	36·5	38·42
3	28·0	27·5	25·5	24·5	25 5	32·0	34·5	33·0	31·5	30·0	29·0	28·0	29·08
4	28·0	27·0	23·5	25 0	28·0	43·0	54·5	53·5	35·0	32·5	30·0	26·0	33·83
5	25 0	24·0	28·0	25·5	41·5	50·5	55·5	53·0	47·0	39·0	43·0	37·5	39·13
6	37·0	36 5	36·0	35·0	36·5	45 5	53·5	52·0	49·0	44·0	43·0	40·0	42 33
7	35·0	30·0	30·5	29 0	34·0	39·0	42·5	42·0	42·0	40·0	35 0	37·0	36·33
8	33·0	33·0	27·0	33·0	29·0	30·5	32·0	29·5	27 0	25·0	22·5	21·0	29·38
9	19·5	18 0	18·5	17 0	16·5	17·0	18·5	18·0	17·0	15·0	14·0	11·0	16 67
10	12·5	15 0	17·0	17·0	20·0	22·0	23·0	23·5	22·5	20·0	18·0	17·0	18·96
11	17 0	17 0	15·0	15·0	16·0	18·0	19·0	18·0	17·5	17·5	18·0	17·0	17·08
12	16·0	15·5	16·5	15·0	13·5	18·0	20·0	20·0	18·0	13·5	6·5	4·0	14·71
13	0·0	— 6·0	— 8·0	— 8·0	— 4·0	13·0	20·0	18·0	16·5	7·5	4·0	1·0	4·50
14	4 0	0·0	— 1·0	— 4·0	7·5	21·0	27·5	27·5	27·5	23·0	16·5	10·0	13·29
15	8·5	8 5	0·0	0·0	1 0	15·0	21·0	25·0	24·5	16·0	19·0	18·0	13·04
16	15·0	10·0	16·0	12·5	10·0	30·0	35·0	33·0	31·0	30·0	31·0	31·5	23·75
17	35·0	38·0	38·0	41·0	41·5	44·5	49·0	47·5	45·0	40·0	30·0	27·0	39 71
18	40·0	40·5	42·0	43·5	45·0	45·5	46·0	44·0	40·5	35·0	34·0	33·5	40·79
19	30·0	27·5	27·0	24·0	25·0	40·0	45·5	43·0	38·5	33·0	35·0	35·0	33·63
20	32·0	32·0	30·0	36·5	41·0	51·0	54·0	47·5	46·0	43·0	38·0	34·0	40·42
21	33·5	33·5	33·0	28·0	31·5	44·5	47·5	46·0	44·0	32·0	32·0	28·5	36·17
22	25·0	24·0	25·0	20·0	20·0	31 0	40·0	38·0	34·5	29·5	27·0	27·0	28·42
23	27·5	26·0	25·5	25·0	25·0	29 5	32·0	32·0	31·5	31·5	30·0	29·0	28·71
24	27·0	25·0	25·0	26·5	27·0	28·0	29·0	28·0	25·0	24·0	23·0	23·0	25·87
25	22·0	19·5	19·0	24·0	24·5	27·0	28·5	28·0	28 0	27·0	22·5	22·0	24·33
26	20·0	17·5	19·0	19·0	21·5	21·5	21·5	22·0	22·0	22·5	24·0	21·0	20·96
27	21·5	20·0	13·0	10·0	16·5	26·5	32·0	34·0	32·0	28·5	35·0	21·0	24·17
28	20·0	20·0	16·0	12·5	14·5	34·0	36·5	36·0	36·0	34·0	35·0	30·0	27·04
29	34·0	30·0	27·0	23·0	25·0	30·0	35·0	34·0	34·0	30·0	10·0	7·0	26·58
30	— 5·0	— 6·0	— 6·0	— 6·5	— 8·0	—11·5	— 8·5	— 8·0	—10·0	—12·0	—12·0	—10·0	— 8·63
Mean	23·13	21·83	21·33	20·70	22·87	30·67	34·75	33·75	31·37	27·58	25·13	22·87	26·33

OBSERVED Bi-hourly Temperature at Regina, Saskatchewan, for the Month of December, 1908.

DAY.	12.30 a.m.	2.30 a.m.	4.30 a.m.	6.30 a.m.	8.30 a.m.	10.30 a.m.	12.30 p.m.	2.30 p.m.	4.30 p.m.	6.30 p.m.	8.30 p.m.	10.30 p.m.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	−12·0	−12·0	−12·5	−10·0	− 6·5	0·0	6·0	5·0	2·0	− 1·0	− 6·0	−14·0	− 5·08
2	−14·0	−10·0	−11·0	−10·0	− 9·0	− 8·5	17·0	17·5	10·5	6·0	0·5	3·5	− 0·62
3	6·0	6·5	7·0	6·0	5·0	6·5	7·5	3·0	0·0	4·5	− 6·0	−10·5	2·96
4	−11·5	−11·0	−10·0	− 3·0	1·5	7·0	11·0	16·5	15·0	3·0	0·0	− 3·0	1·29
5	− 2·5	− 1·5	0·0	1·5	2·0	5·0	5·0	4·0	2·5	1·0	− 5·5	−16·5	− 0·42
6	−20·0	−24·0	−25·0	−27·5	−24·0	−12·5	− 4·0	7·5	10·0	12·0	20·0	25·0	− 5·21
7	22·0	21·0	18·0	17·0	18·5	21·5	21·5	20·0	20·0	19·5	18·0	22·0	19·92
8	20·0	20·0	19·0	20·0	24·0	28·5	30·0	24·0	20·0	15·0	10·0	− 1·0	19·13
9	− 3·0	− 6·0	− 2·0	10·0	18·5	23·0	34·5	34·5	29·5	27·0	25·0	20·5	17·63
10	22·0	21·5	27·0	16·5	15·5	14·5	16·0	15·5	14·5	14·0	15·0	6·0	16·50
11	− 2·0	− 2·0	− 2·0	9·0	14·5	18·5	33·0	35·5	35·0	34·5	35·0	33·0	20·17
12	32·0	22·0	23·0	16·0	18·5	26·9	30·0	26·5	21·5	17·5	20·0	22·0	22·92
18	25·0	25·0	34·5	36·0	33·0	36·5	39·0	34·5	32·0	29·5	36·0	25·0	32·17
14	20·0	15·0	12·0	10·0	14·5	20·0	22·0	20·0	18·0	20·5	19·0	18·5	17·46
15	18·5	7·0	7·0	7·5	4·5	10·0	11·5	11·0	10·0	8·0	14·0	9·0	9·83
16	8·0	6·0	4·0	2·0	− 1·0	6·5	7·5	9·5	9·0	9·0	8·0	7·0	6·29
17	7·0	7·0	7·0	7·0	8·5	15·5	15·5	5·5	1·0	− 6·5	− 0·5	3·0	5·83
18	5·0	7·0	13·0	20·0	22·0	25·0	29·0	28·5	27·0	23·0	22·0	21·5	20·25
19	20·5	8·0	11·0	13·0	15·0	19·0	25·5	29·5	29·0	31·0	30·0	29·0	21·71
20	29·0	28·0	27·0	25·0	24·0	25·0	29·5	27·0	24·0	16·0	13·0	7·0	22·87
21	0·0	0·0	0·0	4·0	2·5	7·0	15·0	21·0	22·0	16·0	15·5	9·0	9·33
22	6·0	6·0	4·0	2·0	1·5	16·5	19·0	20·0	19·0	18·5	12·0	10·0	8·21
23	8·0	9·0	5·0	8·5	10·0	12·0	20·0	21·0	19·5	20·0	21·5	21·0	14·62
24	20·5	20·0	20·0	20·0	19·5	17·5	20·0	18·5	15·0	17·5	10·0	9·0	17·29
25	12·0	8·0	9·0	4·0	0·0	10·5	21·5	22·0	26·5	29·5	32·0	33·0	17·33
26	31·0	28·0	20·0	21·5	22·5	25·0	27·0	25·5	25·0	18·0	17·0	7·0	22·29
27	6·5	6·5	6·0	15·5	12·0	22·0	28·5	28·0	22·5	18·5	9·0	8·5	15·29
28	5·0	3·0	1·0	0·0	1·5	5·5	20·0	25·0	28·5	27·5	25·0	23·0	13·75
29	18·0	23·0	24·0	22·0	19·0	21·0	12·5	12·0	9·0	8·0	1·0	− 6·5	13·58
30	− 7·0	− 8·0	−10·0	−10·0	−12·0	−13·0	−14·0	−16·5	−17·0	−18·0	−18·0	−23·5	−13·92
31	−25·5	−29·0	−32·0	−25·5	−25·0	−17·0	−10·0	− 5·0	− 8·0	− 9·0	−10·0	− 7·5	−16·96
Mean	7·50	5·87	6·00	7·23	8·08	12·71	17·63	17·63	15·89	13·87	12·34	9·35	11·17

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	1·0	0·0	0·0	— 0·6	— 2.0	— 2·7	— 4·0	— 4·5	— 5·0	— 2·6	1·7	6·0
2.....	— 2·2	— 3·7	— 3·5	— 3·6	— 4·0	— 4·0	— 6·0	— 7·0	— 6·7	— 5·0	— 5·8	4·0
3.....	15·5	15·5	16·0	16·0	17·5	18·0	18·0	19·0	20·4	20·5	20·5	20·7
4.....	8·0	6·0	6·0	4·0	2·6	2·0	0·0	— 0·4	0·3	1·0	6·0	10·0
5.....	20·2	21·7	22·0	23·8	23·7	24·0	24·0	22·3	20·4	19·0	22·2	25·0
6.....	26·3	26·6	28·0	28·2	29·3	31·4	33·5	32·5	32·0	34·4	34·3	36·0
7.....	24·0	22·3	21·5	20·6	20·2	18·6	17·5	16·0	14·0	16·0	21·3	21·5
8.....	— 0·3	— 2·3	— 2·4	— 3·5	— 4·6	— 6·0	— 6·4	— 6·2	— 6·2	— 3·5	1·6	C·0
9.....	17·6	18·5	20·0	20·0	19·7	20·0	20·0	20·0	20·0	20·0	21·5	22·0
10.....	8·0	7·5	8·4	8·6	10·0	9·4	10·0	10·3	11·8	13·7	17·5	20·5
11.....	14·0	15·0	15·4	15·0	14·3	9·4	6·6	5·6	6·2	8·2	12·4	17·0
12.....	13·0	12·0	8·6	7·5	8·0	8·0	15·0	17·2	18·0	19·3	19·8	19·8
13.....	20·2	20·0	20·0	20·0	19·0	17·8	17·6	16·3	14·7	14·0	16·6	18·5
14.....	15·0	14·0	15·0	15·3	15·6	15·0	14·8	14·7	16·0	16·5	17·3	18·4
15.....	10·0	8·4	7·0	5·7	5·0	2·0	— 3·0	— 4·5	— 6·0	— 6·3	— 6·2	— 6·3
16.....	2·5	3·0	3·6	4·5	5·0	4·3	5·5	6·0	5·4	8·0	10·7	12·0
17.....	28·2	29·0	29·2	29·0	28·3	28·0	27·3	24·0	24·6	27·8	29·7	33·4
18.....	34·0	35·4	35·5	35·0	33·7	32·6	31·6	30·0	30·0	30·0	34·6	38·0
19.....	35·0	32·6	27·8	26·0	25·0	24·8	24·3	25·0	22·3	25·3	29·6	33·7
20.....	35·0	34·0	28·5	26·0	24·6	24·5	23·7	26·0	27·5	30·4	34·0	36·7
21.....	37·0	37·0	35·0	33·0	38·6	32·5	30·0	30·0	28·6	28·6	28·0	27·0
22.....	16·0	17·0	15·7	15·3	10·2	7·5	3·7	— 1·6	— 4·3	— 6·2	— 5·7	— 5·0
23.....	— 4·2	— 4·0	— 3·7	— 3·0	— 2·3	— 2·5	— 1·7	2·5	2·7	4·0	9·0	14·0
24.....	27·5	27·0	27·3	26·0	24·0	21·5	18·0	18·0	17·7	19·0	22·0	26·0
25.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7·0	7·0	7·0
26.....	— 0·6	0·0	0·0	0·0	0·0	0·0	— 0·4	— 1·0	— 1·8	— 3·5	— 4·0	— 4·4
27.....	—12·5	—11·0	— 9·0	— 8·0	— 6·0	— 5·0	— 4·3	— 3·6	— 3·0	— 0·7	1·2	3·0
28.....	—11·0	—10·0	—11·4	—12·4	—14·5	—18·0	—20·0	—22·3	—24·0	—23·5	—22·6	—21·4
29.....	—29·5	—30·0	—31·2	—31·0	—32·0	—28·5	—25·4	—23·5	—20·0	—16·5	—13·4	—12·5
30.....	—14·5	—15·3	—15·7	—17·8	—16·6	—20·0	—18·5	—17·6	—17·0	—16·7	—12·0	— 8·0
31.....	— 1·8	— 2·0	— 3·5	— 4·0	— 5·5	— 7·4	— 7·6	— 8·0	— 9·0	— 9·2	— 7·0	— 6·0
Mean..	11·0	10·8	10·3	9·9	9·2	8·6	8·1	7·8	7·6	8·7	11·0	13·3

each Hour (90th Meridian Time), during the Month of January, 1908.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
9·3	11·5	12·0	12·2	9·5	6·0	3·7	2·7	2·0	1·0	1·0	— 2·0
9·2	12·0	12·3	14·0	16·3	17·5	16·0	15·7	15·7	15·7	15·7	15·5
25·5	26·0	24·0	24·0	20·0	17·0	16·0	14·0	12·2	12·0	10·5	8·6
11·5	13·6	15·0	15·7	16·0	16·0	18·2	18·6	20·0	20·0	19·8	19·8
29·3	33·0	33·4	31·5	30·0	28·0	28·0	27·5	26·3	26·0	26·3	26·3
34·0	34·0	33·7	32·0	30·2	30·0	28·4	28·0	27·7	27·5	26·0	25·7
22·0	22·0	20·8	18·6	16·0	12·0	9·6	8·6	6·8	4·0	2·0	0·6
8·5	10·5	12·0	11·5	10·8	11·0	11·0	10·6	11·8	13·8	14·6	16·0
23·5	24·0	24·0	23·8	21·7	18·0	14·0	11·0	11·0	11·8	10·0	9·0
23·0	24·2	25·6	25·3	24·4	22·0	18·7	15·6	15·4	16·0	17·4	17·0
19·5	22·0	22·3	20·0	19·4	18·0	15·7	14·0	12·0	12·0	11·6	10·0
20·4	22·0	21·8	22·0	21·8	21·0	21·3	22·0	22·0	22·0	21·8	20·6
21·4	23·5	24·0	23·8	22·6	21·7	21·7	20·0	18·3	16·0	15·7	15·0
20·0	23·0	23·0	23·0	20·3	18·7	19·0	18·2	17·0	16·0	14·0	11·7
— 6·0	— 4·0	— 4·0	4·5	— 5·7	— 6·0	— 3·0	— 1·0	— 1·0	— 0·4	1·0	2·3
17·6	20·0	22·0	22·5	22·6	22·3	22·0	21·7	21·5	23·0	24·0	25·3
35·6	36·0	34·0	32·0	30·6	31·0	33·0	32·6	32·0	33·5	33·0	33·6
43·5	46·0	46·0	45·5	44·0	43·5	41·7	39·8	39·0	38·0	37·5	36·0
38·5	43·5	44·0	43·6	42·0	41·5	40·6	37·5	37·0	36·4	36·0	35·3
38·0	42·0	41·7	42·0	42·3	42·3	41·5	40·6	40·3	38·3	38·3	37·5
27·0	27·0	27·0	26·6	20·7	18·6	16·0	14·2	12·0	10·0	9·7	12·0
— 4·0	— 3·7	— 2·0	— 2·0	— 2·6	— 4·0	— 5·0	— 5·0	— 4·0	— 5·0	— 4·6	— 4·0
19·5	25·0	26·2	27·0	27·0	26·5	26·0	25·0	25·3	26·8	27·0	27·3
27·3	27·7	27·5	27·5	27·0				*			
7·5	8·0	8·0	8·0	8·0	6·8	2·0	— 2·0	— 3·5	— 4·0	— 4·0	— 2·0
— 5·0	— 4·0	— 4·0	— 4·0	— 6·2	— 9·3	—11·5	—11·7	—12·6	—14·0	—14·0	—12·2
4·2	9·0	9·0	8·0	7·5	6·0	1·8	1·0	— 3·0	— 4·5	— 6·0	— 8·0
—20·0	—19·5	—19·0	—18·6	—22·0	—22·0	—23·5	—24·0	—25·2	—25·0	—27·5	—28·3
—10·2	— 8·0	— 6·5	— 6·5	— 8·0	—10·0	—10·0	—11·6	—12·7	—10·0	—10·6	—12·2
— 3·7	0·0	0·6	0·6	— 1·7	— 1·0	0·4	0·6	1·7	2·0	— 0·5	— 1·8
— 6·0	— 5·0	— 7·0	—11·0	—14·0	—14·5	—16·0	—18·0	—19·5	—18·0	—18·0	—18·0
15·5	17·5	17·6	17·2	15·8	14·3	13·2	12·2	11·5	11·3	10·9	10·5

*Clock stopped.

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1..	—18·2	—18·2	—18·2	—19·0	—18·0	—18·6	—18·3	—18·4	—18·6	—18·5	—16·7	—13·0
2.. . ..	— 3·6	— 4·0	- 4·2	— 5·0	— 3·5	— 4·0	— 4·0	— 8·0	— 6·5	— 3·0	0·0	2·7
3.....	— 6·5	-- 9·5	— 9·7	—10·0	— 9·3	—10·0	— 8·7	— 5·4	— 1·7	1·8	6·0	6·5
4.....	— 5·0	— 6·0	— 6·5	— 6 7	— 6·0	— 3·4	— 1·7	1·6	3·7	6·6	9·7	11·4
5.....	17·0	17·0	17·0	17 5	17·5	17·6	17·6	17·5	17·5	17·3	17·5	17·2
6.....	5·0	3·7	1·4	0·0	2·6	2·8	0·7	— 3·4	— 4·3	— 5·8	— 2·0	— 1 3
7.. ..	— 6·0	— 6·0	— 6·0	— 9·2	—12·0	—12·6	—13·5	—12·0	—13 4	— 4·0	0·0	5·0
8.....	3·8	4·6	6·6	9·0	9·3	10·0	10·0	11·0	11·9	13·8	14·7	16·7
9.....	18·0	18·0	18·6	19·0	19·2	19·3	19·3	19·7	20·0	20·2	21·6	22·7
10.....	26·0	26·3	27·4	27·5	27·7	27·7	27·7	27·7	28 2	29·3	30·0	30·6
11.....	37·3	37·2	37·2	37·2	37·2	37·2	37·0	37·3	37·6	38·0	38·0	37·5
12...	35·3	35·3	35·0				*					
13.....			*							*		
14..			*							*		
15.....	11·3	12·0	10·4	10 0	10·7	10·0	8·0	5·6	7·5	10·0	10·6	12·0
16.....	0·2	0·0	0·0	0·0	— 2·0	— 2·0	— 2·0	— 1·6	— 0·7	0·8	4·0	8·0
17.....	0·0	— 0·6	— 0·8	— 2·5	— 4·0	— 4·0	— 4·8	— 5·0	— 0·7	7·3	11·5	17·0
18..... ..	6·6	8·5	7·4	5·0	2 0	4 2	7·0	8 0	8·6	0·0	8·8	9·3
19.....	3·5	3·4	3·0	4·0	4·0	4·0	4·4	4·0	7·6	10 0	12·0	15·5
20.. ...	16·0	16 0	15·5	15·3	15·5	16·0	16·3	16·3	17·4	19·5	19·7	24·0
21.....	5·0	3·0	2·0	— 0·7	— 0·2	— 4·3	— 5·7	— 6·0	— 6·4	1·7	6·0	10·2
22.....	17·8	18·0	15·0	18·6	17·4	18·7	19·5	21·7	24·0	29·0	34·2	35·7
23.....	20·0	18·0	16·2	15·5	14·4	14·0	14·0	14·2	16·3	17·2	18·5	20·0
24... . .	32·0	33·3	34·0	34·3	35·0	35·0	35·2	35·3	35·7	37·3	37·3	38·0
25.....	27·8	24·3	20·3	16·4	14·0	11·3	8·4	7·6	7·0	7·2	8·4	9·5
26.....	—12·0	—14·5	—16·0	—18·0	—18·3	—16·6	—15·5	—13·3	—11·0	— 9·7	— 5·6	— 2·5
27.....	— 6·0	— 8·3	—10·0	— 8·6	— 8·0	— 7 4	— 6·0	— 5·6	— 4·0	— 0·4	2·0	4·0
28.....	11·0	11·4	11·8	12·0	12·5	12 6	13·4	13·8	14·2	15·0	16·5	18 0
29.....	— 4·0	— 4·5	— 5·7	— 5·0	— 7·0	— 6·5	— 4·4	— 3·5	1·0	5·0	8·0	15·0
Mean..	8·6	8·1	7·5	6·0	5·8	5·8	5·7	6·1	7·3	9·4	11·7	14·2

* Out of order.

each Hour (90th Meridian Time), during the Month of February, 1908.

Hour Ending.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
— 5·0	0·0	2·6	2·6	1·5	0·0	— 0·4	— 1·8	— 1·5	3·0	—3 0	— 4·0
8·0	11·5	14·0	13·7	10·2	12·2	10 4	7·6	4·0	0·7	— 0·6	— 4·0
8·0	8·5	8·0	7·6	4·0	0 8	— 1·3	— 2·3	— 2·2	0·0	— 0 5	— 4·0
14·2	16·0	15·5	14·6	14·6	14·5	14·5	15·3	15·8	16·4	17·0	17·0
17·0	16·0	16·0	15·8	15·3	13·7	12·0	11·6	11·0	10·0	10·0	8·4
— 0·8	— 0·5	0·0	1·0	0·0	2·4	— 4·5	- 4·5	— 5·0	— 8·0	— 8 0	- 6·0
9·3	12·0	12·6	12·0	8·5	6 7	6 0	2·0	1·6	0·0	— 0 4	2·0
17·3	18·5	18·4	18 5	18·0	18·0	18·0	18·0	18·0	18·0	18·0	18·0
23 5	25·5	25·5	25 6	25·6	25·5	25 3	24·6	23 7	24·0	24·6	25 3
31·0	31·0	31 0	31·6	32 3	33·5	34 3	35 8	36 6	37·0	37·8	38·0
37·2	37·0	37·0	37·0	37·0	37·0	37·0	37·0	37 0	37 0	36 0	35·3
		*							*		
		*							*		
	17·0	17·0	17·0	16 0	14·0	12 0	14 0	14 0	12 6	12·0	12·0
14·2	13 0	12·6	12·6	12·5	10·0	9 5	9 3	9 0	7·0	4·3	2·0
10 0	11·5	11·5	11·5	11·0	8·0	6 6	6·0	3 6	3 4	3 8	2 0
16·0	16·0	16 0	16 0	15·5	15·3	15 0	14·6	12 3	8·8	7 8	6·4
11·5	15·0	14 5	14 3	14·0	11·4	8 4	8·3	8·4	8 0	6 6	4·0
18·0	20·0	20 7	20·6	19·5	17·0	16 3	16·0	15 8	16 0	16·0	16·0
24·6	25·0	23·5	23·3	22 6	18·4	15 0	12 8	11·4	8 6	10·0	6·8
12·5	14 0	14·0	14 0	13 0	10·5	10 0	11·6	13 8	14 0	16·3	17·0
35·0	35·0	35 2	32·2	32·0	31 5	28·6	24 0	22 0	21 0	21·5	20 0
21·6	24·0	24 0	24·3	24·2	24·2	24·3	24·3	24·6	27 3	29 0	30 0
38·3	38·0	37·8	37·6	37·7	37 2	35·7	36·3	34·6	33·0	33 4	32·4
9·6	9·7	10·3	9 7	8·4	6·5	1·0	— 2 0	— 4·3	— 6 5	8 3	—11·5
0·0	2·0	2 0	2 5	2 5	1 6	0 0	— 1 8	— 4·0	— 4 0	— 3 7	— 3·7
7·3	9·7	10·0	10 3	11·2	10·6	10·0	10·0	10 0	10 0	10·2	10·2
18 6	19·0	19·0	18 0	17·0	14·0	11 0	12·7	7 2	2 0	0 0	— 1·8
18·0	20·2	20·3	21·2	20·2	19·6	19·7	20·2	21·3	22 0	22 3	22·3
15·9	17·2	17·5	17 3	16·5	15·2	14·0	13·3	12 5	11 7	11·6	10 8

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1..	22·3	22·3	22·5	22·3	22·0	22·0	22·0	21·4	21·3	21·0	21 3	21·0
2.....	16·6	16 6	16·7	14·0	12·0	9·0	8·7	9·7	9·8	8·7	9·6	8·6
3..	7·5	6·5	6·4	6·3	7 0	7·2	8·5	8·9	10·1	12·3	13·4	14·2
4..	18·5	18·0	16·0	14·3	15·4	15·6	18·6	20·4	22·5	24·0	25·5	26·7
5.. ..	22·6	22·0	21·8	21·8	21·6	20·0	18·6	18·0	18·0	17·6	16·0	16 5
6.....	8·0	6·3	4·5	6·0	11·6	7·0	3·7	3·8	4 5	7·3	12·8	17·0
7.. . .	10·2	10·5	9·5	8·0	6 0	6·0	6·0	9·0	8·0	7·0	5·4	5·7
8.....	—10·0	—12 0	—13·0	—13·0	—13 2	—13·8	—13·5	—10·0	— 7·0	— 7·0	— 3·5	— 0·6
9.....	— 2·3	— 3 0	— 3·0	— 5·0	— 6·7	— 9·0	—10·0	—12·0	— 6·0	1·0	8·0	11·0
10.....	18·0	18·0	18·2	18·2	17·5	15·0	14·0	13·7	16·5	21·0	24·0	29·3
11.....	33·4	33·4	32 8	31·7	30 3	27·8	27·8	29·8	32·3	35·0	39 2	38·0
12.. ..	30·0	30·0	30·0	28·5	27·0	25·5	25·6	26·0	29 0	31·0	34·3	36·0
13.....	— 1·5	— 2·2	— 2 2	— 2·0	— 2·0	— 2·0	— 1·5	0·0	2 0	3·5	4·0	5·0
14..	— 0·3	— 5 5	— 6·0	— 6·4	— 8 0	—10·6	—12·6	—12 3	— 6·5	— 1·4	4·0	4·0
15.....	5·0	6·0	3·7	0·7	— 0·5	— 0·5	— 1·3	— 0·6	3·7	6·0	8·0	9·6
16.. ..	— 9·0	— 9·5	12·0	—12·0	—12·0	—12·0	—10·0	— 7·6	— 6·4	— 1·0	1·0	4·0
17.... .	—10·0	—12·0	—12·7	—15·0	—14·0	—11·5	— 6·7	— 3·2	1·5	4·2	6·7	8·0
18.....	4·0	4·0	0 6	— 4·0	— 6 0	— 6·0	—12·0	—13·4	—14·0	— 8·3	— 3·7	0·0
19.....	— 8·0	— 7·0	— 5 7	— 5·7	— 6 5	— 7·4	— 4·0	1·0	6·0	10·7	16·5	21·4
20.....	20·0	17·7	10·5	11·6	10·7	12·2	11·6	13·7	18·0	21·0	26·2	30·0
21.....	31·6	32 2	33·4	33·0	31·7	30·6	30·3	31·6	32·0	35·6	35·5	36·0
22..	27·5	25·6	24·0	22·6	23·4	24·0	24·7	25·0	27·3	31·4	35·0	35·3
23.....	35·7	34·0	31·0	27·5	25·5	23·0	20·7	20·0	20·2	21·0	21·7	22·3
24.....	18·0	16·6	16·0	14·0	15·4	14 3	17·5	19·0	18 3	15·4	12·5	11·7
25.....	8·0	8 6	6 5	, 3·5	4 0	— 2·0	— 3·5	— 3·0	0·4	2·7	6·0	9·5
26.....	4·2	4·8	6·0	7·0	8 3	9·0	10·6	11·5	13 4	17·0	19·2	18·7
27.....	1·0	— 5·0	— 3·6	— 5·0	— 9·3	— 9 5	— 8·5	— 4·0	5·0	11·2	14·6	18·5
28.....	— 2·3	— 2·0	— 3·7	— 4·0	— 5·0	— 0 7	3·0	8·0	14·0	18·0	25·3	28·0
29.....	....	....	....	....	.. ....	... ...	... ...	.....	.....	.....	....	.....
30.....	....	....	.....	....	.....	... .	... ...	.....	..... .	.. ...	.....	.....
31.....	9·5	8·3	6·3	4·7	3·0	1·8	1·5	2·6	5·2	6·7	9·3	11·2
Mean..	10 9	9·8	9·1	8·4	7·2	6 2	6·4	7·8	10·3	12·8	15·4	17·1

each Hour (90th Meridian Time), during the Month of March, 1908.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
21·0	20·8	20·4	22·0	23·0	23·3	23·0	23 5	23·3	21 0	17·6	17 0
10·0	14 5	16·8	18·3	15 5	14·6	14·3	12 0	11·4	9·3	9·2	8 0
14·5	15·0	16·0	17·6	18·0	18·0	16·0	16 7	19·8	19·6	18 7	18 5
28·7	29·0	29·0	29·6	27·6	26·0	24·0	24·0	22·2	22·3	23·0	23·0
17·0	17·3	17·6	17·0	16·8	14·6	12·0	9 4	9 5	14·0	12·0	11·5
19·8	20·0	20·6	21·6	22·0	20·5	17·3	16·0	15·0	14·0	9·2	6·0
6·0	7·0	7·0	7·0	5 4	2·0	— 1·7	— 2·2	— 6·5	— 8·0	—10·0	-10·0
1·0	3·5	5·3	6·0	6·8	6·0	4·2	3·5	3·0	2·0	— 1·8	— 1·8
14·3	16·0	16·0	16·0	16·0	15·5	14 7	14 6	15·0	16·0	17·3	17 6
33·4	36·0	38·0	39·0	39·0	39·0	37·0	34·6	33·0	33 0	33·0	33 6
39·4	41·0	39·0	36·0	33·0	33·0	31·8	31·3	33·0	29·0	29·0	29 6
25·3	23·4	16·0	16 0	12 8	11 0	8·0	6 0	3 8	1·8	0·7	— 0·3
5·3	5·8	6·0	6·2	6·2	6·2	5·5	3 4	1·5	0 6	1·0	0·3
8·5	9·0	9·8	9·8	9·8	9·7	9·0	8·8	9·2	9·5	9·3	8·0
10·2	11·0	11·5	11·0	11·0	7·0	4·0	3·7	3·8	— 3·5	— 6·0	— 7·0
5·2	6·5	7 0	8 0	8·6	8·2	7·8	5 0	4·0	0·8	— 5·0	— 9·7
10·0	10·0	11·6	12·0	11·5	8·6	4·0	1·7	- 0·8	1·5	1·8	4·0
3·4	9·3	12·0	12·0	10·0	7·5	7·0	5·7	1·0	— 0·5	— 6·0	— 7·0
22·0	22·3	23·0	23·7	25·5	25·5	24·0	23·6	21·7	20·4	22·0	22 3
32·0	33·3	35·0	36·0	34·3	34·0	32·6	31 0	30·7	30 7	30·7	31·0
37·0	37·8	37·0	38 0	37·3	37·0	36 2	34·0	32·4	31·8	31·0	29·4
35·2	35·0	35·0	38 0	38·7	38·4	38·2	37 8	38·0	38·0	37·7	36·2
35·7	30·0	30·0	30·0	29·5	27·0	26·0	26·5	24·0	23·7	22·0	21·0
10·0	10 6	10·8	9 3	9·0	4·3	4·0	3·0	3·0	2·0	3·5	4·0
13·4	14·0	14·0	14·0	15·7	13·0	10 6	9·0	7·0	2·0	4·0	4·0
17·5	16·0	16·3	16 0	14·0	11·8	9·7	8 0	6·0	4·0	3·5	3·0
19·7	20·3	22·0	22 0	20 0	18·4	14·7	10·3	8·0	6 0	1 0	1·0
30·2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
.....	23·0	23·3	22 8	21 0	19·6	16·4	14·0	13·4	12·2	11·0	10·0
14·3	16·0	18·0	18 3	18·0	17 8	18 0	16 7	16·0	14·0	13·0	13·0
18 3	19·1	19 4	20 1	19·2	17·8	16·1	14·9	13·8	12 6	11·4	10 9

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1..	12·0	12 0	12·2	11·8	11·3	11·0	10·7	10·7	11·5	11·4	12·2	13·5
2.....	6·7	8·3	9·5	9·0	8·8	10·2	8·0	8 0	10·0	13·5	16·3	18·4
3.. .. .	21 6	21·6	19·0	17·5	18·0	18·0	18·0	20·3	27·0	30·0	33 2	35·3
4..	34·0	33·8	34·3	34 8	34·7	34·7	36·8	40 0	41 5	44·6	44·5	46·0
5..	35·3	36·0	35·4	34·6	34·3	34·5	35 0	37·3	39·4	40·8	43·4	44·6
6.. ...	24 0	24·0	23·5	21·3	19 7	18·6	18·0	19·0	20·2	22·0	24·7	25·3
7... .	19·0	18 0	17·2	16·0	15·4	14·6	15·7	16·8	19·3	22 6	26 0	29·3
8..	30·0	30·0	30·0	30·3	31·4	31·0	31·6	33·5	35·7	38·0	41 5	46 0
9..	44·8	42·4	45·3	42·0	42·5	42·5	42 0	44·3	46·0	51·4	56·0	58·0
10.....	38 7	37·8	36·7	35·7	34 6	36·0	37·0	38·0	39·8	40·0	40·2	40·0
11.. °...	27·8	27·6	27 3	27 3	25·8	28·4	34·3	37·7	41 0	45·5	49·7	50·0
12.. . .	45·3	44·0	42·5	41·7	40 0	39·0	38·0	39·0	41·3	42·0	48·5	53·4
13..	43·7	42·4	40·6	40·6	40·0	39·3	41·0	44·7	51·0	56·6	63 5	65·2
14.. .	54 6	45 0	41 7	39·4	39 0	39·0	39·3	42·6	46·0	48·0	42·0	43·7
15.....	20 0	20·0	19·0	18·0	18·0	20·0	22·3	24 6	25 7	28·0	29·7	30 0
16.....	24·7	24·8	24·6	26·4	28·7	30·0	31 8	35·5	39·0	43·0	47·0	47·3
17.... .	44 0	42 0	40·2	39 7	40 0	39·4	40·3	45·6	51·4	53·0	58·7	62·5
18.....	47·8	46·6	46·0	46 0	46·5	47·0	49·3	54·0	61·0	65·0	67 5	70·3
19..	38·7	38·0	38·0	38·0	38·6	39·3	44 0	50·7	57 3	60·6	65·3	65·6
20.....	35·0	38·0	38 0	34·7	32·0	32·3	36·0	43 0	46·4	50·5	51 8	54·0
21.....	40·0	39·0	40·0	41·5	42·4	44·5	51·0	57·0	59·7	59·6	66·0	67·8
22.....	38·5	36·0	35·0	33·7	32 4	31·0	37·5	45 8	51·6	54 8	56·6	58·3
23.....	48·0	46·6	45·3	44·5	44·0	43·7	45·6	49·0	54·5	58·0	61·6	64·3
24.....	52·2	52·0	51·0	49 3	48 6	48·5	48·0	45 0	43·5	43·3	43 7	42·6
25..	43·4	43·0	42 0	42·0	40 8	40·5	40·5	40·4	40·6	42 0	42·5	43·0
26.....	34·5	33·0	32·8	32·5	30 6	31 0	30·0	29 6	29·7	29·7	29·8	29·9
27..... ..	30 4	30·3	30·4	30 6	31 5	31·8	32·0	32 2	33·2	33 4	34·2	36·0
28.....	34·8	34·0	33·5	32·0	32 0	32 0	33·8	35·6	35·0	36·4	38·0	38·0
29..	28·0	26·4	25 6	25·8	28 3	29 6	30·2	32·0	34·8	35 3	37 6	37 8
30.... ..	34·2	34 0	32·2	32·2	32 3	33·7	35 2	37·5	39·0	42·2	45·0	46 0
Mean..	34·4	33 5	32·9	32·3	32·1	32 4	33·4	36·4	39·1	41·4	43·9	45·4

each Hour (90th Meridian Time), during the Month of April, 1908.

Hour Ending											
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight
°	°	°	°	°	°	°	°	°	°	°	°
16·5	16·6	17·5	18·7	18·0	17·2	14·7	12·0	11·0	9·8	8·0	5·0
20·0	22·0	22·0	24·0	26·2	26·0	24·0	23·8	24·0	22·0	21·4	22·0
35·5	35·7	36·0	36·5	37·7	37·6	35·3	34·0	32·5	34·0	34·3	34·0
46·5	47·3	48·0	46·3	44·0	43·6	42·3	40·5	39·4	38·6	37·7	36·0
45·0	45·4	45·6	45·7	46·3	42·4	39·8	39·5	35·0	26·2	25·3	24·2
25·7	25·8	26·0	26·3	26·0	25·5	25·3	24·0	23·0	22·0	21·8	20·6
30·5	33·0	34·6	34·7	32·4	32·3	30·6	29·8	29·0	29·6	29·8	29·8
48·0	48·4	51·3	53·5	55·0	55·0	51·4	49·6	48·2	48·0	48·0	47·0
58·0	58·0	58·0	58·0	59·8	59·0	56·0	46·3	43·0	41·7	40·3	39·6
40·0	40·0	39·8	38·2	38·0	37·5	35·5	33·7	32·6	32·0	30·0	28·0
51·4	51·0	54·0	55·0	54·2	51·0	49·7	48·0	45·7	44·0	43·6	46·6
56·0	58·0	58·5	59·0	56·5	56·0	50·7	47·0	46·6	47·3	47·0	45·6
68·0	71·0	71·5	74·0	72·6	70·0	67·5	65·0	63·6	62·5	60·7	58·0
42·0	41·0	37·5	32·0	32·7	31·6	29·5	25·5	24·0	26·2	21·5	21·0
32·0	33·0	34·0	35·0	34·6	33·0	32·0	29·7	26·3	26·4	25·5	25·5
49·3	50·3	52·0	52·3	51·4	50·2	49·0	47·8	46·3	46·5	46·0	44·6
68·0	70·0	70·0	69·8	68·0	64·5	60·0	56·5	54·4	52·4	50·7	49·6
70·0	68·5	66·0	65·0	63·7	58·5	51·4	48·6	45·5	44·2	42·0	39·0
65·0	64·0	64·0	59·5	53·0	47·2	42·0	40·0	41·3	40·2	38·0	36·0
55·3	56·0	57·0	57·3	58·0	57·8	58·0	54·7	50·0	47·0	45·0	42·0
68·0	68·0	65·5	65·0	62·6	59·6	56·3	52·0	44·6	39·7	38·0	36·0
60·0	60·0	60·0	57·5	56·0	53·4	50·7	48·6	44·5	47·0	48·2	49·5
65·8	67·3	68·0	66·7	66·3	64·6	61·8	58·0	56·0	55·0	52·7	53·0
44·3	45·5	46·5	46·6	46·3	46·3	46·0	46·0	46·0	44·7	44·0	43·8
44·2	43·0	42·0	42·0	42·0	40·0	39·8	39·0	38·0	37·5	37·0	35·0
30·0	30·3	30·2	30·7	30·1	30·1	30·0	30·2	30·2	30·4	30·4	30·4
37·5	38·6	40·0	40·0	39·8	39·8	38·2	38·0	37·0	36·0	35·3	35·5
38·0	38·0	38·0	37·5	36·7	35·5	33·7	32·4	31·3	32·7	29·4	28·3
38·4	39·7	40·0	40·2	40·0	41·5	41·8	39·0	36·4	35·6	34·0	34·0
46·0	46·0	46·0	46·0	45·7	38·8	35·3	32·7	32·7	32·7	32·5	32·0
46·5	47·0	47·3	47·1	46·4	44·8	42·6	39·7	38·6	37·6	36·6	35·7

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1	28·8	28 4	28 0	27 0	27·3	28 0	28·0	28 7	30·0	33·0	37·0	38·0
2	30 0	30 0	29 8	29 6	29 7	30 0	31·0	33·3	35 0	36·3	37·4	39·3
3	31·0	31·5	31 3	31·3	30 7	30·6	34·8	39 0	40·8	42·0	42·0	45·0
4	29·7	28 0	27·3	26 0	25 4	28 0	35·0	43 3	45·7	49·5	49·6	51·3
5	34·3	31 0	30 0	30 0	29·4	29 7	38·3	44·4	51 7	54·4	55·2	57·0
6	44·0	44 0	43·0	44 0	42 6	42 0	42·0	48·8	54·0	58·0	59·5	60·0
7	40·0	40·0	34 2	34·7	35·0	35·4	39·2	48·8	57·2	61 8	64·5	67·0
8	45·8	48·0	46 3	44 6	43·0	42 7	48·0	55·5	61·7	66·0	69·6	72·0
9	47·3	50·2	47·8	46·0	49 7	52·3	56·5	58·7	65·7	70·0	74·5	78·0
10	58·0	55 4	56·0	50 0	47·7	47·4	51 5	57 7	66·0	72·0	76·0	80·5
11	60·4	58·5	56 0	52·0	50 5	52·2	54·0	54·6	54·8	54·0	56·0	59·5
12	59·3	57 3	55 2	50 3	50 0	52 0	53·4	55·0	55 4	56 0	56·4	58·0
13	43·7	41·5	40·6	40·0	40 4	41·0	44·5	49 0	52·3	56·0	59·5	63·7
14	48·0	46 0	44 0	44·0	43 5	43·7	48·0	52·0	56·0	59·5	63·7	63·0
15	49·0	46 6	45·7	44·3	46 5	46 6	47·4	49·8	52·0	54·2	54·0	56·0
16	45·0	41·6	40 0	40·0	41·8	42·5	50·3	56·0	59·6	62·3	64·6	67·5
17	51 4	49·8	52 4	50·6	51 2	52·0	54·6	58·0	61·7	65·0	67·6	71·8
18	55·6	55·6	55·7	55 7	54 6	52 4	53·7	56·3	58·7	64·0	67·0	71·3
19	55·0	52·5	50·3	50 6	52 0	51·7	52·0	49·0	49·3	46·5	43·0	43·7
20	36·4	36 0	34 6	34 7	34 0	34 0	35·4	36·7	38·5	38 6	38·8	38 6
21	39 0	38·7	39 0	39 3	40 0	40·6	41·8	43·7	45 3	46·4	47·0	47·5
22	44·0	43 3	43 0	41·5	40 0	39 4	39·2	40·0	41·8	44·6	46·0	47·7
23	45·0	45·4	44 3	43·0	42 0	43·5	46·0	56·3	59·5	65·7	68·0	69·3
24	55·0	52·3	51 7	50 6	50 3	50 4	54·0	64·0	68·4	71·3	72·5	74·0
25	54·3	52·4	51·4	50 4	50 0	50·0	50·0	50·0	50·6	50·7	51·3	51·5
26	50 2	50·2	50 2	50 2	50 4	50 6	51·5	52·0	53·4	55·0	56·0	56·0
27	50 7	50·0	49 3	48 5	48 0	47·8	48·0	48·0	48·3	48·7	50·0	51·2
28	48 0	47·2	45·3	44 0	46 0	46 5	47·5	49·2	51·0	53·4	54·2	55·6
29	47·3	45 2	42·0	40·0	45 6	48·2	52·0	53·4	55·0	57·2	56·3	57·4
30	45·7	43·2	41·0	45·7	50 4	53 0	57·0	59·5	64·2	64·3	65·7	66·0
31	43·2	42 6	42·2	42·0	41·2	43·8	54·3	61·7	66·2	69·0	69·7	71·0
Mean	45·9	44·6	43·5	42·6	42·5	43·5	46·4	50·0	53 1	54·3	57·1	59·0

each Hour (90th Meridian Time), during the Month of May, 1908.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
40·0	40·0	39·0	38·0	38·0	38·0	35·0	33·4	29·7	28·0	30·0	30·0
40·0	40·3	41·7	42·6	41·4	40·0	39 3	36·6	31·8	30·2	32·0	32·0
48·0	46·4	48·0	48·0	47·6	46 0	44·0	38·7	35·6	32·7	31·5	30·0
51·0	51·5	50·7	50·3	50·0	50 2	48·2	44·0	41·5	40·0	38 6	38·0
57·5	58·0	58·2	59 3	59·6	58·3	56·0	51·8	48·8	47·0	45·8	44·2
61·0	62·2	64·7	64·0	64·3	64·4	62·3	57 6	52 6	48·0	42·6	42·0
67·6	68·7	69·7	69·8	70·3	70·3	69·5	62·0	56 0	51·8	47·0	45·4
73·0	74·0	75·0	76·6	77·0	75·6	71·8	66·0	59·5	56·0	51·8	48·4
79·7	80·5	80·7	81·6	81·6	79·3	76·0	69·7	66·0	64·0	62·0	60·0
80·0	81·0	80·0	78·0	76·4	74·3	70·0	68·0	68·0	65·6	62 0	62·5
59·0	58·0	57·0	57·2	58·0	60·0	58·3	58 0	57 5	60·0	60·0	59·7
58·0	59·3	58·0	57·0	56·6	56·0	54·5	52 0	49·3	48·3	47·5	46·0
64·0	65·6	66·0	66·4	65·8	64·5	62·0	58·4	55·0	52·0	51·4	48·6
63·0	64·0	64·0	64·3	64·0	62·3	61·7	57·6	55·0	54·0	52·0	50·5
56·0	55·0	54·5	54·2	54·3	54·0	53·4	52 0	50·6	49·8	46·5	45·7
68·2	70·0	71·0	72·4	72·2	72·0	70·6	67·0	60·0	57·0	54·0	53·2
72·2	73·5	75·3	76·0	74·0	73 7	71·0	68·0	59 0	56·0	56·0	55·8
71·0	70·6	70·8	71·7	71·4	70·5	69 7	67·0	64 0	62 0	60·0	57·3
44·0	44·0	46·0	46 5	46·4	45·3	44·0	43 2	41 4	39·7	38·3	37·5
38·4	38·0	37·0	37·5	38 0	37·6	37 3	37·5	37·8	38·0	38 0	38·0
48·0	47·3	46·4	46·0	46·0	44·7	44·0	43·0	43·5	43·0	43·7	43·7
48·6	50·0	51 6	52·0	52·0	52·0	50 6	49 5	48·6	46·8	47·7	48·0
70·4	72·0	73·4	73·6	73 6	72 0	70·4	65·0	62·0	61·4	58 0	56·7
74·3	75·4	71·5	70·7	71·4	68·0	64·4	61·7	59·0	58·0	56·0	55·0
51·8	51·7	51·8	51·6	52·0	52·0	51·8	51·3	50·7	50·5	50·2	50·2
56·0	56 3	55·8	54·3	54·2	53·8	54·0	53 2	52 5	52·0	52·0	51·8
52·0	52·3	53 0	53·0	53·4	53·2	52·4	51 5	51·0	51·2	50 0	48·3
57·0	58·0	58·5	60·2	61·0	61·4	62·0	63 0	61 5	57·3	54 0	50·5
58·2	59·0	60·4	62·3	64·7	64·0	64·0	62 4	61 0	56 5	53·0	49·6
66·5	67·2	66·2	64 0	64·3	64·5	60·0	56 0	48 6	45 3	45·0	44·7
71·5	72·0	73·0	74 0	74·0	74·3	74·2	70 7	62 0	58 7	56·2	53 5
59·4	60·1	60·3	60·4	59·8	59·1	58·1	55·3	52·3	50 3	48 8	47·6

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	54·3	51·0	49 0	48 0	49·7	54 0	61·3	62·0	68 4	68·0	70·0	72·3
2.....	48·0	46·0	44 3	45·0	42 7	47 5	56·0	64·5	70·0	72·3	74·2	74·0
3.....	54 3	55·5	56·4	56 3	56 2	57 2	58 4	64·6	69·2	71·0	73·5	75 6
4.....	66·0	65·4	65 6	65·0	63·7	65·0	66 4	67·0	72·0	76·0	76·6	76·0
5.....	57·0	55·5	54 3	56·4	59 3	61·4	66·6	69·0	72·0	71·5	72·0	72·3
6.....	62·3	61 4	59·0	59 3	60·0	60·3	64·4	68·3	70·0	72·0	76·3	78·0
7.....	62·0	60·4	59 0	58·5	58·0	60·0	63·8	66·4	68·7	70·0	70 4	72·0
8.....	46·6	46·0	45 0	44·6	44·0	43·5	44·0	44·2	45·3	46·0	47·5	48·0
9.....	42·7	42 0	41 5	41·3	40·2	40·0	42·2	44·0	45 7	47·5	50·0	55·2
10.....	44·6	45 0	44 5	44·0	44 6	46·0	51·2	56·5	61·3	66·0	70·0	72·3
11.....	57·3	56·7	56 0	55·0	54 6	55·2	58·3	62·0	64·0	68·3	70·0	72·3
12.....	60·3	60 2	60 0	59·6	58 5	59 3	61·5	64·0	67·0	70·2	70·7	72·0
13.....	50·6	49·5	47 8	46·6	46 0	47 8	47·0	48·0	49·5	49·5	50·0	52·3
14.....	45·6	44 7	44·6	45·2	45·0	46·0	47·0	47·8	49·0	48 5	48·7	49·0
15.....	38·0	38 0	36·3	35·0	34·0	37·3	42·6	45·7	48·3	49·5	49·7	50·0
16.....	47·5	50·2	48·0	48·5	49·4	51·5	54·0	54·6	56·0	60·3	64·3	66·5
17.....	63 0	63·0	61·7	60 3	59·0	59·5	61·6	66·0	65·4	66 6	65·7	65·8
18.....	58·0	58 0	58 0	58·0	58·2	58·4	58·6	58 7	58·6	59·0	59·7	59·5
19.....	59·3	59·0	58 0	56·4	54·3	53·5	52·4	52·0	52·3	52 5	54·0	56·4
20.....	45·5	45·0	44·3	43·7	42 6	44 3	52·0	55·0	59 5	63·0	64·5	65·3
21.....	61·7	60·4	59·5	59·0	57·7	57 7	58·0	58·5	58·0	61·6	66·2	68·0
22.....	59·7	58·0	57 5	56·0	55 5	56·7	60·4	61·3	62·0	63·5	65·7	68·4
23.....	56·4	55·5	56 0	55 7	54·6	55·3	54·6	56 7	58·0	59·7	62·5	64·5
24.....	53 8	52·0	51 8	50·7	51·0	53·0	54·5	56·2	57·4	59·3	60·2	62·4
25.....	52·0	50 0	49 8	50·0	49·7	52 0	58 3	63·0	69·0	71·0	73·8	75·5
26.....	64·5	64·0	62 7	62 0	62 0	63 2	66 6	69·4	74·0	76·8	79·0	81·7
27.....	67·6	66 8	65 0	64·6	65 4	62·0	62·6	64·7	67·0	69·6	74·0	75·3
28.....	58·0	57·6	59 5	57 4	55·7	56·3	60·0	62·5	65·3	64·0	65·4	65·6
29.....	48·0	46 5	46·0	45·5	45 3	47·5	51·4	54·0	57·5	60·7	61·0	63·4
30.....	43·5	42 6	40 6	40·0	39 5	45·6	54·2	58·2	59·7	59·5	58·2	59 3
Mean..	54·3	53·5	52·7	52·2	51·9	53 2	56 3	58·8	61·3	63·1	64·8	66·3

each Hour (90th Meridian Time), during the Month of June, 1908.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
72·5	74·6	74·3	74·0	72·6	71 0	70·0	66·0	60 8	56 4	54 2	51 8
73·5	67·6	66·0	63·0	63·0	63·6	63 0	62·3	59 5	59·7	58 0	55·0
78·0	82·0	83·0	82·6	83·7	81·5	81 0	79·0	74·0	70 0	69 5	68 0
76·0	76·2	77·6	78·0	78·0	76·0	77 4	72·0	65·6	62·7	60·0	58·7
71·0	66·0	64·0	68·3	71·5	72·0	72 0	69 6	65·5	64·0	63·0	62·4
78·4	79·2	79·4	79·0	79·0	78·0	78·0	77·5	72·0	68·6	67·0	64·6
70·0	68·0	68·0	67·6	66 0	64·0	61·4	57·3	54·0	51·6	50·0	48·4
48·2	49·0	48·0	46·7	46·4	46·0	44·0	44·0	43·8	44·0	43 6	43·0
56·0	57·0	57·2	59·0	60·6	62·0	62 6	62·2	51·0	46·0	45 0	45·2
74·0	76·3	76 7	77·0	77 3	76 0	73·7	70·0	66·0	64·5	61·7	60·0
74·0	71·8	70·0	63 0	58 6	59·6	60 0	60·2	60·0	61·8	60·7	61·0
72 0	75·3	74·6	73 0	72·4	70·0	68·2	64·0	59·6	57 0	55 3	57·0
54·2	55·0	57 8	59·3	59 5	59 4	57 3	51 0	50·6	48·6	47·5	46·6
49·4	50·0	49·0	47 5	49·0	47·4	46 0	44·3	42·5	41·0	40·3	39·6
51·3	52·0	52·4	54·3	54·0	52·6	53·0	50·7	45·0	45·3	43·0	45·0
69·0	70·0	70·5	73 4	74·0	73·0	72 0	68 6	66 4	65·5	64·6	64·0
63·4	62·0	60·2	60·2	60·0	59·0	58·7	58 6	58·2	58·0	57·8	58·0
59·0	62 0	61·4	61·3	61·7	62 6	62·4	61·7	60·6	60·0	59·7	59·6
58·3	58·0	55·3	55·7	56·5	57 0	56·0	55·0	52·6	50·0	49 3	47·4
66·0	67·4	68 0	68 0	67 2	66·0	65·0	65 7	65·3	64·6	61 4	61·6
68 0	68·0	68 2	67 8	66 0	65·5	63 0	63 7	63·4	62 6	61·3	61·6
70·0	71 8	72·3	73 5	74 0	76·0	75 7	74·0	71·6	66·3	62·0	68·3
66·0	67·3	68·3	68·0	68·2	70·0	66 7	63·8	61·8	55·5	54·7	54·0
63·0	64 0	65·0	66·4	67·3	66·2	64·5	63·7	60 0	57·5	56·0	53·0
77·0	78·0	78·0	78 8	78·6	78 5	77·5	74·0	69·7	68·0	67·0	65·6
84·0	86·2	86·7	87 5	87 5	86·0	82 6	79·0	76 0	74 7	72·0	69·6
75·0	74·0	76·2	76·5	70·6	73·2	72 0	69 8	66 4	64 2	62 3	59·6
64·5	61·5	59·7	56·0	59 7	59 6	58·0	57 3	54 8	54·0	50·5	49·8
64·2	65·6	66 3	66·4	67·5	66·4	55 7	57·4	51·8	48·0	46·5	46·5
60·0	61·5	60 7	60·0	59 8	58 7	58 6	57 8	52·3	52·0	51·5	50·0
66·8	67·9	67 1	65·4	63·7	63·2	61·8	61·1	60·0	58·1	56·7	55·5

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.....	49·8	52·0	52·4	51·0	50·5	50 0	51·8	54·0	57·0	56·6	58·5	58·6
2.....	49·8	48 6	48·6	46 2	45·0	42·6	40·7	40·0	39·8	45·5	54·0	58·0
3.....	50·0	49·7	51·5	51·0	50·0	57·5	64·0	66·5	71·5	73·8	75·5	76·0
4.....	60·2	58·0	57·0	55·4	54·0	54·7	58·0	63·4	66·2	66 3	67·0	69·7
5.....	60·0	60·2	56·5	56·0	53·0	54·5	59·2	62·3	66 2	66·2	66·0	66·2
6.....	40·0	39·8	39·8	38·7	38·5	43·2	51·8	57·5	58·4	60·3	60·2	62·0
7.....	50·7	50·2	49·8	47·8	46 6	47·0	49·3	55·8	61·0	66·0	70·0	72·3
8.....	64·8	63·0	60·0	58·4	57·3	58·0	64·8	72·0	74·0	77·8	82·0	83·8
9.....	61·4	60·0	59·3	57·8	56·5	59·7	64·2	68·4	70 0	72·0	74·2	78·0
10.....	64·4	61·0	62·7	62·8	62·0	63 7	68·4	72·6	77·4	82·0	82·0	82 0
11.....	64·3	62·7	60·5	60 0	62·0	63·7	67·5	71·7	77·0	79·8	78·2	78.0
12.....	57 0	56·2	54·6	52·6	53·4	55 8	59·3	60·4	63·4	67·5	70·5	73·4
13.....	51 6	51·6	52·0	51·7	49 7	52·4	59·7	65 0	68·3	70·4	72·4	73·7
14.....	52·3	52·0	52·0	51·5	48·3	54·2	55·7	62 3	65·8	67·4	68·9	73 0
15.....	60·6	60·0	59·3	59·0	57·8	57·0	57·4	56 0	55·3	55·6	56·7	57·0
16.....	56 5	56·8	57·0	57·0	51·5	58·0	58 5	60·0	62·0	63·6	63·8	63·8
17.....	57 0	56·0	54·8	53·4	58·8	51 4	54·3	59·5	62·3	62·0	61·7	64·5
18.....	58·4	59·0	58·0	59 4	58·0	59·0	59·5	60·4	62 0	62·0	64·3	66·5
19.....	55 3	55 5	56 2	55·5	56·2	56·2	61·7	67·8	73·8	78·2	81·5	81·8
20.....	65 7	65·0	64·0	65·0	64·2	62·7	57·3	63·0	66·2	68·4	69·5	70·2
21.....	52 7	50·6	50·7	50 0	50·0	51·5	59·8	65·6	68·5	70·0	73·8	76·0
22.....	54·5	53·4	52·6	52 6	51·7	51 5	53·7	55·8	57·8	61·0	65·8	68·0
23.....	50·2	49·3	47·5	47·0	46·0	47·8	56·0	65·0	69·8	73·4	74 3	76·2
24.....	58 0	57·7	56·5	55 3	54·6	55·5	58·4	61·4	64·0	66·5	69·0	69·5
25.....	54 3	53·4	53·5	53 0	52 5	52·4	57·0	62 0	66·4	68·2	69·5	74·3
26.....	59 3	58·7	58 5	58·6	60·6	65·0	68·0	71·5	72 6	73·8	77·0	78·2
27.....	61·2	61·0	62 2	63·7	67·0	69 5	70·3	70·2	70·0	70·0	72·3	73·5
28.....	56·8	56 0	54·6	54·7	55 5	55 0	54·0	51·5	55·2	61·8	64 5	67·5
29.....	48·6	50·3	53·0	52 5	54·6	54·5	56·0	58·0	64·0	70·5	70·3	70·0
30.....	57·2	55·3	53·2	52·0	56·0	58 0	64·0	70 0	74·2	76·3	77·5	78 0
31.....	60·7	60·6	60·8	61·0	60·4	62·4	67 0	68·3	71·0	71·2	74·0	73·2
Mean..	56·9	55·7	55·1	54·5	54·3	55·6	59·0	62·5	65·5	67·2	70·0	71·4

each Hour (90th Meridian Time), during the Month of July, 1908.

HOUR ENDING

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
								°	°		°
62·5	64 0	64 0	66 0	64 2	66 0	67·5	66·5	65 7	64 0	56 0	52 0
60 0	62·5	65·0	66 0	66 2	67 0	64 0	55·6	57 2	53 0	52 0	51·5
76 2	76·4	76·0	75 3	75·0	75 2	74 6	74 5	71 0	67 7	66 0	63 6
74 0	76 5	77 0	76 0	75·5	76 7	77 0	73 7	69 5	66·0	65 4	63 0
65 0	63·2	60 5	59 4	57 8	56 0	55 5	54·7	49 5	45·0	42·8	41·5
63 7	64 0	63 5	66·0	65·7	64·0	62 7	62 6	62·0	56·4	53 7	52 0
74 2	75 8	78·0	77 3	80 0	80 2	78 0	73 5	70 6	69·8	67 8	65 7
84 0	84·4	87·0	87·0	88 0	86·2	84 5	80 8	72 2	67·3	66·5	63 4
83 4	87 5	90 8	90 7	92 7	92 0	90·4	85·6	76 3	71·4	68 0	66·3
80 8	83·0	83 2	83 0	80 7	81·5	80 0	76 5	74 2	72 0	70 0	67 0
76 5	75 2	73 0	72 6	74·0	73·0	72 0	69 3	68·0	63 5	62 0	60·0
76 0	78·0	76 8	75 4	75 0	74·2	73 5	68 2	61 3	59 0	54 7	52 2
75·2	78·0	77 0	75 2	75 0	74 6	72 5	69 2	63·4	60 0	53·8	54 0
73 2	74·6	75 3	55 8	74 2	72 3	70 3	68 0	65 4	65 0	63 0	62 0
56·0	56·0	56 0	65 0	55 6	55·7	55·8	55 8	56·0	56·0	56 3	56 2
64·0	64·2	65 0	73 5	64 8	64 5	64 4	63 6	62·7	62 0	59 5	58·0
68 4	71 5	73 4	67·3	70 0	67 3	64 0	63·5	63·0	62 0	59 0	58 0
67 8	68·5	68 0	83 0	69 0	69 5	71·6	66·0	59 8	57·3	57·0	55·8
81 0	82·0	82 0	71 6	83 2	83 0	80 0	74 3	71 2	68·4	68 2	67 0
70·5	71·0	71·5	72·0	71 7	68 8	70 0	67 0	62 3	58·6	57·0	55 7
75 4	74·0	74 0	72 0	71 0	70 0	68 6	65 0	62 5	60·0	58 0	54 6
69 0	71·2	72 0	72 8	72 4	72 3	72 0	68 0	61 6	58 8	57 5	53·4
76 0	78·3	78 0	77 5	76·8	76·0	74 0	70 3	68 0	64 8	62 0	60 7
70 0	70 5	71 8	71 4	71 0	68 7	67 3	65 5	64 0	61 7	58 0	56 0
77·0	78·0	77 8	77 6	76 2	76·0	73 5	68 5	66·0	64 2	62 0	61 0
76 0	77 0	77·5	77 7	75 5	70·0	67 0	63 8	61 0	59 7	59 8	61 5
74 2	75 0	76 5	77 2	78 0	78 0	78 0	77 7	74 5	71 5	66 3	59·8
70 2	77 3	78 2	78 0	76 4	73 5	70 0	64 0	58·6	52 0	51 0	50 5
73 5	74 2	76·5	75·4	75 5	70 5	67 3	66 0	62·0	59·7	59 8	61 0
78 5	79 0	84·5	85 2	78 2	79 0	78 5	72 0	70 0	67 3	66 0	63 0
78·3	78 0	79 5	79 6	79 0	79 8	78 0	72 3	67·5	63 7	62 0	61 5
72 6	73 8	74·5	74·1	73 8	72 9	71 6	68·5	65·0	62·2	60·0	58·3

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°										
1.....	64·5	67·3	69·8	70·2	70·0	68·4	68·6	72·0	74·5	78·5	83·0	84·2
2.....	67·8	69·0	69·7	70·0	68·8	67·8	68·2	66·0	67·7	74·0	75·0	80·0
3.....	58·6	55·5	54·0	53·5	52·0	55·0	60·7	65·7	68·5	71·6	73·0	74·2
4.....	56·5	57·8	56·6	55·8	56·0	58·0	62·0	69·3	74·7	76·4	81·5	83·8
5.....	71·8	72·6	73·4	72·5	72·0	71·6	74·0	79·3	78·8	83·7	82·0	83·5
6.....	62·4	60·0	57·5	58·3	58·2	59·4	60·5	60·3	61·4	61·2	63·5	62·4
7.....	51·6	50·0	48·4	47·5	45·5	45·3	51·8	62·0	69·8	73·5	76·0	78·0
8.....	63·7	64·6	62·7	63·4	62·2	62·0	62·7	65·0	68·0	73·4	75·8	76·0
9.....	56·3	54·6	54·0	53·5	52·3	52·7	59·0	62·4	68·4	70·4	73·5	75·8
10.....	58·0	58·0	58·6	58·0	58·0	54·2	57·5	62·3	71·0	75·6	79·2	82·3
11.....	60·0	57·5	56·0	55·2	54·0	55·0	59·5	63·8	64·3	68·0	69·5	70·0
12.....	47·5	46·2	45·7	45·4	44·6	48·0	53·2	55·0	59·5	63·6	65·7	67·0
13.....	48·0	47·5	47·0	47·3	47·6	47·6	46·8	49·5	52·8	55·0	56·7	61·7
14.....	46·0	45·8	45·3	44·0	44·3	44·6	49·7	57·0	63·8	68·0	69·5	67·5
15.....	47·0	46·0	43·7	42·2	42·5	43·4	49·8	57·8	63·0	66·3	66·2	67·5
16.....	61·7	60·0	59·4	57·7	55·6	56·8	59·0	59·7	61·0	63·8	66·2	68·4
17.....	44·7	44·0	44·0	44·0	45·0	47·5	53·2	59·0	64·2	66·0	67·3	68·2
18.....	59·0	60·3	61·2	62·0	62·2	62·0	66·3	63·4	61·0	64·2	62·0	63·0
19.....	44·0	43·0	42·8	41·5	40·8	39·0	44·0	51·3	58·0	61·4	62·0	63·5
20.....	52·0	50·8	49·7	51·4	49·3	49·5	52·6	61·0	70·0	75·6	80·8	83·4
21.....	64·7	61·0	59·7	59·0	57·8	54·2	52·0	51·4	52·2	53·5	54·6	57·3
22.....	44·0	41·0	35·3	35·7	35·0	35·4	45·0	53·0	59·5	60·2	62·3	63·4
23.....	47·5	45·0	48·0	45·3	44·6	45·0	47·4	53·7	59·0	63·7	65·4	68·2
24.....	44·0	41·5	39·5	38·6	38·6	42·0	45·7	53·0	52·0	53·5	54·0	58·5
25.....	54·7	55·0	54·6	55·4	55·7	57·0	56·8	61·8	66·2	72·0	70·0	69·5
26.....	58·0	57·4	56·0	55·8	56·2	57·3	58·0	58·2	59·5	60·0	61·3	60·4
27.....	56·4	54·0	52·3	54·5	55·0	55·8	57·0	59·2	60·3	63·4	64·0	65·8
28.....	49·2	48·3	46·2	48·5	52·3	54·9	53·2	57·5	64·2	65·3	67·4	69·5
29.....	57·2	53·4	51·4	53·4	55·2	56·4	57·5	59·8	65·3	69·4	72·0	75·0
30.....	61·5	60·0	61·4	61·0	62·5	62·0	61·0	61·4	64·0	64·0	64·0	65·7
31.....	64·6	63·5	59·7	59·0	58·3	58·0	58·6	57·6	56·3	56·3	58·7	59·5
Mean..	55·5	54·5	53·7	53·5	53·0	53·7	56·3	59·3	63·1	66·5	68·1	70·1

each Hour (90th Meridian Time), during the Month of August, 1908.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
°	°	°	°	°	°	°	°	°	°	°	°
84·0	84·6	76·3	79·0	77·0	76·2	76·0	74·0	71·7	70·0	69·5	68·0
81·7	88·0	87·5	84·6	78·0	78·0	74·3	70·0	68·0	66·0	64·5	62·0
74·6	75·0	75·0	74·7	75·4	76·0	74·0	70·3	65·7	64·0	62·0	88·0
84·2	84·0	86·0	84·7	84·0	84·5	80·7	75·4	72·0	71·5	71·5	72·0
84·0	80·2	78·5	77·3	70·2	70·0	68·4	66·3	67·2	65·4	61·7	62·3
62·0	62·5	63·7	65·0	67·6	68·2	68·7	63·0	58·0	54·7	54·0	53·5
79·3	80·0	79·8	80·0	78·6	77·4	76·0	70·6	67·7	66·0	64·6	65·0
76·2	80·0	80·0	80·0	77·4	77·0	72·6	68·4	66·0	65·4	62·3	58·0
76·0	75·0	76·5	77·4	77·0	76·0	75·0	69·4	63·7	60·0	59·0	58·0
83·4	84·0	84·2	82·0	83·5	78·6	77·5	75·0	72·0	68·0	67·0	64·3
70·2	70·5	70·0	70·0	69·5	67·3	66·0	60·7	55·5	52·5	51·0	49
66·0	65·3	63·6	60·7	55·0	54·0	52·0	51·5	50·3	49·4	49·7	48·3
63·0	64·0	62·7	65·7	65·0	64·0	61·0	56·8	54·0	50·7	47·6	47·0
68·0	69·0	68·5	68·0	69·4	70·6	69·6	61·7	56·0	52·7	52·0	49·0
69·2	70·4	71·5	71·8	72·0	71·3	66·0	65·4	62·0	63·0	62·7	62·0
70·0	66·5	65·0	63·2	62·0	61·0	56·0	52·5	49·5	45·7	44·0	44·0
70·0	70·4	70·0	71·0	71·7	70·3	69·4	65·5	62·0	60·0	58·7	58·0
63·2	64·0	64·6	64·2	64·0	63·0	60·0	55·5	50·6	46·0	45·0	45·0
65·2	66·0	67·2	68·3	68·0	68·0	65·0	58·2	54·0	52·5	51·6	52·0
85·0	87·8	89·0	89·0	88·0	87·5	82·0	78·5	76·0	70·0	72·2	67·0
58·4	60·2	60·0	58·4	56·7	56·2	55·0	51·8	52·0	46·0	45·7	45·8
65·0	65·7	65·0	64·2	63·0	61·7	60·4	55·0	50·2	48·3	49·0	48·0
68·0	70·4	70·0	65·4	63·2	62·0	57·5	52·5	51·0	46·0	45·6	46·0
63·4	63·4	67·8	66·2	66·0	65·0	61·5	57·4	57·0	56·2	55·7	55·3
69·8	70·0	70·3	70·2	69·5	69·0	68·0	68·2	65·3	63·2	61·0	59·2
61·0	61·0	62·5	63·7	65·0	64·7	66·5	66·2	65·2	63·4	61·0	60·0
67·0	68·7	67·2	65·3	67·0	61·5	59·0	59·2	58·3	56·4	56·0	55·4
71·2	73·0	73·4	74·0	73·2	71·8	72·0	70·0	68·2	64·3	61·2	60·5
79·5	78·6	76·3	76·0	79·8	81·0	77·7	72·0	70·6	68·3	66·0	62·4
67·5	66·8	69·4	70·3	68·0	67·0	66·4	66·0	65·6	65·7	65·4	65·0
59·3	60·0	60·2	63·4	65·0	67·2	65·3	63·4	61·5	60·0	60·0	60·0
71·1	72·0	71·7	71·7	70·5	69·5	67·7	64·2	61·5	59·1	58·0	56·8

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	°	°										
1.....	59·0	58·6	58·0	61·2	61·5	56·2	55·8	55·8	56·0	58·0	63·5	65·7
2.....	52·0	52·0	49·6	49·0	47·3	46·3	47·6	53·7	60·7	65·3	68·3	69·5
3.....	52·0	52·3	53·6	56·3	56·2	56·2	55·5	56·0	62·3	67·0	68·4	70·0
4.....	55·3	53·0	51·8	50·0	49·6	49·8	52·0	57·5	61·7	64·0	66·0	68·2
5.....	56·2	54·5	54·0	52·5	52·3	50·0	53·7	57·5	62·8	69·4	70·0	70·5
6.....	47·5	48·0	47·5	46·5	44·6	44·0	45·4	50·0	56·0	60·0	62·6	64·0
7.....	50·2	50·2	50·4	50·5	51·0	51·7	52·8	60·0	67·0	71·7	74·4	76·0
8.....	69·5	68·6	68·0	67·3	66·0	65·7	65·8	68·8	72·2	76·7	81·3	86·7
9.....	64·7	64·0	62·0	60·7	58·6	56·0	55·5	55·3	60·2	63·4	65·0	66·2
10.....	54·0	53·8	52·3	50·8	49·3	49·5	51·7	59·0	63·7	71·8	77·5	81·7
11.....	58·6	55·3	54·0	53·8	52·3	50·6	49·4	49·5	51·6	58·5	63·5	69·4
12.....	54·7	55·5	52·6	49·5	48·7	54·6	62·0	68·0	74·5	76·3	78·0	78·3
13.....	44·2	44·0	42·4	41·5	40·7	39·7	42·0	53·4	61·0	72·3	75·5	78·2
14.....	52·0	51·0	51·7	50·6	49·3	48·3	49·4	54·0	62·0	67·5	71·5	73·3
15.....	70·0	67·0	66·0	65·5	66·0	67·5	71·0	75·8	78·6	82·0	84·0	86·2
16.....	69·0	68·3	68·5	67·5	66·0	65·5	66·0	66·2	68·0	69·8	73·4	76·7
17.....	73·0	71·7	69·8	69·0	69·0	68·3	68·4	67·5	66·0	67·4	66·0	66·3
18.....	56·0	56·3	55·0	56·0	56·7	58·0	60·5	63·8	66·0	68·0	70·0	72·2
19.....	49·3	48·0	47·5	46·0	44·0	43·7	43·8	43·0	49·7	56·0	60·7	64·0
20.....	55·7	54·0	52·6	51·7	50·5	50·0	50·0	49·5	48·0	49·5	49·2	49·3
21.....	40·0	40·2	41·0	43·5	45·4	46·0	48·0	54·0	60·0	65·8	71·6	75·0
22.....	60·4	58·0	55·7	56·2	56·0	54·2	55·3	60·5	64·4	66·4	69·0	71·7
23.....	58·0	56·8	56·5	56·0	56·0	55·0	57·0	60·5	64·0	68·2	73·5	79·0
24.....	45·0	44·0	42·8	41·3	39·0	38·0	38·6	41·5	48·8	55·0	57·3	59·0
25.....	42·0	43·7	45·0	46·0	45·0	45·5	47·0	48·4	49·8	51·5	51·5	52·7
26.....	46·0	45·7	45·5	45·3	44·6	44·2	44·0	44·8	44·6	44·2	44·4	46·3
27.....	41·7	41·2	40·8	40·3	40·3	39·4	39·6	38·7	39·3	40·8	41·3	41·4
28.....	34·7	34·4	34·3	34·0	34·0	34·0	37·5	39·3	40·5	41·7	44·0	42·0
29.....	34·2	34·2	34·6	34·0	33·6	33·7	33·8	34·7	37·0	29·3	38·0	38·0
30.....	37·6	36·2	36·0	34·6	33·8	33·5	34·6	36·3	40·0	41·4	41·8	42·3
Mean.	52·7	52·3	51·3	50·9	50·2	49·7	51·1	54·1	58·0	61·6	64·1	66·0

each Hour (90th Meridian Time), during the Month of September, 1908.

Hour Ending											
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
67·8	65·5	65·3	65·0	64·6	63·0	59·5	59·0	58·0	55·3	54·0	53·5
70·0	70·5	72·4	72·6	73·0	73·2	68·2	62·3	59·5	55·3	54·0	52·0
72·0	72·5	73·0	73·5	74·2	74·0	67·7	61·0	59·7	59·6	58·3	57·4
69·0	70·0	71·8	72·0	69·7	70·0	65·0	63·0	60·6	59·5	60·7	59·5
70·6	69·7	70·2	70·0	69·4	66·3	62·0	58·3	56·7	52·0	50·3	49·7
66·0	67·0	67·8	68·0	68·2	68·2	62·0	56·0	53·4	53·5	52·2	52·0
78·2	79·8	81·4	81·5	82·4	78·0	74·0	71·3	70·6	70·0	69·4	68·8
88·0	86·0	84·0	82·5	80·0	79·3	74·2	71·6	67·5	65·0	65·7	65·0
67·5	68·0	69·5	70·6	70·3	68·2	63·5	65·8	62·7	62·0	58·6	55·0
83·7	85·8	86·4	86·8	85·5	83·0	75·7	68·0	63·5	66·0	62·8	62·0
71·5	73·4	74·6	74·3	73·8	73·0	64·0	57·6	54·5	54·0	54·0	54·0
78·0	77·5	77·0	76·2	75·7	68·3	63·0	58·0	54·0	50·0	46·6	45·3
78·0	79·5	80·0	79·6	78·5	75·7	69·0	64·7	64·0	57·0	55·7	53·3
78·0	76·3	76·0	74·0	75·8	74·5	76·0	74·6	73·5	72·0	72·0	71·5
86·5	88·3	90·0	90·2	86·0	81·7	78·4	76·0	74·5	73·0	71·7	70·0
80·0	83·8	86·0	87·0	86·4	83·0	78·4	78·0	75·3	74·0	74·6	74·2
68·0	69·3	68·0	67·5	66·0	63·0	59·5	55·0	53·8	55·0	54·0	54·0
73·5	74·6	74·4	74·0	72·0	64·6	62·0	60·0	58·0	56·7	53·7	51·0
66·3	68·0	69·8	71·0	68·8	67·0	63·8	60·0	53·8	54·0	53·8	54·3
49·5	49·5	49·7	49·0	48·0	45·7	43·6	42·0	41·5	40·0	39·5	39·0
77·3	79·0	80·6	80·0	80·0	77·0	68·2	67·0	66·0	63·7	61·0	61·8
72·3	72·7	72·5	71·8	70·5	67·0	64·2	64·0	59·3	58·6	58·6	58·2
82·5	81·8	80·6	75·8	69·4	65·8	59·7	56·0	54·0	52·0	49·4	49·0
59·5	59·4	58·7	58·0	57·4	55·3	52·0	51·6	49·8	48·7	47·0	44·4
52·0	51·4	48·3	46·4	46·2	46·2	47·3	46·3	46·5	46·3	46·0	46·0
46·0	46·0	45·7	45·6	45·3	44·0	44·0	43·2	43·3	42·3	42·7	42·0
42·0	39·0	38·0	38·0	38·0	37·0	36·2	36·0	35·6	35·3	34·6	34·6
40·5	39·8	40·0	40·0	40·0	37·0	35·3	34·4	33·8	33·8	34·0	34·0
36·0	34·5	34·6	35·3	36·0	36·3	36·5	36·7	37·6	37·3	36·4	36·7
42·0	42·2	44·3	44·0	42·8	40·0	37·4	36·0	36·8	36·6	36·8	37·3
67·4	67·3	67·6	67·3	66·4	64·2	60·4	57·7	55·9	54·6	53·6	52·8

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m	10 a.m.	11 a.m.	Noon.
1..	37·5	38·0	38·2	39·4	40·0	42·7	48·0	50·5	54·5	54·0	52·0	52·3
2.....	40·8	40·2	38·6	38·2	39·5	40·2	43·0	48·0	50·6	54·6	60·0	62·2
3..	54·5	55·7	54·0	52·5	48·0	48·0	46·0	47·5	49·5	53·2	56·0	62·0
4..	48·6	47·7	47·8	47·9	48·0	49·7	48·0	48·0	53·5	58·0	63·0	65·3
5..	62·0	60·0	57·8	55·7	55·3	56·4	55·0	55·2	57·3	60·4	58·2	57·3
6.....	46·0	45·4	45·0	44·8	44·2	44·0	44·0	44·8	42·4	44·5	46·2	47·0
7.....	31·8	29·7	29·3	29·4	30·0	32·2	35·5	38·7	42·0	43·6	46·0	46·3
8.. ..	38·6	38·6	38·4	38·0	37·3	36·0	35·4	38·3	41·5	46·0	49·0	54·0
9.....	50·4	49·7	47·5	44·0	42·0	41·4	41·2	41·5	47·2	54·0	59·6	64·0
10....	44·4	43·7	39·0	38·3	38·4	38·7	38·8	39·8	40·6	42·0	43·0	45·0
11.....	28·0	27·7	27·3	28·4	30·0	30·4	32·0	34·6	39·5	45·3	49·0	50·6
12.... ..	40·0	39·4	38·7	37·0	35·8	38·0	41·8	45·3	48·2	53·0	55·2	58·0
13.....	51·7	50·7	48·6	48·0	46·5	46·0	44·6	44·0	42·4	43·0	43·4	44·0
14..	40·5	40·0	40·0	40·2	41·0	41·7	41·0	42·5	45·7	48·4	52·0	57·0
15.....	54·6	55·0	54·6	54·6	55·0	54·0	52·0	50·7	49·4	48·6	51·7	54·7
16..	47·0	47·4	47·8	47·8	46·3	46·6	47·0	47·3	47·5	47·5	48·4	48·3
17.....	43·8	43·5	43·0	42·0	39·0	38·0	37·5	37·4	38·0	40·0	40·0	40·0
18..	32·3	32·0	30·0	30·0	30·5	31·7	34·0	34·5	36·5	38·0	43·0	44·5
19..	29·8	33·0	34·0	34·6	35·0	35·0	35·6	37·1	39·7	41·7	44·7	45·5
20.. ...	50·0	48·4	50·0	51·8	52·2	51·7	51·7	51·7	53·1	56·0	58·0	58·6
21.... ..	46·6	44·0	43·0	42·0	41·5	41·7	41·5	42·7	44·3	46·8	49·0	51·3
22.....	38·6	38·1	38·4	38·0	37·0	38·3	38·0	38·8	38·5	38·6	39·4	40·3
23.....	36·0	35·8	35·7	35·5	35·4	35·0	34·8	35·4	36·0	37·0	38·0	38·7
24.. .. .	36·0	36·0	35·8	35·8	35·8	35·6	35·7	36·8	38·3	40·6	42·0	43·8
25..... .	40·0	40·0	39·6	39·6	40·0	39·8	39·7	40·0	40·2	40·6	41·0	42·0
26..	39·5	39·5	39·3	39·0	39·0	38·8	38·8	38·8	38·8	39·3	40·0	41·0
27.. .	37·8	37·7	37·4	37·3	37·0	36·6	36·0	36·0	36·0	35·8	36·6	38·7
28.....	37·4	36·0	36·0	34·6	31·0	29·1	28·4	28·2	29·5	31·3	33·4	36·0
29... .	28·0	28·0	28·0	28·0	28·7	30·0	30·0	30·0	30·0	30·0	29·5	30·0
30..	26·0	26·0	26·0	26·0	26·0	26·0	26·0	26·7	26·0	26·8	27·5	28·0
31.... ..	26·2	26·5	26·7	26·8	27·6	28·0	27·8	27·7	28·6	30·0	32·0	34·3
Mean.	40·8	40·4	39·9	39·5	39·1	39·3	39·5	40·8	42·1	44·1	46·0	47·8

ach Hour (90th Meridian Time), during the Month of October, 1908.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m	9 p.m.	10 p.m.	11 p.m.	Midnight.
51·0	52·0	51·0	51·0	48·4	45·5	45·8	44·6	43·7	42·6	42·0	40·6
60·0	60·0	61·0	61·4	61·5	59·3	57·4	58·0	57·0	56·0	56·0	56·0
67·0	69·8	68·5	69·7	68·0	62·5	61·7	59·7	56·0	49·7	50·4	50·0
67·0	67·3	66·6	65·6	63·0	64·0	64·0	62·7	62·7	62·0	60·0	63·0
56·0	56·0	54·6	54·3	53·0	52·0	52·0	49·7	48·0	46·5	46·0	46·0
48·0	48·3	46·0	43·5	42·2	41·6	40·7	40·3	37·8	35·0	34·2	34·0
47·0	47·3	48·6	49·5	49·3	46·0	40·3	38·4	40·0	40·2	39·8	39·2
68·0	69·4	69·4	67·3	64·0	60·3	60·0	59·6	58·6	57·0	55·0	53·2
67·3	68·0	69·5	68·2	67·7	65·7	58·0	52·3	49·3	48·0	46·4	44·0
44·0	44·6	46·0	44·4	42·0	36·5	35·0	33·5	33·3	32·0	30·6	29·5
52·0	52·0	50·6	48·0	46·4	45·6	44·4	44·0	43·0	41·7	41·0	40·8
64·0	64·0	66·0	65·2	64·0	60·5	57·0	55·0	52·4	52·3	52·0	52·0
45·0	46·0	46·0	46·6	46·4	46·0	45·3	44·0	43·5	42·4	42·0	41·7
64·4	63·5	65·3	66·0	66·0	66·0	65·4	64·0	60·5	56·5	55·5	55·5
55·5	56·0	56·6	56·0	53·5	51·0	50·0	49·0	48·8	48·6	48·3	48·0
48·3	47·0	46·5	46·0	45·3	45·0	45·0	45·4	45·5	45·3	44·5	44·0
40·0	40·0	40·0	39·6	38·6	37·6	36·8	36·0	36·0	34·6	32·4	32·0
46·0	46·2	45·3	44·2	42·6	40·0	38·0	36·5	35·5	35·0	33·5	30·5
46·3	46·0	47·5	48·0	49·0	49·0	44·0	50·0	49·8	50·0	49·8	50·0
60·0	59·4	59·0	58·0	57·6	54·3	52·0	50·6	51·8	49·6	49·4	48·2
51·0	48·5	48·0	47·0	46·8	45·0	42·3	41·6	42·0	42·0	41·5	39·7
41·7	41·5	40·0	39·3	38·7	38·0	37·3	36·8	37·2	37·2	37·2	36·6
38·0	38·0	37·8	37·6	37·6	37·3	37·5	37·3	36·8	36·3	36·0	36·0
45·0	45·0	44·8	44·2	43·8	42·0	40·7	40·7	40·0	40·0	40·0	40·0
42·0	41·8	41·6	41·0	40·7	40·3	40·0	40·0	39·7	39·6	39·8	40·0
42·2	40·0	40·0	39·4	39·0	38·6	38·4	38·0	37·8	37·8	37·9	38·0
43·0	44·5	46·0	45·0	45·0	43·5	42·0	40·8	40·0	39·7	38·2	37·8
37·0	35·0	34·7	34·0	32·0	29·0	28·6	30·0	30·0	29·8	29·6	28·7
30·0	30·0	29·0	30·0	30·0	29·8	29·0	28·3	27·8	27·0	27·0	26·3
28·4	29·0	28·4	27·8	26·8	26·6	26·0	26·3	26·4	26·5	26·4	26·3
36·0	36·6	37·5	37·4	36·8	36·2	36·2	36·0	35·8	36·3	35·7	34·8
48·9	49·2	49·1	48·8	47·5	46·3	45·0	44·2	43·4	43·1	41·9	41·3

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	35·5	34·4	34·0	34·5	34·7	34·8	35·0	35·0	35·4	36·0	36·3	37·8
2.....	35·0	34·8	33·6	33·6	32·7	30·6	30·0	30·0	30·4	30·6	31·0	31·4
3.....	35·5	39·0	44·0	44·0	42·4	42·0	44·0	45·0	48·8	48·0	47·5	47·3
4..	31·8	30·5	30·4	31·0	28·0	26·0	24·2	23·7	22·0	20·3	20·0	18·8
5.....	33·7	32·5	32·0	32·0	32·0	31·4	30·0	31·5	33·8	36·4	40·0	43·7
6..	30·0	30·0	30·6	30·0	34·3	34·7	36·3	37·0	38·6	39·8	40·4	40·4
7..	33·5	34·0	32·7	32·6	33·6	34·0	34·2	34·5	35·0	36·0	37·3	38·0
8.....	32·0	32·0	33·7	34·0	35·2	36·0	34·4	34·0	34·0	35·7	35·0	33·0
9.....	26·2	26·0	25·7	24·8	24·8	24·4	23·0	23·0	23·6	23·7	24·3	24·5
10.....	19·6	21·0	21·2	20·2	20·0	16·0	16·6	19·7	21·2	23·0	24·4	27·3
11.....	29·6	26·5	27·0	28·0	26·6	25·7	26·0	24·7	25·0	25·3	26·6	28·0
12.. .	25·0	25·0	25·2	25·4	26·0	26·0	27·0	27·3	27·5	28·0	28·0	28·0
13.....	26·0	26·0	26·0	26·0	26·0	26·3	26·5	26·0	26·0	25·3	25·7	26·3
14..	12·0	12·3	12·3	11·7	11·6	10·5	8·3	11·6	12·2	13·0	16·0	21·0
15.. . ..	27·5	24·5	22·0	9·5	20·5	21·4	21·7	21·3	21·0	21·3	22·0	25·0
16.....	16·0	16·7	18·0	18·0	18·0	16·2	14·3	15·4	18·0	21·0	23·4	26·0
17.. .	22·2	23·6	24·6	26·4	27·0	26·5	28·0	30·6	31·5	34·6	36·7	40·2
18..	28·0	28·0	31·7	33·4	33·0	33·0	33·0	33·6	34·6	36·0	37·5	38·0
19.... .	38·0	36·5	35·0	34·5	34·0	33·5	33·0	32·2	33·5	35·6	38·7	42·0
20	37·5	37·2	38·0	38·4	38·2	37·5	37·7	38·0	38·2	39·6	43·2	46·7
21.....	47·5	45·5	44·6	44·0	43·0	42·0	42·0	40·0	38·0	38·4	41·5	48·0
22.. .	35·6	35·2	34·5	34·0	33·8	32·0	33·5	32·0	30·4	30·4	30·7	32·0
23.....	28·6	30·0	29·3	29·2	29·0	28·4	28·3	28·5	29·0	28·8	29·2	29·7
24...	29·8	29·8	30·0	30·0	30·2	39·9	29·5	29·4	29·0	29·8	29·3	29·7
25..	26·6	26·4	26·5	26·5	26·7	26·8	26·7	27·2	27·6	28·0	28·4	29·8
26..	22·0	21·7	21·0	20·2	20·2	21·4	22·0	22·3	23·3	24·0	25·6	27·4
27...	24·0	24·0	24·4	25·7	26·0	26·0	24·0	23·0	25·0	27·6	28·0	28·0
28.....	30·0	28·6	30·6	32·7	33·4	32·0	31·0	28·0	28·0	31·8	34·0	34·7
29...	28·6	29·5	32·7	34·0	33·3	30·0	29·7	30·2	29·8	31·5	34·5	35·8
30.....	24·0	24·0	24·0	25·4	21·7	16·2	13·0	9·8	7·8	5·7	4·0	4·0
Mean..	29·0	28·8	29·2	28·9	29·2	28·4	28·0	28·1	28·6	29·5	30·6	32·0

each Hour (90th Meridian Time), during the Month of November, 1908.

Hour Ending.

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight
°	°	°		'	'						
38·0	38 3	38·0	36·5	37·5	37 5	36 5	36 2	36 2	36 2	35 8	36 0
31·3	32·0	32 3	31·5	31·0	31·4	31·0	30 3	32 0	32 0	33 0	34 1
47·0	47·0	40 0	38·0	34 5	34 6	32·0	31 0	30 3	30 2	30 3	31 7
18 0	18 4	19 0	20·3	32·0	36·0	35 0	33 6	32 0	31 7	32 6	34 0
45 0	48 0	48·6	48·0	43·5	37 7	35·6	34 0	33 8	33 0	31 0	30 7
41·5	41·8	41 0	39·0	36·0	34·0	32·4	31 7	28 6	30 3	31 4	32 0
40·0	38·0	38 0	38·0	37·0	38 0	37·3	36 0	36 0	35 7	35 0	32 5
34·0	35 0	32 0	30·6	30·0	28 3	28 7	29 3	26 6	26 0	26 4	26 0
23·0	23·4	22 7	22·0	20·2	20·0	20 4	21 3	21 7	20 0	19 5	19 7
28·0	28 0	27·5	27·0	27·0	27·2	28 0	28 0	28 0	28 0	27 8	27 8
30·0	30 0	28 0	27·0	24·6	24 5	24·0	24 0	25 8	25 8	25 7	25 6
27·3	26·0	26 0	25·6	23 4	24·0	24 2	24 0	24 4	24 6	25 8	25 5
27·5	28·0	28·0	26·0	24·0	20 3	17 8	16 3	16 5	16 0	15 7	14 0
27 3	32·0	32 3	30·0	27·8	26 0	25 0	24 0	23 8	26 2	27 8	28 0
23·0	24 0	23 7	22 3	21 5	18 6	20 0	20 0	18 0	14 6	12 0	13 3
29·0	29·5	29 0	27·2	23 0	20 3	18 0	17 0	18 5	18 0	20 3	21 7
42 0	42·0	43 4	43 6	41 0	38 7	38 4	36 0	35 5	33 3	32 0	28 7
42 5	46 2	46 2	47 0	44 0	41 8	40 0	39 3	39 2	38 4	38 0	38 6
44 5	45 5	45 5	44 0	42 6	42 0	40 3	38 6	38 8	38 6	37 6	37 0
49·5	51 0	52 0	51 8	49 7	48 5	47 0	48 0	47 6	47 2	45 7	45 8
49·0	49 6	48 0	46 0	44 2	42·6	42·0	43 8	36·0	34 3	34 6	38 0
33·7	34 0	32·0	31 6	30 6	30·2	28·3	28 0	28 3	29 8	29 4	29 8
30 0	31·5	32 0	32 0	32·0	32·0	32 0	32 0	30 8	30 0	28 6	28 2
30·0	30 4	28 4	28 0	26·2	26·0	25·7	24 6	24 0	24 0	23 8	22 6
29·6	29 4	28·0	28 0	28·0	26·0	25 5	25 8	25 7	25 6	25 6	25 5
28 0	28 0	27 3	26 5	25·0	24·0	26 4	26 0	26 3	27 2	28 2	29 4
28·2	28·4	27 3	26 0	21 8	24·0	26 3	26 0	26 2	28 0	28 2	29 0
36 0	38·0	36·0	36·0	34·3	32 4	30·4	29 7	29 6	29 6	29 2	29 0
35·5	35·0	36·0	36 0	32·6	30 4	29·0	29 6	29 2	27 8	27 6	25 8
4 0	4·0	2 0	0 4	— 3·0	— 4 0	— 5·0	— 5 7	— 6 0	— 6 2	— 6 6	— 6 0
33·1	33·7	33·0	32 2	30·8	29 8	29·1	28 6	28·1	27 8	27·7	27 8

TEMPERATURE at Winnipeg, Man., from Self-registering Instruments, for

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	-10·2	-10·2	-10·5	-10·0	-10·0	-11·7	-12·7	-12·6	-12·0	-10·2	- 8·0	- 4·7
2..	- 5·7	- 6·0	- 5·8	- 5·0	- 5·0	- 4·0	- 3·2	- 1·7	- 3·0	- 5·3	- 5·8	- 8·4
3	- 0·3	- 0·0	- 0·2	- 0·0	- 1·0	- 2·0	- 2·0	- 2·3	- 2·6	- 3·7	- 5·5	- 6·0
4	-11·0	-14·0	-14·8	-11·0	-11·5	-11·0	-10·5	-10·0	-10·0	- 8·0	- 4·0	- 3·2
5.....				*					*			
6				*					*			
7				*					*			
8.....	10·0	10·2	10·6	11·0	11·0	11·0	11·3	11·7	12·2	13·1	14·3	15·5
9..	19·3	20·0	20·6	20·8	21·3	22·0	22·5	23·6	24·4	25·7	26·4	27·1
10.....	8·6	8·0	9·7	12·0	14·2	17·3	18·4	20·0	21·0	22·3	24·5	24·6
11.. ..	30·3	30·0	30·0	30·0	30·0	30·0	30·0	30·2	28·0	27·8	29·0	30·0
12..	25·3	26·6	28·5	30·6	35·0	34·7	34·7	34·0	33·6	32·4	34·5	36·3
13..	22·0	21·0	21·3	21·4	19·4	19·0	20·6	21·7	24·0	25·4	28·0	30·0
14..	15·0	16·6	18·0	22·0	22·5	22·0	24·0	22·0	21·0	22·0	24·6	27·8
15..	21·7	22·3	23·0	23·2	23·5	24·0	24·0	24·0	24·3	24·6	26·0	26·6
16..	24·0	24·0	23·7	22·8	22·6	22·7	22·6	22·0	22·4	23·8	25·6	26·3
17.	23·0	22·5	21·0	20·7	20·3	20·0	19·3	18·6	18·5	18·6	18·4	18·3
18..	16·0	15·5	14·6	14·0	14·2	13·5	12·4	10·0	9·4	11·3	14·3	16·2
19	18·7	15·3	11·0	8·0	6·8	7·5	4·0	3·5	2·0	2·4	2·6	4·0
20.....	12·0	14·0	14·0	14·9	13·4	10·8	8·0	7·4	9·4	11·0	12·7	14·6
21.....	6·0	6·0	7·0	8·0	9·0	11·3	12·2	13·0	14·5	15·0	16·2	17·0
22..	18·6	18·0	18·3	20·0	20·3	20·0	18·6	18·0	17·0	16·7	16·0	15·5
23.. .. .	17·4	17·8	18·0	18·5	18·0	17·7	18·0	18·0	17·5	17·6	18·6	21·0
24..	20·6	21·0	21·3	21·6	21·6	21·8	20·0	18·0	18·7	20·0	20·5	22·0
25..	15·5	12·6	14·5	15·7	14·5	16·7	16·6	15·9	16·0	18·5	20·0	22·0
26..	11·0	8·6	8·0	7·5	8·7	9·0	6·0	6·0	9·0	9·0	10·2	14·0
27..	17·5	18·0	18·6	18·0	18·0	19·0	16·7	15·0	13·7	10·0	9·0	9·0
28 .	24·0	27·0	29·3	30·0	30·0	31·5	32·0	35·0	33·5	28·5	28·0	24·3
29..	24·0	24·6	24·6	23·5	22·7	22·0	21·8	22·5	23·0	24·5	26·5	28·0
30.	25·7	22·0	18·6	17·5	16·9	14·0	10·6	8·5	8·0	6·4	5·7	4·6
31.	- 4·5	- 6·3	- 6·0	- 7·2	- 8·5	-10·0	-10·5	- 8·0	- 6·5	- 6·0	- 6·5	- 5·7
Mean. .												

*Out of order and under repair; very cold weather.

each Hour (90th Meridian Time), during the Month of December, 1903.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.
— 4·0	— 2·3	— 0·4	1·5	0·0	— 1·0	— 2·0	— 2·7	— 4·0	— 6·0	— 6·0	— 6·5
11·0	13·0	14·0	13·0	12·0	11·7	10·0	10·6	8·3	6·4	5·8	4·0
7·0	6·3	4·6	5·7	4·0	0·6	— 2·5	— 5·0	— 6·0	7·5	7·8	3·4
— 1·7	— 1·5										
			14·0	13·5	12·8	12·0	12·0	11·0	10·0	10·0	10·0
15·8	16·0	16·0	16·0	16·5	16·7	17·0	17·2	17·7	18·0	18·3	18·4
25·0	22·4	22·6	23·2	23·3	23·6	22·0	21·4	20·0	18·6	13·7	10·0
25·0	26·0	26·0	21·0	21·0	21·7	20·6	21·7	22·0	25·3	28·0	30·0
32·0	28·2	23·5	20·0	18·6	19·4	21·0	22·3	22·5	24·0	24·5	25·0
37·0	36·7	35·5	34·0	30·5	28·3	26·0	25·7	23·0	21·7	21·0	20·8
33·0	33·6	33·2	31·7	29·5	27·3	25·0	23·5	19·5	18·0	16·0	14·5
28·5	26·5	25·5	25·3	24·0	19·8	18·0	16·5	17·1	19·5	20·0	20·0
27·5	26·0	26·0	25·7	25·3	24·6	24·0	24·2	24·2	24·3	24·4	24·4
26·0	26·0	25·7	25·5	24·7	24·5	24·2	24·0	24·0	23·5	23·2	23·0
19·3	18·6	16·8	16·2	17·0	17·2	18·5	19·5	20·0	20·0	18·0	16·3
20·0	22·2	26·7	26·0	24·5	23·4	22·7	25·3	24·6	25·5	24·7	23·4
4·0	3·0	3·2	3·0	2·8	3·5	4·0	6·0	7·2	8·2	9·7	10·6
14·6	16·0	14·2	12·0	9·4	6·7	3·6	2·0	1·6	4·0	5·0	5·8
17·5	18·0	18·0	18·0	18·3	18·6	19·7	19·7	19·6	19·6	19·5	19·0
15·0	14·8	14·6	14·3	14·0	14·0	13·6	14·0	14·0	15·0	16·0	16·7
22·0	21·0	20·0	20·5	20·4	21·0	21·0	20·0	19·4	18·6	19·5	20·0
22·0	22·0	20·0	18·7	19·5	19·4	19·8	20·0	20·0	20·7	21·0	18·7
23·7	26·0	25·5	21·0	21·7	19·7	18·4	17·0	15·0	12·4	12·5	12·3
18·0	25·0	25·8	26·5	27·5	27·0	23·7	23·6	18·5	17·0	16·0	15·7
12·0	18·5	23·4	26·0	26·0	26·0	26·0	20·5	20·0	20·6	21·5	22·5
18·0	14·0	14·5	14·0	12·4	11·7	12·0	18·0	19·5	20·0	21·6	23·5
30·0	30·3	31·5	31·8	30·0	28·0	30·4	29·6	29·5	28·6	28·3	28·0
4·0	3·7	3·0	2·6	2·0	2·0	1·7	1·0	0·5	0·0	— 0·3	— 2·0
— 5·2	— 5·0	— 5·0	— 4·0	— 3·8	— 3·5	— 3·3	— 2·4	— 2·5	— 2·4	— 3·5	— 3·7

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1	32·8	33·0	33·0	32·7	32·6	32·7	32·8	32·9	33·1	34·0	33·0	33·0
2	25·9	26·0	26·2	26·2	26·8	26·9	27·1	27·5	27·1	28·0	29·2	29·8
3	27·0	27·2	27·0	25·9	24·2	23·9	22·6	23·0	23·2	26·9	29·1	29·2
4	29·7	31·0	33·7	34·5	35·2	35·8	36·1	35·2	34·9	35·2	35·9	36·2
5	18·2	17·6	15·9	14·8	13·0	12·0	11·0	10·8	10·1	11·3	13·0	14·0
6	23·2	23·0	23·2	24·0	24·9	26·0	25·2	24·9	26·2	27·6	30·0	32·0
7	34·1	33·8	33·8	32·9	33·1	32·9	32·0	32·3	33·0	33·9	34·1	34·7
8	29·8	28·1	28·7	27·8	26·9	25·9	25·1	25·8	26·8	27·8	29·0	30·8
9	21·8	21·1	20·2	19·2	17·9	16·6	14·2	13·3	12·5	13·6	13·9	12·9
10	11·0	11·0	11·2	11·8	10·6	10·1	10·1	12·2	15·8	23·6	25·7	27·2
11	30·0	25·6	23·8	23·8	24·2	24·2	21·6	24·7	25·0	27·8	31·0	33·0
12	30·7	31·0	31·0	30·9	32·6	32·9	34·0	33·7	34·0	34·1	33·9	33·0
13	28·0	27·9	27·6	27·4	27·0	26·6	26·0	25·9	25·1	25·0	25·0	25·7
14	13·8	13·0	13·1	12·9	14·4	16·3	20·0	23·8	17·1	17·2	18·0	19·6
15	27·2	27·1	27·7	28·2	28·9	28·2	30·8	31·6	32·1	32·4	33·8	34·3
16	34·8	35·0	35·1	34·8	34·1	32·0	29·0	23·3	21·0	19·9	19·0	18·2
17	14·0	15·1	15·2	18·0	19·0	19·0	19·3	19·8	20·0	22·0	25·1	27·9
18	28·0	28·0	28·9	29·0	28·8	28·1	28·0	27·8	28·8	30·0	31·0	30·0
19	29·2	31·7	31·8	31·9	32·0	31·8	29·9	29·0	29·0	29·4	30·0	31·1
20	30·9	29·8	30·0	30·6	29·2	32·6	33·0	34·1	34·9	35·8	37·1	38·1
21	34·8	34·3	34·2	33·9	33·1	34·0	34·9	35·0	36·6	38·0	39·8	40·4
22	40·1	40·7	39·9	39·0	39·0	38·0	37·0	37·0	37·7	36·7	36·5	36·0
23	32·0	32·0	32·1	33·1	33·9	32·0	33·0	29·0	20·1	19·7	17·8	14·8
24	2·8	1·1	0·6	0·6	−1·0	0·8	0·2	1·0	3·9	6·8	10·3	13·0
25	22·8	22·9	24·5	24·4	24·0	24·1	24·0	24·3	25·3	26·2	28·1	29·1
26	29·0	29·0	29·0	28·9	28·2	27·1	27·1	25·7	26·3	27·0	30·3	30·1
27	18·1	16·9	16·9	16·0	14·0	13·0	12·7	11·7	11·9	12·0	13·1	14·0
28	13·0	13·2	13·1	13·0	12·6	13·4	14·3	15·0	16·8	15·2	20·0	26·8
29	14·8	14·0	10·3	6·2	1·0	0·1	−1·2	−2·9	−3·0	−1·0	0·5	2·3
30	−10·8	−11·8	−12·1	−13·0	−12·0	−12·9	−13·3	−13·9	−12·3	−9·0	−5·0	−2·9
31	3·7	4·7	4·0	4·1	6·2	6·7	6·0	9·0	12·0	14·3	17·6	19·1
Mean	23·29	23·00	22·89	22·69	22·38	22·23	22·10	22·01	22·10	23·27	24·70	25·59

Self-registering Instruments, during the Month of January, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
33·2	33·2	32·9	32·0	30·6	28·9	27·7	26·8	27·2	27·2	26·9	26·1	31·18
29·3	30·0	29·9	29·0	28·0	27·8	27·9	27·9	28·0	28·0	27·6	26·9	27·78
31·2	31·0	31·7	31·6	31·0	29·9	28·9	30·9	29·4	29·8	30·0	30·1	28·11
37·0	37·2	38·0	37·8	37·0	36·2	36·0	34·8	32·9	29·3	25·2	2·12	34·00
16·1	17·0	17·2	18·0	18·2	18·1	17·8	18·2	19·1	21·0	21·6	22·8	16·12
34·0	35·2	36·5	36·6	35·9	35·1	34·7	34·1	34·0	34·1	34·0	33·9	34·85
34·9	35·2	35·2	35·0	34·8	34·0	33·4	32·9	32·2	31·9	31·0	30·2	33·39
33·7	35·0	35·1	34·3	34·1	34·0	31·2	30·2	29·2	29·0	27·1	25·0	29·60
14·0	14·2	16·0	15·1	14·0	13·0	12·0	11·9	11·2	11·0	10·7	10·9	14·63
28·1	29·8	30·0	30·6	29·9	30·1	30·2	31·1	31·8	31·8	31·0	30·6	22·72
33·0	34·0	34·0	33·0	33·0	33·0	30·3	30·2	30·0	30·8	30·6	30·6	29·18
33·9	32·9	33·9	32·8	31·6	31·0	31·0	29·6	28·8	28·8	28·1	28·0	31·73
25·7	26·0	25·0	24·0	23·2	22·9	23·0	22·9	23·0	19·4	16·0	14·9	24·30
20·8	22·8	24·6	25·0	24·8	24·7	24·9	25·0	25·2	26·2	26·7	27·0	20·70
35·0	35·9	36·0	36·2	36·3	36·0	35·9	36·2	34·2	34·4	34·9	34·1	32·81
18·0	18·7	18·9	17·4	15·6	14·7	14·9	16·8	17·0	15·2	14·8	14·0	22·18
29·4	30·0	30·0	30·0	29·6	28·0	28·1	27·9	27·3	27·1	26·8	27·6	24·01
29·3	29·3	29·9	29·8	29·2	30·1	29·9	30·0	30·1	29·0	29·9	30·1	29·29
29·9	26·9	25·6	25·0	25·9	26·0	26·0	26·4	27·2	28·8	29·9	30·3	29·02
39·1	39·1	38·9	38·8	37·9	36·8	35·9	35·3	35·1	34·9	33·9	34·0	34·83
40·2	40·0	40·1	40·8	40·8	40·4	39·9	40·3	40·3	40·6	40·8	41·0	38·09
35·1	34·4	34·9	34·1	33·2	32·0	31·0	30·2	30·9	31·0	31·8	32·0	35·34
12·7	10·8	10·0	9·1	10·0	9·0	8·6	8·6	8·0	6·2	6·9	6·8	18·15
11·6	16·8	18·3	20·0	20·1	20·0	19·9	19·1	19·0	19·8	21·2	21·0	11·16
31·0	31·2	31·3	30·9	30·7	30·8	30·9	31·0	30·1	29·1	28·2	27·7	27·61
30·2	31·0	31·8	32·1	33·1	33·4	33·0	31·8	32·2	30·0	24·0	21·1	29·2
15·8	16·0	16·1	15·6	14·2	13·0	12·0	11·2	10·6	10·1	10·9	11·4	13·63
28·1	29·0	30·0	30·2	30·9	31·0	28·1	26·1	24·6	23·0	20·3	17·2	21·04
3·0	3·1	3·0	3·9	3·5	2·0	−0·2	−4·7	−6·0	−8·0	−8·3	−9·0	0·98
−2·0	0·9	3·0	3·3	2·8	2·0	1·0	0·2	1·0	−0·1	0·2	2·6	−4·77
19·2	20·0	21·0	21·4	21·9	22·0	22·9	22·8	23·0	22·9	22·0	21·2	15·32
26·24	26·66	27·06	27·88	26·51	26·00	25·36	25·01	24·70	24·27	23·70	23·27	24·25

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Noon.
	°	°	°	°	°	°	°	°	°	°	°	°
1.	21·8	23·0	24·8	26·2	27·1	27·8	29·0	30·0	30·8	32·8	34·3	34·8
2.	12·2	11·5	11·0	10·4	9·5	9·0	8·5	7·9	8·5	10·0	10·9	11·9
3.	12·0	11·8	13·1	13·9	13·3	13·8	13·4	13·3	13·8	15·0	17·7	13·2
4.	3·0	−6·5	−9·3	11·5	−13·5	−14·8	−16·7	17·1	−16·5	−15·0	−12·0	−8·2
5.	−8·5	−6·0	−4·0	2·0	1·0	4·5	8·0	11·1	12·2	14·0	15·8	16·8
6.	28·5	32·8	31·6	30·0	28·0	27·0	26·6	25·2	25·0	25·0	27·9	28·0
7.	17·0	14·0	13·0	11·8	10·1	9·3	8·9	8·1	9·2	11·0	12·0	13·2
8.	3·4	1·9	1·0	0·0	−1·9	−3·1	−5·0	−6·0	−6·1	−5·1	−5·0	−3·8
9.	−3·9	−4·1	−6·1	7·2	−7·8	−9·2	−5·0	−3·9	−1·0	4·2	7·0	10·8
10.	7·2	7·0	7·9	8·8	9·1	10·9	12·2	12·6	15·2	19·0	23·0	25·8
11.	19·5	17·4	17·0	16·2	16·7	14·9	17·0	18·7	22·8	28·9	32·9	35·0
12.	30·8	30·5	29·8	29·8	29·2	28·7	28·0	28·1	29·6	30·0	31·0	31·8
13.	37·1	38·0	38·0	37·2	38·0	37·7	38·3	39·0	39·9	40·8	41·1	42·4
14.	38·7	38·0	38·0	37·9	37·8	37·1	37·0	36·7	36·9	37·6	37·0	36·6
15.	34·8	34·8	34·9	34·8	34·8	34·8	34·4	34·9	34·9	34·3	34·3	33·7
16.	24·2	23·9	23·0	23·2	23·8	23·9	23·8	23·3	24·1	25·1	27·0	28·0
17.	19·3	18·2	17·2	16·8	15·9	15·1	14·0	14·0	16·2	17·1	18·0	17·6
18.	8·9	9·2	10·0	10·9	12·0	12·9	13·3	14·2	16·0	20·3	22·5	25·0
19.	27·0	27·5	26·6	26·8	27·0	27·2	26·1	25·8	24·8	23·8	24·2	24·3
20.	15·9	15·2	14·5	13·7	12·2	10·9	10·0	9·4	10·9	11·8	13·2	16·6
21.	20·3	22·0	22·3	22·9	23·1	23·7	23·1	22·8	24·2	25·5	26·3	27·8
22.	20·0	19·2	18·6	17·0	14·9	14·0	12·0	10·2	9·8	10·0	10·2	11·8
23.	15·2	16·2	17·2	21·4	21·1	21·2	16·2	17·0	15·3	18·0	19·0	20·8
24.	15·6	14·9	11·2	9·1	7·2	5·9	3·8	3·2	6·0	10·0	13·1	16·0
25.	28·9	29·0	29·1	30·0	29·2	30·0	30·1	31·0	31·9	32·9	34·1	35·0
26.	33·9	34·3	36·1	37·0	37·2	37·0	36·6	36·2	36·2	35·9	35·8	35·0
27.	22·8	20·9	20·1	18·0	17·0	16·0	15·9	15·1	17·0	20·0	21·0	21·9
28.	8·2	7·3	6·8	5·8	6·0	6·9	8·6	8·2	10·0	12·7	14·0	16·0
29.	11·2	11·6	10·7	9·4	8·6	7·6	6·1	7·2	10·6	11·1	13·4	15·0
Mean.	17·99	17·77	17·38	17·18	16·48	16·58	16·35	16·41	17·53	19·20	20·68	21·82

Self-registering Instruments, during the Month of February, 1908.

Hour Ending												M
1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Midnight	
34·8	31·8	29·0	26·2	24·2	22·0	20·0	18·1	16·5	15·0	14·0	13·0	25·29
12·1	13·0	13·5	14·0	13·7	12·0	11·2	12·3	12·9	12·7	12·7	12·6	11·42
12·7	11·9	12·1	10·2	9·2	7·8	3·2	2·0	1·0	0·2	0·0	1·8	— 9·70
— 7·0	— 5·1	— 3·8	— 3·7	4·7	— 6·0	— 7·5	— 8·0	7·7	— 9·0	— 9·1	— 9·8	9·31
17·9	19·2	18·9	18·6	19·1	19·9	20·9	21·1	22·0	23·2	24·8	26·0	13·10
28·0	26·5	24·9	24·5	23·1	23·0	22·2	20·7	19·8	18·9	18·0	17·2	25·10
14·3	15·9	17·2	15·8	14·0	12·8	11·3	11·8	11·1	10·2	7·2	5·2	11·85
— 2·2	— 0·1	0·2	1·1	0·2	1·0	— 1·9	— 2·0	— 2·9	— 3·6	3·1	— 3·1	2·00
13·0	13·8	14·8	15·0	15·0	12·8	10·9	9·0	7·8	7·2	7·2	6·9	4·47
28·2	31·0	29·0	29·7	29·1	28·8	28·1	26·2	27·1	25·0	21·8	20·5	20·13
35·6	35·9	36·9	36·2	35·0	33·0	31·1	30·0	29·2	27·8	26·8	27·0	26·73
32·7	33·0	33·8	34·0	34·3	35·0	35·8	36·8	37·1	37·6	37·8	37·2	32·60
43·2	44·2	44·9	44·2	44·0	43·2	42·7	42·0	41·1	40·9	39·9	39·0	40·70
35·9	35·7	34·3	34·0	34·2	34·8	35·1	35·3	35·2	35·0	34·9	34·7	36·18
32·6	31·0	28·9	26·8	26·0	26·0	26·0	26·0	25·9	26·0	25·3	24·9	30·87
28·2	27·1	26·0	28·0	26·8	25·0	23·0	22·9	21·8	21·1	20·0	20·1	24·30
19·2	18·2	17·6	17·2	16·0	14·2	13·0	11·9	11·5	11·2	11·1	9·8	15·13
25·7	26·0	25·9	25·2	24·2	22·9	22·2	25·0	25·4	25·8	26·2	26·9	19·86
22·6	22·2	22·8	21·0	19·4	18·8	17·8	17·0	16·1	15·8	15·4	15·9	22·33
18·8	20·0	21·8	22·3	22·0	21·1	22·0	21·0	21·2	21·0	19·8	20·8	16·92
29·0	29·7	29·9	30·8	29·0	27·8	27·7	26·0	25·7	23·1	21·1	21·2	25·21
13·0	14·0	17·0	19·1	18·1	17·9	18·0	19·0	19·1	11·9	14·1	15·0	15·29
23·0	23·0	22·7	24·0	23·0	23·0	22·5	22·8	23·9	2·9	18·8	19·7	19·94
18·9	20·0	20·8	21·9	21·9	21·2	21·1	22·3	24·6	26·0	25·4	27·2	16·20
35·6	36·9	37·2	36·5	35·8	36·2	36·1	34·2	33·2	33·1	33·8	33·9	33·67
34·0	34·3	34·0	33·0	31·9	31·0	29·9	29·0	29·0	28·0	27·9	27·3	33·27
20·7	21·8	20·0	15·6	13·1	11·7	9·9	10·1	10·2	10·0	9·4	9·1	16·16
18·0	19·0	19·1	18·8	17·6	15·2	14·3	13·7	11·3	10·4	11·2	11·1	12·12
15·7	17·3	18·6	19·0	18·2	17·2	16·3	15·1	14·2	13·3	11·2	10·9	12·90
22·56	23·01	23·04	22·72	21·84	20·94	20·10	19·70	19·32	18·65	18·13	17·71	19·30

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1. . .	11·9	12·9	11·3	15·1	19·2	20·0	22·8	22·3	22·1	23·0	22·7	22·0
2. .	23·7	24·0	23·9	24·0	23·8	23·9	24·2	22·9	23·0	24·2	25·9	27·4
3	26·9	25·0	24·6	23·7	23·9	23·8	23·8	24·2	24·1	25·0	25·7	25·9
4. . .	14·9	12·6	12·0	11·2	9·9	9·7	9·0	13·2	18·0	23·1	24·3	25·6
5	20·2	19·9	19·9	19·8	18·9	19·0	19·0	21·6	25·0	29·2	31·0	31·8
6	31·5	31·2	31·1	31·1	31·6	30·4	30·4	32·8	33·0	33·2	33·2	34·2
7	39·6	38·2	37·0	36·2	34·8	33·7	33·0	31·9	32·1	32·6	34·0	34·8
8	33·2	34·0	33·2	33·8	34·0	34·0	34·2	34·9	35·1	35·9	37·8	38·1
9. .	31·0	28·3	24·0	21·8	19·1	16·3	15·0	13·7	12·8	14·2	16·2	18·0
10.	18·9	18·0	16·6	15·1	15·0	15·1	14·9	15·6	18·8	21·0	22·0	23·0
11. .	27·0	27·2	28·1	28·2	28·0	29·8	33·8	37·0	38·0	40·4	42·0	42·9
12. .	40·0	28·9	37·1	36·5	36·1	36·0	35·1	37·3	40·1	40·3	41·0	42·0
13.	34·0	34·0	34·0	34·1	34·2	34·7	36·1	38·2	41·5	43·9	44·2	45·9
14. .	29·0	28·1	27·8	27·1	26·9	27·0	27·6	29·3	33·2	35·0	35·9	38·1
15. .	36·8	37·3	37·1	38·3	39·2	38·2	37·9	38·0	38·1	38·0	38·3	37·9
16.	31·9	31·8	31·4	31·6	31·2	31·3	32·1	33·8	26·0	27·7	24·6	24·2
17	11·9	15·0	16·0	17·0	20·0	21·2	22·2	22·2	23·0	21·8	21·0	25·9
18	22·0	21·0	20·1	20·0	20·0	21·0	22·0	23·8	25·5	24·9	26·0	27·2
19. .	28·0	27·6	26·1	25·8	26·1	27·0	27·3	26·0	26·2	27·6	27·7	29·1
20. .	18·0	17·1	17·0	16·7	16·0	14·9	15·0	19·8	24·0	25·9	26·2	28·0
21.	25·1	24·8	25·0	26·0	26·0	25·1	25·9	27·2	29·8	33·9	35·9	37·6
22. .	33·3	34·1	34·1	34·2	34·1	34·0	34·7	35·9	37·2	38·0	39·1	41·0
23.	39·1	38·9	39·0	38·8	38·2	38·1	38·0	38·1	38·1	38·8	38·9	40·4
24	37·1	36·8	35·9	35·2	37·8	37·0	36·1	38·0	39·9	40·1	41·2	39·8
25. . .	19·2	19·0	18·1	17·8	16·8	16·0	14·8	16·9	20·0	21·4	22·0	23·0
26. .	24·0	23·7	32·8	33·0	38·0	41·9	42·8	44·0	47·0	50·9	51·7	55·7
27	38·7	38·0	37·8	37·1	36·4	36·0	36·2	35·7	34·7	33·7	32·0	31·0
28. .	31·6	31·1	31·9	32·1	33·0	33·0	33·0	34·0	34·2	36·1	42·0	48·6
29. .	31·1	31·0	30·9	30·7	29·9	29·6	29·8	29·7	30·7	31·1	32·1	34·0
30. .	32·9	32·2	31·3	31·0	31·0	30·7	31·0	35·0	38·1	40·6	41·9	42·7
31.	33·0	32·2	32·8	33·8	33·9	34·0	34·6	35·1	36·0	38·0	40·8	41·8
Mean.	28·64	28·19	27·77	27·64	27·84	27·82	28·15	29·29	30·49	31·92	32·81	34.12

Self-registering Instruments, during the Month of March, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
°	°	°	°	°	°	°	°	°	°	°	°	°
21·4	22·9	24·0	24·0	26·0	25·6	26·2	24·6	25·0	23·6	21·3	22·6	21·48
28·0	29·2	29·9	29·1	29·3	29·0	29·1	28·8	27·8	26·0	26·8	27·0	26·29
27·1	27·6	26·2	26·0	25·2	25·0	24·1	33·0	20·2	18·3	17·1	15·9	23·85
25·9	26·0	26·9	27·0	26·7	26·0	25·1	24·6	24·0	21·4	20·8	19·7	19·90
32·2	32·5	32·0	31·6	30·7	29·9	30·0	29·9	30·1	30·9	31·2	31·1	26·98
34·3	34·7	34·9	36·1	38·0	38·0	37·8	43·6	42·8	41·2	39·8	39·0	35·16
35·8	36·7	37·2	36·3	36·8	36·0	34·6	34·1	34·2	34·2	34·1	34·0	35·06
38·1	37·6	39·1	38·9	38·6	37·8	37·1	37·0	36·3	35·8	35·0	34·6	36·09
18·2	19·2	19·8	20·9	20·3	20·0	19·0	18·1	18·1	18·1	18·8	19·0	19·16
24·2	25·7	25·9	26·8	26·5	26·8	26·9	27·0	28·0	28·0	28·0	27·1	22·29
43·9	45·0	46·1	45·9	44·8	42·0	40·2	39·7	38·8	39·9	40·3	41·0	37·92
43·0	42·0	40·2	40·0	38·0	36·2	35·1	35·0	35·0	34·8	34·3	34·1	37·84
45·6	43·8	42·8	41·0	38·7	36·2	34·2	33·0	31·8	30·2	29·9	29·0	37·12
38·2	39·0	39·0	39·2	39·0	38·9	38·8	38·7	39·2	39·8	38·1	37·0	34·57
36·9	36·8	37·7	37·4	36·9	35·9	34·8	35·0	34·9	33·9	33·0	32·0	36·68
25·0	23·9	23·0	22·0	20·2	18·2	17·2	16·0	15·0	14·7	14·2	14·4	24·22
27·2	28·9	28·9	29·1	27·0	26·9	27·5	28·8	28·9	29·0	26·9	24·0	23·89
27·1	27·9	28·1	28·0	28·8	28·8	28·4	27·2	27·4	28·1	29·0	29·0	25·47
28·5	28·2	29·8	30·1	29·0	27·8	25·2	23·8	23·2	22·0	20·7	19·0	26·32
29·5	30·8	30·7	30·2	29·2	29·0	28·0	27·1	26·2	26·0	25·8	25·2	24·01
38·7	40·3	41·0	42·0	40·4	38·1	36·5	36·0	35·2	34·7	33·9	33·2	33·01
44·0	44·9	44·9	44·1	43·9	42·9	42·0	41·9	40·9	41·0	39·8	39·0	39·12
41·9	41·9	42·9	43·0	43·0	41·8	38·9	38·2	37·4	37·0	35·7	35·3	39·22
36·2	32·8	32·2	30·2	28·0	24·2	22·8	22·8	21·3	20·1	19·8	19·7	31·89
23·8	24·2	25·8	26·1	26·1	26·2	26·8	28·1	30·1	31·9	32·8	33·3	23·34
60·0	62·2	61·8	61·0	61·0	60·1	58·2	46·0	41·9	40·1	40·3	39·3	47·39
30·8	30·9	30·9	30·8	31·0	31·3	31·8	31·8	31·8	31·6	31·8	32·0	33·49
51·6	50·1	46·8	42·2	41·1	39·0	36·0	34·7	33·3	32·2	31·7	31·2	87·10
34·1	37·0	38·0	36·8	35·9	34·3	33·4	33·2	33·2	33·2	33·1	32·9	32·74
43·6	44·6	44·6	43·1	42·1	40·1	39·0	37·0	35·9	35·0	34·1	34·0	37·15
41·9	41·8	42·0	42·0	41·2	41·8	41·1	39·9	38·8	37·8	37·6	36·0	37·83
34·73	35·13	35·26	34·87	34·30	33·35	32·45	31·76	31·18	30·66	30·18	29·70	31·18

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	34·1	33 1	32·2	29·0	26·9	25·7	25·0	26 4	27·5	27 7	27·7	27·9
2	35 0	36·2	34·9	33·0	32·9	32·9	32·0	32·1	33 4	34·1	33·2	35 0
3.	24·9	24·1	23·2	22 3	21·6	21·1	21 8	23 0	25·2	27·0	26 7	29 2
4	23·1	22·0	21·0	20·0	19·0	18 2	19·0	22 6	25 9	26·2	27·2	29·0
5	29 2	29·0	28 2	29·2	29·8	30·0	31 0	33 0	34·1	35·2	36 8	37·0
6	37 7	36 2	34·2	33·8	33·8	34·1	35·0	40 2	45·0	48 2	47·9	49 9
7	45 0	44·1	42 2	41·4	41·1	41·0	41 0	40·4	40·0	41 9	45·1	46 3
8	34·2	33 8	33·8	33·0	33·0	32·7	32·2	32 8	32·9	33·0	33·3	33 0
9.....	30·3	29 8	30·0	30·6	29·9	30·0	30·8	32·0	33·0	35·4	36 2	37 4
10.	34 1	33 8	32·8	33·0	33·1	33 8	34·2	37 0	39·0	40·7	42·0	43 0
11*.....	42 7	43 0	46 0	44 5	38 8	37·9	38 2	41·2	43·7	41·9		
12												
13.....	36 2	37 0	37 2	38·1	42 2	43 3	41·0	41 2	42·0	42 8	43 8	43·9
14.	32·7	32·7	32 2	31 9	31·9	32·0	35 2	38 0	40·9	42 0	43·9	45·0
15	45 2	46 9	48·0	46·0	47 8	49 7	51·0	52·8	51 3	51 6	49 8	52·2
16	29 1	28·0	27·2	26·1	25 1	24·0	24 8	26·7	28·0	29 1	30·9	32·1
17... ..	28·1	28 9	29·1	29·2	29·7	29·9	31·0	34·0	37·0	38 7	39·8	40·2
18.....	38 7	36 0	35 7	35 2	35·7	36 7	37 9	40 4	39 9	39 9	37·7	38·0
19	38 2	39 2	39 8	41 0	41 2	42·0	42 8	44 4	44·8	45 8	44·7	42 6
20	33 9	34 0	34 2	34·0	32 0	32 9	33 1	33·0	34 9	39 8	40 8	42·3
21.....	32 6	32·0	32·1	32·0	31 3	31·1	33 2	36 9	39 0	40 9	42·1	44 7
22.....	38 9	39·2	40 9	40·2	40 7	40·0	39 9	41·0	44 3	49·0	57 6	64·0
23.....	54 2	53 0	51·8	50·1	47·2	46 2	49 0	55·0	60 0	61·0	61 9	59·0
24.....	47 2	47 3	47 7	47 7	48 8	49 2	50 0	52·9	54·0	51 9	53·1	53·7
25.....	51·0	49 4	48 9	50·0	49·7	50 9	50 0	49 9	49·0	49·9	50·0	54·7
26. . ..	53·0	49 3	49·0	50·9	51·0	50 2	48·0	57·6	57·0	62·0	65·2	62·0
27.....	55 0	54 9	56 4	56·0	54 7	53 0	52 2	51·7	51 2	50·3	50 2	47 2
28* . .	46 2	47·2	46 2	45 8	44·3	44 0	44·0	46·0	49 0	48 0		
29												
30												
Mean..												

* From 10 a.m. on 11th to 4 p.m. on 12th Gas Co. was fixing the meter. After 10 a.m. on 28th the thermograph was dismounted. Daily

Self-registering Instruments, during the Month of April, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
29·0	29·7	30·6	30·2	30·5	31·1	32·0	32·8	33·0	33·2	34·0	34·8	30·17
31·7	31·6	32·0	31·8	31·0	30·1	29·0	28·7	28·0	27·6	26·1	25·8	31·59
30·7	31·2	31·0	30·0	28·8	27·6	25·8	25·8	25·2	25·2	24·3	24·0	25·82
30·1	30·8	31·9	32·3	32·1	31·9	30·8	29·2	28·5	27·8	28·0	29·0	29·54
37·0	37·6	37·2	35·9	36·2	37·1	37·0	38·0	38·9	36·1	36·9	40·0	34·60
49·7	51·0	52·3	50·2	51·2	51·4	51·8	51·0	51·2	50·6	47·2	46·2	44·99
46·9	47·3	48·1	46·4	44·0	42·7	40·9	39·0	38·8	37·9	37·2	35·8	42·27
33·9	35·9	35·3	35·3	35·3	35·7	34·7	33·2	32·1	31·2	30·2	30·2	33·33
40·1	40·6	40·9	41·0	40·0	40·0	38·1	37·2	36·3	36·2	35·4	35·1	35·26
44·0	44·5	46·0	47·7	45·9	45·0	45·9	46·1	45·2	46·0	45·0	43·2	40·91
												38·40
			39·0	37·1	37·3	36·2	35·9	36·2	36·2	36·1	36·1	35·85
45·3	46·8	48·0	48·0	46·0	44·1	41·9	39·2	38·0	36·8	35·1	34·0	40·90
46·0	48·0	48·5	46·4	46·0	46·2	45·9	45·1	44·0	42·8	42·0	44·1	40·98
51·0	45·2	41·7	39·2	41·2	41·0	38·7	35·8	34·2	33·2	31·2	30·2	43·95
32·8	32·7	33·0	32·2	32·0	31·9	30·9	30·2	30·0	28·8	27·9	27·9	29·22
39·0	40·1	42·0	40·0	39·2	37·7	37·1	36·9	36·2	36·8	37·4	38·0	35·66
38·7	38·7	38·2	38·4	38·2	38·9	39·8	39·9	40·0	40·0	39·9	39·0	38·40
43·6	45·1	45·8	46·0	45·0	44·4	42·2	40·6	38·9	37·1	35·4	34·7	41·80
43·2	44·2	44·9	44·8	37·2	37·9	36·0	34·9	33·7	32·8	31·8	31·3	36·32
46·1	47·0	47·1	47·2	46·2	46·1	45·0	42·9	40·9	39·8	38·0	38·0	39·68
68·0	70·8	72·1	73·6	73·0	68·0	64·4	64·0	62·0	59·3	58·7	55·9	55·23
55·5	54·1	53·7	54·0	54·0	52·2	51·1	50·0	49·0	48·2	47·8	47·7	52·74
54·2	54·8	56·9	56·9	55·7	55·2	54·7	53·0	49·9	51·0	53·9	51·7	52·14
59·0	60·8	61·0	62·1	60·9	58·5	57·2	55·0	52·2	51·0	50·1	54·8	53·58
62·3	63·9	64·1	64·1	64·4	62·3	61·7	59·2	60·2	58·8	57·0	55·0	57·84
50·5	52·0	59·2	60·0	58·0	56·6	54·7	53·2	51·0	49·0	48·0	46·8	52·99
												46·10
												43·05
												35·80
												46·54

means for 11th, 12th, 28th, 29th and 30th obtained from 8 a.m. and 8 a.m. eye readings.

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1												
2												
3												
4												
5												
6												
7												
8												
9												
10.												
11												
12												
13*												
14	45·7	46·6	46·8	47·2	47·1	47·8	47·0	46·2	46·0	48·2	51·8	52·1
15	51·7	52·0	50·2	49·6	49·9	48·9	47·1	47·0	46·9	45·9	46·0	47·4
16	46·2	46·0	45·6	45·1	45·1	45·2	45·9	46·9	49·1	53·0	56·0	57·1
17	51·2	49·9	48·4	47·8	46·6	49·7	53·2	57·8	61·0	62·7	65·1	64·8
18	53·0	53·9	52·3	52·1	51·1	55·2	61·4	66·2	69·0	70·4	71·2	69·8
19	54·0	53·9	53·3	53·8	55·0	56·0	57·8	58·0	60·3	62·0	62·3	62·0
20	58·3	59·1	58·2	57·0	57·2	57·0	58·5	59·9	62·0	61·9	57·2	63·0
21	63·1	63·0	62·8	62·0	62·8	62·9	62·6	62·2	62·0	61·9	62·8	65·1
22	59·2	58·9	57·9	56·8	57·2	57·6	59·0	60·0	60·9	63·0	68·1	70·0
23	59·2	57·2	56·8	57·0	56·0	58·0	62·9	69·8	71·0	73·6	73·0	76·0
24	59·2	58·9	57·1	56·3	55·0	57·0	60·8	68·0	70·9	71·9	72·1	70·4
25	56·6	55·9	55·1	54·0	54·0	59·9	63·2	68·7	70·6	70·6	70·2	70·2
26	59·0	58·8	57·8	57·0	58·0	60·0	62·3	65·9	63·0	63·1	64·5	67·0
27	58·8	58·0	57·2	58·0	58·0	62·0	66·0	70·3	72·0	72·7	74·1	75·3
28	60·0	58·6	57·1	56·2	55·9	58·6	62·8	67·1	69·3	72·7	76·0	78·0
29	63·9	63·0	60·7	59·9	59·7	60·2	65·0	72·0	75·9	79·0	80·9	80·2
30	67·0	66·1	64·6	64·9	63·0	62·3	56·8	57·8	60·9	61·6	63·1	64·9
31	57·1	57·0	56·4	56·9	57·2	58·0	60·9	64·0	66·0	66·3	68·2	67·2
Mean.												

*Before 9 p.m. on the 13th, the instrument was discontinued. Daily means from 1st to 13th inclusive obtained from 8 a.m. and 8 p.m.

Self-registering Instruments, during the Month of May, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
												40·70
												40·00
												41·95
												44·75
												49·55
												44·15
												41·10
												43·30
												45·15
												49·10
												60·70
												59·30
				50·2	49·6	48·2	48·0	47·7	47·0	45·2	45·3	49·90
52·1	54·9	55·0	53·0	52·0	50·1	50·1	50·3	50·0	49·6	48·0	49·8	49·48
47·1	47·6	47·9	48·8	48·7	48·1	47·9	47·0	47·0	47·2	47·1	46·8	48·08
58·4	62·0	63·0	62·1	60·0	60·2	59·0	61·6	59·8	56·3	53·0	52·0	58·69
65·0	65·2	67·8	67·0	67·0	66·0	63·8	61·0	59·0	57·0	56·0	54·3	58·64
68·9	68·9	67·9	66·0	65·0	63·8	62·3	61·8	61·4	59·0	58·4	55·0	61·83
64·8	66·0	64·0	59·9	55·9	60·6	56·7	56·8	57·0	58·1	58·0	57·9	58·67
65·7	68·1	66·7	64·7	60·0	59·9	60·9	61·0	61·1	59·5	60·9	62·9	60·87
65·2	66·8	67·7	66·2	66·0	64·7	63·0	62·7	62·7	60·0	59·9	59·0	63·21
73·0	73·4	73·1	72·1	69·1	67·0	67·8	64·8	62·7	61·1	60·0	59·7	63·85
77·3	78·0	78·5	78·5	77·0	75·2	72·0	67·0	63·0	63·1	61·9	60·2	67·59
70·0	69·0	69·4	68·7	68·5	67·9	67·0	65·2	60·1	58·2	58·8	57·8	64·01
70·1	70·2	70·2	70·0	69·1	66·9	64·0	62·2	61·2	60·8	60·2	60·0	63·91
68·0	71·3	72·3	72·7	72·0	70·2	65·2	64·8	61·6	60·2	59·0	58·1	63·82
76·9	78·0	77·9	78·0	75·0	73·2	73·2	69·7	66·9	63·9	63·1	61·3	68·31
78·9	77·2	76·0	76·1	77·2	76·1	73·9	72·2	68·6	67·0	66·1	64·6	68·59
69·2	72·1	73·2	73·0	71·1	70·7	70·8	69·8	67·7	67·2	67·1	67·0	69·10
65·1	65·5	67·0	65·8	65·6	66·0	63·2	62·8	60·3	60·0	57·3	57·2	62·87
66·4	63·0	64·0	60·3	59·7	58·5	58·1	58·0	57·1	56·0	54·0	53·0	60·14
												55·36

eye readings.

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	53·0	52·9	52·0	50·9	50·2	51·0	54·2	58·2	62·0	66·0	66·8	67·7
2.....	56·3	56·9	56·6	55·9	54·1	55·0	56·8	58·3	64·8	69·3	69·9	69·6
3..	50·0	47·9	46·0	45·0	44·2	48·0	54·8	61·2	65·0	68·9	71·0	70·5
4..	58·9	57·0	56·9	57·8	57·4	58·8	62·3	67·7	74·6	77·2	79·2	77·4
5..	58·2	57·0	56·2	56·0	55·2	58·0	63·8	69·4	72·6	75·2	73·0	72·0
6.. ...	55·3	55·4	55·9	55·2	53·6	54·7	60·2	66·0	71·2	75·0	77·0	77·4
7... .	61·7	60.1	58·0	57·0	56·5	58·8	64·5	70·2	73·9	75·2	78·0	79·8
8.. ..	67·0	63·9	62·6	61·7	61·1	65·3	69·2	74·1	77·9	81·0	83·6	84·3
9..	68·0	67·1	67·0	68·7	68·1	69·6	71·6	76·0	77·1	78·9	80·2	80·1
10.	61·3	59·9	57·9	56·7	54·1	53·3	53·3	58·0	60·6	63·0	64·7	65·7
11.. ...	49·9	49·2	49·2	51·9	51·8	53·0	55·7	59·0	62·1	63·3	65·6	64·2
12.. . ..	53·7	52·3	51·0	50·0	49·0	52·7	58·0	64·6	69·0	68·0	67·0	66·1
13..	53·3	53·8	53·7	53·2	54·2	56·6	59·2	65·1	68·8	71·8	71·0	72·0
14..	67·0	65·2	63·9	63·2	63·0	64·2	65·6	68·0	71·7	73·0	73·2	74·0
15..	55·1	53·0	52·0	49·9	47·6	47·4	50·7	53·9	57·8	61·0	64·0	63·8
16..	47·0	47·0	46·2	45·1	45·0	48·2	53·2	60·2	62·7	65·1	66·9	65·0
17.. . .	51·8	53·8	51·9	50·8	51·6	52·6	55·0	62·8	66·0	66·2	67·7	67·9
18.. .	53·8	54·0	53·1	52·0	54·0	53·0	58·0	66·0	69·8	71·9	71·8	72·8
19..	61·0	60·0	59·2	59·2	59·1	61·3	67·0	73·0	78·0	80·8	82·2	83·8
20.. ..	63·0	64·2	64·6	63·8	62·4	63·6	67·6	73·0	76·2	78·6	79·1	81·0
21.. .	66·9	67·6	67·0	67·1	68·3	69·0	71·1	74·9	76·0	80·8	78·8	79·0
22..	66·0	65·6	65·0	64·2	64·0	66·2	69·8	74·5	75·8	78·8	83·0	80·2
23.. .	66·1	66·2	66·1	65·9	64·5	66·0	67·2	70·0	75·0	77·8	79·5	78·0
24..	67·2	67·0	66·2	65·6	65·0	67·8	71·0	75·8	77·0	77·2	79·9	82·3
25.. ...	60·7	59·0	59·2	59·2	58·9	61·6	64·0	69·0	71·0	73·7	72·9	75·0
26.....	58·0	58·0	57·8	57·9	57·9	60·8	65·0	71·0	72·0	75·8	76·2	76·8
27..	60·2	60·9	59·2	58·8	58·1	57·0	62·8	70·2	75·0	78·0	79·3	80·7
28.....	58·9	57·9	57·0	56·8	56·1	59·1	65·2	70·7	75·3	77·0	76·2	76·9
29.. .	68·8	69·1	68·1	67·9	67·0	68·0	70·9	74·8	76·9	79·4	80·3	81·2
30..	58·9	58·9	57·8	57·0	56·7	57·1	59·4	61·0	67·0	71·0	72·9	74·0
Mean..	59·23	58·69	57·91	57·35	56·76	58·59	62·24	67·22	70·74	73·30	74·36	74·62

Self-registering Instruments, during the Month of June, 1908.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
68·0	68·0	68·9	69·1	69·9	65·9	64·9	63·6	61·0	59·0	57·8	56·2	60·72
69·0	69·2	69·0	67·9	66·2	64·0	61·0	57·8	55·1	53·8	52·8	51·9	60·86
71·1	73·0	73·8	73·4	72·6	70·0	67·8	63·6	60·8	59·1	59·0	61·0	61·57
76·1	75·9	75·6	74·8	72·8	71·0	69·6	66·0	62·9	61·1	60·1	60·0	67·13
72·0	72·2	72·0	71·0	68·2	67·8	65·9	62·8	60·0	58·0	57·0	55·4	64·55
76·2	74·8	70·6	71·2	73·8	73·7	70·0	67·7	65·8	63·3	63·3	62·7	66·25
80·0	80·1	80·0	79·9	79·0	77·9	76·2	74·0	72·0	69·8	68·0	66·0	70·70
84·7	85·0	83·3	83·5	82·2	81·0	77·0	74·3	74·0	73·0	70·3	68·7	74·53
82·0	80·6	79·4	77·9	74·7	71·8	67·9	65·0	63·0	62·0	62·8	62·0	71·73
65·0	65·2	63·8	63·8	62·9	62·2	61·0	57·6	55·0	52·5	51·1	50·0	59·11
61·8	63·0	61·2	60·9	60·9	61·0	60·1	57·2	54·2	53·0	51·8	53·0	57·17
65·8	66·3	66·3	66·9	64·8	61·7	61·1	59·0	57·1	55·0	53·8	53·9	59·71
74·0	74·2	74·2	75·0	72·7	71·8	70·8	68·0	67·0	66·2	66·0	65·8	65·77
72·3	76·4	76·0	76·0	76·9	74·5	70·2	66·0	61·8	60·6	59·9	57·0	68·28
63·9	64·1	64·0	61·2	61·0	60·0	57·4	54·3	52·0	51·0	49·0	47·8	55·91
63·0	63·8	62·3	64·0	63·1	62·4	62·6	60·2	56·0	53·0	53·2	52·2	56·98
67·3	66·8	65·8	66·0	64·1	62·8	61·0	57·2	55·7	54·9	55·0	53·9	59·52
73·2	73·2	71·0	70·0	71·0	70·9	68·0	65·6	63·8	62·6	62·0	61·1	64·15
85·6	85·0	84·1	86·5	83·0	82·0	81·2	69·2	67·7	63·7	63·9	63·0	72·56
81·8	82·3	83·9	82·9	82·3	81·2	79·1	76·3	73·0	70·8	69·7	68·1	73·65
83·0	85·2	84·1	81·8	76·0	75·0	74·2	72·0	71·0	70·6	69·0	68·0	74·02
78·0	72·7	70·8	69·2	70·0	70·0	69·6	68·3	67·2	69·0	69·8	68·0	70·65
77·2	78·3	73·0	70·8	69·9	68·8	68·0	67·2	66·8	66·2	67·7	68·0	70·18
82·9	80·7	80·0	77·2	75·0	73·6	71·4	68·7	66·0	63·1	62·1	61·7	71·85
73·8	73·8	73·0	71·7	70·7	69·2	67·2	64·0	62·0	60·3	59·3	58·2	66·14
76·0	76·0	74·9	73·0	72·2	71·2	70·1	66·8	62·7	61·0	59·0	58·3	67·02
80·0	79·9	79·0	78·1	77·0	75·9	71·7	68·9	67·0	64·2	62·9	60·6	69·14
79·0	79·2	79·0	79·0	78·9	78·0	76·0	73·0	70·1	70·9	69·1	69·0	70·35
82·0	83·0	83·0	81·0	77·5	75·2	73·9	64·8	63·2	61·8	59·3	59·0	72·34
73·0	71·2	74·2	74·7	72·2	71·2	70·0	67·6	65·8	64·9	62·9	60·0	65·81
74·59	74·64	73·91	73·28	72·08	70·72	68·63	65·56	63·32	61·81	60·89	60·02	66·28

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1.....	59·7	60·1	60·7	62·9	63·8	64·2	66·3	70·0	74·9	78·0	79·9	81·0
2.....	59·3	58·0	56·9	55·9	56·0	59·0	62·0	65·0	63·5	63·3	66·0	68·9
3.....	64·2	63·9	63·1	62·0	62·2	62·7	63·9	67·9	69·6	72·4	73·7	73·4
4.....	67·8	67·5	67·8	67·1	66·9	67·0	67·1	67·9	70·0	68·2	71·0	76·1
5.....	67·1	65·9	64·1	63·9	64·8	65·8	68·8	72·8	78·3	79·0	80·0	82·0
6.....	67·1	66·4	65·9	64·4	63·4	65·2	71·0	75·3	78·0	83·3	84·2	87·9
7.....	70·3	69·2	69·1	69·7	70·1	72·2	75·0	78·0	81·0	82·2	82·0	83·6
8.....	56·0	55·9	54·9	54·2	54·2	54·6	56·8	60·5	65·1	65·8	68·6	70·4
9.....	55·4	55·4	54·0	53·7	53·0	56·0	61·0	67·7	72·0	77·0	78·1	78·1
10.....	58·9	58·9	59·1	57·9	55·7	58·8	65·0	71·8	75·7	78·8	79·9	78·8
11.....	60·0	59·0	59·0	58·9	58·3	61·0	66·0	72·9	77·0	81·0	85·0	87·0
12.....	72·0	72·0	71·3	71·0	70·2	72·0	74·7	80·3	85·6	89·2	90·0	90·1
13.....	69·1	68·7	64·0	63·7	64·0	64·9	66·2	64·0	70·0	73·6	78·0	79·1
14.....	65·9	65·3	65·0	64·0	64·1	64·0	67·9	71·0	73·0	74·9	76·0	78·0
15.....	57·0	55·9	55·2	53·9	53·1	54·1	58·0	64·1	69·0	73·0	73·7	72·2
16.....	56·1	55·9	55·8	55·2	55·8	57·9	62·0	67·2	73·0	74·8	77·0	77·5
17.....	62·2	62·8	62·7	63·0	62·8	62·1	61·3	61·2	62·4	62·2	62·6	63·1
18.....	64·8	64·0	63·3	64·2	65·0	66·4	66·0	66·7	68·0	72·0	72·8	77·0
19.....	66·1	65·3	64·1	64·0	63·9	64·1	65·9	68·0	68·0	67·7	69·2	70·8
20.....	59·8	58·3	58·4	58·0	56·2	58·9	65·0	68·5	75·0	73·6	74·1	74·0
21.....	64·4	64·2	64·1	63·9	62·6	63·0	65·4	63·8	64·8	65·0	65·3	66·8
22.....	59·1	58·1	58·2	58·9	58·9	58·9	62·2	66·6	71·0	75·2	78·0	80·0
23.....	62·0	61·0	61·8	61·1	59·9	62·5	66·2	72·0	75·8	76·0	77·0	78·5
24.....	65·6	65·0	64·3	64·0	63·8	66·2	68·9	73·3	75·8	76·0	76·9	76·4
25.....	67·9	67·0	66·2	65·1	64·2	65·0	68·9	74·3	79·1	79·3	78·0	78·4
26.....	64·3	64·0	63·1	62·9	62·1	61·5	61·4	75·0	78·2	81·0	80·7	81·0
27.....	60·0	59·7	60·8	60·0	60·1	61·2	68·0	76·2	82·0	84·7	83·0	84·0
28.....	65·2	64·8	66·0	64·8	61·4	62·8	70·0	75·0	75·1	79·0	83·0	82·0
29.....	67·0	65·9	65·2	64·3	64·0	65·0	71·0	77·2	84·2	86·0	88·0	88·0
30.....	70·9	70·0	68·4	68·2	67·2	68·6	74·1	80·0	83·0	88·0	90·8	90·8
31.....	68·9	68·0	67·7	67·0	66·3	67·2	71·2	73·7	77·0	80·3	83·0	84·2
Mean.	63·68	63·10	62·59	62·15	61·71	63·06	66·55	70·58	74·04	76·15	77·60	78·68

Self-registering Instruments, during the Month of July, 1908.

Hour Ending.											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
80·0	81·0	80·4	79·8	78·8	76·8	74·0	70·6	68·8	65·9	63·5	61·5	70·94
70·8	71·6	71·2	70·1	68·4	67·2	66·2	65·7	64·6	64·9	64·0	64·1	64·72
73·0	73·9	74·3	75·0	75·1	73·9	72·0	69·7	68·0	67·0	66·2	66·2	68·86
76·0	76·9	77·6	78·1	78·3	78·0	77·0	74·6	72·3	72·0	72·0	67·9	71·88
82·7	83·2	83·7	84·0	82·0	79·8	78·0	75·0	73·7	73·0	70·0	68·9	74·43
88·0	88·3	88·7	86·1	86·1	84·4	82·0	79·0	76·9	75·6	73·1	71·2	77·15
79·6	75·0	77·0	72·1	70·9	71·0	68·0	64·0	61·1	59·0	56·2	56·1	71·35
71·2	72·1	73·2	70·3	73·1	72·2	70·0	66·0	62·0	59·1	58·0	56·6	63·37
77·3	77·0	76·8	76·0	75·0	73·8	71·0	68·2	67·0	65·0	61·9	59·7	67·09
78·6	78·8	78·2	76·2	75·1	75·0	72·9	70·2	66·1	64·1	64·0	61·8	69·18
87·0	87·1	86·8	85·1	84·8	82·3	80·9	79·1	77·0	74·8	73·5	72·7	74.84
88·0	88·0	90·0	88·0	86·0	82·1	78·9	75·0	70·9	67·9	67·3	67·8	78·68
82·2	82·8	83·0	79·8	83·0	82·0	74·9	70·8	68·2	67·5	65·4	65·7	72·11
77·6	78·9	79·0	77·6	78·0	76·0	73·0	69·0	65·6	63·0	60·8	58·9	70·27
72·9	72·9	73·0	73·0	71·9	71·2	69·0	65·3	62·2	59·4	58·1	57·1	64·38
74·6	73·2	73·1	72·0	73·8	72·1	69·7	68·0	66·9	64·7	61·6	61·3	66·63
63·0	62·9	63·8	63·5	64·8	65·7	69·9	69·8	69·2	68·3	67·8	66·0	64·30
77·2	78·9	79·9	78·0	77·0	75·0	72·7	70·1	69·2	68·2	67·3	66·9	70·44
69·9	67·8	66·4	70·0	68·7	69·0	68·1	66·8	64·2	62·1	60·1	60·0	66·26
74·9	73·9	73·2	73·4	73·2	70·3	68·0	67·0	66·3	66·2	66·0	65·0	67·34
67·0	68·2	68·5	71·1	69·1	67·8	66·3	65·0	63·2	61·8	60·7	60·0	65·00
80·9	81·8	77·0	78·4	80·1	80·0	76·0	71·0	68·2	66·0	64·2	63·1	69·66
78·1	78·0	77·9	76·3	75·9	74·0	73·0	70·8	67·0	66·4	67·0	66·0	70·18
75·2	75·4	74·3	74·7	74·8	73·0	72·1	70·7	70·0	68·9	69·0	68·7	70·96
78·0	78·1	78·8	77·2	74·6	73·0	71·8	70·0	68·5	66·9	65·7	64·3	71·68
79·1	80·0	79·6	78·1	77·8	77·0	75·1	71·2	67·0	64·0	62·8	61·0	71·62
82·6	83·0	81·8	81·1	80·6	79·9	77·4	72·8	69·6	68·7	68·1	67·0	72·93
83·2	83·7	82·8	81·3	81·0	80·1	79·0	74·0	71·5	70·0	68·9	67·8	73·85
87·0	87·2	87·0	86·3	86·5	84·9	82·7	78·0	75·8	74·1	72·8	71·2	77·47
90·0	89·4	89·0	88·2	86·3	85·0	82·0	78·6	74·2	72·8	71·3	69·4	79·01
85·2	83·1	82·2	80·1	78·0	74·3	71·2	68·8	67·4	66·1	65·2	63·9	73·35
78·41	78·45	78·33	77·45	77·05	75·70	73·64	70·80	68·46	66·89	65·56	64·45	70·63

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1...	63·1	61·8	59·8	56·9	56·0	58·1	63·0	70·0	74·2	76·3	76·0	76·2
2...	67·1	65·9	64·0	62·2	60·8	61·0	66·0	71·8	75·8	78·2	74·8	77·2
3...	61·0	60·0	60·2	61·0	61·9	63·0	65·5	72·0	73·0	74·0	74·7	76·0
4...	67·2	70·2	70·7	68·9	68·9	68·0	71·1	76·0	80·5	84·1	84·0	88·8
5..	66·9	66·0	65·9	66·1	66·9	67·7	68·1	69·0	70·2	73·7	76·1	75·8
6..	64·2	64·0	61·3	61·9	60·9	62·8	66·3	72·0	72·9	76·0	79·0	79·6
7..	65·1	64·6	63·9	64·1	64·0	63·7	65·6	68·3	69·8	72·1	74·8	74·2
8...	61·2	60·8	60·3	60·0	59·7	60·8	63·7	67·6	71·8	74·1	72·8	71·1
9..	58·9	57·2	57·8	57·8	56·8	57·7	63·2	69·0	71·2	73·0	73·0	73·7
10...	62·9	61·6	61·2	61·6	61·6	61·7	63·2	69·3	72·2	75·5	75·2	76·4
11..	65·6	64·9	64·9	64·2	62·0	62·0	64·9	68·0	70·8	74·6	76·4	76·8
12..	63·9	62·8	63·0	61·8	62·7	63·9	65·8	67·6	67·9	67·3	66·2	68·6
13..	71·0	67·6	67·0	66·1	65·1	65·1	66·3	65·3	66·8	68·8	69·6	67·3
14..	61·0	60·2	60·2	60·7	61·5	61·9	64·6	69·6	74·7	76·8	78·0	79·1
15..	62·1	62·1	61·8	61·0	61·1	61·9	64·9	70·0	75·0	76·2	75·4	74·2
16...	59·1	58·9	59·0	59·2	58·9	59·0	63·8	69·0	70·0	70·0	70·0	68·0
17...	66·7	67·4	69·0	68·1	67·2	67·7	68·8	71·6	72·8	75·8	78·0	80·0
18..	60·0	58·2	56·9	55·8	54·0	55·0	59·6	64·2	68·2	70·8	71·3	72·8
19..	57·9	57·6	58·9	60·2	60·0	61·2	62·8	63·0	61·1	61·3	66·2	70·0
20...	50·0	50·1	50·9	49·2	48·0	48·1	50·9	58·9	63·8	66·5	68·2	69·2
21..	53·0	53·1	51·3	49·6	49·1	48·0	54·0	60·3	68·0	71·0	72·8	73·0
22..	56·8	56·0	55·2	55·2	55·9	56·1	60·8	66·2	70·0	75·2	77·0	79·0
23..	48·0	47·6	47·0	45·2	44·9	44·9	49·9	55·6	62·0	67·2	68·1	68·6
24..	50·2	49·1	49·6	50·0	53·9	55·6	54·6	55·2	59·5	63·0	64·0	65·8
25..	53·1	52·2	52·8	52·1	51·1	50·0	54·5	62·8	66·0	67·7	67·2	69·4
26...	54·3	54·0	54·0	53·8	53·1	52·8	56·9	64·2	68·6	70·8	71·0	71
27...	55·2	54·8	54·8	54·0	53·0	52·9	56·4	63·2	69·0	69·6	70·0	70·7
28...	53·8	53·0	52·9	52·9	52·0	51·9	55·8	64·1	68·3	68·2	72·0	72·0
29..	55·9	55·2	54·8	53·2	52·5	52·9	56·8	61·7	67·9	71·0	73·0	74·7
30...	59·1	58·6	57·0	56·1	55·8	56·0	59·8	68·5	74·6	78·0	80·0	79·1
31..	62·0	61·5	61·2	60·2	60·7	61·3	63·1	70·3	76·1	79·7	81·9	82·6
Mean	59·88	59·24	58·95	58·36	58·06	58·47	61·63	66·62	70·09	72·47	73·44	74·25

Self-registering Instruments, during the Month of August, 1908.

Hour Ending.												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
75·0	75 0	74·2	73 0	72·1	72 0	70·9	68 1	67 9	68 5	67 8	67·0	68 45
76·9	76 1	74 4	73 3	73·2	72·5	71·1	67 0	64 9	63 9	63 0	62·1	69 30
78·5	80·1	79·1	76 2	75·0	74 6	74·0	72 0	70 0	69 8	67 8	67·0	70·27
90·0	86 0	89·0	88 2	84 0	80 8	80·3	78 2	77 1	78 0	71 0	67·4	77 85
78·0	80·3	80·8	80 1	79·1	77 6	74·0	69 7	66 0	63 9	63 2	63·9	71·21
80·1	81 1	81·0	80 7	79·8	78 0	76·0	72 6	71 9	68·9	69 0	66·0	71 92
74 7	72 2	72 0	72·9	74·3	72 2	70·0	67 1	65 8	63 9	62 1	61·9	68 30
71·0	72 9	73·1	73 0	71·1	69 8	69·8	66 0	63 9	62 0	61 1	60 0	66 57
71·2	73 0	73·0	72 8	72·9	72 0	70·0	67 0	64 9	65 0	64 8	63·0	66 62
78·0	77 5	76·8	75 9	73·9	72 0	70·9	69 1	68 2	67 0	66 1	66·1	69 33
76·1	76 0	75 0	75 1	74·6	74 0	72 0	68 2	66 8	65 9	65 0	64·8	69 53
70 2	71 8	73 4	74 3	73 7	69 9	67·7	68 0	70 1	70·9	71 5	72·0	68 13
67 0	68 0	68·9	68 1	68·7	67 6	66 0	64 0	63 0	62 0	61 7	60·8	66·37
81 9	81 9	81·8	81 1	80·7	78 0	74·2	71 0	68 0	65 2	64 9	63·7	70 86
73·2	73 0	72 4	71 8	69·9	68 6	67 0	62 9	61 6	61 1	60 8	58·9	66 95
67·5	68 0	67·9	68 4	68 4	67 8	67·8	67 4	67 9	67 9	67 1	67·0	65 75
80 1	81 0	81·8	80 2	81 2	76 2	74·8	73 0	69 9	67 0	64 8	62·0	72 71
73·0	73 0	74·2	74 9	74·0	72 2	69·2	65 0	60 3	58 0	56 9	58·9	64 85
71·1	71 8	70·9	69 3	67 0	64 2	61 8	58 8	57 7	54 2	52 0	50·9	62 12
69 5	69 3	69 8	70 5	70 0	68 0	65·0	62 0	57 6	56 0	53 9	52 3	59 90
73·2	72 9	72 0	72 0	71 1	69 8	66·0	60 0	57 4	56 0	57 8	57·9	62·05
77 8	69·8	69·2	71 1	70 0	67 0	63·0	59 9	57 0	53 8	50 1	49·0	63·38
65 9	66 6	67·9	68 0	67·4	66 3	64·0	59 0	55 0	52 5	51 2	51·1	57 65
68 0	68 8	68·0	67 7	65 4	64 9	61·2	57 8	55 2	54·3	54 2	54·0	58 75
68·0	67 8	66 3	66 4	66 0	64 0	61 7	59 0	57 2	56 1	55·0	54·1	60 02
70·0	68 9	68 8	68 0	67·0	65 9	63·0	59 0	57 6	57 9	57 2	56·8	61 89
70·0	69 6	68·8	67 9	66·8	65 4	63·8	61 5	58 0	57 0	56 5	54 8	61 82
72 8	73 0	71·0	69 0	67·2	66 0	64·0	62 0	60 4	60 9	59 9	56·3	62 48
74 9	75 0	74·8	73 4	72·8	71 0	68·7	64 8	63 6	62 0	61 2	60·0	64 66
79·3	80 9	80 7	79 8	78·8	76 6	72 0	68 0	66 0	64 7	63 2	62·8	68 95
83 0	83 7	82·9	82 1	81 0	78 6	72·3	71 0	67 3	65 5	64 8	64·0	71 53
74 58	74·35	74·19	73 72	72·84	71·08	68 78	65 78	63·81	62·57	61·47	60·55	66·46

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	63·0	61·9	61·1	59·6	58·5	57·9	60·0	69·0	74·1	78·5	81·1	83·2
2..	62·2	60·1	59·0	58·8	57·8	56·2	58·2	54·0	59·8	61·2	62·0	60·7
3..	51·0	52·0	52·8	52·9	48·9	48·0	51·5	56·5	60·2	62·9	65·4	67·0
4..	46·0	45·0	44·1	44·0	43·8	44·0	48·2	57·0	65·1	67·8	70·7	72·6
5..	53·2	52·0	51·0	51·0	50·2	50·1	53·5	63·2	69·4	74·6	77·2	79·6
6..	63·7	63·4	64·1	64·3	63·7	64·8	65·5	66·0	69·0	71·2	76·3	74·0
7..	54·9	54·6	54·1	54·2	52·1	51·8	55·0	61·8	65·8	67·7	69·2	71·0
8..	49·2	49·1	48·4	48·6	47·1	47·1	49·2	55·6	64·0	66·5	69·0	69·6
9..	52·3	51·0	50·9	50·0	49·0	48·0	51·0	59·8	66·8	71·3	75·9	78·8
10..	63·3	63·8	61·2	61·7	60·9	59·0	59·7	62·2	67·7	76·3	80·6	82·0
11..	62·8	64·0	62·9	61·9	61·0	60·0	63·2	68·0	73·3	80·0	76·7	79·3
12..	66·2	65·0	63·0	62·2	61·1	60·8	61·0	64·0	68·6	72·0	74·0	72·0
13..	55·2	54·8	53·8	53·2	53·0	52·7	53·9	60·8	67·0	73·0	77·2	77·2
14..	64·8	63·9	62·3	59·9	56·0	55·0	57·1	62·0	68·7	70·0	70·9	69·3
15..	52·0	51·1	50·6	50·7	49·9	50·1	52·0	59·6	64·8	66·1	67·1	67·6
16..	52·8	51·8	51·1	51·0	50·6	50·2	51·0	57·0	63·0	67·6	69·0	68·2
17..	46·8	46·9	46·1	46·0	46·0	45·2	46·2	53·7	62·0	69·1	72·0	71·1
18..	51·8	51·2	50·4	49·7	49·8	50·0	50·4	54·8	61·8	65·8	68·9	73·0
19..	64·1	62·9	62·9	62·1	62·2	62·0	62·1	63·2	63·2	60·0	58·0	58·0
20..	52·9	52·1	51·0	50·2	50·1	49·9	51·0	57·8	62·8	67·1	68·0	69·1
21..	54·0	53·8	53·0	53·1	52·8	52·3	54·0	59·7	63·3	66·8	69·2	72·0
22..	62·0	61·9	61·3	60·9	59·9	59·1	59·7	61·9	66·0	69·1	71·1	71·0
23..	60·0	59·1	58·1	57·9	57·3	57·0	56·8	60·2	67·0	73·1	73·9	76·5
24..	72·0	70·2	69·2	68·6	66·7	64·6	65·0	70·1	75·2	78·0	79·1	78·5
25..	65·7	66·0	66·0	64·8	63·2	64·2	64·0	66·0	69·0	71·8	73·5	76·0
26..	60·9	59·8	60·0	60·0	59·1	57·9	57·9	60·0	64·3	68·0	70·0	72·8
27..	62·0	61·2	60·9	60·0	59·6	58·8	58·5	62·0	66·3	70·1	73·0	74·1
28..	63·8	63·2	63·1	63·2	64·0	63·9	64·1	65·2	66·2	67·0	67·9	69·2
29..	46·9	46·0	45·2	45·0	44·1	44·0	44·4	49·0	51·0	51·1	53·0	55·9
30..	38·9	38·2	39·3	39·8	40·2	38·8	41·0	47·5	54·0	54·9	55·0	57·8
Mean	57·15	56·54	55·90	55·51	54·64	54·12	55·50	60·42	65·31	68·62	70·51	71·57

Self-registering Instruments, during the Month of September, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
81·0	82·1	80·2	80·8	80·2	76·7	72·0	71·7	69·3	67·0	65·6	64·0	70·77
59·1	59·0	62·0	60·0	56·0	55·8	55·8	55·0	53·2	53·9	53·9	53·9	58·02
68·0	69·0	68·5	67·2	66·5	65·0	59·0	56·9	54·0	51·1	50·0	47·0	57·97
73·5	74·7	72·9	73·0	72·2	70·1	63·0	58·0	60·2	60·3	58·9	55·2	60·01
80·2	80·1	79·5	79·0	77·6	74·9	70·0	70·0	68·9	66·0	65·0	63·9	66·67
76·2	74·2	74·5	73·1	70·2	67·9	64·9	61·9	59·1	57·2	55·5	54·9	66·48
69·2	68·0	67·1	66·9	66·9	65·5	64·2	61·0	58·2	55·0	53·9	51·0	60·80
69·0	69·2	68·6	68·0	67·0	65·0	61·9	58·9	56·0	55·0	53·9	53·0	58·72
80·2	80·9	80·9	79·4	77·7	74·9	70·8	66·8	63·0	61·2	63·2	62·9	65·28
84·0	86·0	85·0	85·0	83·0	78·0	75·0	72·0	69·7	68·0	65·6	64·8	71·44
78·7	80·0	80·5	81·0	80·0	77·2	73·8	72·0	70·3	69·8	68·9	67·8	71·37
71·0	70·0	70·1	70·2	70·9	68·8	64·1	62·5	60·2	58·9	57·8	56·2	65·44
78·2	77·8	77·0	76·0	75·3	70·4	66·8	70·0	70·1	69·0	67·0	66·1	66·48
68·7	67·0	65·5	64·6	63·9	62·3	57·9	54·0	52·8	52·5	51·9	52·0	61·38
67·2	67·3	66·2	65·9	64·6	63·0	60·7	59·0	58·0	57·0	53·8	52·0	59·01
68·1	67·8	67·0	66·2	64·9	61·2	56·8	53·5	52·0	50·0	48·1	47·6	57·79
70·0	70·0	70·0	69·2	68·2	63·7	59·9	57·2	55·6	54·0	53·2	53·0	58·16
75·0	77·4	78·6	78·2	76·9	75·9	71·0	66·7	65·0	64·8	63·3	64·8	63·97
59·0	59·6	60·6	60·0	59·7	58·2	55·9	54·1	54·0	53·3	54·6	54·0	59·32
68·0	66·0	65·9	65·8	64·8	63·0	60·2	57·0	56·1	55·1	54·6	54·0	58·85
72·9	74·8	76·0	75·1	74·0	70·0	68·0	66·2	64·9	63·0	63·3	62·9	63·96
71·4	70·9	71·0	71·3	71·0	68·2	65·0	63·7	61·9	62·0	63·4	62·0	65·24
80·0	81·1	81·3	80·1	78·0	73·9	71·8	70·4	69·0	68·6	72·2	71·1	68·93
78·0	79·0	78·0	77·9	77·0	75·0	71·2	69·0	68·0	66·2	66·7	65·8	72·05
75·0	74·5	74·3	73·2	71·8	69·0	66·8	65·0	64·0	63·9	62·8	61·2	67·99
74·9	75·2	74·9	74·9	73·2	69·9	66·4	65·9	64·9	64·0	63·3	63·7	65·90
75·0	75·1	74·9	74·0	72·9	71·0	69·8	69·1	67·9	66·1	64·9	62·2	67·06
70·8	70·0	67·0	71·3	60·0	57·0	54·2	53·7	52·9	51·0	49·3	48·0	61·50
53·0	54·3	51·9	51·3	50·0	47·8	47·0	46·3	45·8	45·2	44·1	41·0	48·07
60·1	59·1	57·9	56·0	56·8	55·8	54·3	54·0	53·0	49·7	49·8	53·0	50·20
71·85	72·01	71·59	70·82	69·71	67·17	63·93	62·06	60·60	59·30	58·61	57·61	62·96

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	51·4	50·2	47·2	46·8	44·1	45·2	45·0	49·0	53·0	57·4	56·8	56·2
2..	42·0	42·0	41·7	40·2	39·7	38·2	39·6	41·8	46·0	49·0	50·9	52·2
3..	35·9	35·9	34·2	34·0	33·9	32·2	33·9	43·7	46·0	52·0	54·8	57·0
4..	45·1	45·2	45·7	45·0	44·1	44·3	45·0	51·2	57·2	64·0	66·0	65·8
5..	51·8	51·0	50·5	50·0	49·4	49·0	48·7	49·0	49·2	50·8	52·2	54·2
6..	46·5	45·9	46·0	45·8	44·8	45·0	46·0	47·9	50·7	52·8	54·6	57·1
7..	46·7	46·0	46·0	45·9	45·2	45·9	46·1	49·0	54·0	58·8	63·0	64·8
8..	54·8	54·1	53·7	53·2	53·0	53·0	52·6	53·1	54·1	55·0	54·9	55·6
9..	46·6	46·1	44·0	41·1	41·0	40·2	40·3	44·9	48·0	50·9	53·0	53·7
10..	38·4	37·3	36·8	36·4	38·1	37·0	38·0	48·0	55·0	57·0	57·2	57·0
11..	54·8	54·2	53·8	52·9	52·0	51·7	51·6	52·0	52·8	56·1	57·9	56·0
12..	32·0	31·8	30·8	29·1	29·0	28·9	29·3	37·2	40·8	44·6	46·9	49·0
13..	35·2	34·5	34·0	34·0	33·3	32·9	33·0	39·9	47·2	52·6	56·1	58·4
14..	39·2	39·2	37·2	36·3	36·0	35·8	35·9	40·2	51·0	59·2	62·3	65·8
15..	52·0	50·0	48·0	46·8	47·4	48·2	48·0	52·7	59·4	64·1	67·3	70·8
16..	52·9	51·2	51·0	50·0	48·6	47·0	46·7	51·2	60·0	65·3	68·3	71·1
17..	49·3	48·0	48·0	47·0	46·0	45·1	44·9	50·1	59·3	62·2	67·1	71·0
18.....	46·7	46·2	45·9	45·0	44·9	44·1	44·6	49·7	57·6	63·3	67·0	71·0
19..	60·0	58·0	56·7	55·8	54·1	52·0	51·0	51·0	52·5	54·9	57·9	59·1
20..	44·5	43·0	42·1	42·0	42·0	43·0	42·6	43·8	47·0	48·0	49·0	50·4
21..	40·0	39·1	38·4	38·0	38·0	38·1	38·7	39·9	45·7	50·3	52·4	54·0
22..	48·0	47·0	45·9	44·8	46·0	46·1	46·7	47·7	50·0	51·5	54·0	56·1
23..	45·2	44·1	43·7	42·0	43·0	45·2	43·1	45·2	48·8	51·8	54·0	56·9
24..	55·3	56·0	57·1	56·0	56·3	57·0	57·1	57·0	57·8	58·2	59·0	60·9
25.. ..	58·7	58·2	57·8	57·2	57·1	56·9	56·8	57·2	61·3	63·3	64·2	65·8
26..	55·8	56·1	56·1	56·0	55·9	55·9	54·8	55·2	56·0	55·2	56·2	56·0
27..	45·6	47·9	48·8	46·7	44·9	45·0	45·0	45·1	47·0	49·0	51·1	53·0
28..	49·0	49·5	49·1	49·1	49·0	49·5	49·2	49·3	49·0	49·1	49·0	48·9
29..	44·7	42·8	42·1	41·8	39·7	38·8	38·6	42·0	48·0	50·9	55·0	56·0
30..	40·7	39·2	39·0	38·0	37·1	37·2	38·0	38·6	40·8	41·9	43·0	42·6
31..	36·2	34·8	34·4	34·0	32·1	32·0	32·2	33·3	33·3	34·6	34·0	36·1
Mean..	46·03	45·05	45·30	44·64	44·06	43·82	43·98	46·96	50·92	53·99	55·97	57·47

Self-registering Instruments, during the Month of October, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
56·3	54·0	54 1	52 2	51·1	48 2	46·0	46·0	45·8	44 8	43·2	43·1	49 47
52·9	52 0	51 1	50 1	48·0	45·3	43·2	42·0	41·0	39 2	38·2	37·1	44 28
55 9	55 9	56 2	56 8	56·4	53 0	53·9	52·3	49·9	46 8	44 9	45 2	46 65
3 7	62 1	59 1	57 3	56·8	54 2	52 4	51·1	51·0	51 1	51 8	52·0	53 38
57·3	56 2	55 6	54 8	53 0	51 2	50·1	49·5	48 3	47·9	47 0	46 7	50·97
59 2	60 2	59·2	59 1	58·1	56 8	55·1	53·0	51·2	50·0	48 4	47·5	51 70
66·0	66·8	66 9	64 0	61·0	59 2	56·8	56·0	57·2	57·9	57 1	55 2	55·65
55 6	55 7	55 0	54 2	53 6	52 3	51·9	50·5	49·1	49 0	48 0	47·8	52·91
54·0	55 0	55 2	55 0	53·8	49 2	47·8	46·1	43 8	43 0	43 0	41 9	47·40
57·2	56·3	54 9	53 8	53·1	53 1	53·1	52·9	53·0	53·8	54 2	54·9	49·44
50 1	47 9	48 0	46 2	45 0	42 0	42·0	41·9	41·8	39 3	36 8	34 2	48 37
48 2	47 8	47·1	47 1	47·1	46 6	46·7	46 0	44·7	42 0	39 0	36 2	40 33
60·1	60 1	59 8	58·3	56·9	54 8	51·6	48·7	45·1	44 7	42 0	41 1	46·43
67 0	67 0	66 8	65 0	64 1	60 2	55·2	52 0	52·7	53 0	52 9	52 0	51 92
72 9	73 8	71 2	69 7	68·0	65 2	64 0	60 4	58·9	57·0	56 0	55 9	59 49
72·2	72·2	72 0	69 0	68·3	60 4	56·4	54·9	52·1	51 8	50 1	49 1	57 99
70·0	70 8	70 7	69·9	67·0	61·7	57·0	55 0	52·4	50 0	48 9	47 4	56 63
70 1	73 2	72 0	76 6	74 0	72 0	70·2	67·0	63·2	61 0	61 3	62·0	60 36
59 6	57 0	56 0	55 0	53·4	51 0	49·0	47·8	46·8	45 1	45 0	45 3	53 08
51·1	51 2	50 5	50 0	49·0	48 6	48·1	48·2	47·6	47 0	47 2	41·4	46 57
53 3	53 2	52 0	51·2	50·0	49 0	49·8	50 6	51 0	50·0	49 1	48 9	46 78
56·1	56 8	55 7	53 9	52·6	51 0	49·8	49·7	48·2	47 7	46·5	45 8	49 86
57·1	57 7	56 9	56 0	54·2	52 6	52·0	53·8	54·0	54 0	53 6	54 2	50 75
60 0	57 5	57 0	57 1	57·9	58 8	58·9	60·2	59·0	58 6	58 7	58 9	57 86
65 3	65 2	66 3	65·0	63 3	61 2	59·9	58 9	59·0	58 8	57 1	56 0	60 44
56·0	57 7	59 6	57 0	55·1	52 8	52·1	50·0	48 3	47 0	46 0	46·2	54 04
57·0	57 1	56 0	55 2	54 1	53 2	52 0	52·0	50·8	51 0	50 0	49·9	50 35
49 1	49 0	48 8	49 2	48 9	48 6	48 4	47·9	47·7	46 4	44 9	44 8	48·48
56·9	54 1	53 6	53 0	53·0	51 8	50·2	48·9	47·1	47 0	45 2	42 6	47·67
42·1	42 0	42 2	42 8	38·7	38 2	38·0	37·8	36·2	35 1	34 3	35 8	39·18
36·2	36 7	37 0	37 0	36 0	34 9	34·1	33·3	33·4	34 0	33 8	32·7	34·42
57 69	57 49	56·98	56 18	54·89	52·79	51·50	50·46	47 36	48·52	47 55	46·83	50·41

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	32·0	31·7	31·1	30·8	30·1	29·0	28·0	29·2	32·8	35·8	38·1	39·2
2..	27·8	27·4	27·1	27·0	29·0	30·8	32·1	33·8	36·1	38·2	43·3	46·
3..	39·0	38·0	37·0	35·8	35·8	39·8	40·0	40·8	41·2	46·0	50·8	56·0
4..	49·2	42·9	38·0	35·9	32·8	30·0	28·9	28·3	30·2	31·0	31·7	31·4
5..	27·7	27·0	28·0	28·1	28·1	28·9	29·2	30·6	32·8	36·0	38·0	39·6
6..	33·0	33·8	33·6	34·0	32·0	32·9	33·7	34·1	35·0	35·2	36·1	37·5
7..	37·2	38·0	38·0	38·2	38·2	38·0	38·0	38·0	39·1	39·9	42·0	43·0
8..	40·8	40·9	41·1	40·8	40·0	39·8	39·2	39·7	41·2	43·2	45·6	45·7
9..	42·9	44·0	44·8	45·0	44·9	44·8	43·7	43·2	45·5	48·1	47·2	50·7
10..	31·9	32·0	34·0	36·0	36·5	37·8	38·1	39·0	39·8	41·2	43·2	44·0
11..	40·0	40·0	39·9	40·0	39·9	40·0	40·2	39·0	37·0	37·1	37·9	37·2
12..	29·9	29·0	28·9	28·3	28·1	26·9	26·1	26·7	29·3	30·4	31·9	35·7
13..	29·0	29·0	29·9	31·0	31·0	31·6	32·2	32·5	34·7	36·0	39·0	38·1
14..	33·0	32·0	32·1	31·0	30·0	29·9	29·9	30·0	31·8	33·2	35·1	36·2
15..	28·8	28·0	26·0	24·2	24·1	24·2	24·4	24·8	26·2	28·0	30·2	31·8
16..	29·9	32·0	32·2	31·3	31·2	30·9	30·3	29·9	31·1	32·2	33·9	34·1
17..	30·0	29·1	28·2	27·8	27·8	25·2	23·0	26·0	29·2	31·2	32·3	33·3
18..	38·8	38·8	37·3	37·2	37·0	36·3	36·2	36·1	36·9	37·9	39·0	39·4
19..	37·8	37·8	38·0	38·9	39·8	40·0	41·0	41·9	42·2	42·8	43·9	45·9
20..	36·8	36·0	35·0	34·9	35·9	33·6	32·2	31·0	35·5	38·1	43·0	42·2
21..	32·0	30·0	29·2	28·9	30·0	29·9	30·1	28·8	34·0	40·0	45·0	47·2
22..	33·8	32·8	32·0	31·3	31·4	31·9	31·8	32·2	34·8	37·0	41·0	43·2
23..	37·9	38·0	38·1	38·0	38·1	39·8	39·1	39·9	41·9	44·0	48·0	49·2
24..	46·0	47·0	47·1	47·6	47·1	47·3	47·6	48·0	47·9	48·0	49·2	53·7
25..	49·7	49·9	50·0	50·0	48·9	47·6	46·0	45·0	47·0	50·2	54·8	54·0
26..	53·9	54·0	53·8	54·1	53·2	53·7	53·9	54·0	55·0	56·8	58·0	56·0
27..	42·8	42·0	42·0	41·8	41·2	40·9	40·9	41·0	40·8	40·2	40·3	39·2
28..	37·1	37·0	36·1	34·0	33·0	33·0	32·8	33·0	34·9	36·1	37·8	39·2
29..	36·9	35·8	34·8	36·2	33·1	32·0	31·1	30·8	34·7	38·0	40·8	42·1
30..	41·8	41·2	41·3	41·1	41·4	41·7	41·9	41·7	42·0	43·0	45·5	46·1
Mean.	36·91	36·50	36·15	35·97	35·39	35·61	35·39	35·62	37·38	39·16	41·42	42·57

Self-registering Instruments, during the Month of November, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
°	°	°	°	°	°	°	°	°	°			°
39·9	40·8	41·0	40·0	37·8	35·1	34·0	32·4	31·0	29·8	29·0	28·0	33·61
47·5	47·0	47·0	46·9	45·5	45·4	44·9	43·5	42·1	41·0	40·9	40·9	38·80
57·9	57·8	56·9	54·7	53·7	53·0	52·6	55·0	56·2	53·9	53·1	53·0	48·23
31·7	32·2	31·2	29·2	28·0	26·7	25·8	24·6	25·1	26·0	27·0	27·1	31·04
40·1	41·1	40·1	39·9	38·1	36·1	34·2	33·9	33·0	32·0	31·1	30·9	33·52
38·2	38·9	39·7	40·2	40·8	40·9	40·9	40·8	38·9	37·9	37·1	37·1	36·76
43·9	44·1	43·6	44·0	42·8	40·8	39·8	40·0	40·9	40·9	41·0	41·0	40·43
46·8	46·7	46·0	44·7	43·0	42·0	42·1	42·0	41·9	43·2	42·1	42·3	42·53
49·7	50·7	49·9	48·8	45·8	42·7	40·0	37·0	36·1	35·0	34·1	32·9	43·65
43·8	42·8	42·1	42·3	42·2	42·2	42·0	42·0	41·1	40·1	40·1	40·0	39·76
39·6	40·6	40·8	39·5	38·8	36·8	35·2	35·8	35·9	33·8	33·8	31·0	37·95
34·0	36·2	34·2	32·9	32·4	31·7	30·7	30·2	30·0	29·9	29·2	29·0	30·48
39·1	38·3	37·0	37·0	36·2	36·1	35·9	35·1	34·6	34·2	34·1	33·8	34·39
36·8	34·0	33·8	33·8	33·2	33·2	33·9	33·9	31·6	30·9	28·7	28·7	32·36
32·8	33·6	33·8	33·1	31·9	31·2	31·0	30·8	30·3	30·8	29·8	28·2	29·08
34·2	32·2	32·2	33·0	32·3	31·2	30·0	28·8	28·6	29·3	30·2	30·6	31·32
34·0	33·8	33·0	33·4	33·0	34·0	34·4	34·8	35·3	37·2	38·2	39·0	31·80
39·4	40·3	41·6	41·0	40·1	40·0	39·5	38·9	38·6	38·0	38·0	37·9	38·51
48·0	50·0	50·8	49·3	48·0	46·8	46·0	45·9	43·9	43·6	40·2	38·0	43·33
41·3	40·6	39·8	39·0	38·2	37·1	34·2	36·0	38·2	37·0	34·9	33·9	36·77
47·7	46·3	46·1	45·8	42·6	38·0	36·0	37·0	35·3	34·1	33·9	33·9	36·74
44·0	44·7	44·2	43·7	41·2	40·1	38·1	38·2	37·2	37·8	37·2	38·0	37·40
51·0	52·9	51·9	51·7	48·9	46·8	46·0	46·3	46·3	46·3	46·9	46·0	44·71
53·0	52·2	52·0	52·8	51·8	50·3	50·2	49·5	48·6	48·4	48·8	49·0	49·30
55·0	56·0	57·8	56·9	54·1	53·2	53·8	53·1	54·8	54·0	53·9	53·8	52·06
59·5	62·0	59·0	55·8	52·1	48·9	47·1	47·6	46·2	45·2	44·2	43·5	52·81
39·0	38·4	38·1	37·9	38·1	38·2	38·2	38·3	38·3	38·6	38·4	38·0	39·69
42·7	45·3	46·2	45·0	43·0	42·0	40·3	40·1	39·9	39·0	38·9	37·6	38·50
44·2	47·1	47·6	47·3	45·2	43·9	43·2	43·1	43·2	43·0	43·1	42·7	40·00
48·0	52·2	52·1	53·0	53·0	51·8	56·7	56·0	54·9	54·0	50·8	49·3	47·52
43·43	43·96	43·65	43·09	41·73	40·54	39·89	39·69	39·27	38·81	38·29	37·84	39·10

TEMPERATURE at Toronto Observatory, for each Hour, from

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
1..	48·2	48·8	48·9	48·6	47·0	45·0	42·0	38·0	37·9	37·6	37·1	35·8
2...	21·1	21·0	20·7	20·0	19·9	19·0	18·7	18·2	20·0	21·8	22·9	23·6
3...	19·0	19·1	19·0	19·0	19·0	18·9	19·1	19·6	21·8	24·1	24·7	26·0
4...	32·8	33·7	34·0	34·0	34·0	34·0	34·4	34·8	35·9	33·7	32·9	33·4
5...	25·9	24·9	24·0	18·0	17·1	17·0	16·7	15·9	16·2	17·9	21·1	21·9
6...	18·2	20·0	20·0	18·9	18·1	18·2	18·9	25·0	27·8	29·8	29·8	30·1
7...	32·8	33·0	33·0	32·9	33·1	33·3	36·0	35·1	35·3	35·5	33·8	32·8
8.....	25·0	24·2	23·0	22·0	20·9	19·2	18·6	19·0	21·0	22·0	23·0	23·0
9.....	22·2	22·6	22·2	22·3	22·2	22·0	23·0	23·2	24·2	25·2	25·9	26·1
10.....	9·9	7·2	7·1	7·3	6·8	6·1	7·8	9·2	11·8	15·0	17·2	19·6
11..	27·3	27·2	28·9	30·0	31·9	34·0	35·9	37·0	37·1	37·0	37·7	37·9
12...	32·2	31·8	31·9	29·9	29·2	29·1	29·5	28·0	27·1	27·2	29·8	30·3
13...	25·4	29·9	29·8	30·7	33·2	33·8	33·0	32·8	32·6	31·2	31·6	31·2
14...	21·0	23·4	22·3	22·0	23·0	24·8	26·2	25·8	28·0	29·1	32·6	35·9
15..	38·0	38·1	37·9	37·1	37·6	37·0	37·2	35·2	37·0	40·0	40·8	40·1
16..	31·0	31·8	32·1	32·2	33·1	24·0	34·3	34·1	34·8	35·8	36·2	37·0
17...	30·2	30·0	29·1	28·8	27·9	26·9	26·1	26·0	26·9	27·0	26·1	24·2
18...	24·6	25·1	25·5	22·0	23·0	22·8	22·2	22·2	23·0	21·1	21·2	22·0
19...	29·2	29·0	29·1	29·2	29·3	29·0	30·0	31·0	32·0	32·7	33·1	33·4
20...	29·2	29·0	27·9	27·9	27·0	27·0	27·2	28·0	27·8	28·0	29·2	30·0
21...	31·1	32·0	32·1	32·2	30·4	32·5	33·5	33·9	32·6	31·2	33·0	33·7
22...	25·0	23·6	21·6	19·1	18·2	18·0	17·2	16·0	17·8	20·4	23·0	23·8
23...	13·8	14·2	15·1	15·4	15·2	15·1	15·2	15·9	17·2	19·8	21·0	21·7
24..	23·9	24·9	27·2	28·0	30·0	32·2	34·9	35·4	36·0	36·8	37·3	38·4
25..	38·2	37·0	36·5	36·2	36·1	36·2	36·8	37·0	36·9	36·0	36·1	36·3
26...	34·8	34·8	33·9	33·6	32·1	31·2	29·8	28·5	28·6	29·0	29·1	29·9
27...	32·9	33·0	33·4	33·9	34·0	34·9	35·2	35·0	36·3	36·5	37·1	37·7
28...	29·0	29·9	30·2	30·3	30·0	29·2	29·0	28·9	29·9	30·9	31·2	33·0
29...	33·0	32·2	32·8	32·8	31·0	30·2	28·8	27·4	29·0	32·3	34·9	36·0
30...	35·7	36·0	36·6	37·0	35·0	35·2	35·6	36·9	38·9	40·3	40·6	40·8
31....	31·3	29·9	28·3	27·2	26·1	25·8	25·0	25·0	25·1	26·0	27·1	29·0
Mean.	28·10	28·28	28·10	27·70	27·45	27·47	27·67	27·71	28·58	29·38	30·23	30·76

Self-registering Instruments, during the Month of December, 1908.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
33·2	31·0	29·5	27·5	26·1	25·7	24·9	25·0	23·0	23·8	22·8	22·0	34·56
23·8	22·7	22·7	20·2	19·9	19·9	20·1	19·4	20·3	20·0	19·1	19·0	20·58
27·2	29·0	30·1	31·8	31·0	31·0	31·0	31·1	32·0	32·8	32·8	33·8	25·95
33·2	33·6	34·0	33·8	32·8	32·6	32·3	30·1	29·1	28·0	27·2	27·0	32·55
20·0	19·0	18·8	17·7	17·0	15·9	14·9	14·8	15·8	15·3	15·9	17·1	18·12
30·0	29·3	29·9	29·2	29·2	29·9	31·8	33·1	33·2	33·1	32·0	32·1	26·98
31·9	32·1	31·8	30·5	29·0	28·9	29·6	29·0	27·0	26·2	25·0	24·5	31·34
22·2	22·3	23·1	23·0	22·6	22·7	22·7	23·0	22·5	22·3	22·2	22·2	22·15
26·7	26·0	25·0	23·9	21·3	19·8	17·8	15·6	14·6	13·0	12·6	11·2	21·19
22·0	24·0	25·2	25·1	25·1	25·2	25·4	26·0	26·8	27·0	27·8	28·0	18·00
37·6	37·1	37·1	36·9	36·0	35·4	34·9	34·0	33·8	33·7	33·2	33·0	34·36
31·2	31·1	30·9	29·9	27·9	26·1	25·1	25·1	25·1	25·8	24·7	24·8	28·49
31·8	32·0	32·2	33·2	32·7	29·7	26·8	24·3	23·8	25·0	24·1	21·8	29·67
37·3	37·3	38·0	38·1	38·9	38·8	38·3	38·7	38·2	38·0	38·0	38·0	32·15
40·0	39·3	39·7	38·3	37·1	37·0	36·0	34·9	33·8	33·2	32·7	32·9	37·18
36·6	35·6	34·8	34·1	33·9	33·2	33·0	32·8	32·2	32·0	31·4	30·9	33·62
22·0	21·3	21·0	21·8	21·0	24·9	22·0	22·0	26·8	26·6	26·0	24·8	25·39
23·0	25·2	24·9	25·2	26·0	28·2	28·9	28·9	28·2	27·9	28·7	30·0	24·99
33·8	33·8	33·9	32·2	32·1	32·0	32·1	32·2	32·2	32·3	30·9	30·0	31·44
30·0	29·7	28·9	28·0	27·2	27·0	27·1	28·8	27·2	27·2	29·0	30·0	28·26
33·0	34·0	32·1	31·6	29·9	29·0	27·6	26·1	26·1	26·1	26·0	25·2	30·62
22·0	21·9	22·0	21·8	20·9	18·8	18·7	18·6	17·1	17·0	15·6	14·2	19·65
24·0	26·0	27·7	26·9	26·0	25·0	22·9	21·6	21·8	21·2	22·0	23·1	20·32
39·2	39·0	39·8	39·3	39·0	38·9	39·0	39·0	39·0	39·0	39·0	39·0	35·59
36·0	35·8	34·8	34·7	34·1	34·0	34·0	33·9	33·8	33·6	33·8	34·6	35·52
30·8	31·2	30·8	30·9	30·2	30·0	29·4	29·2	27·9	29·8	31·0	31·9	30·77
37·8	37·0	36·2	34·0	32·7	32·0	32·0	32·1	31·9	31·1	30·8	29·4	34·00
33·0	33·2	33·2	33·8	33·9	34·0	34·7	35·0	35·3	35·1	33·2	33·0	32·04
36·2	36·9	37·0	36·1	34·0	32·8	32·0	32·2	34·0	34·8	35·9	35·9	33·26
41·9	42·0	42·2	41·1	39·2	39·0	38·2	38·0	38·2	35·0	34·0	33·6	37·96
30·0	28·8	28·7	27·4	25·8	25·1	25·8	25·0	24·9	23·9	23·0	22·0	26·51
30·88	30·88	30·84	30·26	29·44	29·11	28·68	28·37	28·25	28·06	27·75	27·58	28·81

Bi-hourly Temperature, from Self registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of January, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean
1	18·1	17·1	18·9	18·4	24·0	26·1	22·9	22·2	18·4	17·6	13·7	17·1	19·5
2	18·5	15·3	17·4	18·6	19·5	22·5	23·7	23·7	21·3	17·6	19·1	20·2	19·8
3	17·1	15·7	11·4	8·4	15·1	16·2	19·9	20·4	19·2	17·3	17·3	16·6	16·3
4	16·7	20·1	22·5	21·8	23·4	25·7	28·0	26·9	28·7	29·0	30·0	34·7	25·6
5	23·6	11·8	4·8	1·7	1·5	4·6	6·3	6·7	4·1	3·5	2·3	4·1	6·3
6	5·5	6·5	6·5	11·0	15·0	18·8	25·6	26·4	26·6	27·8	27·0	29·0	18·8
7	27·0	24·4	22·6	22·0	24·9	29·5	30·5	31·2	31·0	28·7	27·7	28·0	27·3
8	30·0	31·3	30·7	30·2	29·9	32·3	32·5	31·3	31·0	29·7	28·5	27·3	30·4
9	28·0	27·0	26·5	25·5	19·0	17·5	10·0	8·4	6·5	5·0	2·9	1·7	14·8
10	1·7	1·7	2·3	4·1	4·5	- 1·3	- 0·2	0·9	0·5	2·5	1·1	4·7	0·8
11	6·9	0·1	0·7	1·8	- 0·8	3·9	8·0	12·1	9·5	11·3	12·4	12·9	6·3
12	11·8	12·0	12·7	15·2	17·7	20·0	22·0	24·3	25·0	24·8	24·2	24·0	19·5
13	23·8	23·8	23·8	24·8	23·8	24·8	25·0	24·5	24·0	23·8	23·2	22·6	24·0
14	21·0	14·0	8·5	4·9	4·2	7·6	11·9	2·2	9·0	6·2	4·0	— 0·1	7·8
15	1·5	- 2·4	2·5	1·0	— 2·0	0·5	2·7	3·6	3·8	— 1·0	1·7	1·6	0·3
16	0·8	4·7	11·2	11·5	30·6	32·6	23·2	14·6	9·5	5·0	3·0	2·4	12·7
17	2·5	2·5	6·1	7·5	12·7	18·4	21·0	23·2	23·8	24·2	23·7	23·9	15·8
18	23·8	23·4	22·8	20·8	18·8	19·8	22·0	22·0	24·6	27·8	28·1	22·2	23·0
19	23·1	16·5	8·1	1·3	0·2	0·6	0·2	2·1	3·2	1·5	0·4	— 0·4	3·9
20	1·8	0·3	1·0	1·8	2·8	9·2	9·5	12·0	11·2	9·2	9·2	13·8	6·5
21	29·5	29·5	29·5	29·0	23·0	30·0	34·0	36·4	36·5	38·5	35·0	35·1	32·2
22	37·0	38·5	36·7	38·4	38·0	37·3	38·5	33·0	25·0	20·5	17·7	14·3	31·3
23	7·0	4·4	1·1	0·7	0·7	0·3	1·4	1·1	- 0·4	0·2	0·8	0·3	1·2
24	0·0	0·0	— 0·7	1·3	- 1·5	1·9	6·2	9·2	7·0	5·0	3·0	4·6	2·8
25	2·3	0·3	1·2	5·2	10·0	16·0	20·0	23·1	22·4	24·8	25·7	26·5	14·7
26	26·3	22·0	20·0	18·7	16·3	12·9	11·4	8·8	6·8	9·8	13·1	16·4	15·2
27	19·2	19·0	18·4	18·7	29·5	12·0	6·6	3·4	0·5	— 0·4	— 0·7	— 1·6	10·4
28	2·5	— 4·0	6·7	8·0	5·7	0·0	3·8	4·4	5·0	3·0	2·5	7·9	0·0
29	22·8	15·5	8·5	1·7	0·8	1·0	0·9	0·4	— 3·7	- 7·6	— 5·6	— 6·6	2·2
30	8·7	12·9	—16·3	18·1	18·5	—17·0	—16·0	—12·3	14·3	15·5	-16·4	16·2	-15·2
31	16·8	—14·8	—14·0	—10·8	8·3	— 3·0	1·0	3·6	3·2	3·0	0·9	0·8	— 4·9
Mean	13·3	11·6	10·6	10·2	11·6	13·5	14·5	14·5	13·3	12·4	11·9	12·4	12·37

BI-HOURLY TEMPERATURE, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of February, 1908.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	- 6·7	8 8	- 3 9	- 1·9	13 0	12 0	11 0	9 6	10·0	9·0	8 8	9 1	5 1
2	10 1	10 8	12 5	8 2	5 4	4 6	3 3	3 3	3 5	0·0	- 1·7	3·4	4·7
3	- 7 3	- 9·5	8 2	8 5	- 5 8	2 4	- 2 5	- 1 9	- 3 2	- 5·0	- 5 7	- 7 5	- 5·6
4	- 9 0	12 2	-15 7	18 5	18 5	15 5	15 3	-13 3	-13 3	-14·3	16 7	-17 5	-15·0
5	-18 0	-17 9	-19 2	-19 6	18 1	10 6	- 10 4	- 9 5	- 9·6	-10·5	- 8 0	- 6 4	-13 2
6	4 0	12·1	13 5	16 0	19 0	21 5	24 5	26 5	27 7	26 2	19 7	23 0	18 8
7	19 8	17·0	17 0	15 0	10 8	11 9	12 0	8 5	6 0	6·3	3 7	1·6	10 8
8	0 0	- 2 5	3 4	6 8	8 4	- 7 0	5 9	- 3 6	6 6	6 7	7 3	8 0	- 5·5
9	3 8	- 3 5	6 2	- 9·4	8 0	3 2	0 5	2 7	2 2	1 9	0 9	0 7	- 2·1
10	0 0	- 0·1	1 6	1 5	4 1	6 2	11 1	12 7	12 2	13·9	14·0	15 8	7 8
11	18 6	18 0	18 2	22 9	20 9	25 6	27 3	29 8	26 8	26 3	23 2	17·9	23·0
12	16 2	12 5	9 0	7 7	8 0	11 5	15 0	17 8	15 3	13 9	13 8	16 8	13·1
13	17 4	27·8	29 8	31·0	31 4	32 3	33 2	33 8	34 0	35·0	35 4	34 8	31·3
14	37 0	36·0	36 5	36·0	38 0	38 0	39 0	38·0	37 5	35 2	34 3	35·0	36 7
15	35 1	33 6	33 2	33·4	33 4	33 4	33 2	33 3	33 4	34·0	34 1	29·5	33·3
16	26 5	22 2	18 7	17·2	19 8	20 3	21 1	20 3	18 2	16 4	16 3	16·0	19 4
17	13 9	11 0	9 5	8 0	9 3	17 2	21 0	20 9	19 0	13 3	8 2	5 7	13·1
18	2 2	1 0	1 0	2 4	0 3	4 2	6 9	8 7	8 4	6 6	7 0	5 5	4 0
19	5 3	6 5	4 5	3 5	6 5	8 5	12 3	11 7	11 1	11 3	12 5	13 5	8 9
20	13 3	13·5	14 3	14 2	15 5	18 0	20 3	16 9	13 6	12 5	12 0	11 7	14 6
21	11 9	12·1	14 5	16·0	23 8	19 3	26 1	27 5	27 4	27 1	27 0	26 7	21 6
22	27 1	24 6	19 1	16·0	14 3	18 2	17 0	14 0	10 5	7·9	5·0	6 1	15 0
23	3 0	0 3	0 7	1 5	3 6	7 5	8 6	9 3	9 4	9·0	7 3	5 2	5·3
24	1 4	1 5	4 0	2·2	6 2	11 2	12 7	13 9	13 2	9 0	8·6	7 7	7 6
25	5 9	7 2	9 9	11 5	17·8	24 0	25 7	28 1	27 7	27·5	28 8	28·7	20·2
26	27 4	25·5	26 7	28·0	30 6	31 9	33 8	33 8	33 5	33 7	35·5	34 0	31 2
27	33 9	38 0	31 3	30 2	30 4	32 4	32 8	33·1	31 4	28 5	25 8	23 0	30·5
28	22 7	21 2	18 8	14 3	12 9	15 2	17 8	18 3	16 3	12·7	11 1	11 7	16 1
29	10 2	9 2	11 7	5 8	6 7	8 6	10 2	13 5	14 0	12 5	11·0	12 4	10 5
Mean	10·7	10·5	10·2	9·4	11·1	13 6	14·1	15 8	14 8	13 6	12·6	12·1	12·45

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of March, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	13·0	11·0	7·0	5·0	11·0	11·0	19·0	19·0	18·0	17·0	16·0	15·0	13·5
2	15·5	14·9	16·0	19·9	18·8	18·1	18·3	18·0	16·0	17·0	15·0	15·0	17·9
3	14·7	14·3	14·8	15·2	18·5	21·1	21·8	24·3	22·8	21·2	20·8	20·1	29·1
4	19·6	18·4	17·0	16·8	18·0	20·5	23·0	25·3	24·2	22·3	21·8	21·1	20·7
5	18·5	17·0	15·9	15·9	17·8	22·4	24·0	25·2	24·3	22·0	20·0	17·8	20·1
6	15·5	11·7	10·2	17·8	13·4	19·9	23·3	30·2	25·3	26·5	28·7	31·0	20·3
7	15·0	15·5	15·5	15·5	15·5	15·0	15·0	14·7	14·5	14·0	14·0	14·0	14·9
8	30·5	29·8	29·4	29·2	32·4	35·8	37·0	37·2	34·5	34·0	34·5	35·4	33·3
9	35·3	34·4	33·8	25·5	13·7	15·9	15·9	14·9	14·3	11·5	10·0	8·2	19·5
10	4·2	2·6	2·1	4·5	9·7	14·1	16·8	17·9	17·0	14·0	13·8	14·0	10·9
11	13·9	14·0	13·2	14·8	17·4	22·5	29·8	31·4	37·0	37·9	35·5	26·1	24·5
12	28·8	26·1	29·0	26·0	26·6	32·0	31·2	30·5	29·6	28·3	27·8	23·5	28·3
13	21·7	18·0	18·0	16·5	22·0	37·0	39·6	41·0	40·0	39·8	37·7	37·0	30·7
14	36·0	34·8	33·8	32·2	35·2	36·0	35·7	35·3	34·0	33·1	34·0	32·8	34·4
15	33·3	34·2	34·8	36·0	36·8	38·8	38·3	38·2	39·0	39·1	35·0	34·5	36·5
16	14·6	14·0	14·0	14·0	14·0	14·5	15·0	15·0	15·5	16·0	16·0	15·7	14·8
17	4·2	2·1	1·3	1·4	3·5	6·5	8·4	9·8	10·7	10·0	10·0	10·2	6·5
18	6·4	4·8	4·0	4·0	8·2	14·0	19·4	22·0	23·0	22·8	23·2	23·0	14·6
19	22·2	21·3	21·6	22·0	23·5	25·6	27·0	28·7	29·0	27·0	23·8	19·5	24·3
20	17·0	17·5	13·5	13·3	16·2	21·0	21·1	22·2	20·7	18·8	18·3	17·9	18·1
21	16·8	15·4	15·1	16·2	24·0	28·4	31·8	32·6	32·4	30·2	28·1	28·6	25·0
22	27·3	25·7	26·5	28·3	31·7	35·7	39·0	42·0	40·9	38·9	37·2	37·0	34·2
23	35·6	35·0	32·4	33·0	37·0	36·3	36·3	38·1	38·3	40·7	39·0	38·3	36·7
24	37·7	36·5	35·3	34·8	34·0	37·0	39·1	36·5	34·0	29·0	19·6	14·2	32·3
25	9·2	5·2	2·7	2·4	4·8	8·0	9·6	10·7	11·5	11·2	12·0	12·7	8·3
26	13·2	25·8	27·2	31·3	35·3	38·7	41·2	42·0	44·0	46·3	44·6	43·0	36·1
27	36·2	35·0	32·2	25·9	27·2	26·8	29·1	29·0	28·8	28·6	28·8	28·0	29·6
28	28·5	30·5	32·0	32·1	33·1	35·7	39·9	38·9	42·1	36·2	35·6	34·8	35·0
29	31·2	29·7	28·5	26·5	25·1	27·4	29·4	29·8	29·0	29·2	28·8	28·0	28·6
30	27·8	28·3	25·3	26·2	31·2	34·7	36·0	36·0	36·7	34·5	31·5	32·3	31·7
31	31·8	32·0	30·8	32·3	36·8	40·5	43·7	45·0	41·5	37·0	35·5	34·2	36·8
Mean	21·8	21·1	20·4	20·1	22·4	25·5	27·6	28·4	28·0	26·9	25·7	24·6	24·38

BI-HOURLY TEMPERATURE, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of April, 1908.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	25·0	19·2	16·8	17·3	19·5	22·0	24·3	24·8	26·2	25·0	24·8	26·1	22·6
2	28·1	30·7	30·0	31·7	32·2	33·5	32·5	34·0	32·5	30·5	30·2	27·0	31·1
3	24·7	23·0	18·0	18·5	20·0	22·0	22·8	22·9	23·9	21·5	18·2	18·2	21·1
4	10·0	8·0	7·3	9·6	14·4	16·5	20·0	22·4	23·6	20·9	19·0	21·1	16·1
5	17·9	18·2	17·8	23·0	27·9	32·6	35·0	37·3	38·8	37·4	36·7	36·2	29·9
6	33·0	33·9	35·2	36·0	39·7	42·7	45·2	47·2	47·2	44·7	43·5	43·0	40·9
7	40·2	39·8	38·8	40·0	40·5	39·0	39·2	39·1	39·2	33·4	32·5	28·9	37·6
8	27·1	25·4	24·8	25·0	25·3	22·7	26·0	28·0	28·8	29·2	30·3	38·0	27·6
9	25·2	25·9	25·0	24·0	28·5	31·3		33·8	33·8	32·3	32·6	32·5	29·9
10	31·9	33·3	33·3	34·5	38·8	39·8	44·8	47·5	45·9	42·3	42·4	43·3	39·8
11	43·0	43·0	42·0	41·0	40·8	41·6	40·3	39·1	38·3	35·2	33·8	30·0	39·0
12	28·8	28·0	25·1	26·1	29·8	34·0	36·0	36·6	37·3	33·3	33·3	33·5	31·8
13	32·5	32·0	31·4	32·5	33·7	36·4	37·6	37·1	37·8	34·0	31·9	30·5	34·0
14	27·5	25·8	24·7	27·5	29·6	32·3	35·8	41·3	44·0	43·0	41·0	41·0	34·4
15	40·5	39·2	38·0	40·7	49·0	58·0	56·0	39·2	30·9	31·9	28·9	26·5	39·9
16	22·0	18·3	15·3	17·0	19·7	21·5	25·0	28·7	30·2	29·2	27·8	26·3	23·4
17	25·0	23·7	23·5	28·3	35·5	39·5	43·0	42·9	43·7	39·5	38·3	37·0	35·0
18	36·5	36·5	36·9	37·5	38·5	43·2	46·8	45·3	42·5	39·9	39·5	39·1	40·2
19	38·8	38·2	38·5	38·6	38·4	37·8	42·7	45·2	43·2	36·3	31·7	27·1	38·0
20	23·0	21·2	20·8	26·5	24·9	40·8	42·5	34·7	35·0	28·4	25·9	24·0	29·0
21	24·7	23·7	18·8	22·4	27·7	30·5	32·5	37·3	38·8	38·7	37·5	35·0	30·6
22	33·4	33·4	34·8	35·4	37·0	38·9	39·3	41·3	43·8	41·8	38·8	36·5	37·9
23	36·4	39·7	40·6	43·4	45·5	50·8	54·0	55·1	52·4	49·6	49·9	44·7	46·8
24	36·0	35·5	33·3	37·5	45·4	52·5	55·6	56·1	55·7	51·5	49·0	48·5	46·2
25	46·0	39·7	38·2	40·5	52·2	57·5	56·5	58·3	60·3	60·3	50·0	50·0	50·8
26	51·6	55·0	49·6	53·7	61·0	63·0	64·8	65·7	63·8	59·2	56·5	51·7	58·0
27	49·8	45·7	44·5	49·3	54·0	56·3	63·0	62·0	54·5	49·0	45·5	43·2	51·4
28	43·3	42·8	44·0	42·4	43·3	46·5	49·0	51·1	48·5	45·8	43·8	44·0	46·2
29	43·8	45·0	42·2	45·0	45·3	50·7	50·5	52·0	51·8	48·7	45·3	42·8	46·9
30	41·1	41·4	41·2	44·0	47·0	48·5	48·9	48·4	45·2	45·1	45·0	44·1	44·6
Mean	32·9	32·1	31·0	33·0	36·2	39·8	41·4	41·7	41·3	38·6	36·8	32·3	36·66

Bi-hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of May, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1	44·5	44·9	49·4	50·9	44·8	44·1	41·0	40·2	39·7	38·1	38·8	39·1	43·0
2	47·9	47·7	45·0	41·2	48·4	52·2	51·7	54·2	55·8	50·8	48·6	45·2	48·9
3	41·8	38·8	39·0	39·8	48·0	54·0	57·0	57·1	57·0	52·5	47·0	46·3	48·2
4	44·0	42·6	39·0	43·0	50·7	53·5	52·2	52·5	52·5	50·0	48·0	48·1	48·0
5	46·3	44·8	43·0	45·6	53·7	56·5	59·5	58·2	61·0	57·3	54·1	50·5	52·5
6	46·3	43·7	42·4	45·0	53·5	58·2	60·0	61·7	60·7	58·8	54·7	51·9	53·1
7	51·0	49·1	47·7	48·0	52·4	53·6	52·5	49·0	48·0	46·3	43·0	40·6	48·4
8	39·8	39·3	38·6	39·3	41·4	47·2	50·6	50·3	46·7	44·5	42·8	42·7	43·6
9	41·9	41·6	41·7	42·0	42·3	43·8	46·4	46·9	44·8	44·6	44·0	44·0	43·7
10	42·0	41·1	41·0	42·0	45·2	49·7	53·1	54·7	54·5	50·3	49·3	49·5	47·7
11	47·3	46·5	45·5	48·2	56·5	62·2	67·3	70·0	69·0	65·0	60·7	59·3	58·1
12	54·2	51·9	48·4	47·0	51·3	59·3	60·5	60·1	62·0	60·0	47·0	46·1	54·0
13	42·5	42·3	42·5	44·2	49·7	54·2	57·6	58·8	57·8	55·2	53·0	50·8	50·7
14	45·8	41·9	39·2	42·7	47·0	50·7	55·3	57·3	59·3	57·3	53·1	51·0	50·1
15	46·6	43·4	40·8	47·6	53·7	59·1	62·5	63·4	63·2	58·2	54·5	53·0	53·8
16	51·8	47·8	43·7	51·1	58·9	64·6	68·3	70·9	70·5	66·7	62·0	61·0	59·8
17	59·2	57·1	57·4	56·8	55·8	63·0	67·5	67·5	67·0	63·7	59·6	60·0	61·2
18	54·0	53·4	53·3	59·9	64·2	68·2	70·7	72·0	71·5	67·3	62·3	60·0	63·1
19	58·8	56·0	55·2	61·5	68·9	73·3	74·9	77·3	74·9	72·4	70·5	68·0	67·6
20	65·7	62·8	60·9	56·3	55·0	56·3	60·3	62·5	63·0	62·3	61·7	60·7	60·6
21	58·8	58·6	55·0	53·1	54·1	57·6	60·4	64·5	67·1	64·6	60·4	57·5	59·3
22	54·2	53·9	53·9	56·0	70·8	77·6	79·0	77·2	74·6	71·0	66·7	65·5	66·7
23	63·0	62·6	63·1	65·3	71·0	73·7	74·7	79·2	78·0	73·0	68·0	65·3	69·7
24	63·8	64·6	59·5	62·5	64·8	66·1	68·4	71·0	70·7	66·3	62·4	60·2	65·0
25	56·0	53·4	53·4	54·9	58·5	63·6	72·5	74·0	71·5	67·7	64·3	62·1	62·7
26	58·3	56·7	56·5	59·8	64·4	73·3	75·4	74·8	65·7	68·4	67·4	67·5	65·7
27	65·9	66·2	64·6	64·0	66·3	73·4	77·6	78·8	78·8	64·7	54·4	52·5	66·4
28	50·5	50·2	50·2	50·6	52·9	57·9	66·7	71·5	72·2	71·5	64·4	64·6	60·3
29	61·6	61·7	64·0	66·5	74·3	81·1	81·3	80·5	77·6	71·8	67·9	67·0	71·3
30	63·5	62·2	61·1	62·5	66·4	64·3	68·6	69·6	67·3	64·8	59·1	55·0	63·7
31	54·5	54·9	50·9	52·0	55·2	58·0	58·7	59·9	57·5	53·8	52·5	50·0	54·8
Mean	52·3	51·0	49·8	51·5	56·1	60·8	63·0	63·9	63·1	59·9	56·2	54·6	56·82

BI-HOURLY TEMPERATURE, from Self registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of June, 1908.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°												
1	47·8	45·7	44·3	44·0	46·3	50·7	56·6	59·2	61·8	61·3	59·0	57·0	52·8
2	52·1	49·6	45·1	50·6	54·1	55·9	59·1	59·0	57·9	54·5	50·4	47·8	53·0
3	45·3	44·1	45·6	50·7	54·6	62·7	66·3	65·7	61·2	60·3	57·7	59·5	56·1
4	56·0	51·9	49·3	54·1	61·5	66·2	68·9	68·1	67·3	63·7	59·4	58·0	60·4
5	54·3	53·2	50·7	54·8	61·1	66·4	69·5	70·0	67·9	64·3	60·2	58·7	60·9
6	55·7	52·8	52·7	59·4	68·7	73·3	77·4	79·1	78·6	76·0	69·0	64·0	67·2
7	64·0	61·0	61·4	65·5	71·7	75·7	78·4	80·4	78·8	74·5	70·6	70·0	71·0
8	69·0	68·0	68·0	69·4	76·9	80·5	84·8	86·0	83·0	79·6	77·3	75·0	76·5
9	71·0	70·7	69·4	75·0	79·4	83·6	85·0	83·0	79·5	76·0	73·6	72·0	76·5
10	69·0	66·6	61·6	63·8	64·8	64·7	64·2	64·1	64·9	61·3	60·7	60·2	63·8
11	58·0	55·9	54·7	54·9	57·6	58·8	59·7	62·3	61·7	59·0	56·5	56·1	57·9
12	55·0	53·7	51·2	57·3	63·8	69·1	70·7	70·7	70·7	67·7	64·4	62·0	63·0
13	59·9	56·8	54·9	66·0	72·8	76·5	78·5	80·2	78·8	74·0	69·5	67·5	70·5
14	62·5	60·6	60·3	66·9	73·6	81·9	85·3	82·6	79·1	65·3	68·2	67·8	71·2
15	68·0	67·5	66·0	68·0	68·0	67·0	63·7	60·5	59·6	59·0	57·9	55·5	63·4
16	52·3	53·4	50·6	50·6	56·1	60·8	63·2	62·2	61·0	57·3	54·6	52·0	56·2
17	51·8	50·8	50·5	54·8	61·4	65·7	65·6	66·0	64·3	62·7	58·3	56·9	59·1
18	53·4	53·1	50·8	59·5	67·4	72·2	75·0	75·2	74·3	71·3	67·7	65·9	65·5
19	65·8	65·8	60·6	64·6	73·9	78·0	81·1	86·3	84·4	81·0	78·5	77·0	74·8
20	70·5	66·6	66·6	70·4	75·6	79·5	82·0	81·2	79·8	75·0	72·1	67·7	73·9
21	63·6	63·8	63·6	63·8	68·3	71·1	72·9	72·2	72·3	69·5	67·8	65·5	67·9
22	60·5	56·3	55·2	58·5	58·0	59·0	66·9	69·3	68·0	65·5	61·7	58·6	61·5
23	58·0	57·3	56·5	64·1	69·9	74·0	77·8	78·0	77·8	74·5	72·5	68·0	69·0
24	66·2	66·2	68·8	69·5	73·6	80·6	84·1	84·8	81·5	78·8	73·5	69·5	74·8
25	64·5	61·3	60·6	63·5	65·2	68·3	71·2	71·6	72·8	69·7	65·9	63·3	66·5
26	62·1	61·6	61·6	64·5	71·1	77·4	80·1	80·0	78·0	73·7	70·0	66·2	70·5
27	63·3	61·5	61·0	66·9	73·2	78·7	80·6	80·3	77·7	74·0	71·5	69·5	71·5
28	67·7	67·8	66·4	69·7	75·5	79·5	83·0	82·5	80·6	75·2	71·1	69·0	74·0
29	66·3	66·4	66·0	71·7	77·1	75·5	69·2	71·0	73·0	71·5	68·2	66·9	70·2
30	67·8	65·2	64·9	66·5	62·9	68·7	71·7	75·4	73·9	72·2	68·4	65·5	68·6
Mean	60·7	59·2	58·0	62·0	67·1	70·7	73·1	73·6	72·3	69·0	65·9	63·8	63·49

Bi hourly Temperature, from Self registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of July, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1	63·5	63·7	60·2	65·4	72·2	79·0	80·3	80·5	78·7	76·7	71·8	67·8	71·7
2	68·9	66·8	64·8	77·8	72·0	74·0	77·4	78·5	76·5	72·9	68·0	67·0	72·1
3	63·9	65·4	64·0	65·0	66·3	69·6	71·1	75·1	73·6	72·5	67·6	66·1	68·4
4	65·0	64·2	62·2	65·0	73·4	79·9	83·6	82·6	76·0	76·3	74·5	72·0	72·9
5	70·6	70·1	70·1	73·2	79·5	83·0	83·5	83·3	79·0	77·0	73·3	71·5	76·2
6	68·6	65·9	65·4	71·2	75·6	82·1	83·1	85·6	84·1	81·4	79·9	75·9	76·6
7	76·0	72·2	71·5	79·6	84·2	88·7	90·5	9.·0	88·3	71·4	71·2	71·0	79·6
8	72·0	70·9	69·3	69·5	69·3	62·2	66·4	66·8	67·1	64·9	62·6	61·0	64·6
9	60·2	59·5	60·6	63·0	70·3	74·5	77·0	76·9	74·6	71·9	70·5	69·0	69·0
10	66·4	66·4	61·9	69·8	73·9	79·0	81·3	82·0	80·5	76·5	73·2	69·6	73·4
11	68·5	66·3	63·1	68·5	77·8	83·3	85·0	86·0	83·3	81·1	79·8	78·0	76·7
12	74·7	72·0	70·4	76·0	82·3	85·9	86·2	86·7	84·3	79·6	79·9	74·9	79·4
13	72·7	72·6	70·5	72·5	75·5	81·3	80·9	7.·3	78·2	75·5	67·6	64·9	74·3
14	63·5	63·5	63·0	69·2	73·7	77·1	80·5	80·3	77·6	72·9	63·8	65·0	70·8
15	64·6	62·6	62·0	62·5	66·5	68·2	69·5	70·6	65·5	64·9	61·9	58·9	64·8
16	55·7	55·9	54·2	60·9	62·1	66·9	70·2	71·2	71·2	69·2	66·2	64·5	64·0
17	64·3	62·0	61·0	60·1	67·5	70·2	66·5	61·1	59·2	59·2	60·3	61·3	62·7
18	61·8	62·1	62·4	63·1	65·7	69·6	67·8	66·1	64·7	63·8	63·4	63·0	64·5
19	62·6	62·1	62·1	65·9	69·6	71·2	72·8	70·9	67·3	62·8	61·6	61·0	65·8
20	62·1	62·0	61·0	67·0	72·2	75·9	76·6	77·5	76·6	71·6	69·2	67·9	70·0
21	64·0	63·0	63·0	66·5	70·5	70·5	73·5	74·6	71·9	69·0	68·1	65·8	68·4
22	66·8	66·8	66·0	68·8	73·2	75·2	77·5	77·5	77·0	74·3	72·7	69·9	72·1
23	68·7	68·3	66·0	67·2	69·1	74·8	77·7	78·4	76·9	73·3	70·1	65·8	71·4
24	64·2	61·9	60·0	65·0	70·0	74·7	76·8	75·8	75·2	74·7	68·9	67·1	69·5
25	64·6	63·4	62·6	63·9	67·7	71·2	72·9	72·7	72·0	70·3	65·5	68·8	67·6
26	61·9	61·7	64·2	70·0	76·7	81·0	82·4	81·5	80·8	76·2	73·6	71·7	73·5
27	69·5	68·4	67·1	68·9	70·9	77·4	82·1	83·9	83·8	82·8	70·9	68·0	74·5
28	62·3	60·1	57·5	62·3	66·8	73·7	78·6	79·3	80·0	75·4	73·8	72·7	70·5
29	71·2	73·9	70·3	74·7	81·1	84·8	88·0	84·2	80·0	72·6	75·2	72·6	77·4
30	71·4	70·2	69·3	71·0	81·3	84·5	88·3	87·5	86·3	82·7	81·0	78·8	79·6
31	76·1	74·5	75·4	76·6	80·6	82·1	85·9	86·1	83·5	78·2	73·7	63·1	78·0
Mean	66·7	65·8	64·6	68·2	72·5	76·5	78·5	78·5	76·6	73·3	70·3	68·0	71·87

BI-HOURLY TEMPERATURE, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of August, 1908.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1	60·7	59·9	58·6	63·0	69·7	73·1	76·1	76·1	75·6	73·4	68·2	66·6	68·4
2	65·2	65·2	63·6	66·3	70·8	72·6	74·7	74·4	75·0	70·8	67·8	64·0	69·2
3	63·3	62·6	58·1	62·7	68·1	71·3	70·6	70·7	71·0	68·8	60·3	60·5	65·7
4	60·0	61·1	63·9	64·2	69·5	74·3	79·2	79·0	80·2	77·6	73·5	71·0	71·1
5	70·0	72·5	69·0	68·4	69·0	69·4	68·4	71·1	74·7	73·2	71·0	70·0	70·6
6	69·0	68·0	67·0	69·0	72·2	76·6	79·5	77·9	75·2	70·6	70·8	69·7	72·1
7	66·0	64·7	62·8	68·2	67·0	70·6	73·7	73·4	71·1	68·8	66·3	63·9	68·0
8	60·9	60·7	60·9	61·9	68·0	71·8	76·0	66·8	72·0	68·7	67·6	67·0	66·9
9	66·2	64·5	61·3	66·3	71·6	73·6	76·1	75·9	75·2	70·6	67·1	66·1	69·5
10	65·2	64·8	64·5	67·5	74·0	76·2	77·4	77·8	76·3	70·4	68·1	68·0	70·9
11	68·0	64·5	63·6	67·1	74·3	78·2	80·0	79·0	78·7	74·2	69·0	68·5	72·1
12	65·8	63·4	62·1	68·0	75·3	78·3	80·8	78·8	75·2	73·3	66·3	68·0	71·3
13	67·8	66·2	68·1	68·0	76·2	75·9	77·3	74·9	73·2	72·0	68·8	68·0	71·4
14	68·0	66·7	66·1	68·0	72·5	76·5	78·4	78·0	76·6	73·9	65·8	65·8	71·4
15	64·8	64·9	61·0	62·0	67·7	70·6	71·1	72·0	72·2	67·5	63·5	62·2	66·6
16	60·8	67·7	56·5	60·6	67·6	73·4	73·7	73·0	73·3	70·7	67·0	64·0	66·5
17	66·0	62·7	63·5	63·7	63·7	64·8	69·3	71·0	70·8	68·8	67·4	67·0	66·5
18	68·2	66·4	64·4	64·5	68·5	69·2	70·0	71·0	70·4	65·2	62·2	62·1	66·8
19	61·1	60·8	58·8	60·0	63·7	59·9	70·7	70·0	68·6	61·8	55·1	51·7	61·8
20	52·8	50·8	48·4	55·3	61·3	63·6	65·2	65·5	60·3	57·8	58·8	57·0	58·1
21	56·0	55·4	55·8	58·0	66·0	70·9	73·2	72·6	71·9	69·0	65·8	59·0	64·5
22	57·7	55·4	56·0	61·7	72·1	75·6	77·8	78·0	75·7	66·5	63·2	61·8	66·9
23	58·5	56·5	55·8	57·3	62·9	67·0	67·1	66·9	65·6	61·5	60·0	61·0	61·7
24	58·0	57·3	55·4	58·8	63·7	67·0	69·4	63·9	64·9	61·9	60·2	57·3	61·5
25	56·8	53·7	51·5	55·3	60·1	63·8	65·6	64·0	63·5	60·5	58·5	57·8	59·3
26	56·8	55·3	53·3	54·0	59·5	64·0	67·3	66·9	67·3	63·3	59·0	58·1	60·4
27	55·8	53·0	50·8	52·6	60·1	67·5	69·9	69·3	69·3	65·4	61·6	58·5	61·2
28	55·7	53·0	53·2	53·6	58·2	62·9	66·6	69·7	68·2	62·5	59·9	58·2	60·1
29	53·6	52·8	50·4	55·0	64·8	71·8	73·5	72·1	71·7	68·3	66·3	66·8	63·9
30	65·8	64·4	62·7	62·9	68·5	71·3	72·8	73·0	73·0	68·7	66·5	62·6	67·6
31	59·6	58·1	56·5	58·0	64·3	71·7	75·5	75·1	74·0	70·0	67·0	66·1	66·3
Mean	62·1	60·8	59·5	62·0	67·4	70·8	73·1	72·5	71·9	68·2	64·9	63·5	66·39

Bi hourly Temperature, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of September, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1.	63·0	62·0	60·0	63·5	73·0	81·0	84·0	84·0	81·2	75·0	69·0	67·0	71·9
2.	70·0	64·0	62·0	62·0	65·0	70·0	72·0	72·0	68·0	63·0	60·0	57·0	65·4
3.	56·0	55·0	53·0	52·0	55·0	57·0	62·0	64·0	63·0	59·0	55·0	57·0	57·3
4.	53·8	54·0	54·0	51·5	61·0	65·7	70·3	71·0	69·3	64·0	59·5	58·0	61·0
5.	56·7	55·5	55·4	56·5	61·6	75·0	79·0	78·4	78·0	71·8	67·4	63·5	66·6
6.	62·6	62·9	62·3	62·0	67·5	75·2	77·8	76·0	63·4	64·0	59·2	56·9	65·8
7.	58·5	51·5	49·0	52·5	59·0	62·5	64·3	64·9	65·2	58·5	56·4	56·2	57·8
8.	51·5	50·3	48·8	53·2	58·2	62·4	64·1	64·8	63·1	60·5	60·1	58·6	58·0
9.	54·2	54·2	54·5	57·6	64·3	69·7	75·7	77·0	75·4	73·4	71·3	69·5	66·4
10.	68·3	66·2	66·7	66·5	70·6	75·1	78·8	80·1	78·5	75·5	72·4	72·7	72·6
11.	71·2	71·0	70·0	68·7	72·3	77·3	80·8	80·0	76·8	70·2	66·0	62·5	72·2
12.	59·4	57·5	55·8	56·8	62·5	68·9	72·0	71·4	69·0	65·0	66·0	67·0	64·3
13.	64·0	58·5	56·0	59·5	68·5	74·0	77·5	77·5	75·5	71·0	67·0	60·5	67·5
14.	55·3	53·2	53·3	53·1	57·1	59·9	61·9	62·9	62·4	58·1	55·7	53·2	57·2
15.	51·9	48·5	47·0	48·5	54·8	62·0	64·0	64·7	63·1	57·3	55·9	54·0	56·0
16.	51·0	51·4	49·1	50·2	59·1	65·2	67·5	67·9	66·0	62·4	60·7	57·2	59·0
17.	56·0	57·2	56·2	54·5	62·5	67·5	70·9	71·7	69·0	68·2	66·2	63·7	63·6
18.	60·6	59·2	56·2	55·7	56·9	60·0	66·7	68·0	68·0	64·7	62·2	62·6	61·7
19.	60·5	54·5	48·4	47·3	52·1	55·8	57·2	58·4	59·2	53·6	51·5	49·5	54·0
20.	46·0	44·9	42·8	43·5	50·5	58·8	60·8	62·3	61·0	56·0	55·0	54·8	53·0
21.	52·5	51·2	51·8	52·3	58·3	63·9	65·5	69·1	68·6	67·9	69·3	61·3	61·0
22.	60·5	59·2	56·7	55·2	58·8	64·0	73·0	75·0	69·3	67·0	65·8	64·8	64·1
23.	62·0	58·0	56·0	56·2	63·6	70·2	73·8	71·3	70·1	69·5	72·5	72·0	66·3
24.	70·0	70·0	66·6	65·1	65·8	72·5	74·9	75·0	73·0	68·5	66·8	66·0	69·5
25.	64·8	60·7	60·2	60·3	61·4	66·0	70·5	74·6	72·5	70·5	68·0	68·0	66·5
26.	66·0	64·9	64·0	64·0	68·0	75·6	78·5	78·7	74·6	70·5	68·0	67·0	70·0
27.	64·0	64·3	63·5	63·5	66·5	72·5	74·5	74·5	73·5	70·0	68·8	66·0	68·5
28.	65·5	63·4	60·6	60·0	65·5	70·0	70·0	75·3	73·5	68·0	69·0	69·7	67·5
29.	59·9	54·7	53·0	51·5	57·5	59·5	56·2	53·4	51·6	49·9	48·0	47·8	53·6
30.	45·5	43·0	40·5	42·0	50·0	54·0	55·0	55·5	57·0	53·5	51·5	52·0	50·0
Mean	59·2	57·4	55·8	56·2	61·6	67·0	70·0	70·7	67·6	64·9	62·8	61·2	62·91

Bi-hourly Temperature, from Self regi tering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of October, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1	53·5	55·2	55·2	53·9	53·3	56·4	58·3	60·2	58·0	55·4	53·6	51·0	55·3
2	53·8	51·0	48·0	46·0	47·2	48·2	50·2	50·1	49·0	44·5	41·0	38·5	47·3
3	34·5	34·0	33·2	35·2	42·5	47·4	49·0	50·8	51·4	51·5	51·3	50·1	44·2
4	49·2	48·9	47·0	46·0	46·3	46·6	49·5	50·2	47·7	46·4	44·3	46·0	47·3
5	46·0	44·0	40·0	38·4	40·6	52·5	52·5	54·8	53·2	48·0	46·0	43·8	46·7
6	42·0	41·5	39·5	41·0	41·9	48·9	55·0	58·9	52·9	52·9	48·9	48·2	47·7
7	50·0	49·8	48·0	49·9	55·0	57·0	59·5	63·9	61·5	56·9	54·0	52·0	54·7
8	50·9	50·5	49·2	49·2	52·4	57·6	61·8	62·9	59·3	57·8	56·0	55·0	55·2
9	54·8	53·4	51·9	50·0	50·0	50·2	49·0	50·0	50·0	46·3	47·0	44·0	49·7
10	42·0	41·2	37·7	37·5	40·9	48·7	51·9	54·2	53·9	49·9	48·0	52·1	46·5
11	51·5	50·5	50·0	51·5	52·6	54·5	56·4	56·5	55·2	51·6	39·8	39·3	50·8
12	37·0	35·0	35·0	35·9	37·8	39·0	41·0	41·9	39·0	36·4	36·0	35·0	38·3
13	33·8	32·5	34·0	34·0	45·5	52·0	54·0	55·8	53·8	51·1	51·5	50·1	45·7
14	44·8	46·0	46·0	46·0	50·5	57·2	62·2	64·8	60·0	54·0	51·5	55·0	53·2
15	49·6	53·0	56·1	56·0	58·9	63·9	64·9	64·8	61·1	59·4	59·0	56·0	58·5
16	59·2	59·9	59·8	58·5	60·0	65·1	72·5	73·8	70·0	69·0	65·0	62·0	64·6
17	62·2	55·0	57·0	55·8	64·3	69·5	73·9	72·0	70·5	64·3	67·0	61·0	64·4
18	61·0	61·1	59·8	58·5	58·9	61·8	68·2	70·7	70·8	68·8	68·1	64·3	64·3
19	63·5	61·5	54·0	47·0	48·0	51·0	52·0	52·9	51·5	48·0	43·0	41·0	51·1
20	39·0	37·0	36·3	34·0	39·5	44·0	45·2	45·8	44·3	42·0	41·0	39·0	40·6
21	37·3	36·5	34·5	34·0	36·5	42·6	47·3	48·0	46·5	42·9	42·2	40·4	40·7
22	39·0	37·4	35·0	34·0	37·0	41·0	46·5	48·0	46·2	44·8	45·0	42·1	41·3
23	39·5	37·5	36·5	36·0	38·7	44·7	50·8	53·6	51·5	50·5	49·1	45·1	44·4
24	45·5	46·0	45·0	44·7	46·5	49·0	54·5	55·1	54·8	54·6	53·8	52·0	50·1
25	51·0	50·5	50·1	50·1	52·2	58·5	59·0	55·0	53·2	51·8	50·0	49·5	52·6
26	50·5	51·0	50·6	50·1	52·6	63·3	65·7	62·8	58·3	56·2	56·0	55·5	56·0
27	55·9	55·7	55·9	54·0	55·0	56·5	54·8	56·2	53·0	52·5	52·5	51·0	54·4
28	48·5	48·8	45·7	49·5	51·6	53·3	53·1	52·8	51·9	51·2	51·0	51·0	50·7
29	50·0	49·2	47·9	46·8	46·4	46·4	49·2	49·8	49·7	49·0	48·4	48·8	48·5
30	48·3	48·0	47·0	45·3	42·0	41·5	43·5	41·5	37·2	35·0	34·5	32·0	41·3
31	32·0	32·0	32·4	31·5	34·0	36·2	37·4	36·4	34·5	31·8	30·9	29·3	33·2
Mean	47·6	46·9	45·8	45·2	47·7	51·7	54·2	55·3	53·2	50·8	49·5	48·1	49·66

Bi-hourly Temperature, from Self registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of November, 1908.

CORRECTED FOR INDEX ERROR.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·0	29·0	28·9	28·7	29·7	31·1	32·7	33·0	31·2	29·6	28·4	27·1	29·9
2	26·0	25·5	25·3	24·5	30·9	35·3	39·8	37·3	37·3	34·3	35·0	35·8	32·3
3	37·0	38·0	39·5	39·3	39·6	41·0	42·0	39·1	39·5	40·0	40·0	43·0	39·8
4	49·0	51·0	49·8	41·3	32·3	29·8	31·5	29·5	28·5	26·7	25·7	25·0	35·0
5	24·0	24·9	25·7	26·4	29·0	33·0	32·6	32·0	31·5	30·0	28·5	28·8	29·0
6	27·1	26·1	26·0	26·0	27·0	29·7	34·9	32·7	31·7	30·5	29·8	29·0	29·2
7	39·0	37·7	28·0	28·0	30·8	33·0	34·8	34·2	33·5	34·0	35·8	36·0	33·7
8	36·1	36·1	36·3	36·8	41·0	42·8	41·9	40·9	40·3	41·0	39·0	38·0	39·2
9	35·0	38·7	36·8	35·8	39·4	44·2	45·3	45·7	45·0	40·4	40·0	40·0	40·5
10	39·5	38·2	37·7	34·5	37·3	38·3	41·7	39·7	38·1	37·9	38·2	37·8	38·3
11	37·8	37·6	37·9	38·0	40·0	39·7	40·8	42·4	39·7	39·5	37·0	37·0	39·0
12	35·1	33·0	31·6	31·0	33·0	35·2	34·0	34·0	34·0	34·0	33·0	32·8	33·4
13	32·5	32·5	32·5	32·1	32·9	35·3	37·6	36·0	33·0	32·0	31·0	31·0	33·2
14	30·8	31·0	28·3	27·1	22·5	35·0	36·8	36·2	35·1	35·0	34·0	31·0	31·9
15	31·2	32·5	32·5	32·2	32·2	32·8	32·8	33·1	32·3	30·5	31·0	33·0	32·2
16	32·5	32·0	31·3	30·5	30·8	33·5	34·1	35·0	32·2	32·0	32·0	32·0	32·3
17	29·0	26·5	24·0	22·9	22·9	24·9	25·5	24·9	22·3	22·8	22·1	22·8	24·3
18	22·0	20·0	19·0	17·8	19·0	20·5	22·8	23·1	22·8	19·6	21·5	22·6	20·9
19	22·0	21·7	22·0	21·4	20·4	21·8	29·2	31·0	32·0	33·9	26·5	25·0	25·6
20	23·9	25·0	26·7	28·2	29·7	29·7	29·3	29·3	29·3	28·0	27·2	26·0	27·7
21	26·2	26·0	26·0	27·3	31·8	31·5	35·5	36·7	34·0	33·9	32·5	31·7	31·1
22	31·5	30·1	29·5	29·3	34·5	39·3	41·2	40·1	36·8	36·0	34·0	30·2	34·4
23	30·5	34·3	34·3	37·0	39·0	39·9	43·1	43·8	43·1	43·6	43·6	42·3	39·5
24	42·0	42·5	42·0	42·9	42·0	43·5	43·8	42·4	41·7	39·0	37·8	36·0	41·3
25	35·5	36·0	35·6	35·3	35·2	36·4	36·4	35·4	34·9	34·9	35·6	36·5	35·6
26	36·5	36·5	39·2	47·1	50·7	52·4	54·7	55·3	55·9	54·0	51·3	47·7	48·4
27	46·5	43·5	43·3	42·1	42·1	43·4	43·0	42·0	41·1	41·0	40·7	39·5	42·4
28	38·3	37·5	36·0	35·3	36·5	37·5	39·5	41·1	39·3	41·0	42·5	40·0	38·7
29	41·0	37·2	37·0	36·3	36·4	38·8	40·2	41·3	41·0	40·7	39·7	38·0	39·0
30	36·8	37·0	37·3	35·5	35·7	38·0	39·0	40·0	41·5	43·1	45·3	45·6	39·6
Mean	33·5	33·3	32·7	32·4	33·5	35·6	37·2	36·9	36·6	35·8	34·6	34·0	34·57

BI-HOURLY TEMPERATURE, from Self-registering Instruments, at Montreal, Quebec (75th Meridian Time), for the Month of December, 1908.

CORRECTED FOR INDEX ERROR.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
1	52·0	51·0	49·0	48·4	47·8	50·2	49·0	42·0	39·0	31·8	28·5	26·6	42·9
2	23·4	22·0	20·4	18·2	19·7	20·5	21·1	20·7	18·1	16·0	13·8	11·8	18·8
3	9·1	7·2	5·5	5·6	7·6	10·5	13·9	16·8	18·0	19·4	20·2	20·4	12·9
4	24·8	24·4	24·2	26·6	27·1	29·8	30·2	26·0	26·3	28·7	31·6	32·0	27·7
5	35·0	21·0	12·0	6·5	3·5	4·5	5·0	4·7	1·2	1·5	2·0	0·3	7·7
6	— 0·1	0·1	0·3	1·3	0·6	4·5	7·3	8·5	8·5	8·2	10·1	11·4	4·8
7	8·6	10·4	16·3	25·5	25·5	21·5	23·0	23·8	22·6	26·5	30·5	25·0	21·6
8	15·0	13·9	13·4	10·3	10·7	12·1	14·9	15·0	13·9	13·5	13·4	13·0	13·3
9	12·9	12·3	11·0	9·3	7·5	7·9	7·2	6·3	6·0	4·7	1·7	2·5	7·4
10	3·2	1·0	0·8	0·8	2·0	4·0	4·0	2·2	0·5	— 1·3	— 2·3	— 1·3	1·1
11	— 2·0	0·0	0·5		— 2·5	0·3	4·2	7·2	10·4	10·4	12·1	13·5	4·3
12	14·0	15·3	16·6	16·6	16·9	19·0	20·8	21·8	23·5	22·0	22·0	23·4	19·3
13	20·5	20·3	19·7	20·5	21·5	23·3	23·6	23·4	23·0	20·8	20·8	21·0	21·5
14	21·5	21·0	22·0	18·5	17·5	23·0	25·0	27·0	27·0	28·0	29·5	30·0	24·2
15	31·0	26·5	27·3	25·3	23·3	23·3	24·5	28·7	30·5	31·0	27·5	25·3	27·0
16	23·7	22·3	21·2	20·8	19·4	19·5	20·0	19·0	18·0	14·0	14·0	13·7	18·8
17	11·0	11·5	11·0	10·0	7·7	11·5	12·3	10·7	9·4	7·8	5·8	7·2	9·7
18	5·7	7·5	7·3	7·6	7·3	7·1	7·5	10·6	12·6	12·1	10·7	11·0	8·9
19	14·0	13·0	14·3	13·8	17·3	21·8	25·1	21·8	21·6	23·5	20·7	22·4	19·1
20	29·8	29·7	30·0	26·5	24·5	24·5	22·6	23·2	19·5	16·4	13·8	14·0	22·9
21	13·0	8·7	7·2	6·2	5·4	6·3	8·2	10·0	13·7	16·5	14·0	9·7	9·8
22	8·0	6·0	3·8	3·1	1·7	1·4	1·9	1·4	0·0	0·7	3·5	— 7·0	1·3
23	— 7·0	8·5	8·5	— 8·0	8·8	— 4·5	0·0	4·1	3·5	2·0	0·1	1·0	2·9
24	1·0	1·5	2·1	4·8	6·2	4·9	5·8	6·9	7·7	9·3	11·1	13·0	6·0
25	14·2	18·0	18·5	20·0	22·0	24·1	25·5	25·2	25·1	24·9	25·5	25·0	22·3
26	24·9	24·5	24·4	24·2	25·2	26·0	26·3	26·7	23·6	19·6	19·1	17·0	23·5
27	13·5	12·3	12·6	14·0	17·7	22·5	30·8	31·4	32·0	31·8	34·7	31·4	23·7
28	29·7	28·8	29·5	25·0	13·5	11·2	12·0	13·0	13·7	11·5	13·0	11·5	17·7
29	10·7	12·0	9·5	9·3	9·8	11·1	13·3	15·3	14·6	14·3	12·5	9·5	11·8
30	8·0	6·8	0·4	— 0·3	4·2	11·3	25·0	28·5	30·0	31·5	32·5	30·0	17·4
31	32·0	29·5	31·7	32·6	30·5	30·2	30·7	28·9	27·5	23·7	13·5	8·3	26·5
Mean.	15·9	15·2	14·6	14·1	14·0	15·6	17·4	17·8	17·5	16·8	16·1	15·2	15·84

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of January, 1908.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
1	9 0	8 0	9 0	10 0	13 0	14 0	16 0	15·0	12·0	11 0	13·0	13 0	11·9
2	14 0	16 0	15 0	14 0	13 0	14 0	15·0	12 0	10·0	10·0	9·0	9 0	12·6
3	7 0	6 0	5 0	4·0	9·0	12·0	14 0	13·0	13·0	13 0	13·0	12·0	10 1
4	12 0	13 0	13 0	15·0	19 0	22·0	23 0	25·0	25·0	24 0	24·0	25 0	20 0
5	14 0	13 0	7 0	4·0	4 0	8 0	7·0	6 0	3·0	1 0	0 0	— 1 0	5 5
6	1 0	— 1 0	1 0	2 0	5 0	9·0	13 0	14·0	15·0	15 0	18·0	20 0	9 0
7	22 0	23 0	25·0	25·0	28 0	30·0	29 0	30·0	30 0	32 0	28·0	29 0	27 6
8	26 0	28 0	33 0	32·0	32 0	31 0	32·0	32·0	33 0	31 0	31·0	27·0	30 7
9	25 0	24 0	24 0	23 0	23·0	23·0	23·0	19·0	12 0	15 0	11 0	9 0	19 2
10	10 0	4 0	1 0	2·0	1 0	2 0	9·0	2·0	1 0	— 1 0	— 2·0	2 0	2 3
11	0 0	0 0	2·0	3·0	3 0	13 0	18 0	14·0	12·0	15 0	14·0	9 0	8 6
12	6 0	8 0	16 0	19 0	23 0	25 0	23 0	25 0	24 0	23 0	23 0	24 0	19 9
13	22 0	23 0	24 0	23·0	23 0	23 0	24 0	21 0	22 0	22 0	21 0	16 0	22 0
14	15 0	13 0	13·0	9·0	9 0	10 0	10 0	6 0	4 0	0 0	4 0	6 0	6·6
15	— 8 0	—10 0	12 0	—13·0	—11 0	7 0	— 4·0	— 7·0	— 2 0	0 0	4 0	5 0	5 4
16	4 0	4 0	9 0	11 0	13 0	15 0	19 0	13 0	5·0	1 0	1 0	— 3 0	7 3
17	— 3 0	— 3 0	— 2·0	1 0	2·0	6 0	10 0	11 0	11·0	12 0	13 0	15 0	5 9
18	15 0	15 0	17 0	7 0	7 0	4 0	11 0	13 0	15 0	19 0	16 0	15 0	12 8
19	10 0	6 0	0·0	5 0	— 4·0	— 3 0	1 0	2 0	— 4·0	6 0	— 7 0	4 0	— 1 7
20	— 3 0	— 4 0	5 0	— 3 0	3 0	9 0	10 0	13 0	13 0	16 0	18 0	20 0	7 3
21	20 0	20 0	21 0	22·0	25 0	27 0	29 0	29 0	28 0	31 0	36 0	40 0	27 3
22	38 0	37 0	36 0	38 0	38 0	38 0	35·0	34·0	25·0	14 0	7·0	3 0	28 6
23	1 0	0 0	0 0	— 7·0	— 4·0	— 2 0	2 0	1 0	0·0	— 1 0	— 3·0	4 0	— 1 9
24	4 0	— 4 0	— 3·0	1 0	3 0	9 0	12 0	12 0	9·0	2 0	3 0	— 1 0	3 2
25	4 0	— 4 0	— 3 0	3 0	0 0	5·0	9 0	9 0	10 0	12 0	11·0	9 0	4 3
26	10 0	11 0	11 0	7 0	6 0	8 0	14 0	13 0	14 0	12 0	12 0	12 0	10 8
27	11 0	11 0	15 0	22 0	26 0	27 0	29 0	5 0	8 0	5 0	2 0	— 1 0	12 6
28	5 0	3 0	4 0	6 0	5 0	— 2 0	1 0	2 0	2 0	4 0	8 0	12 0	0 3
29	14 0	14 0	15 0	16 0	1 0	10 0	10 0	8 0	2·0	0 0	0 0	— 2 0	8 2
30	— 4 0	5 0	10 0	—12 0	— 8·0	— 8·0	8 0	— 9 0	—10 0	—13 0	—13·0	—15 0	— 9 6
31	15 0	—17 0	—19 0	—19 0	—16·0	— 9 0	— 3 0	5 0	— 6·0	6 0	7 0	7 0	—10 8
Mean.	8 3	7 9	7 9	7 7	9 4	11·4	13 6	12·1	10 8	10 1	9 7	8 9	9 8

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of February, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1.	—10·0	— 5·0	0·0	6·0	6·0	5·0	1·0	3·0	5·0	7·0	10·0	10·0	3·2
2.	10·0	10·0	9·0	8·0	8·0	10·0	8·0	4·0	2·0	0·0	— 1·0	— 5·0	5·2
3.	— 9·0	—11·0	—13·0	—13·0	—12·0	— 9·0	— 6·0	— 6·0	— 7·0	— 7·0	— 7·0	—10·0	— 9·2
4.	—12·0	—14·0	—16·0	—19·0	—16·0	—13·0	—10·0	— 9·0	—10·0	—14·0	—14·0	—15·0	—13·5
5.	—16·0	—19·0	—20·0	—22·0	—16·0	—11·0	— 5·0	— 8·0	— 8·0	— 6·0	2·0	5·0	—10·3
6.	5·0	7·0	7·0	8·0	9·0	10·0	18·0	14·0	15·0	15·0	14·0	14·0	11·3
7.	11·0	12·0	12·0	12·0	13·0	15·0	16·0	18·0	15·0	10·0	6·0	2·0	11·8
8.	0·0	— 6·0	— 7·0	— 7·0	— 7·0	— 4·0	— 3·0	— 2·0	— 2·0	— 5·0	— 7·0	— 7·0	— 4·8
9.	— 9·0	—10·0	— 9·0	— 8·0	— 5·0	— 2·0	4·0	2·0	0·0	— 2·0	— 3·0	— 5·0	3·9
10.	— 4·0	— 3·0	— 3·0	0·0	2·0	5·0	7·0	8·0	8·0	9·0	10·0	10·0	4·1
11.	9·0	10·0	10·0	11·0	14·0	21·0	25·0	23·0	20·0	17·0	15·0	11·0	15·5
12.	7·0	4·0	— 1·0	0·0	6·0	14·0	21·0	19·0	17·0	16·0	15·0	16·0	11·2
13.	18·0	19·0	20·0	21·0	23·0	24·0	25·0	27·0	28·0	30·0	33·0	34·0	25·2
14.	33·0	34·0	34·0	36·0	33·0	36·0	39·0	37·0	36·0	35·0	35·0	34·0	35·2
15.	34·0	37·0	33·0	32·0	32·0	34·0	34·0	35·0	33·0	33·0	33·0	34·0	33·7
16.	32·0	28·0	24·0	20·0	20·0	20·0	21·0	20·0	19·0	19·0	18·0	17·0	21·5
17.	16·0	14·0	12·0	8·0	13·0	16·0	17·0	17·0	18·0	22·0	21·0	17·0	15·9
18.	14·0	10·0	5·0	3·0	5·0	8·0	10·0	11·0	9·0	7·0	5·0	5·0	7·7
19.	2·0	2·0	3·0	3·0	5·0	8·0	12·0	13·0	14·0	14·0	14·0	15·0	8·8
20.	16·0	17·0	17·0	13·0	19·0	20·0	21·0	19·0	16·0	12·0	14·0	14·0	16·5
21.	12·0	11·0	10·0	11·0	14·0	17·0	21·0	22·0	22·0	23·0	21·0	24·0	17·6
22.	24·0	23·0	23·0	22·0	12·0	16·0	17·0	10·0	2·0	0·0	3·0	3·0	12·9
23.	— 2·0	— 4·0	— 8·0	—10·0	— 3·0	0·0	9·0	9·0	8·0	7·0	7·0	5·0	1·5
24.	3·0	2·0	0·0	0·0	6·0	11·0	15·0	14·0	11·0	9·0	6·0	4·0	6·7
25.	1·0	2·0	4·0	6·0	15·0	22·0	25·0	27·0	27·0	26·0	26·0	25·0	17·2
26.	25·0	24·0	24·0	26·0	28·0	29·0	30·0	30·0	30·0	30·0	29·0	28·0	27·7
27.	28·0	28·0	28·0	28·0	28·0	28·0	29·0	28·0	28·0	28·0	28·0	28·0	28·7
28.	28·0	28·0	28·0	25·0	24·0	24·0	22·0	20·0	19·0	18·0	18·0	14·0	22·3
29.	14·0	12·0	12·0	11·0	10·0	11·0	13·0	16·0	14·0	14·0	13·0	10·0	12·5
Mean.	9·6	9·0	8·2	8·0	9·9	12·6	15·0	14·5	13·4	12·7	12·7	11·6	11·4

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of March, 1908.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
1	7·0	6·0	4·0	3·0	8·0	11·0	16·0	17·0	16·0	15·0	14·0	15·0	11·0
2	15·0	14·0	14·0	14·0	16·0	18·0	14·0	14·0	15·0	15·0	16·0	17·0	15·2
3	17·0	17·0	17·0	17·0	18·0	19·0	20·0	19·0	18·0	17·0	18·0	18·0	17·9
4	17·0	17·0	17·0	17·0	19·0	22·0	25·0	23·0	22·0	19·0	17·0	15·0	19·2
5	14·0	10·0	8·0	8·0	16·0	24·0	27·0	26·0	24·0	23·0	19·0	14·0	17·8
6	14·0	9·0	6·0	10·0	17·0	22·0	26·0	25·0	25·0	24·0	24·0	25·0	18·9
7	26·0	26·0	28·0	29·0	30·0	31·0	32·0	35·0	33·0	32·0	30·0	29·0	30·1
8	28·0	27·0	26·0	27·0	30·0	33·0	35·0	34·0	33·0	33·0	32·0	31·0	30·7
9	30·0	31·0	31·0	24·0	19·0	18·0	18·0	15·0	14·0	8·0	5·0	2·0	17·9
10	2·0	1·0	− 4·0	— 3·0	- 4·0	9·0	15·0	14·0	14·0	12·0	8·0	9·0	6·1
11	6·0	5·0	5·0	6·0	13·0	16·0	18·0	20·0	20·0	20·0	20·0	19·0	14·0
12	20·0	21·0	22·0	22·0	24·0	27·0	29·0	25·0	21·0	20·0	16·0	11·0	21·5
13	11·0	10·0	10·0	13·0	18·0	19·0	19·0	23·0	25·0	29·0	31·0	31·0	19·9
14	31·0	32·0	34·0	34·0	35·0	36·0	39·0	39·0	36·0	35·0	34·0	32·0	34·7
15	31·0	31·0	30·0	30·0	31·0	32·0	32·0	32·0	34·0	37·0	38·0	36·0	32·8
16	36·0	32·0	30·0	28·0	28·0	28·0	26·0	24·0	18·0	14·0	9·0	4·0	23·1
17	3·0	0·0	0·0	3·0	6·0	10·0	11·0	14·0	12·0	12·0	12·0	14·0	8·1
18	17·0	10·0	8·0	11·0	16·0	20·0	22·0	22·0	21·0	22·0	23·0	22·0	17·4
19	23·0	24·0	24·0	25·0	26·0	26·0	27·0	27·0	25·0	24·0	21·0	19·0	24·2
20	18·0	15·0	11·0	13·0	19·0	19·0	21·0	21·0	19·0	17·0	14·0	14·0	16·8
21	9·0	9·0	10·0	8·0	18·0	24·0	29·0	29·0	28·0	27·0	27·0	25·0	20·3
22	24·0	24·0	24·0	26·0	35·0	37·0	39·0	39·0	39·0	35·0	35·0	35·0	32·7
23	35·0	34·0	38·0	35·0	36·0	38·0	37·0	37·0	37·0	36·0	37·0	38·0	36·1
24	37·0	36·0	35·0	34·0	33·0	35·0	37·0	35·0	34·0	22·0	14·0	9·0	30·1
25	4·0	0·0	− 3·0	- 2·0	1·0	6·0	9·0	10·0	9·0	8·0	8·0	9·0	4·9
26	11·0	13·0	16·0	20·0	21·0	33·0	36·0	37·0	40·0	39·0	38·0	36·0	28·6
27	35·0	31·0	27·0	26·0	24·0	25·0	26·0	24·0	26·0	26·0	26·0	26·0	26·8
28	25·0	24·0	24·0	24·0	24·0	27·0	26·0	26·0	25·0	26·0	26·0	24·0	25·1
29	23·0	23·0	23·0	23·0	24·0	24·0	25·0	25·0	26·0	25·0	25·0	25·0	24·2
30	21·0	24·0	25·0	26·0	30·0	31·0	32·0	33·0	33·0	31·0	29·0	29·0	28·9
31	30·0	29·0	28·0	30·0	35·0	40·0	43·0	42·0	38·0	35·0	33·0	27·0	34·2
Mean.	19·9	18·9	18·2	18·7	21·3	24·5	26·1	26·0	25·2	23·8	22·9	21·3	22·2

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of April, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	
1	22·0	18·0	15·0	17·0	21·0	25·0	29·0	29·0	27·0	26·0	25·0	25·0	23·3
2	27·0	26·0	26·0	26·0	31·0	29·0	33·0	35·0	33·0	31·0	30·0	28·0	29·6
3	26·0	26·0	25·0	26·0	24·0	28·0	28·0	24·0	22·0	17·0	12·0	10·0	22·3
4	8·0	5·0	4·0	6·0	8·0	15·0	19·0	20·0	21·0	18·0	17·0	15·0	13·0
5	13·0	8·0	11·0	13·0	20·0	28·0	31·0	33·0	31·0	31·0	31·0	32·0	23·5
6	31·0	31·0	31·0	32·0	35·0	39·0	43·0	43·0	42·0	42·0	40·0	39·0	37·3
7	37·0	35·0	36·0	38·0	36·0	38·0	37·0	36·0	31·0	26·0	26·0	24·0	33·3
8	19·0	19·0	19·0	22·0	22·0	20·0	20·0	22·0	23·0	23·0	23·0	24·0	21·3
9	25·0	25·0	25·0	28·0	31·0	33·0	35·0	34·0	33·0	30·0	30·0	27·0	29·7
10	27·0	28·0	29·0	32·0	36·0	36·0	39·0	44·0	40·0	36·0	38·0	37·0	35·2
11	38·0	36·0	38·0	38·0	39·0	38·0	36·0	36·0	35·0	35·0	36·0	35·0	36·7
12	31·0	27·0	24·0	24·0	26·0	32·0	32·0	35·0	31·0	30·0	30·0	28·0	29·2
13	26·0	25·0	25·0	26·0	30·0	31·0	35·0	37·0	31·0	30·0	27·0	23·0	28·8
14	21·0	20·0	19·0	22·0	26·0	31·0	34·0	33·0	33·0	34·0	33·0	33·0	28·3
15	33·0	34·0	35·0	39·0	45·0	49·0	46·0	35·0	33·0	29·0	25·0	21·0	35·3
16	17·0	14·0	11·0	12·0	15·0	19·0	24·0	27·0	26·0	24·0	23·0	20·0	19·3
17	18·0	18·0	20·0	22·0	27·0	37·0	35·0	37·0	36·0	34·0	30·0	29·0	28·6
18	25·0	26·0	28·0	31·0	38·0	38·0	39·0	39·0	37·0	31·0	32·0	32·0	33·0
19	33·0	35·0	35·0	35·0	37·0	41·0	37·0	33·0	30·0	28·0	25·0	25·0	32·8
20	25·0	24·0	24·0	24·0	28·0	30·0	32·0	26·0	28·0	27·0	23·0	20·0	25·9
21	15·0	15·0	16·0	20·0	22·0	25·0	25·0	28·0	29·0	28·0	28·0	27·0	23·2
22	26·0	25·0	25·0	28·0	34·0	38·0	40·0	41·0	38·0	37·0	35·0	33·0	33·3
23	32·0	35·0	34·0	39·0	45·0	46·0	49·0	48·0	46·0	43·0	40·0	39·0	41·3
24	37·0	34·0	30·0	31·0	41·0	45·0	49·0	50·0	47·0	42·0	41·0	38·0	40·4
25	38·0	39·0	40·0	39·0	38·0	41·0	41·0	42·0	40·0	38·0	38·0	39·0	39·4
26	40·0	40·0	41·0	46·0	47·0	50·0	54·0	52·0	49·0	47·0	47·0	46·0	46·6
27	45·0	43·0	42·0	43·0	44·0	46·0	46·0	44·0	42·0	38·0	37·0	36·0	42·2
28	36·0	38·0	39·0	40·0	39·0	39·0	38·0	38·0	38·0	37·0	37·0	36·0	37·9
29	36·0	36·0	36·0	38·0	42·0	44·0	47·0	49·0	46·0	44·0	42·0	41·0	41·8
30	40·0	40·0	41·0	42·0	45·0	48·0	52·0	49·0	47·0	44·0	45·0	45·0	44·8
Mean	28·2	27·5	27·5	29·3	32·4	35·3	36·9	36·6	34·8	32·7	31·5	30·2	31·9

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of May, 1908.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	44·0	42·0	43·0	44·0	44·0	47·0	46·0	46·0	42·0	40·0	40·0	42·0	43·3
2	40·0	40·0	42·0	43·0	46·0	50·0	53·0	52·0	49·0	45·0	42·0	42·0	45·3
3	39·0	37·0	36·0	36·0	37·0	40·0	41·0	42·0	44·0	42·0	39·0	37·0	39·2
4	37·0	36·0	36·0	42·0	49·0	56·0	56·0	58·0	57·0	49·0	46·0	45·0	47·3
5	43·0	44·0	45·0	49·0	49·0	49·0	50·0	48·0	47·0	47·0	43·0	40·0	46·2
6	39·0	39·0	42·0	46·0	52·0	55·0	53·0	49·0	47·0	45·0	42·0	41·0	45·8
7	41·0	41·0	41·0	41·0	43·0	47·0	50·0	48·0	47·0	45·0	44·0	42·0	44·2
8	42·0	40·0	40·0	39·0	39·0	39·0	40·0	40·0	40·0	39·0	39·0	39·0	39·7
9	38·0	38·0	38·0	38·0	39·0	41·0	40·0	40·0	39·0	38·0	38·0	38·0	38·8
10	38·0	38·0	39·0	43·0	48·0	48·0	51·0	50·0	49·0	47·0	44·0	49·0	45·2
11	50·0	46·0	43·0	49·0	52·0	60·0	63·0	65·0	60·0	53·0	49·0	45·0	52·9
12	41·0	42·0	44·0	45·0	41·0	41·0	41·0	41·0	41·0	41·0	41·0	40·0	41·9
13	42·0	41·0	41·0	45·0	50·0	54·0	57·0	59·0	55·0	50·0	46·0	44·0	48·7
14	41·0	39·0	40·0	44·0	49·0	55·0	65·0	59·0	54·0	50·0	48·0	46·0	49·0
15	44·0	43·0	42·0	46·0	54·0	58·0	64·0	67·0	64·0	59·0	54·0	49·0	53·7
16	44·0	43·0	44·0	51·0	56·0	62·0	64·0	68·0	60·0	54·0	53·0	48·0	53·9
17	41·0	41·0	42·0	46·0	50·0	51·0	51·0	52·0	54·0	52·0	52·0	50·0	48·5
18	50·0	51·0	53·0	56·0	63·0	65·0	68·0	74·0	61·0	55·0	53·0	50·0	58·2
19	49·0	48·0	50·0	55·0	60·0	68·0	73·0	75·0	77·0	66·0	58·0	57·0	61·3
20	56·0	57·0	59·0	61·0	60·0	61·0	61·0	60·0	69·0	58·0	58·0	55·0	58·8
21	54·0	54·0	54·0	54·0	53·0	56·0	56·0	53·0	54·0	53·0	52·0	50·0	52·8
22	49·0	48·0	49·0	50·0	52·0	56·0	59·0	64·0	58·0	55·0	56·0	58·0	54·5
23	59·0	60·0	61·0	63·0	63·0	70·0	76·0	78·0	81·0	78·0	71·0	68·0	69·1
24	67·0	65·0	62·0	60·0	65·0	58·0	72·0	74·0	69·0	63·0	58·0	55·0	64·7
25	51·0	49·0	49·0	58·0	61·0	63·0	66·0	65·0	64·0	63·0	61·0	60·0	59·2
26	59·0	58·0	56·0	58·0	61·0	62·0	63·0	63·0	59·0	55·0	55·0	53·0	58·5
27	52·0	50·0	50·0	47·0	47·0	47·0	46·0	45·0	45·0	46·0	45·0	46·0	47·2
28	46·0	47·0	47·0	47·0	48·0	50·0	52·0	54·0	54·0	54·0	52·0	52·0	50·3
29	54·0	54·0	55·0	59·0	62·0	62·0	66·0	71·0	69·0	64·0	60·0	59·0	61·2
30	56·0	55·0	58·0	60·0	62·0	62·0	60·0	58·0	56·0	55·0	55·0	53·0	57·5
31	50·0	50·0	49·0	50·0	49·0	51·0	47·0	44·0	44·0	43·0	40·0	40·0	46·4
Mean.	47·1	46·2	46·7	49·1	51·7	54·7	56·4	56·8	54·8	51·8	49·5	48·2	51·1

OBSERVED Bi hourly Temperature at the Citadel, Quebec, during the Month of June, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
1	41·0	42·0	44·0	45·0	48·0	50·0	52·0	52·0	54·0	50·0	49·0	48·0	47·9
2	47·0	45·0	44·0	48·0	50·0	52·0	54·0	50·0	48·0	44·0	45·0	45·0	47·7
3	44·0	43·0	44·0	48·0	53·0	58·0	60·0	60·0	60·0	52·0	48·0	45·0	51·3
4	44·0	44·0	42·0	50·0	59·0	64·0	66·0	64·0	61·0	57·0	55·0	52·0	54·8
5	50·0	49·0	51·0	54·0	58·0	62·0	69·0	71·0	70·0	68·0	60·0	55·0	59·8
6	54·0	51·0	50·0	60·0	69·0	73·0	77·0	78·0	76·0	71·0	68·0	64·0	65·9
7	60·0	58·0	60·0	65·0	72·0	76·0	82·0	82·0	79·6	75·0	73·0	70·0	71·0
8	65·0	63·0	68·0	70·0	75·0	82·0	85·0	87·0	88·0	63·0	57·0	56·0	71·6
9	56·0	57·0	60·0	72·0	80·0	85·0	85·0	81·0	78·0	75·0	73·0	72·0	72·8
	72·0	71·0	70·0	71·0	72·0	71·0	71·0	69·0	67·0	64·0	63·0	61·0	68·5
11	60·0	60·0	61·0	62·0	63·0	67·0	71·0	71·0	68·0	62·0	58·0	55·0	63·2
12	55·0	53·0	53·0	58·0	67·0	70·0	76·0	79·0	74·0	70·0	66·0	65·0	65·5
13	61·0	58·0	59·0	63·0	70·0	77·0	82·0	85·0	81·0	75·0	67·0	63·0	70·1
14	62·0	60·0	61·0	63·0	70·0	74·0	79·0	79·0	70·0	65·0	65·0	66·0	67·8
15	66·0	65·0	67·0	68·0	70·0	69·0	68·0	67·0	67·0	62·0	60·0	55·0	65·3
16	54·0	54·0	54·0	55·0	56·0	55·0	56·0	58·0	60·0	56·0	55·0	55·0	55·7
17	53·0	49·0	49·0	54·0	59·0	60·0	61·0	62·0	63·0	60·0	57·0	53·0	56·7
18	52·0	50·0	51·0	60·0	69·0	71·0	73·0	75·0	70·0	69·0	68·0	68·0	64·7
19	65·0	63·0	60·0	63·0	71·0	80·0	82·0	80·0	79·0	75·0	72·0	70·0	71·7
20	67·0	67·0	66·0	72·0	75·0	74·0	83·0	81·0	75·0	66·0	65·0	65·0	71·3
21	63·0	63·0	64·0	65·0	66·0	68·0	70·0	74·0	71·0	65·0	63·0	58·0	65·8
22	59·0	55·0	52·0	56·0	61·0	71·0	71·0	78·0	71·0	64·0	62·0	58·0	63·2
23	53·0	53·0	53·0	60·0	62·0	66·0	70·0	67·0	64·0	63·0	63·0	62·0	61·3
24	60·0	59·0	58·0	57·0	59·0	60·0	61·0	63·0	64·0	62·0	63·0	63·0	60·7
25	65·0	62·0	60·0	59·0	62·0	65·0	69·0	69·0	67·0	64·0	60·0	58·0	63·4
26	56·0	55·0	54·0	62·0	68·0	74·0	78·0	80·0	76·0	72·0	68·0	64·0	67·3
27	62·0	60·0	61·0	65·0	73·0	76·0	80·0	82·0	79·0	74·0	79·0	72·0	71·9
28	70·0	66·0	63·0	67·0	74·0	82·0	82·0	90·0	89·0	76·0	72·0	67·0	74·8
29	65·0	65·0	66·0	70·0	76·0	83·0	87·0	76·0	73·0	71·0	69·0	67·0	72·3
30	66·0	67·0	68·0	71·0	73·0	69·0	72·0	76·0	74·0	70·0	66·0	66·0	69·8
Mean.	56·4	55·1	55·2	59·1	63·9	67·2	70·1	70·5	68·3	63·2	61·0	58·6	62·4

Observed Bi-hourly Temperature at the Citadel, Quebec, during the Month of July, 1908.

Day.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Mean.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°		°	°	°	°	°	°	°
1	65·0	60·0	62·0	66·0	73·0	75·0	81·0	83·0	79·0	74·0	69·0	69·0	71·3
2	65·0	64·0	64·0	71·0	75·0	78·0	80·0	82·0	78·0	74·0	71·0	71·0	72·8
3	69·0	67·0	66·0	69·0	72·0	77·0	82·0	82·0	75·0	73·0	74·0	75·0	73·4
4	73·0	71·0	63·0	69·0	74·0	79·0	82·0	85·0	83·0	80·0	76·0	76·0	75·9
5	75·0	74·0	73·0	73·0	79·0	83·0	77·0	82·0	80·0	70·0	70·0	70·0	75·5
6	66·0	68·0	68·0	71·0	73·0	81·0	78·0	77·0	73·0	74·0	74·0	73·0	73·0
7	70·0	68·0	72·0	75·0	79·0	85·0	86·0	80·0	77·0	79·0	74·0	73·0	76·5
8	73·0	72·0	72·0	65·0	64·0	65·0	65·0	65·0	65·0	65·0	60·0	58·0	65·7
9	57·0	56·0	56·0	61·0	69·0	75·0	78·0	79·0	78·0	72·0	69·0	65·0	67·9
10	65·0	65·0	65·0	70·0	74·0	82·0	84·0	84·0	81·0	76·0	72·0	69·0	73·9
11	69·0	68·0	68·0	71·0	76·0	80·0	80·0	83·0	83·0	76·0	69·0	69·0	74·3
12	68·0	68·0	70·0	72·0	76·0	81·0	84·0	80·0	79·0	74·0	72·0	69·0	74·4
13	67·0	66·0	64·0	69·0	76·0	79·0	79·0	76·0	75·0	66·0	64·0	61·0	70·2
14	59·0	57·0	60·0	61·0	62·0	70·0	74·0	74·0	66·0	64·0	62·0	60·0	64·1
15	60·0	58·0	59·0	62·0	64·0	64·0	64·0	67·0	63·0	61·0	57·0	55·0	61·3
16	54·0	54·0	56·0	58·0	60·0	62·0	62·0	65·0	67·0	62·0	59·0	57·0	59·7
17	52·0	52·0	53·0	59·0	70·0	75·0	75·0	72·0	65·0	62·0	62·0	58·0	62·9
18	58·0	65·0	65·0	62·0	62·0	67·0	68·0	68·0	67·0	65·0	64·0	62·0	64·4
19	62·0	60·0	62·0	64·0	63·0	69·0	67·0	68·0	68·0	66·0	65·0	63·0	64·8
20	62·0	61·0	61·0	62·0	64·0	68·0	70·0	73·0	72·0	66·0	68·0	61·0	65·7
21	60·0	58·0	60·0	65·0	73·0	78·0	88·0	84·0	76·0	76·0	76·0	70·0	72·0
22	65·0	66·0	66·0	67·0	69·0	80·0	79·0	80·0	78·0	76·0	74·0	70·0	72·5
23	64·0	63·0	68·0	68·0	71·0	74·0	75·0	75·0	70·0	67·0	66·0	65·0	68·8
24	64·0	64·0	60·0	65·0	72·0	76·0	76·0	73·0	70·0	68·0	64·0	63·0	67·9
25	62·0	62·0	64·0	66·0	71·0	77·0	79·0	70·0	74·0	71·0	67·0	64·0	68·9
26	64·0	63·0	62·0	69·0	71·0	79·0	83·0	83·0	80·0	72·0	72·0	69·0	72·3
27	68·0	61·0	62·0	64·0	69·0	62·0	61·0	60·0	60·0	59·0	59·0	58·0	61·9
28	58·0	57·0	57·0	63·0	68·0	72·0	76·0	79·0	78·0	75·0	70·0	67·0	68·3
29	67·0	68·0	71·0	73·0	80·0	87·0	89·0	86·0	82·0	79·0	75·0	71·0	77·3
30	68·0	68·0	68·0	73·0	76·0	82·0	89·0	90·0	89·0	85·0	80·0	77·0	78·8
31	75·0	74·0	75·0	78·0	84·0	86·0	89·0	90·0	85·0	75·0	70·0	66·0	78·9
Mean.	64·6	63·8	64·2	67·1	71·3	75·7	77·6	77·2	74·7	71·0	68·5	66·3	70·2

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of August, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
1	65·0	60·0	58·0	63·0	69·0	73·0	76·0	78·0	75·0	70·0	65·0	64·0	68·0
2	61·0	59·0	59·0	68·0	68·0	73·0	73·0	71·0	69·0	66·0	63·0	59·0	65·8
3	55·0	55·0	55·0	61·0	66·0	73·0	75·0	76·0	72·0	72·0	69·0	65·0	66·2
4	63·0	61·0	61·0	66·0	67·0	69·0	71·0	69·0	66·0	65·0	64·0	64·0	65·5
5	62·0	62·0	63·0	64·0	66·0	65·0	69·0	70·0	68·0	66·0	65·0	65·0	65·4
6	65·0	65·0	66·0	70·0	75·0	78·0	79·0	80·0	83·0	76·0	69·0	68·0	72·8
7	64·0	62·0	63·0	64·0	64·0	66·0	66·0	66·0	64·0	63·0	62·0	62·0	63·9
8	61·0	59·0	62·0	62·0	67·0	74·0	66·0	71·0	64·0	63·0	62·0	61·0	64·3
9	58·0	58·0	59·0	65·0	68·0	71·0	73·0	76·0	72·0	64·0	62·0	62·0	65·7
10	59·0	58·0	58·0	63·0	69·0	70·0	77·0	78·0	75·0	72·0	71·0	67·0	68·1
11	64·0	62·0	62·0	66·0	71·0	74·0	75·0	75·0	74·0	72·0	70·0	68·0	69·4
12	66·0	64·0	64·0	66·0	72·0	80·0	81·0	80·0	78·0	76·0	71·0	70·0	72·3
13	69·0	68·0	67·0	67·0	72·0	80·0	79·0	75·0	73·0	70·0	70·0	69·0	71·6
14	65·0	66·0	66·0	67·0	73·0	76·0	76·0	77·0	73·0	69·0	66·0	65·0	69·9
15	63·0	62·0	64·0	65·0	66·0	70·0	73·0	73·0	70·0	65·0	64·0	61·0	66·3
16	59·0	55·0	55·0	60·0	68·0	74·0	77·0	76·0	73·0	68·0	65·0	63·0	66·1
17	63·0	62·0	60·0	58·0	58·0	61·0	61·0	60·0	60·0	59·0	58·0	58·0	59·8
18	58·0	58·0	61·0	64·0	68·0	56·0	61·0	70·0	64·0	61·0	60·0	58·0	61·6
19	56·0	55·0	55·0	56·0	58·0	59·0	61·0	61·0	62·0	60·0	59·0	51·0	57·6
20	50·0	48·0	50·0	56·0	56·0	59·0	64·0	62·0	61·0	58·0	54·0	52·0	55·8
21	50·0	47·0	49·0	54·0	59·0	65·0	69·0	73·0	70·0	67·0	67·0	60·0	60·8
22	56·0	58·0	51·0	61·0	69·0	74·0	77·0	75·0	67·0	63·0	67·0	59·0	64·8
23	55·0	53·0	51·0	57·0	62·0	64·0	66·0	65·0	64·0	64·0	60·0	57·0	59·8
24	54·0	52·0	52·0	57·0	61·0	65·0	69·0	64·0	61·0	59·0	55·0	52·0	57·7
25	50·0	50·0	51·0	55·0	59·0	64·0	66·0	68·0	64·0	58·0	54·0	53·0	57·7
26	51·0	48·0	52·0	59·0	60·0	64·0	66·0	65·0	62·0	60·0	57·0	56·0	58·4
27	54·0	54·0	54·0	57·0	61·0	63·0	65·0	64·0	60·0	59·0	58·0	57·0	58·8
28	55·0	54·0	54·0	55·0	61·0	67·0	71·0	75·0	68·0	62·0	58·0	56·0	61·3
29	55·0	54·0	54·0	56·0	65·0	70·0	72·0	71·0	68·0	63·0	59·0	58·0	62·1
30	58·0	59·0	60·0	64·0	71·0	75·0	77·0	79·0	67·0	65·0	57·0	55·0	65·6
31	51·0	52·0	55·0	57·0	65·0	67·0	75·0	74·0	72·0	68·0	67·0	60·0	63·6
Mean	58·5	57·4	57·8	61·4	65·6	69·0	70·9	71·5	68·4	65·2	62·8	60·5	64·1

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of September, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	59·0	58·0	60·0	68·0	69·0	78·0	83·0	83·0	77·0	75·0	70·0	73·0	71·1
2	70·0	65·0	65·0	66·0	69·0	70·0	73·0	71·0	65·0	63·0	60·0	58·0	66·3
	56·0	54·0	54·0	55·0	60·0	61·0	67·0	68·0	60·0	58·0	55·0	54·0	58·5
	50·0	48·0	48·0	52·0	59·0	65·0	70·0	69·0	66·0	62·0	61·0	60·0	59·2
5	58·0	58·0	57·0	60·0	62·0	69·0	74·0	73·0	69·0	66·0	64·0	64·0	64·5
6	60·0	58·0	59·0	62·0	68·0	73·0	78·0	75·0	67·0	64·0	64·0	61·0	65·8
7	57·0	55·0	53·0	54·0	57·0	59·0	62·0	60·0	56·0	54·0	54·0	51·0	56·0
8	50·0	49·0	47·0	51·0	58·0	62·0	65·0	66·0	61·0	57·0	55·0	54·0	56·2
9	53·0	53·0	53·0	55·0	61·0	69·0	71·0	72·0	70·0	69·0	67·0	63·0	63·0
10	60·0	59·0	61·0	65·0	67·0	71·0	75·0	76·0	71·0	69·0	67·0	67·0	67·3
11	66·0	66·0	65·0	68·0	70·0	75·0	76·0	74·0	66·0	64·0	58·0	57·0	67·1
12	54·0	51·0	50·0	59·0	64·0	70·0	73·0	72·0	67·0	63·0	60·0	58·0	61·8
13	56·0	54·0	52·0	57·0	62·0	68·0	74·0	73·0	70·0	64·0	60·0	56·0	62·2
14	52·0	51·0	51·0	55·0	57·0	58·0	62·0	61·0	57·0	53·0	52·0	51·0	55·0
15	48·0	44·0	43·0	47·0	59·0	64·0	70·0	65·0	61·0	55·0	52·0	50·0	54·8
16	48·0	45·0	44·0	49·0	61·0	69·0	72·0	72·0	68·0	68·0	65·0	60·0	60·1
17	57·0	53·0	51·0	53·0	61·0	69·0	69·0	67·0	63·0	60·0	57·0	57·0	59·7
18	54·0	51·0	52·0	54·0	57·0	64·0	67·0	66·0	63·0	61·0	60·0	57·0	58·8
19	53·0	49·0	47·0	50·0	54·0	58·0	60·0	57·0	55·0	51·0	48·0	45·0	52·3
20	42·0	40·0	40·0	44·0	52·0	58·0	60·0	62·0	58·0	53·0	50·0	49·0	50·7
21	49·0	48·0	50·0	55·0	52·0	57·0	64·0	65·0	64·0	61·0	59·0	57·0	56·6
22	55·0	53·0	52·0	55·0	56·0	70·0	75·0	74·0	70·0	67·0	61·0	60·0	62·3
23	56·0	52·0	49·0	56·0	63·0	70·0	74·0	73·0	70·0	67·0	67·0	66·0	63·6
24	64·0	63·0	62·0	64·0	66·0	75·0	74·0	74·0	71·0	68·0	68·0	66·0	67·9
25	63·0	60·0	60·0	60·0	64·0	68·0	71·0	69·0	67·0	65·0	63·0	63·0	64·4
26	62·0	61·0	60·0	61·0	64·0	70·0	73·0	72·0	70·0	67·0	66·0	65·0	65·9
27	63·0	62·0	63·0	63·0	65·0	73·0	75·0	75·0	70·0	66·0	65·0	63·0	66·9
28	59·0	50·0	44·0	44·0	50·0	51·0	51·0	50·0	50·0	48·0	48·0	49·0	49·5
29	48·0	49·0	50·0	52·0	54·0	58·0	60·0	58·0	54·0	51·0	47·0	45·0	52·2
30	43·0	41·0	41·0	43·0	48·0	53·0	56·0	54·0	52·0	49·0	49·0	51·0	48·3
Mean.	55·4	53·4	52·8	55·8	60·3	65·8	69·1	68·2	64·3	61·3	59·1	57·7	60·3

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of October, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	51·0	50·0	50·0	52·0	56·0	59 0	58 0	58·0	56·0	55 0	54·0	53·0	54·3
2	52 0	50·0	50·0	49·0	44·0	42·0	48·0	47 0	45·0	44·0	41·0	37 0	45·8
3	32·0	35·0	36·0	39·0	45 0	49 0	51·0	50·0	50·0	49·0	49·0	48·0	44·4
4	46 0	44 0	44 0	43·0	44 0	46 0	49·0	51·0	48·0	48·0	44 0	40·0	45·6
5	38 0	37 0	37·0	40·0	46 0	53·0	56·0	55·0	52 0	48·0	46 0	42 0	45·8
6	39·0	37·0	36 0	38 0	47 0	57 0	63 0	60 0	54·0	49 0	47 0	45·0	47·7
7	43·0	43 0	42 0	45·0	56 0	62·0	67 0	65 0	59·0	56 0	54 0	50·0	53·6
8	49 0	47·0	46 0	47 0	53 0	57·0	58 0	56 0	55 0	54 0	53·0	51·0	52·2
9	50·0	51·0	52·0	53 0	51·0	51 0	50·0	50 0	48 0	47·0	46·0	43·0	49·3
10	41·0	39 0	37·0	40 0	46·0	51 0	57·0	55·0	51 0	46 0	44 0	45·0	46·0
11	45·0	45·0	46·0	46·0	46 0	48·0	49 0	50 0	49·0	45 0	42·0	41·0	46·0
12	38·0	38·0	36·0	37·0	40 0	41·0	45 0	42 0	40·0	37 0	36·0	35 0	38 7
13	33 0	32 0	32 0	35 0	42·0	49 0	54·0	51 0	49·0	48·0	47 0	47·0	43 2
14	45·0	45 0	45·0	45·0	49·0	54 0	59·0	58·0	56 0	55·0	51 0	51·0	50·9
15	49·0	46 0	46·0	49·0	52 0	56 0	64 0	63·0	61 0	59 0	56·0	56·0	54·3
16	50 0	48 0	49 0	51 0	50 0	53·0	58 0	59 0	55·0	54·0	53 0	51·0	52·6
17	51·0	50 0	50·0	49 0	52·0	60·0	64 0	62 0	59 0	58·0	57·0	50·0	55 2
18	48·0	48 0	49 0	49 0	53·0	58 0	61·0	58 0	57·0	55 0	53·0	56·0	53·8
19	53·0	50 0	48·0	46 0	50 0	51 0	53 0	49·0	46 0	43·0	41·0	37·0	47·2
20	36·0	36 0	35·0	36·0	40 0	43·0	45 0	45 0	42 0	40·0	39·0	36·0	39·4
21	36·0	31 0	31·0	33·0	38 0	49 0	52·0	50·0	47 0	40·0	40 0	39·0	40 5
22	38·0	37·0	36·0	38·0	43 0	58 0	57·0	50·0	47·0	45·0	43·0	39 0	44·2
23	36 0	31 0	39 0	35·0	45 0	50·0	50 0	53·0	51·0	48 0	45 0	44·0	43 9
24	38·0	39·0	40·0	43·0	45 0	49 0	52·0	49·0	48 0	47 0	47 0	48·0	45 4
25	48·0	46·0	45·0	45 0	44·0	45 0	45·0	46 0	45·0	44 0	46 0	45 0	45·3
26	44·0	44·0	45 0	46·0	50·0	53 0	56·0	53 0	52 0	52·0	52·0	50·0	49 7
27	50·0	49 0	50·0	50·0	52·0	51·0	51·0	52 0	52 0	49 0	49 0	47 0	50·2
28	46·0	46 0	44 0	44·0	46·0	50 0	50·0	49·0	48 0	46 0	45 0	45·0	46 6
29	44·0	42·0	42 0	43 0	45·0	50·0	51 0	49 0	46 0	46 0	45·0	45 0	45·7
30	45 0	45 0	45 0	44·0	44·0	44 0	42 0	35 0	35 0	33·0	31·0	31 0	39·5
31	30·0	30·0	29·0	31·0	33 0	35·0	34 0	32 0	31 0	32·0	30 0	30 0	31·4
Mean	43·4	42·2	42·3	43·2	46·7	50·8	53·2	51·7	49·5	47·5	46·0	44·2	46·7

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of November, 1908.

DAY.	2 a.m.	4 a.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·0	29·0	28·0	29·0	31·0	33·0	35·0	33·0	32·0	32·0	31·0	30·0	31·0
2	28·0	27·0	25·0	24·0	27·0	32·0	30·0	31·0	35·0	34·0	33·0	32·0	29·8
3	31·0	31·0	32·0	31·0	36·0	36·0	37·0	34·0	33·0	33·0	32·0	31·0	33·1
4	31·0	30·0	32·0	33·0	33·0	30·0	27·0	26·0	26·0	25·0	24·0	23·0	28·3
5	23·0	21·0	21·0	22·0	28·0	32·0	31·0	30·0	29·0	28·0	26·0	28·0	26·6
6	27·0	27·0	26·0	25·0	27·0	30·0	30·0	29·0	28·0	27·0	27·0	27·0	27·5
7	25·0	22·0	22·0	24·0	26·0	28·0	29·0	28·0	29·0	31·0	32·0	32·0	27·3
8	32·0	32·0	33·0	34·0	35·0	38·0	39·0	37·0	37·0	37·0	37·0	36·0	35·6
9	36·0	36·0	36·0	36·0	37·0	37·0	36·0	36·0	35·0	38·0	38·0	36·0	36·4
10	32·0	34·0	35·0	35·0	33·0	33·0	34·0	34·0	34·0	35·0	36·0	36·0	34·3
11	36·0	36·0	36·0	36·0	36·0	35·0	35·0	35·0	35·0	34·0	34·0	34·0	35·2
12	36·0	36·0	36·0	36·0	34·0	36·0	34·0	31·0	30·0	30·0	30·0	31·0	33·3
13	31·0	30·0	29·0	31·0	34·0	36·0	36·0	36·0	35·0	33·0	32·0	30·0	32·8
14	29·0	28·0	27·0	22·0	29·0	32·0	33·0	32·0	31·0	31·0	31·0	30·0	29·6
15	29·0	29·0	28·0	29·0	32·0	32·0	31·0	30·0	29·0	29·0	28·0	28·0	29·5
16	29·0	29·0	31·0	32·0	32·0	33·0	33·0	34·0	32·0	31·0	31·0	31·0	31·5
17	31·0	31·0	31·0	28·0	26·0	27·0	28·0	24·0	22·0	21·0	19·0	17·0	25·4
18	14·0	11·0	13·0	15·0	17·0	20·0	20·0	21·0	21·0	20·0	18·0	16·0	17·2
19	14·0	12·0	13·0	15·0	18·0	20·0	21·0	22·0	23·0	23·0	23·0	22·0	18·8
20	22·0	22·0	24·0	26·0	29·0	31·0	30·0	27·0	27·0	27·0	27·0	26·0	26·5
21	26·0	26·0	26·0	26·0	28·0	30·0	33·0	38·0	33·0	33·0	33·0	31·0	30·3
22	29·0	27·0	25·0	25·0	26·0	37·0	35·0	35·0	34·0	32·0	30·0	23·0	29·8
23	23·0	25·0	25·0	28·0	30·0	34·0	34·0	35·0	36·0	37·0	38·0	38·0	31·9
24	38·0	37·0	37·0	37·0	38·0	38·0	38·0	36·0	36·0	36·0	35·0	34·0	36·7
25	34·0	33·0	33·0	32·0	31·0	31·0	31·0	31·0	31·0	31·0	32·0	33·0	31·9
26	33·0	33·0	33·0	33·0	35·0	36·0	40·0	39·0	38·0	50·0	49·0	47·0	38·8
27	45·0	43·0	42·0	42·0	42·0	43·0	43·0	42·0	41·0	39·0	38·0	38·0	41·5
28	36·0	32·0	30·0	29·0	31·0	32·0	34·0	34·0	34·0	34·0	38·0	38·0	33·5
29	35·0	34·0	33·0	32·0	33·0	36·0	36·0	35·0	35·0	34·0	33·0	32·0	34·1
30	34·0	36·0	36·0	27·0	25·0	26·0	25·0	22·0	25·0	26·0	30·0	30·0	28·5
Mean.	29·9	29·3	29·3	29·1	30·6	32·5	32·6	31·9	31·5	31·7	31·5	30·7	30·9

OBSERVED Bi-hourly Temperature at the Citadel, Quebec, during the Month of December, 1908.

DAY.	2 a.m.	4 p.m.	6 a.m.	8 a.m.	10 a.m.	Noon.	2 p.m.	4 p.m.	6 p.m.	8 p.m.	10 p.m.	Midnight.	Mean.
	°	°	°	°	°	°	°	°	°	°	°	°	°
1	29·0	30·0	31·0	32·0	36·0	39·0	44 0	42·0	39·0	34·0	32·0	28·0	34·7
2	26·0	20·0	19·0	16·0	15·0	18·0	20·0	17·0	16·0	11·0	10·0	10·0	16 5
3	9·0	5 0	0·0	— 1·0	1·0	4·0	6·0	7·0	7 0	7·0	8·0	10·0	5 3
4	12 0	13·0	15 0	17·0	21·0	20 0	20·0	20 0	20·0	22 0	23 0	23 0	18 8
5	22 0	19 0	18 0	9 0	10 0	9 0	7 0	3 0	1 0	— 2 0	— 3 0	— 4·0	7 4
6	— 5·0	— 6·0	— 6 0	— 8·0	— 3·0	1 0	3·0	3 0	4 0	5 0	8 0	10 0	0·5
7	13·0	13·0	14 0	17·0	18 0	19 0	21 0	20 0	21 0	20 0	19·0	18·0	17·7
8	15 0	13·0	11 0	11·0	10·0	11 0	12 0	11 0	11 0	10 0	8 0	7 0	10 8
9	5 0	3 0	0 0	1·0	3 0	6 0	8 0	7 0	5 0	3 0	2·0	0·0	3·6
10	— 2 0	3 0	- 3 0	— 4·0	0 0	1 0	5 0	3 0	1 0	— 1 0	— 3 0	— 4·0	— 0·8
11	— 5 0	— 7·0	— 8 0	— 6·0	1 0	6 0	8 0	8 0	9 0	10 0	12 0	12 0	3 3
12	14 0	15·0	15 0	15·0	16 0	18 0	19 0	20 0	19·0	19 0	19 0	17 0	17·2
13	15·0	15·0	15·0	13·0	19 0	20 0	20 0	19 0	20 0	22 0	22 0	22 0	18 5
14	22·0	20 0	20 0	21·0	25·0	24 0	20 0	19 0	19 0	18 0	17·0	16·0	20·1
15	16 0	17 0	19 0	21·0	22 0	22 0	22 0	22·0	21 0	19 0	21 0	21 0	20 3
16	19·0	16 0	15·0	14·0	16 0	18·0	20 0	17 0	14 0	13·0	13 0	12·0	15·6
17	11·0	11 0	10 0	9·0	11·0	15 0	16·0	15·0	12 0	11·0	11 0	5·0	11·4
18	1·0	1 0	2·0	4 0	7 0	11 0	12 0	13 0	13·0	14 0	12 0	11·0	8·4
19	10·0	9 0	9 0	7 0	8 0	11 0	14 0	13 0	12 0	13 0	19·0	22 0	12 3
20	24 0	26·0	28·0	27·0	21 0	19 0	17 0	14 0	12·0	9 0	7·0	4·0	17·3
21	2·0	2 0	2 0	6·0	9 0	11 0	11 0	12 0	12 0	13 0	9 0	6·0	7 9
22	3·0	2 0	- 4 0	— 6·0	— 2 0	0 0	1 0	— 1 0	— 2 0	— 4 0	— 5·0	7·0	— 2 1
23	— 8 0	— 8·0	-10 0	-10·0	— 6 0	1 0	0 0	2·0	8 0	6 0	6 0	7 0	— 1 0
24	7·0	7 0	5·0	5·0	5 0	8·0	11 0	12 0	14·0	15 0	17 0	17·0	10 2
25	20 0	23 0	25 0	25·0	24 0	24 0	24 0	25·0	24 0	24 0	24 0	25 0	23 9
26	25·0	24 0	23 0	23·0	24 0	23 0	24 0	24 0	23·0	22 0	22 0	22 0	23 2
27	22 0	21 0	21·0	19·0	20 0	19 0	20·0	21·0	21·0	23 0	24·0	24·0	21·3
28	23 0	23 0	23 0	19·0	17 0	15 0	17 0	15 0	13 0	10 0	9 0	5 0	15·8
29	6 0	7·0	7 0	8·0	9 0	13 0	15 0	13 0	11·0	9 0	8 0	5 0	9 2
30	3·0	2·0	2·0	6 0	12·0	13·0	15 0	15 0	18 0	21·0	22 0	24·0	12·7
31	27 0	28·0	27 0	28·0	30·0	29 0	30 0	29 0	27 0	23 0	15 0	10 0	25 3
Mean	12·3	11·4	11·1	10·9	12·9	14·5	15 6	14 9	14·4	13·5	13·2	12·2	13·1

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·67	2·70	2·73	2·74	2·77	2·79	2·81	2·82	2·83	2·83	2·80	2·76
2	2·57	2·57	2·58	2·59	2·60	2·63	2·65	2·68	2·73	2·74	2·76	2·78
3	2·83	2·83	2·83	2·82	2·80	2·78	2·77	2·76	2·75	2·75	2·74	2·73
4	2·79	2·81	2·83	2·84	2·86	2·87	2·88	2·89	2·90	2·89	2·87	2·86
5	2·66	2·63	2·57	2·57	2·57	2·64	2·66	2·70	2·75	2·80	2·84	2·86
6	3·18	3·17	3·10	3·05	2·97	3·01	2·95	2·91	2·95	3·00	3·04	3·04
7	3·00	3·00	2·98	2·97	2·93	2·89	2·86	2·82	2·80	2·77	2·74	2·73
8	2·54	2·52	2·46	2·44	2·53	2·54	2·64	2·66	2·70	2·73	2·73	2·70
9	2·78	2·81	2·86	2·90	2·94	3·00	3·04	3·06	3·16	3·20	3·30	3·33
10	3·44	3·40	3·38	3·37	3·35	3·31	3·27	3·24	3·20	3·13	3·11	3·08
11	3·25	3·27	3·30	3·31	3·32	3·31	3·33	3·34	3·36	3·37	3·37	3·36
12	3·19	3·18	3·17	3·17	3·15	3·13	3·10	3·09	3·07	3·06	3·05	3·03
13	2·77	2·76	2·75	2·73	2·70	2·69	2·68	2·67	2·67	2·67	2·66	2·65
14	2·79	2·81	2·82	2·83	2·84	2·85	2·87	2·88	2·93	2·96	2·98	2·98
15	3·13	3·14	3·15	3·16	3·16	3·16	3·16	3·16	3·17	3·17	3·17	3·16
16	3·00	2·99	2·98	2·98	2·96	2·90	2·88	2·85	2·86	2·86	2·87	2·88
17	3·08	3·08	3·08	3·07	3·05	3·03	3·02	3·01	3·00	3·00	2·96	2·95
18	2·71	2·71	2·68	2·66	2·65	2·66	2·65	2·63	2·63	2·63	2·60	2·57
19	2·69	2·70	2·69	2·68	2·65	2·63	2·58	2·53	2·45	2·39	2·33	2·26
20	2·33	2·42	2·47	2·53	2·58	2·63	2·68	2·74	2·77	2·80	2·83	2·84
21	3·08	3·08	3·09	3·10	3·11	3·11	3·12	3·12	3·13	3·14	3·14	3·14
22	3·18	3·17	3·14	3·13	3·10	3·07	3·05	3·03	3·01	3·00	2·96	2·94
23	2·76	2·77	2·77	2·77	2·77	2·77	2·78	2·80	2·82	2·83	2·84	2·84
24	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·88	2·89	2·90	2·90	2·89
25	2·96	2·96	2·98	2·98	3·00	3·00	3·01	3·01	3·03	3·04	3·05	3·04
26	3·05	3·05	3·06	3·06	3·06	3·06	3·06	3·07	3·07	3·07	3·06	3·05
27	2·98	2·97	2·96	2·96	2·96	2·96	2·96	2·95	2·98	2·99	2·99	3·00
28	3·03	3·03	3·03	3·03	3·03	3·03	3·03	3·03	3·03	3·03	3·01	3·00
29	2·90	2·90	2·91	2·93	2·94	2·95	2·95	2·97	2·97	2·98	2·99	3·00
30	3·20	3·22	3·23	3·24	3·25	3·27	3·28	3·29	3·30	3·31	3·30	3·30
31	3·28	3·29	3·30	3·30	3·30	3·30	3·30	3·31	3·33	3·33	3·33	3·33
Mean.	29·926	29·929	29·927	29·928	29·927	29·930	29·932	29·933	29·943	29·947	29·946	29·938

from Self-registering Instruments, during the Month of January, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·73	2·70	2·67	2·66	2·64	2·63	2·61	2·60	2·58	2·57	2·57	2·57	29·699
2·79	2·86	2·81	2·82	2·84	2·85	2·86	2·86	2·86	2·86	2·85	2·84	29·747
2·68	2·68	2·66	2·66	2·66	2·65	2·67	2·68	2·71	2·74	2·76	2·77	29·738
2·83	2·82	2·80	2·77	2·75	2·74	2·73	2·71	2·71	2·71	2·69	2·67	29·801
2·92	2·95	3·03	3·08	3·12	3·14	3·16	3·17	3·21	3·22	3·21	3·20	29·902
3·05	3·04	3·07	3·10	3·10	3·12	3·13	3·13	3·10	3·07	3·06	3·05	30·058
2·70	2·68	2·67	2·66	2·64	2·64	2·64	2·63	2·62	2·61	2·58	2·56	29·755
2·68	2·63	2·56	2·52	2·49	2·50	2·55	2·60	2·67	2·69	2·74	2·76	29·608
3·35	3·37	3·40	3·43	3·44	3·45	3·46	3·46	3·44	3·44	3·42	3·40	30·227
3·04	3·00	2·96	2·96	2·98	3·04	3·07	3·10	3·14	3·17	3·20	3·23	30·174
3·35	3·34	3·33	3·33	3·32	3·32	3·30	3·28	3·25	3·24	3·22	3·20	30·307
2·98	2·96	2·93	2·91	2·89	2·87	2·84	2·83	2·82	2·80	2·79	2·78	29·991
2·63	2·63	2·63	2·64	2·65	2·66	2·67	2·69	2·72	2·73	2·75	2·76	29·690
2·98	2·99	3·00	3·02	3·04	3·05	3·07	3·08	3·09	3·09	3·11	3·12	29·966
3·14	3·12	3·13	3·11	3·10	3·11	3·11	3·09	3·08	3·07	3·06	3·04	30·127
2·86	2·87	2·90	2·93	2·95	2·97	2·99	3·01	3·03	3·04	3·07	3·08	29·945
2·89	2·87	2·85	2·84	2·81	2·80	2·78	2·77	2·74	2·74	2·73	2·71	29·911
2·56	2·54	2·53	2·55	2·55	2·55	2·59	2·61	2·63	2·64	2·68	2·69	29·621
2·23	2·22	2·22	2·20	2·15	2·16	2·14	2·14	2·16	2·19	2·24	2·27	29·371
2·85	2·86	2·90	2·93	2·94	2·97	3·00	3·03	3·05	3·07	3·08	3·08	29·807
3·15	3·15	3·16	3·17	3·17	3·18	3·18	3·19	3·20	3·20	3·20	3·20	30·146
2·90	2·85	2·81	2·80	2·79	2·78	2·77	2·77	2·77	2·77	2·77	2·76	29·930
2·83	2·83	2·83	2·83	2·83	2·84	2·84	2·84	2·85	2·86	2·87	2·87	29·818
2·87	2·87	2·87	2·87	2·88	2·89	2·90	2·90	2·92	2·93	2·95	2·95	29·890
3·03	3·02	3·02	3·02	3·03	3·03	3·03	3·04	3·05	3·06	3·06	3·06	30·021
3·04	3·03	3·02	3·01	3·00	3·00	3·00	3·00	3·00	3·00	3·00	2·99	30·034
2·97	2·97	2·98	2·98	2·98	2·98	2·99	3·00	3·00	3·01	3·02	3·03	29·982
2·97	2·95	2·94	2·94	2·93	2·91	2·91	2·91	2·90	2·90	2·89	2·89	29·973
3·00	3·00	3·02	3·03	3·04	3·06	3·08	3·11	3·14	3·16	3·17	3·18	30·016
3·28	3·28	3·28	3·28	3·28	3·28	3·28	3·28	3·28	3·28	3·27	3·27	30·272
3·32	3·31	3·30	3·30	3·28	3·28	3·28	3·27	3·27	3·27	3·27	3·26	30·296
29·923	29·914	29·912	29·915	29·912	29·918	29·924	29·928	29·935	29·940	29·944	29·943	29·930

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.
1....	3·25	3·25	3·25	3·24	3·23	3·23	3·22	3·21	3·20	3·19	3·17	3·14
2.....	2·98	2·97	2·97	2·97	2·97	2·96	2·95	2·94	2·93	2·93	2·90	2·87
3.....	2·68	2·66	2·65	2·64	2·62	2·61	2·60	2·60	2·58	2·57	2·54	2·53
4.....	2·44	2·45	2·47	2·50	2·53	2·55	2·57	2·58	2·61	2·62	2·61	2·60
5.....	2·61	2·64	2·66	2·67	2·68	2·69	2·70	2·70	2·70	2·70	2·67	2·64
6.....	2·53	2·52	2·49	2·48	2·53	2·56	2·62	2·65	2·70	2·72	2·74	2·75
7.....	2·84	2·85	2·86	2·88	2·89	2·90	2·90	2·91	2·93	2·93	2·90	2·89
8.....	2·77	2·77	2·76	2·75	2·74	2·77	2·70	2·69	2·68	2·68	2·67	2·66
9.....	2·75	2·76	2·77	2·78	2·78	2·78	2·78	2·78	2·79	2·80	2·81	2·81
10.....	2·86	2·87	2·88	2·89	2·90	2·90	2·90	2·91	2·93	2·94	2·95	2·95
11.....	2·66	2·65	2·65	2·66	2·67	2·68	2·70	2·71	2·75	2·77	2·79	2·80
12.....	3·09	3·10	3·12	3·14	3·16	3·17	3·19	3·20	3·22	3·22	3·23	3·23
13.....	3·20	3·20	3·19	3·19	3·18	3·17	3·17	3·17	3·17	3·17	3·17	3·14
14.....	3·10	3·10	3·11	3·12	3·13	3·14	3·16	3·17	3·18	3·19	3·20	3·20
15.....	3·13	3·11	3·09	3·07	3·05	3·03	3·00	2·99	2·96	2·95	2·93	2·90
16.....	2·74	2·74	2·73	2·73	2·72	2·72	2·72	2·73	2·74	2·74	2·75	2·74
17.....	3·02	3·04	3·05	3·05	3·08	3·12	3·14	3·16	3·20	3·21	3·20	3·20
18.....	3·17	3·16	3·15	3·14	3·13	3·13	3·13	3·13	3·13	3·13	3·12	3·10
19.....	3·11	3·11	3·11	3·12	3·13	3·14	3·16	3·18	3·20	3·21	3·22	3·23
20.....	3·33	3·33	3·33	3·33	3·34	3·34	3·34	3·34	3·34	3·35	3·34	3·34
21.....	3·27	3·26	3·26	3·26	3·26	3·26	3·27	3·27	3·27	3·27	3·27	3·26
22.....	3·24	3·24	3·24	3·24	3·24	3·24	3·24	3·25	3·25	3·25	3·24	3·23
23.....	3·13	3·13	3·13	3·13	3·13	3·13	3·11	3·12	3·13	3·15	3·15	3·15
24.....	3·25	3·25	3·24	3·24	3·25	3·24	3·23	3·23	3·24	3·24	3·24	3·23
25.....	3·19	3·18	3·18	3·17	3·15	3·13	3·12	3·11	3·09	3·08	3·07	3·06
26.....	2·80	2·76	2·71	2·67	2·65	2·60	2·55	2·50	2·51	2·54	2·54	2·54
27.....	2·58	2·60	2·60	2·60	2·60	2·60	2·60	2·59	2·58	2·57	2·57	2·57
28.....	2·40	2·39	2·38	2·37	2·36	2·36	2·36	2·36	2·36	2·36	2·36	2·35
29.....	2·32	2·32	2·33	2·33	2·34	2·35	2·37	2·40	2·43	2·44	2·45	2·46
Mean..	29·912	29·911	29·909	29·909	29·912	29·912	29·914	29·917	29·924	29·928	29·924	29·916

from Self-registering Instruments, during the Month of February, 1908.

NUMBERS IN THE TABLES.

Hour Ending											
1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Midnight	Mean.
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·11	3·08	3·07	3·05	3·04	3·03	3·00	3·00	3·00	3·00	3·00	2·99	30·123
2·85	2·83	2·80	2·77	2·76	2·74	2·73	2·73	2·71	2·70	2·70	2·69	29·848
2·50	2·48	2·45	2·44	2·42	2·40	2·38	2·38	2·39	2·41	2·43	2·43	29·516
2·58	2·57	2·57	2·58	2·58	2·58	2·59	2·58	2·57	2·56	2·57	2·59	29·560
2·58	2·55	2·51	2·47	2·49	2·48	2·46	2·48	2·49	2·52	2·53	2·53	29·590
2·75	2·75	2·75	2·76	2·77	2·78	2·80	2·80	2·80	2·82	2·83	2·83	29·697
2·88	2·87	2·87	2·86	2·86	2·85	2·84	2·83	2·82	2·80	2·79	2·78	29·864
2·65	2·63	2·63	2·64	2·66	2·67	2·64	2·71	2·72	2·73	2·74	2·75	29·700
2·80	2·80	2·80	2·80	2·80	2·81	2·82	2·83	2·84	2·85	2·86	2·86	29·802
2·93	2·92	2·91	2·88	2·86	2·84	2·80	2·75	2·73	2·68	2·67	2·67	29·855
2·83	2·84	2·85	2·87	2·90	2·92	2·94	2·97	3·00	3·01	3·04	3·05	29·821
3·23	3·23	3·22	3·22	3·21	3·21	3·21	3·21	3·21	3·21	3·21	3·20	30·194
3·13	3·12	3·11	3·10	3·10	3·08	3·07	3·07	3·07	3·07	3·09	3·09	30·134
3·20	3·20	3·20	3·20	3·20	3·19	3·19	3·18	3·17	3·17	3·16	3·15	30·167
2·88	2·87	2·86	2·85	2·85	2·84	2·82	2·80	2·78	2·77	2·76	2·75	29·918
2·74	2·75	2·77	2·79	2·82	2·84	2·87	2·88	2·92	2·94	2·97	2·98	29·795
3·20	3·21	3·20	3·20	3·20	3·19	3·19	3·18	3·18	3·18	3·18	3·18	30·157
3·07	3·06	3·05	3·05	3·06	3·07	3·08	3·08	3·09	3·09	3·09	3·10	30·105
3·23	3·23	3·23	3·23	3·24	3·25	3·26	3·27	3·30	3·31	3·32	3·32	30·213
3·31	3·30	3·29	3·29	3·28	3·27	3·27	3·27	3·27	3·27	3·27	3·27	30·309
3·24	3·22	3·21	3·21	3·22	3·22	3·23	3·25	3·24	3·23	3·23	3·24	30·246
3·21	3·19	3·18	3·18	3·17	3·16	3·15	3·15	3·15	3·15	3·14	3·14	30·203
3·14	3·14	3·14	3·14	3·16	3·17	3·18	3·20	3·20	3·22	3·23	3·24	30·156
3·23	3·23	3·23	3·23	3·22	3·22	3·22	3·22	3·22	3·21	3·21	3·20	30·230
3·04	3·03	3·01	3·00	2·99	2·97	2·94	2·93	2·91	2·89	2·85	2·83	30·038
2·52	2·48	2·49	2·50	2·52	2·53	2·54	2·56	2·57	2·57	2·57	2·57	29·574
2·54	2·53	2·52	2·51	2·50	2·48	2·57	2·45	2·44	2·43	2·43	2·43	29·563
2·34	2·33	2·33	2·33	2·33	2·33	2·33	2·33	2·33	2·33	2·33	2·53	29·349
2·46	2·46	2·45	2·44	2·44	2·43	2·43	2·44	2·44	2·43	2·43	2·43	29·409
29·902	29·893	29·886	29·882	29·885	29·881	29·879	29·879	29·881	29·881	29·884	29·883	29·900

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·43	2 43	2 43	2 43	2·44	2 45	2·46	2·47	2·50	2·52	2 53	2 54
2	2·65	2 65	2 66	2 66	2·67	2 68	2·69	2·70	2·71	2 72	2·72	2·73
3.	2·83	2·83	2 83	2·84	2·84	2 85	2·86	2·87	2·88	2 88	2 89	2·89
4.	2·93	2 94	2 94	2·94	2·94	2·94	2·95	2 96	2·97	2·97	2·96	2·95
5.	2 93	2 93	2 93	2 93	2·94	2·95	2·95	2·95	2 96	2·96	2·97	2·98
6.....	3·14	3·16	3 16	3·17	3·20	3 20	3·21	3·23	3·24	3 24	3·25	3·25
7.....	3 28	3 28	3 28	3 29	3 29	3 30	3·32	3·33	3·34	3·35	3·36	3 36
8 . .	3·36	3·36	3 35	3·35	3·35	3·35	3·36	3·36	3·37	3 37	3 36	3·35
9... ..	3·30	3 30	3 29	3·29	3·29	3·29	3·30	3·30	3·30	3·30	3·29	3·29
10.	3·21	3 20	3·18	3·16	3·15	3 14	3·13	3·14	3·16	3·16	3 16	3·17
11	3·02	3·01	2·99	2·97	2·97	2·97	2·98	3·00	3 00	3·01	3 03	3·03
12.....	3 07	3 07	3·07	3·07	3 07	3 08	3·09	3·10	3·10	3·10	3 10	3·10
13.....	2·69	2·65	2 64	2·64	2 64	2·64	2·65	2·66	2·66	2·65	2 65	2·64
14.....	2 84	2 85	2 86	2 86	2·87	2 88	2·89	2 89	2·90	2 91	2 90	2·90
15.....	2·74	2·73	2 68	2·63	2·58	2 57	2·57	2·60	2·62	2·62	2·61	2·61
16.	3·00	3·00	3 00	3·00	3·01	3 01	3·02	3 02	3 02	3·02	3·00	3·00
17. ..	2 67	2 66	2·65	2·65	2·67	2 70	2·74	2·75	2 77	2 80	2 84	2·86
18. ...	3 13	3 14	3·16	3·17	3·18	3·20	3·22	3·23	3 24	3 25	3·26	3·26
19.... ..	3 38	3·38	3 38	3 38	3 38	3 38	3·39	3 39	3 38	3·37	3 34	3·32
20 . .	3 00	2 99	2 97	2 97	2 97	2·97	2·98	2 98	3 04	3 06	3 07	3·10
21.	3 34	3 35	3 36	3·37	3·37	3·38	3·39	3 40	3·42	3 42	3 41	3·41
22.....	3·27	3 26	3 24	3 23	3·21	3·21	3·22	3·21	3 20	3·19	3 18	3·16
23.....	2 96	2 96	2 94	2·93	2·93	2·91	2·89	2·88	2·87	2 86	2 86	2·86
24. .	2 55	2 51	2 44	2 41	2 34	2 33	2 29	2·27	2 27	2 28	2·30	2·31
25.....	2·54	2 56	2 58	2 62	2·64	2 65	2 68	2·70	2·72	2 73	2 73	2·73
26.....	2·62	2 61	2 61	2·61	2 62	2·62	2 63	2·63	2 64	2·65	2 66	2·66
27. ...	2·92	2 94	2 95	2·97	2 99	3·01	3·04	3 06	3 07	3 09	3 10	3·12
28.....	3·17	3 18	3 19	3 20	3·21	3·23	3·25	3·26	3 27	3 27	3·27	3·28
29.... .	3·02	2 99	2·94	2 90	2 85	2·83	2·80	2 78	2 77	2·77	2 76	2·75
30.....	2 67	2 67	2·67	2·67	2·67	2·68	2·70	2·71	2 71	2 73	2 72	2·71
31	2 92	2 93	2 97	2 99	3 03	3 06	3·12	3·14	3 16	3·19	3 20	3·21
Mean .	29 954	29 952	29 946	29·945	29·945	29 950	29·960	29·967	29·976	29·982	29 983	29·985

from Self-registering Instruments, during the Month of March, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·54	2·54	2·56	2·57	2 59	2·60	2·61	2·62	2 63	2·63	2·64	2·65	29·534
2·73	2·73	2·73	2·73	2·74	2 75	2·77	2 78	2 80	2·81	2·82	2·83	29·727
2·88	2·88	2·87	2·87	2·88	2·89	2·90	2·91	2·92	2·93	2·93	2·93	29·878
2·94	2·93	2·93	2·92	2·91	2·91	2·92	2·93	2 93	2·93	2 93	2·93	29·938
2·97	2·97	2·99	3·00	3·01	3·02	3·04	3·05	3·07	3·08	3·11	3·12	29·992
3·25	3·24	3·23	3·23	3·23	3·24	3·25	3·25	3·26	3·26	3 27	3·28	30·227
3·35	3·35	3·36	3·36	3·36	3·36	3 36	3·36	3 37	3·37	3·36	3·36	30 338
3·34	3·34	3 33	3·31	3·31	3·31	3·31	3 31	3·31	3·31	3 31	3·30	30·337
3·28	3·26	3·25	3·24	3·23	3·23	3·22	3·22	3·20	3·21	3·18	3·19	30·260
3·15	3 14	3·13	3·12	3·10	3·09	3·08	3 07	3·05	3·05	3·03	3·02	30·125
3·03	3·04	3·06	3·06	3·06	3·07	3·07	3 07	3·07	3·09	3 09	3·08	30·032
3·06	3·04	3 04	3·01	2·98	2·95	2·92	2·90	2·85	2·82	2·77	2·72	30·003
2·64	2·65	2·66	2·67	2·68	2·70	2·75	2·77	2·80	2·80	2·82	2·83	29·691
2·86	2·85	2·84	2·83	2·81	2·80	2·78	2·77	2·77	2·76	2·75	2·75	29·838
2·61	2·63	2·70	2·74	2 78	2·83	2 88	2·92	2 95	2·97	2·99	3·00	29·732
2·95	2·93	2·90	2·87	2·83	2 80	2·78	2·78	2 75	2·74	2·70	2·67	29·908
2·89	2 90	2·91	2 93	2 95	2·98	3 00	3·02	3·04	3·07	3·10	3·11	29·861
3·27	3·27	3·28	3 29	3 30	3·30	3 33	3·34	3·35	3·37	3·37	3·37	30·262
3·28	3·25	3·22	3·19	3 15	3 11	3 10	3 09	3·06	3·04	3·01	3·00	30·249
3·11	3 12	3 14	3·16	3 17	3·19	3·23	3 25	3·27	3·29	3·31	3·32	30·111
3·39	3·36	3·35	3·34	3 32	3·31	3·30	3·29	3 28	3·28	3 27	3·27	30·349
3·14	3·13	3·11	3·10	3·06	3·06	3·05	3·04	3·02	3·01	2 99	2 98	30·136
2·84	2·83	2 80	2·77	2·77	2·75	2 73	2·71	2·67	2·65	2·64	2·60	29·817
2·32	2·33	2·34	2·36	2 37	2·38	2·40	2·43	2·47	2·48	2·50	2·51	29·383
2 72	2 71	2·71	2·70	2 69	2·67	2 67	2 67	2·65	2·64	2 63	2 62	29·665
2·66	2 66	2 67	2 69	2·71	2 73	2 76	2 78	2 81	2·84	2 87	2 89	29·693
3·12	3·12	3·11	3 11	3·11	3 12	3 13	3 13	3 14	3 15	3 16	3·16	30·076
3·28	3·27	3 25	3·25	3 24	3 21	3 19	3 17	3 16	3·15	3 10	3·06	30·213
2·74	2 74	2·72	2·71	2 70	2·71	2 70	2 70	2 70	2·70	2·68	2 67	29·776
2·72	2·72	2·73	2 73	2 74	2·75	2 77	2·78	2 81	2·83	2 87	2·89	29·735
3·22	3·22	3·22	3 22	3 23	3·24	3·24	3·25	3 27	3·27	3 27	3 28	30·160
29·977	29·973	29·972	29·970	29·968	29·970	29·976	29·979	29·982	29·985	29·983	29·980	29·969

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	3·28	3·28	3·29	3·30	3·30	3·32	3·33	3·34	3·35	3·36	3·36	3·36
2	3·28	3·26	3·25	3·23	3·23	3·22	3·20	3·19	3·17	3·16	3·14	3·10
3.....	2·67	2·65	2·64	2·62	2·63	2·65	2·69	2·70	2·72	2·75	2·77	2·78
4.....	3·04	3·04	3·05	3·06	3·07	3·07	3·08	3·09	3·10	3·10	3·10	3·10
5.....	2·92	2·91	2·91	2·92	2·93	2·94	2·96	2·97	3·00	3·02	3·03	3·04
6.....	3·07	3·07	3·07	3·09	3·11	3·13	3·14	3·14	3·17	3·18	3·20	3·20
7.....	3·35	3·35	3·36	3·36	3·37	3·37	3·37	3·38	3·39	3·39	3·38	3·38
8.....	3·36	3·35	3·34	3·33	3·33	3·33	3·32	3·32	3·30	3·28	3·27	3·26
9.....	3·20	3·20	3·20	3·20	3·20	3·22	3·23	3·23	3·23	3·23	3·23	3·24
10.....	3·32	3·32	3·34	3·34	3·35	3·35	3·35	3·35	3·35	3·38	3·34	3·34
11.....	3·17	3·16	3·14	3·13	3·12	3·12	3·10	3·09	3·08	3·07	3·06	3·05
12.....	2·97	2·97	2·97	2·97	2·98	2·99	2·99	2·99	3·00	3·00	3·00	2·99
13.....	2·92	2·91	2·91	2·91	2·91	2·92	2·94	2·96	2·97	2·98	2·98	2·98
14.....	3·03	3·03	3·03	3·03	3·03	3·02	3·01	3·01	3·00	3·00	2·98	2·96
15.....	2·81	2·81	2·82	2·81	2·80	2·80	2·81	2·81	2·81	2·80	2·80	2·79
16.....	2·85	2·85	2·85	2·86	2·85	2·85	2·84	2·83	2·82	2·81	2·78	2·77
17.....	2·60	2·60	2·59	2·59	2·60	2·61	2·63	2·65	2·60	2·66	2·70	2·71
18.....	2·75	2·76	2·84	2·86	2·91	2·95	2·95	3·00	3·02	3·04	3·05	3·05
19.....	2·95	2·93	2·89	2·86	2·82	2·80	2·77	2·73	2·71	2·69	2·65	2·64
20.....	2·88	2·88	2·89	2·91	2·92	2·93	2·95	2·96	2·96	2·97	2·96	2·95
21.....	2·80	2·79	2·78	2·76	2·75	2·75	2·74	2·73	2·73	2·72	2·70	2·69
22.....	2·66	2·66	2·65	2·64	2·63	2·63	2·63	2·63	2·62	2·60	2·59	2·58
23.....	2·55	2·56	2·57	2·58	2·59	2·60	2·60	2·61	2·60	2·60	2·60	2·61
24.....	2·44	2·50	2·56	2·61	2·68	2·74	2·82	2·85	2·90	2·94	2·99	3·02
25.....	3·27	3·28	3·28	3·28	3·29	3·30	3·32	3·33	3·33	3·34	3·34	3·34
26.....	3·22	3·20	3·18	3·17	3·16	3·15	3·14	3·13	3·13	3·12	3·10	3·07
27.....	3·08	3·09	3·10	3·12	3·13	3·15	3·17	3·18	3·20	3·22	3·23	3·23
28.....	3·34	3·34	3·35	3·36	3·36	3·36	3·36	3·35	3·35	3·33	3·31	3·30
29.....	3·09	3·08	3·07	3·07	3·06	3·06	3·06	3·06	3·05	3·03	3·03	3·00
30.....	2·77	2·77	2·75	2·74	2·73	2·73	2·73	2·72	2·71	2·70	2·68	2·66
Mean.	29·988	29·987	29·989	29·990	29·994	30·002	30·008	30·011	30·014	30·016	30·012	30·006

from Self-registering Instruments, during the Month of April, 1908.

NUMBERS IN THE TABLES.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·35	3·34	3·33	3·33	3·33	3·33	3·33	3·32	3·31	3·31	3·30	3·29	30·342
3·06	3·03	2·98	2·95	2·92	2·89	2·85	2·83	2·80	2·77	2·74	2·71	30·040
2·80	2·83	2·86	2·88	2·90	2·92	2·95	2·96	2·98	3·00	3·02	3·03	29·808
3·08	3·07	3·06	3·04	3·03	3·01	2·99	2·99	2·98	2·97	2·95	2·93	30·041
3·04	3·04	3·05	3·05	3·05	3·05	3·05	3·06	3·06	3·06	3·07	3·07	30·008
3·22	3·24	3·24	3·25	3·27	3·27	3·29	3·30	3·32	3·33	3·34	3·35	30·208
3·38	3·37	3·37	3·37	3·37	3·36	3·36	3·36	3·36	3·36	3·36	3·36	30·368
3·25	3·25	3·24	3·23	3·23	3·22	3·23	3·23	3·22	3·21	3·22	3·22	30·272
3·24	3·24	3·25	3·25	3·26	3·27	3·27	3·28	3·29	3·30	3·31	3·31	30·245
3·33	3·31	3·29	3·27	3·25	3·24	3·23	3·22	3·21	3·20	3·18	3·17	30·291
3·03	3·03	3·01	3·00	2·98	2·97	2·97	2·97	2·97	2·97	2·97	2·97	30·047
2·97	2·96	2·95	2·94	2·93	2·93	2·93	2·94	2·94	2·93	2·93	2·93	29·961
2·98	2·98	2·99	3·00	3·02	3·03	3·03	3·03	3·03	3·03	3·03	3·03	29·678
2·93	2·90	2·87	2·85	2·84	2·83	2·83	2·82	2·81	2·81	2·82	2·81	29·926
2·79	2·78	2·77	2·77	2·77	2·78	2·80	2·81	2·82	2·83	2·84	2·85	29·804
2·74	2·71	2·68	2·66	2·66	2·61	2·58	2·57	2·55	2·56	2·58	2·61	29·728
2·72	2·73	2·73	2·73	2·73	2·72	2·69	2·69	2·68	2·67	2·68	2·69	29·670
3·05	3·05	3·05	3·05	3·05	3·04	3·04	3·04	3·03	3·02	3·00	2·98	29·982
2·62	2·63	2·69	2·65	2·65	2·66	2·70	2·75	2·81	2·83	2·85	2·87	29·754
2·95	2·95	2·94	2·93	2·90	2·88	2·87	2·85	2·84	2·83	2·83	2·82	29·904
2·69	2·69	2·68	2·68	2·68	2·67	2·67	2·67	2·67	2·67	2·67	2·67	29·710
2·57	2·56	2·55	2·54	2·53	2·53	2·53	2·53	2·53	2·53	2·54	2·54	29·583
2·61	2·60	2·58	2·57	2·55	2·53	2·52	2·50	2·46	2·46	2·45	2·44	29·556
3·05	3·06	3·10	3·11	3·15	3·16	3·18	3·21	3·23	3·23	3·25	3·26	29·960
3·33	3·33	3·30	3·30	3·30	3·28	3·27	3·26	3·26	3·25	3·24	3·23	30·296
3·06	3·04	3·01	2·99	2·97	2·95	2·94	2·94	2·95	3·01	3·03	3·06	30·071
3·24	3·26	3·27	3·28	3·28	3·28	2·99	3·30	3·32	3·33	3·33	3·39	30·226
3·28	3·26	3·24	3·22	3·19	3·17	3·15	3·16	3·13	3·11	3·10	3·09	30·258
2·97	2·96	2·94	2·91	2·88	2·87	2·85	2·84	2·83	2·82	2·80	2·79	29·964
2·62	2·62	2·60	2·57	2·56	2·55	2·56	2·56	2·57	2·57	2·58	2·58	29·652
29·999	29·994	29·986	29·979	29·975	29·967	29·965	29·966	29·965	29·966	29·967	29·967	29·988

Barometric Pressure (32° Fah.) at Victoria, B.C., for each Hour.

27 ENGLISH INCHES + THE

Day.	Hour Ending											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·58	2 58	2 58	2·58	2·57	2 57	2·55	2·54	2·52	2·50	2·47	2·46
2.....	2·46	2·47	2·49	2·50	2·51	2·53	2·53	2·53	2 54	2·55	2·55	2·56
3.	2·69	2 70	2·72	2·73	2·74	2·77	2·78	2·79	2 81	2·82	2·84	2·86
4	2·92	2·91	2·90	2·90	2·89	2·91	2 93	2·94	2·95	2·95	2·96	2·96
5.....	2·93	2·92	2·91	2·90	2·89	2·90	2·90	2·90	2·90	2·90	2·91	2·92
6.	2·90	2·90	2·88	2·87	2 85	2·84	2·81	2·78	2·75	2·73	2·69	2·66
7	2·64	2 63	2·64	2·65	2·67	2·74	2·80	2·83	2·86	2·88	2·92	2·94
8	3·13	3·14	3·16	3·16	3·17	3·17	3 17	3·17	3·17	3·17	3·17	3·17
9...	3·18	3·18	3·18	3·18	3·17	3·17	3·17	3·16	3 14	3·13	3·13	3·13
10.....	2·98	2·97	2 96	2·95	2·94	2·94	2 94	2·94	2·94	2·93	2·92	2 90
11.....	2·87	2·87	2 87	2·86	2·87	2·87	2·87	2·87	2·88	2 88	2·88	2·88
12.... .	2·94	2 94	2·94	2·95	2·96	2·97	2·97	2·97	2·97	2·97	2·97	2·96
13.	2·91	2·90	2·89	2·89	2·88	2·88	2·88	2·88	2 88	2·88	2·88	2·87
14.....	2·84	2·83	2·83	2·83	2·83	2·83	2·84	2·84	2·84	2 83	2·81	2·79
15.....	2 67	2·67	2·67	2·67	2·66	2·67	2·67	2·67	2·67	2 66	2·65	2·65
16.....	2·81	2 82	2·83	2·84	2·84	2·85	2 87	2·88	2·91	2·92	2·93	2·93
17... ...	2·95	2·93	2·90	2·89	2·87	2·85	2·83	2·81	2·79	2·76	2·75	2·74
18.....	2·64	2·64	2·65	2·66	2·67	2 69	2·71	2·73	2·75	2·76	2·79	2·80
19	2 90	2·90	2·91	2·92	2·93	2·95	2·97	2·98	2·98	2·98	2·98	3·00
20.....	3·10	3·10	3·10	3·10	3·10	3·10	3·09	3·08	3·08	3·07	3·07	3·06
21.....	2·96	2·96	2·95	2·95	2·94	2·95	2·96	2·96	2·95	2·95	2·94	2·93
22.	2·99	3·00	3 01	3 02	3·04	3·05	3·06	3·07	3·09	3·10	3·12	3·13
23.....	3·14	3·13	3 13	3·13	3·12	3·12	3·11	3·11	3·11	3·11	3·10	3·08
24. ...	2·93	2·93	2 93	2·94	2·95	2·97	2·98	2·99	2·99	2·99	3·00	3·01
25.....	3·04	3·04	3·04	3·05	3·05	3·05	3·06	3·06	3 06	3 07	3·07	3·07
26	3·10	3·11	3 12	3·13	3·14	3·16	3·17	3·17	3·18	3 18	3·18	3·18
27 . .	3·17	3·17	3·17	3·17	3·17	3·18	3 18	3 18	3·18	3 17	3·16	3·16
28.	2·98	2·97	2 96	2·95	2·94	2·94	2 94	2·94	2·94	2·94	2·95	2·96
29.	2·98	2·98	2·98	2·99	2·99	3·00	3 01	3·01	3·00	3 00	3·00	3·00
30 .	3·00	3 00	3 01	3·01	3·01	3·01	3·03	3·03	3·03	3 03	3·03	3·04
31. . .	3·03	3 03	3 03	3·03	3 02	3·01	3 01	3·01	3 00	2·99	2 98	2·98
Mean.	29·915	29 914	29·914	29 916	29·915	29·927	29·929	29·930	29·931	29·929	29·929	29·928

from Self-registering Instruments, during the Month of May, 1908.

NUMBERS IN THE TABLES.

Hour Ending												
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	Mean.
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
2·44	2·44	2·44	2·43	2·41	2·40	2·40	2·40	2·41	2·43	2·44	2·46	29·483
2·57	2·58	2·58	2·58	2·59	2·61	2·63	2·65	2·67	2·67	2·68	2·68	29·571
2·87	2·87	2·87	2·88	2·90	2·90	2·91	2·92	2·92	2·92	2·93	2·93	29·836
2·95	2·95	2·96	2·96	2·96	2·96	2·96	2·96	2·95	2·95	2·94	2·93	29·944
2·92	2·92	2·90	2·90	2·89	2·89	1·90	2·90	2·91	2·92	2·92	2·92	29·911
2·65	2·64	2·64	2·64	2·62	2·60	2·62	2·63	2·62	2·63	2·63	2·64	20·717
2·95	2·97	2·98	3·00	3·00	3·04	3·05	3·07	3·09	3·10	3·10	3·11	29·903
3·17	3·17	3·17	3·17	3·17	3·17	3·17	3·18	3·18	3·18	3·18	3·18	30·168
3·10	3·08	3·06	3·04	3·02	3·01	3·00	3·00	3·00	3·00	3·00	2·99	30·093
2·89	2·88	2·87	2·87	2·86	2·86	2·87	2·87	2·87	2·87	2·87	2·87	29·898
2·88	2·88	2·89	2·89	2·90	2·90	2·92	2·93	2·93	2·84	2·94	2·94	29·892
2·96	2·96	2·96	2·95	2·95	2·95	2·94	2·94	2·93	2·93	2·93	2·93	29·952
2·87	2·86	2·85	2·84	2·84	2·84	2·84	2·84	2·84	2·84	2·83	2·84	29·865
2·77	2·75	2·74	2·73	2·73	2·72	2·70	2·69	2·69	2·68	2·67	2·67	29·770
2·67	2·67	2·69	2·70	2·73	2·75	2·76	2·77	2·79	2·80	2·80	2·80	29·705
2·95	2·95	2·96	2·96	2·97	2·97	2·98	2·99	2·98	2·98	2·98	2·97	29·920
2·73	2·73	2·73	2·72	2·70	2·70	2·70	2·68	2·67	2·66	2·65	2·65	29·766
2·85	2·86	2·86	2·86	1·86	2·87	2·87	2·88	2·89	2·90	2·90	2·90	29·791
3·01	3·02	3·03	3·03	3·03	3·03	3·05	3·06	3·07	3·08	3·08	3·08	29·999
3·05	3·04	3·03	3·01	2·99	2·98	2·97	2·98	2·97	2·97	2·97	2·97	30·041
2·93	2·93	2·93	2·93	2·93	2·93	2·94	2·95	2·96	2·97	2·98	2·98	29·948
3·13	3·13	3·13	3·13	3·12	3·12	3·13	3·13	3·14	3·14	3·14	3·14	30·094
3·06	3·05	3·02	3·01	2·99	2·97	2·96	2·95	2·95	2·95	2·94	2·93	30·049
3·01	3·01	3·01	3·02	3·02	3·02	3·02	3·03	3·03	3·04	3·04	3·04	29·996
3·06	3·06	3·06	3·06	3·06	3·06	3·06	3·07	3·08	3·08	3·08	3·09	30·062
3·18	3·18	3·17	3·17	3·17	3·16	3·16	3·16	3·16	3·17	3·17	3·17	30·160
3·14	2·13	3·10	3·09	3·06	3·05	3·04	3·03	3·03	3·03	3·01	3·00	30·115
2·97	2·97	2·97	2·97	2·97	2·98	2·98	2·98	2·97	2·97	2·98	2·98	29·963
3·00	2·00	3·00	3·00	3·00	2·99	2·99	2·99	2·99	2·99	3·00	3·00	29·995
3·04	3·04	3·03	3·01	3·01	3·01	3·01	3·01	3·02	3·02	3·03	3·03	30·020
2·97	2·97	2·96	2·96	2·95	2·94	2·93	2·93	2·93	2·93	2·93	2·93	29·977
29·927	29·926	29·922	29·920	29·916	29·916	29·918	29·922	29·924	29·927	29·927	29·927	29·923

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,
27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·92	2·91	2·90	2·89	2·88	2·88	2·88	2·87	2·85	2·84	2·83	2·83
2.	2·76	2·78	2·78	2·78	2·78	2·79	2·81	2·82	2·82	2·83	2·83	2·83
3.	2·82	2·82	2·82	2·81	2·81	2·82	2·83	2·83	2·83	2·83	2·84	2·84
4.	2·91	2·91	2·91	2·91	2·92	2·92	2·92	2·93	2·93	2·93	2·94	2·94
5.	2·96	2·96	2·96	2·96	2·97	2·97	2·97	2·98	2·97	2·97	2·96	2·95
6.	2·90	2·90	2·91	2·91	2·92	2·93	2·93	2·93	2·93	2·92	2·90	2·89
7.	2·84	2·85	2·85	2·85	2·85	2·85	2·85	2·85	2·84	2·83	2·82	2·81
8.	2·80	2·81	2·82	2·83	2·84	2·85	2·86	2·86	2·86	2·86	2·86	2·86
9.	2·87	2·88	2·89	2·90	2·91	2·92	2·93	2·93	2·93	2·93	2·93	2·93
10.	2·85	2·85	2·86	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87	2·87
11.	2·81	2·83	2·84	2·84	2·84	2·85	2·86	2·87	2·87	2·87	2·88	2·89
12.	2·92	2·93	2·94	2·95	2·96	2·97	2·98	2·99	3·00	3·00	3·00	3·00
13.	2·92	2·93	2·93	2·93	2·94	2·95	2·95	2·96	2·96	2·96	2·95	2·94
14.	2·86	2·86	2·86	2·86	2·87	2·88	2·88	2·88	2·87	2·87	2·86	2·86
15.	2·86	2·87	2·87	2·88	2·91	2·92	2·93	2·93	2·94	2·95	2·95	2·96
16.	2·88	2·88	2·88	2·86	2·86	2·85	2·85	2·85	2·83	2·83	2·83	2·82
17.	2·77	2·77	2·77	2·77	2·77	2·77	2·78	2·78	2·78	2·78	2·78	2·79
18.	2·79	2·79	2·79	2·80	2·80	2·82	2·82	2·82	2·82	2·83	2·83	2·84
19.	2·86	2·87	2·87	2·87	2·87	2·86	2·85	2·85	2·84	2·84	2·85	2·84
20.	2·77	2·77	2·76	2·76	2·76	2·75	2·75	2·75	2·74	2·73	2·72	2·70
21.	2·77	2·78	2·80	2·82	2·84	2·85	2·87	2·90	2·92	2·93	2·95	2·97
22.	3·05	3·06	3·06	3·06	3·06	3·06	3·07	3·08	3·08	3·09	3·09	3·09
23.	2·98	2·97	2·97	2·97	2·97	2·97	2·97	2·98	2·97	2·97	2·97	2·96
24.	2·95	2·94	2·93	2·93	2·92	2·91	2·91	2·90	2·90	2·90	2·93	2·94
25.	2·99	2·99	2·99	3·00	3·00	3·00	3·01	3·01	3·01	3·01	3·00	2·99
26.	2·87	2·88	2·88	2·88	2·89	2·89	2·90	2·91	2·93	2·94	2·94	2·95
27.	3·07	3·09	3·10	3·11	3·12	3·13	3·15	3·16	3·17	3·17	3·18	3·18
28.	3·18	3·18	3·19	3·20	3·20	3·20	3·22	3·22	3·22	3·22	3·23	3·23
29.	3·17	3·17	3·16	3·15	3·15	3·15	3·15	3·14	3·13	3·11	3·10	3·08
30.	2·96	2·96	2·96	2·96	2·96	2·96	2·97	2·96	2·95	2·94	2·94	2·93
Mean.	29·902	29·906	29·908	29·910	29·915	29·918	29·924	29·927	29·925	29·925	29·925	29·924

from Self-registering Instruments, during the Month of June, 1908.

NUMBERS IN THE TABLES.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·82	2·80	2·80	2·79	2·79	2·79	2·79	2·79	2·79	2·79	2·79	2·79	29·834
2·82	2·82	2·81	2·80	2·80	2·80	2·80	2·80	2·80	2·81	2·82	2·82	29·804
2·84	2·84	2·84	2·85	2·85	2·86	2·87	2·87	2·88	2·89	2·90	2·90	29·845
2·93	2·93	2·93	2·93	2·92	2·92	2·93	2·93	2·94	2·94	2·95	2·95	29·928
2·94	2·93	2·92	2·91	2·90	2·90	2·90	2·90	2·91	2·91	2·90	2·90	29·937
2·88	2·87	2·86	2·85	2·84	2·83	2·83	2·83	2·83	2·83	2·84	2·84	29·879
2·80	2·80	2·79	2·78	2·77	2·77	2·76	2·76	2·77	2·77	2·78	2·78	29·809
2·86	2·85	2·85	2·84	2·83	2·83	2·83	2·83	2·83	2·84	2·85	2·86	29·842
2·92	2·90	2·89	2·87	2·86	2·85	2·84	2·84	2·84	2·85	2·85	2·85	29·888
2·86	2·85	2·85	2·84	2·84	2·83	2·82	2·82	2·82	2·81	2·81	2·80	29·847
2·89	2·89	2·89	2·89	2·90	2·90	2·90	2·90	2·90	2·90	2·90	2·91	29·876
2·98	2·96	2·95	2·94	2·93	2·93	2·92	2·92	2·92	2·92	2·92	2·92	29·952
2·93	2·93	2·91	2·90	2·90	2·89	2·87	2·87	2·86	2·86	2·86	2·86	29·915
2·84	2·83	2·83	2·82	2·81	2·80	2·80	2·81	2·83	2·83	2·84	2·85	29·846
2·96	2·95	2·94	2·93	2·92	2·92	2·92	2·91	2·93	2·93	2·90	2·88	29·919
2·80	2·79	2·78	2·77	2·77	2·77	2·77	2·77	2·77	2·78	2·77	2·77	29·814
2·78	2·78	2·78	2·79	2·78	2·78	2·79	2·79	2·79	2·79	2·79	2·79	29·781
2·83	2·83	2·83	2·84	2·84	2·85	2·86	2·86	2·86	2·86	2·86	2·86	29·830
2·83	2·83	2·82	2·82	2·82	2·82	2·80	2·79	2·79	2·79	2·79	2·79	29·832
2·70	2·68	2·66	2·66	2·67	2·68	2·70	2·71	2·72	2·73	2·75	2·75	29·724
2·97	2·98	2·99	3·00	3·00	3·01	3·03	3·03	3·05	3·05	3·05	3·05	29·942
3·07	3·07	3·05	3·04	3·04	3·03	3·02	3·01	3·01	3·00	2·99	2·98	30·048
2·96	2·96	2·96	2·96	2·96	2·96	2·97	2·97	2·97	2·97	2·97	2·96	29·967
2·96	2·97	2·97	2·97	2·98	2·98	2·98	2·98	2·99	2·99	2·99	2·99	29·950
2·98	2·97	2·96	2·94	2·93	2·91	2·91	2·91	2·91	2·90	2·87	2·87	29·961
2·95	2·96	2·97	2·99	3·00	3·01	3·03	3·04	3·05	3·06	3·07	3·07	29·961
3·18	3·18	3·18	3·18	3 17	3·18	3·18	3·18	3·18	3·18	3·17	3·17	30·152
3·23	3·22	3·21	3·21	3·20	3·19	3·19	3·19	3·19	3·19	3·18	3·19	30·202
3·09	3·07	3·06	3·03	3·02	3·00	2·98	2·98	2·98	2·97	2·97	2 97	30·074
2·92	2·91	2·89	2·88	2·87	2·85	2·84	2·84	2·85	2·85	2·85	2·85	29·910
29·917	29·912	29·906	29·901	29 897	29·894	29·894	29·894	29·899	29·900	29·899	29·898	29·909

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·86	2·86	2·87	2·87	2·88	2·88	2·88	2·89	2·88	2·88	2·88	2·88
2.....	2·86	2·87	2·88	2·89	2·91	2·92	2·93	2·93	2·93	2·94	2·95	2·95
3.....	2·90	2·92	2·93	2·94	2·95	2·95	2·96	2·96	2·97	2·98	2·98	2·99
4.....	3·07	3·07	3·07	3·07	3·08	3·08	3·08	3·08	3·08	3·09	3·09	3·08
5.....	3·09	3·10	3·11	3·12	3·14	3·15	3·16	3·16	3·17	3·18	3·18	3·19
6.....	3·15	3·15	3·15	3·15	3·15	3·15	3·15	3·15	3·13	3·12	3·11	3·11
7.....	2·97	2·97	2·98	2·98	2·98	2·98	2·98	2·98	2·97	2·97	2·96	2·95
8.....	2·82	2·82	2·83	2·83	2·84	2·85	2·86	2·87	2·87	2·87	2·87	2·88
9.....	2·90	2·90	2·92	2·93	2·94	2·95	2·97	2·98	2·99	3·00	3·01	3·02
10.....	3·06	3·07	3·08	3·09	3·10	3·12	3·12	3·12	3·13	3·13	3·13	3·14
11.....	3·02	3·02	3·02	3·03	3·03	3·03	3·02	3·01	2·99	2·98	2·97	2·96
12.....	2·81	2·81	2·82	2·81	2·81	2·81	2·80	2·79	2·78	2·77	2·76	2·75
13.....	2·70	2·70	2·69	2·69	2·70	2·71	2·72	2·73	2·73	2·73	2·74	2·75
14.....	2·80	2·81	2·82	2·83	2·85	2·87	2·87	2·88	2·89	2·90	2·91	2·91
15.....	2·93	2·93	2·93	2·93	2·94	2·96	2·96	2·97	2·97	2·97	2·98	2·99
16.....	3·02	3·03	3·05	3·07	3·09	3·11	3·13	3·14	3·15	3·17	3·18	3·19
17.....	3·20	3·20	3·20	3·21	3·21	3·20	3·20	3·20	3·19	3·18	3·17	3·17
18.....	3·09	3·10	3·10	3·10	3·11	3·11	3·11	3·12	3·12	3·12	3·10	3·09
19.....	2·97	2·97	2·97	2·97	2·96	2·97	2·97	2·97	2·97	2·97	2·95	2·94
20.....	2·83	2·83	2·84	2·84	2·84	2·85	2·86	2·86	2·85	2·85	2·83	2·83
21.....	2·80	2·81	2·82	2·83	2·83	2·85	2·85	2·85	2·85	2·85	2·86	2·86
22.....	2·83	2·85	2·88	2·88	2·87	2·87	2·87	2·87	2·87	2·86	2·85	2·85
23.....	2·78	2·78	2·78	2·80	2·80	2·82	2·82	2·83	2·84	2·84	2·84	2·83
24.....	2·77	2·77	2·77	2·78	2·78	2·78	2·78	2·78	2·78	2·79	2·80	2·82
25.....	2·96	2·97	2·98	2·98	2·99	3·01	3·03	3·04	3·05	3·06	3·07	3·08
26.....	3·12	3·12	3·11	3·11	3·11	3·10	3·09	3·09	3·07	3·06	3·06	3·06
27.....	2·88	2·88	2·88	2·87	2·88	2·90	2·91	2·91	2·92	2·93	2·94	2·94
28.....	2·98	3·00	3·01	3·02	3·03	3·05	3·05	3·07	3·10	3·11	3·13	3·15
29.....	3·13	3·12	3·12	3·12	3·13	3·14	3·13	3·12	3·12	3·12	3·12	3·11
30.....	3·05	3·05	3·05	3·04	3·06	3·06	3·06	3·05	3·05	3·04	3·04	3·05
31.....	2·97	2·97	2·98	2·99	3·01	3·01	3·00	3·00	3·00	3·00	3·00	3·00
Mean..	29·946	29·950	29·956	29·960	29·968	29·975	29·978	29·981	29·981	29·983	29·983	29·985

from Self-registering Instruments, during the Month of July, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnigh6.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·85	2·83	2·82	2·81	2·80	2·80	2·82	2·83	2·83	2·84	2·85	2·85	29·855
2·94	2·94	2·93	2·93	2·92	2·90	2·89	2·89	2·88	2·87	2·87	2·88	29·908
2·99	2·99	2·99	3·00	3·01	3·02	3·03	3·03	3·04	3·05	3·06	3·06	29·987
3·07	3·07	3·07	3·07	3·06	3·05	3·05	3·06	3·07	3·07	3·08	3·08	30·072
3·19	3·19	3·18	3·18	3·18	3·16	3·16	3·15	3·15	3·15	3·16	3·15	30·156
3·09	3·08	3·06	3·05	3·03	3·01	2·99	2·98	2·97	2·97	2·97	2·97	30·077
2·93	2·91	2·88	2·87	2·85	2·83	2·83	2·83	2·83	2·83	2·83	2·82	29·913
2·87	2·87	2·86	2·86	2·86	2·86	2·86	2·87	2·88	2·88	2·90	2·90	29·861
3·02	3·02	3·02	3·02	3·02	3·01	3·01	3·02	3·03	3·03	3·04	3·05	29·992
3·12	3·11	3·10	3·08	3·07	3·06	3·05	3·04	3·03	3·03	3·02	3·02	30·084
2·93	2·92	2·90	2·88	2·87	2·87	2·85	2·84	2·83	2·83	2·83	2·82	29·935
2·73	2·72	2·71	2·71	2·70	2·67	2·68	2·68	2·69	2·70	2·70	2·70	29·746
2·73	2·72	2·73	2·73	2·73	2·70	2·71	2·72	2·74	2·75	2·77	2·77	29·725
2·91	2·90	2·90	2·90	2·89	2·88	2·88	2·89	2·91	2·92	2·93	2·93	29·882
2·99	2·98	2·97	2·97	2·98	2·97	2·97	2·97	2·98	3·00	3·00	3·01	29·969
3·20	3·21	3·21	3·21	3·21	3·20	3·19	3·19	3·19	3·19	3·20	3·20	30·155
3·16	3·14	3·13	3·12	3·12	3·10	3·08	3·08	3·07	3·07	3·07	3·08	30·148
3·07	3·06	3·04	3·03	3·01	3·00	2·98	2·98	2·97	2·97	2·97	2·97	30·055
2·91	2·90	2·89	2·88	2·87	2·86	2·84	2·84	2·84	2·84	2·83	2·83	29·913
2·82	2·81	2·80	2·79	2·78	2·77	2·76	2·77	2·78	2·78	2·79	2·79	29·815
2·85	2·83	2·83	2·83	2·83	2·81	2·80	2·80	2·81	2·81	2·82	2·83	29·830
2·84	2·82	2·80	2·79	2·77	2·77	2·76	2·76	2·76	2·77	2·77	2·78	29·822
2·82	2·80	2·77	2·77	2·78	2·78	2·77	2·77	2·78	2·78	2·78	2·77	29·797
2·83	2·83	2·83	2·85	2·88	2·87	2·89	2·90	2·92	2·94	2·95	2·96	29·835
3·08	3·08	3·08	3·08	3·08	3·08	3·09	3·10	3·10	3·11	3·12	3·12	30·056
3·04	3·02	3·00	2·97	2·95	2·95	2·93	2·93	2·93	2·90	2·89	2·89	30·020
2·94	2·94	2·93	2·92	2·91	2·90	2·94	2·94	2·95	2·95	2·96	2·97	29·920
3·15	3·14	3·14	3·15	3·14	3·13	3·13	3·13	3·13	3·13	3·13	3·13	30·097
3·10	3·09	3·07	3·07	3·08	3·06	3·06	3·05	3·05	3·05	3·05	3·05	30·096
3·03	3·00	2·98	2·98	2·97	2·95	2·95	2·96	2·96	2·96	2·96	2·97	30·011
3·01	2·97	2·95	2·94	2·93	2·92	2·92	2·92	2·92	2·93	2·93	2·95	29·967
29·975	29·964	29·954	29·950	29·945	29·933	29·931	29·933	29·936	29·939	29·943	29·945	29·958

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·95	2·95	2·96	2·96	2·97	2·98	3·00	3·02	3·03	3·04	3 04	3·05
2.....	3·10	3·10	3·11	3·11	3·12	3 11	3·11	3·10	3·10	3·08	3·08	3·06
3...	2·96	2·96	2·96	2·96	2·96	2·96	2·96	2·96	2·96	2 96	2·96	2·97
4.....	2·93	2·93	2·93	2·93	2·94	2·95	2·96	2·97	2·97	2·91	2·97	2·97
5.....	2 88	2·89	2·89	2·90	2·92	2·93	2·93	2·93	2 93	2 93	2·33	2·93
6...	2·93	2·93	2·94	2·94	2·94	2·95	2·95	2 96	2 96	2 96	2·96	2·96
7	2·94	2 95	2 96	2·98	3 00	3 02	3 03	3·03	3 04	3 05	3 05	3·05
8	2 98	2·99	3 00	3·01	3 01	3·01	3 01	3 01	3·01	3 01	3·00	3·00
9	2·93	2 93	2 93	2 93	2·94	2 95	2 97	2·97	2 97	2·97	2 96	2·96
10. ...	2 87	2 87	2 87	2 88	2 89	2 90	2 91	2 91	2 90	2 90	2·90	2·90
11.....	2·90	2 91	2 92	2 93	2·95	2 96	2·97	2 97	2·98	3 00	3·00	3·00
12.....	2·94	2·94	2·94	2·94	2·94	2 93	2 92	2·92	2·91	2 91	2 90	2·90
13.	2·87	2·87	2·88	2·88	2·89	2 90	2·90	2·91	2 91	2·90	2·90	2·89
14. ..	2·92	2·93	2 93	2·94	2·96	2·97	2·97	2 97	2 97	2 97	2·96	2·96
15.....	2·91	2·92	2 93	2·93	2·94	2·95	2·96	2·97	2·97	2 97	2·98	2·98
16...	3·00	3·00	3·01	3·03	3·04	3·05	3 05	3·06	3·06	3 06	3·06	3·06
17.	2·94	2·94	2 94	2 95	2·95	2·96	2·95	2 94	2 93	2 92	2 91	2·90
18.....	2 83	2·83	2 83	2·84	2·85	2·85	2·85	2·85	2·85	2·85	2 84	2·84
19	2 81	2·81	2 81	2·82	2·83	2·83	2·83	2·83	2 83	2 83	2 82	2·81
20.....	2·75	2·75	2·75	2·76	2·78	2 79	2·80	2·80	2 81	2·81	2·80	2 80
21.....	2 80	2·81	2 81	2·80	2·82	2·83	2·83	2·84	2 84	2 84	2·83	2·83
22.....	2·76	2·77	2 78	2·76	2·78	2 79	2·80	2 80	2 80	2·80	2 80	2·80
23.....	2·85	2·86	2 87	2·88	2·90	2·92	2·93	2 93	2 95	2·95	2 95	2·95
24..	2·95	2·96	2·95	2·95	2·95	2·95	2 94	2·94	2 95	2·96	2·97	2·97
25. .. .	3·00	3·00	3·00	3·00	3·01	3·02	3·04	3·05	3·07	3·08	3 10	3·11
26.....	3 08	3·07	3·07	3·06	3·06	3 06	3 06	3·05	3·05	3·05	3·02	3·01
27.	2·83	2·81	2 82	2·80	2·79	2 78	2 78	2·78	2 77	2·77	2·78	2·78
28.....	2·77	2·77	2 76	2·76	2·76	2 76	2 76	2 77	2 77	2·78	2·78	2·78
29.....	2 86	2·87	2·87	2·88	2·89	2 90	2·91	2 93	2 94	2·95	2 95	2·96
30	3·04	3 04	3·05	3·05	3·06	3 07	3 08	3·08	3 10	3·11	3·12	3·14
31.....	3·14	3·14	3·14	3·14	3 14	3·14	3 14	3 14	3 14	3 15	3·14	3 14
Mean..	29·917	39·919	29·923	29·926	29·935	29·941	29·945	29·948	28 951	29·953	29·950	29·951

from Self-registering Instruments during the Month of August, 1908.

NUMBERS IN THE TABLES.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
3.05	3·06	3·06	3·06	3·07	3·08	3·07	3·08	3·08	3·08	3·10	3·10	30·035
3·05	3·04	3·03	3·01	3·00	2·98	2·97	2·97	2·97	2·97	2·96	2·96	30·046
2·96	2·95	2·94	2·93	2·91	2·90	2·90	2·91	2·92	2·92	2·93	2·93	29·943
2·95	2·94	2·92	2·91	2·90	2·89	2·88	2·89	2·88	2·87	2·88	2·88	29·925
2·92	2·92	2·92	2·92	2·91	2·90	2·90	2·91	2·92	2·92	2·92	2·92	29·915
2·94	2·93	2·91	2·91	2·90	2·89	2·90	2·90	2·90	2·91	2·93	2·93	29·930
3·03	3·03	3·02	3·01	3·00	2·98	2·97	2·97	2·97	2·97	2·98	2·98	30·000
2·98	2·96	2·95	2·94	2·92	2·91	2·90	2·90	2·90	2·91	2·92	2·93	29·965
2·95	2·94	2·93	2·92	2·90	2·88	2·87	2·87	2·87	2·87	2·87	2·87	29·923
2·88	2·88	2·87	2·87	2·86	2·85	2·86	2·86	2·86	2·87	2·87	2·88	29·880
2·98	2·97	2·96	2·95	2·95	2·93	2·93	2·93	2·94	2·94	2·94	2·94	29·952
2·89	2·88	2·88	2·87	2·87	2·87	2·87	2·88	2·88	2·88	2·88	2·97	29·900
2·86	2·85	2·83	2·82	2·83	2·85	2·86	2·87	2·88	2·89	2·90	2·91	29·872
2·96	2·94	2·93	2·92	2·91	2·89	2·87	2·88	2·89	2·89	2·90	2·90	29·930
2·98	2·97	2·97	2·96	2·96	2·95	2·96	2·97	2·97	2·97	2·98	2·99	29·960
3·02	3·00	2·98	2·97	2·96	2·95	2·94	2·93	2·93	2·94	2·94	2·94	29·999
2·89	2·88	2·86	2·84	2·82	2·81	2·81	2·81	2·81	2·81	2·82	2·82	29·884
2·83	2·83	2·81	2·80	2·78	2·78	2·78	2·78	2·79	2·79	2·80	2·81	29·820
2·80	2·78	2·77	2·77	2·74	2·72	2·73	2·73	2·73	2·73	2·74	2·74	29·785
2·78	2·77	2·75	2·74	2·73	2·73	2·76	2·77	2·78	2·79	2·78	2·78	29·773
2·80	2·78	2·76	2·75	2·74	2·73	2·74	2·74	2·74	2·75	2·75	2·75	29·788
2·78	2·77	2·77	2·76	2·75	2·75	2·76	2·79	2·80	2·83	2·83	2·84	29·787
2·95	2·94	2·94	2·94	2·93	2·93	2·93	2·94	2·94	2·94	2·94	2·95	29·925
2·97	2·97	2·97	2·98	2·99	2·99	2·99	2·99	3·00	2·99	2·99	2·99	29·969
3·11	3·12	3·11	3·11	3·11	3·10	3·10	3·11	3·11	3·10	3·08	3·07	30·071
2·98	2·97	2·95	2·93	2·92	2·91	2·89	2·88	2·87	2·86	2·85	2·84	29·979
2·77	2·77	2·78	2·78	2·79	2·80	2·80	2·80	2·80	2·80	2·80	2·78	29·790
2·78	2·78	2·79	2·81	2·82	2·83	2·83	2·84	2·85	2·86	2·86	2·86	29·797
2·97	2·97	2·98	2·98	2·98	2·98	2·99	3·00	3·01	3·02	3·03	3·04	29·952
3·15	3·15	3·15	3·15	3·14	3·14	3·14	3·15	3·15	3·14	3·14	3·15	30·113
3·13	3·12	3·12	3·11	3·10	3·08	3·07	3·07	3·07	3·07	3·07	3·07	30·115
29·938	29·931	29·923	29·917	29·909	29·903	29·902	29·907	29·910	29·912	29·916	29·912	29·927

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	3·06	3 06	3 05	3·05	3 05	3 05	3 05	3 04	3 03	3 03	3·04	3 04
2	2·94	2·94	2 94	2 94	2·94	2 95	2·95	2 95	2 96	2·96	2·96	2·25
3	2 96	2 96	2 96	2 96	2 96	2·96	2 97	2 98	2 99	2·99	2·99	2·98
4	2 92	2 92	2·92	2·93	2 94	2 94	2·95	2 96	2 97	2 97	2·96	2·96
5	2 95	2·95	2 96	2 96	2 97	2 98	2·98	2 99	2·99	2 99	2 98	2·98
6	2·85	2·84	2·84	2 83	2·84	2·84	2 83	2·93	2 82	2 82	2·80	2·78
7	2·77	2·78	2·77	2 77	2 76	2 73	2 72	2·71	2·70	2·71	2·71	2·70
8	2 97	2·98	3·00	3·01	3·03	3·05	3 06	3·07	3 08	3 09	3·10	3 10
9	3 05	3·04	3·04	3·04	3 03	3 03	3·04	3 03	3·03	3 04	3·04	3·04
10	3·08	3·09	3·08	3 08	3 08	3·09	3 09	3·10	3·10	3·10	3·08	3·08
11	3·03	3·03	3 04	3·04	3 04	3·05	3·05	3·05	3 05	3 05	3·05	3·05
12	3·02	3·03	3 03	3 03	3 04	3 04	3 04	3 04	3 04	3 04	3·03	3 02
13	2 89	2·89	2 88	2·88	2·87	2 86	2·86	2 85	2 85	2 84	2·83	2·83
14	2 76	2·76	2 77	2·77	2 78	2 78	2 78	2·79	2·79	2·80	2 80	2 80
15	2 82	2 83	2·83	2·83	2 82	2 83	2·83	2·84	2·84	3·84	2·84	2 84
16	2 90	2·91	2 92	2 92	2 93	2·94	2·96	2 97	3 97	2 97	2 97	2·97
17	2·95	2·95	2 95	2·95	2 96	2 96	2·97	2 97	2 98	2·98	2·97	2·97
18	2·90	2·90	2·90	2 82	2·89	2 90	2 90	2·90	2·90	2·89	2 88	2 88
19	2 78	2·78	2·78	2·77	2·76	2 76	2 75	2·75	2 75	2·76	2·75	2·75
20	2·86	2·87	2·88	2·90	2·91	2·93	2·95	2·97	2·03	3·00	3 00	3·02
21	3 03	3·03	3 03	3 03	3 04	3 05	3 06	3·07	3·08	3 09	3·10	3 10
22	3 21	3·22	3·23	3·23	3 24	3 25	3 25	3·25	3·27	3·26	3·25	3·24
23	3·19	3 19	3·18	3·18	3·17	3·16	3·16	3·16	3 14	3·13	3·12	3·11
24	3·13	3·13	3·13	3·13	3 13	3·14	3·14	3·15	3·14	3·14	3·14	3 13
25	3 10	3·10	3·11	3 11	3 12	3 13	3·14	3·14	3·15	3·16	3 16	3 15
26	3 23	3·24	3 25	3·25	3 25	3 27	3 27	3·27	3·28	3·29	3·29	3·30
27	3·26	3·26	3 26	3·25	3 25	3 25	3 26	3·26	3 26	3·26	3·26	3 25
28	3·18	3 17	3·17	3 17	3 17	3 16	3 16	3·15	3·15	3·15	3 14	3 14
29	3 10	3·11	3·10	3·10	3 10	3 11	3 12	3·13	3·13	3·13	3·12	3 12
30	3·06	3·06	3·05	3·04	3 04	3 03	3·03	3·02	3·01	3·01	2·98	2·97
Mean	29·998	30·001	30·002	30·001	30·003	30·007	30·011	30·013	30·014	30·016	30·011	30·008

from Self-registering Instruments, during the Month of September, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·03	3·02	3·01	3·00	2·99	2·98	2·97	2·97	2·96	2·96	2·95	2·95	30·014
2·95	2·95	2·94	2·93	2·93	2·92	2·92	2·93	2·94	2·94	2·95	2·96	29·943
2·96	2·94	2·94	2·93	2·92	2·91	2·91	2·92	2·92	2·92	2·92	2·92	29·952
2·95	2·94	2·93	2·93	2·93	2·92	2·92	2·92	2·95	2·94	2·95	2·95	29·939
2·96	3·94	2·92	2·91	2·90	2·88	2·87	2·87	2·87	2·87	2·86	2·86	29·933
2·78	2·74	2·73	2·72	2·71	2·72	2·74	2·75	2·75	2·76	2·76	2·77	29·785
2·71	2·72	2·74	2·76	2·78	2·81	2·83	2·86	2·89	2·92	2·94	2·95	29·781
3·10	3·10	3·10	3·10	3·07	3·07	3·07	3·07	3·07	3·06	3·06	3·06	30·061
3·05	3·05	3·05	3·05	3·05	3·06	3·07	3·08	3·08	3·09	3·09	3·09	30·052
3·06	3·05	3·03	3·02	3·00	3·00	3·00	3·01	3·02	3·02	3·02	3·03	30·055
2·04	3·03	3·02	3·02	3·01	3·00	3·00	3·01	3·01	3·02	3·02	3·02	30·030
3·00	2·99	2·98	2·95	2·93	2·92	2·92	2·92	2·91	2·91	2·91	2·90	29·985
2·86	2·78	2·76	2·73	2·73	2·73	2·74	2·75	2·75	2·75	2·76	2·76	29·807
2·80	2·79	2·78	2·78	2·77	2·76	2·77	2·79	2·80	2·81	2·82	2·82	26·786
2·83	2·83	2·83	2·84	2·85	2·85	2·86	2·88	2·87	2·88	2·89	2·90	29·845
2·96	2·94	2·93	2·93	2·92	2·91	2·92	2·93	2·93	2·94	2·94	2·95	29·939
2·96	2·94	2·93	2·93	2·92	2·92	2·91	2·91	2·91	2·91	2·90	2·90	24·942
2·86	2·85	2·84	2·83	2·82	2·82	2·82	2·83	2·82	2·81	2·80	2·79	29·859
2·74	2·74	2·74	2·74	2·75	2·76	2·77	2·78	2·80	2·81	2·82	2·83	29·767
3·01	3·01	3·00	3·00	3·00	3·00	3·00	3·00	3·00	3·01	3·02	3·03	29·972
3·09	3·08	3·08	3·08	3·09	3·10	3·12	3·16	3·17	3·18	3·20	3·20	30·093
3·23	3·24	3·24	3·23	3·22	3·20	3·20	3·20	3·20	3·21	3·20	3·20	30·228
3·11	3·12	3·12	3·11	3·10	3·08	3·08	3·10	3·11	3·12	3·12	3·12	30·132
3·12	3·10	3·08	3·07	3·07	3·07	3·07	3·08	3·08	3·08	3·08	3·09	30·109
3·15	3·15	3·15	3·14	3·15	3·15	3·17	3·18	3·19	3·20	3·21	3·22	30·151
3·30	3·30	3·29	3·28	3·28	3·27	3·27	3·27	3·27	3·27	3·26	3·26	30·271
3·25	3·24	3·23	3·23	3·22	3·22	3·22	3·22	3·22	3·20	3·20	3·19	30·238
3·13	3·12	3·11	3·10	3·09	3·08	3·08	3·09	3·09	3·10	3·10	3·10	30·129
3·11	3·10	3·09	3·08	3·07	3·06	3·05	3·06	3·06	3·06	3·06	3·03	30·093
2·95	2·92	2·90	2·88	2·86	2·85	2·84	2·84	2·80	2·77	2·76	2·74	29·934
29·999	29·991	29·983	29·977	29·971	29·967	29·971	29·978	29·981	29·984	29·986	29·987	29·994

BAROMETIC PRESSURE (32° Fah.) at Victoria, B. C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·76	2 75	2 75	2 76	2·77	2 78	2·80	2 81	2·81	2·81	2·81	2·80
2.....	2·95	2·97	2·97	2·98	3·00	3·02	3·02	3·03	3·03	3·03	3·04	3·04
3.....	3·05	3·05	3·05	3·04	3·04	3·04	3·04	3·04	3·94	3·03	3·03	3·02
4.....	2·93	2·93	2·92	2 92	2·92	2·91	2·93	2·94	2·95	2·95	2·95	2·95
5.....	3·05	3·05	3·06	3 07	3·08	3·08	3·12	3·12	3·13	3·14	3·15	3·15
6.....	3·19	3·20	3 20	3·20	3·20	3·21	3·22	3·22	3·22	3·23	3·22	3·21
7.....	3 11	3 10	3·10	3·10	3·10	3·09	3·08	3·07	3·07	3·06	3·04	3·02
8.....	2·93	2·93	2·93	2 93	2·93	2·94	2·95	2·95	2·95	2·95	2·96	2 95
9.....	3·03	3·04	3·06	3 07	3·08	3·10	3·11	3 12	3·12	2·12	3·12	3·11
10.....	3·03	3·03	3·02	3 01	3·00	3·00	3·00	3·00	2·98	2·97	2·96	2 95
11.....	2 86	2·85	2 84	2·84	2·84	2 84	2·84	2 84	2·84	2·84	2·83	2·82
12.....	2 85	2·85	2·85	2 84	2·84	2·84	2·84	2·84	2·83	2·82	2·80	2·77
13.....	2 72	2·74	2·76	2 77	2·79	2·81	2·82	2·83	2·84	2·85	2·85	2·84
14.....	2 40	2·38	2·36	2 35	2·33	2·32	2·31	2·30	2·28	2·29	2·31	2·30
15.....	2·36	2·36	2·37	2 38	2 39	2·40	2·42	2 44	2 46	2·47	2·48	2·50
16.....	2·66	2 67	2·69	2 70	2·72	2 74	2·76	2·78	2 80	2·81	2·83	2·84
17.....	3·09	3·11	3·13	3·15	3·17	3·20	3·22	3·24	3·26	3·27	3·28	3·28
18.....	3·23	3·23	3·20	3 18	3·18	3 17	3·16	3·14	3·13	3·12	3·10	3·08
19.....	2·55	2 54	2 55	2·56	2·57	2 66	2·62	2·65	2·68	2·69	2·70	2·70
20.....	2·87	2·88	2 90	2 91	2·92	2·93	2·95	2 97	2·98	2·99	3·00	3·01
21.....	3·13	3·14	3·15	3·16	3·17	3·20	3·22	3 23	3·24	3·25	3·25	3·25
22.....	3·20	3·20	3 20	3 19	3·18	3·17	3·17	3·17	3·17	3·17	3·17	3·16
23.....	3·20	3·20	3·20	3·20	3·20	3·21	3·22	3·23	3·23	3·22	3·23	3·23
24.....	3 17	3·19	3·20	3 20	3·20	3·19	3·21	3 22	3·22	3·23	3·23	3·23
25.....	3·21	3·21	3 22	3·22	3·22	3·22	3·21	3·21	3·21	3·21	3·20	3·20
26.....	3·08	3·08	3 07	3 06	3·06	3·06	3·05	3·05	3·04	3·04	3·02	3·00
27.....	2 90	2·90	2·90	2 90	2·89	2·89	2 89	2 89	2·89	2·88	2·87	2·87
28.....	2 78	2·78	2·78	2 79	2·78	2·77	2·77	2·77	2·75	2·74	2·73	2·72
29.....	2 63	2·62	2 60	2 59	2 58	2·57	2 58	2·59	2 60	2·61	2·62	2·62
30.....	2·57	2 57	2·57	2 57	2·58	2·58	2 61	2 63	2·66	2·67	2·70	2 72
31.....	2 98	2·98	2 98	2 99	3·00	3·01	3 01	3 02	3·02	3·01	3·01	3·01
Mean.	29·918	29·920	29·922	29·924	29·926	29·931	29·940	29·946	29·949	29·951	29·951	29·946

from Self-registering Instruments, during the Month of October 1908.

NUMBERS IN THE TABLES

Hour Ending												Mean
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 a.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·81	2·83	2·84	2·85	2·86	2·87	2·88	2·89	2·90	2·91	2·93	2·94	29·830
3·03	3·03	3·01	3·02	3·02	3·02	3·02	3·03	3·03	3·04	3·04	3·05	30·017
3·01	3·00	2·97	2·96	2·96	2·95	2·94	2·93	2·93	2·93	2·93	2·93	29·992
2·93	2·93	2·94	2·95	2·96	2·97	2·98	2·99	3·00	3·02	3·03	3·04	29·956
3·15	3·15	3·15	3·16	3·16	3·17	3·17	3·17	3·17	3·18	3·19	3·19	30·134
3·18	3·17	3·16	3·15	3·15	3·15	3·14	3·13	3·13	3·13	3·11	3·11	30·176
2·99	2·97	2·96	2·95	2·95	2·94	2·94	2·94	2·94	2·94	2·94	2·94	30·024
2·95	2·95	2·94	2·94	2·95	2·96	2·97	2·97	2·97	2·98	3·00	3·01	29·954
3·09	3·07	3·06	3·05	3·04	3·03	3·03	3·03	3·02	3·03	3·03	3·03	30·066
2·93	2·91	2·90	2·89	2·88	2·87	2·87	2·85	2·85	2·85	2·85	2·85	29·936
2·81	2·81	2·81	2·80	2·80	2·80	2·82	2·83	2·84	2·84	2·85	2·86	29·831
2·73	2·70	2·68	2·66	2·64	2·65	2·66	2·66	2·65	2·67	2·70	2·71	29·753
2·80	2·79	2·76	2·74	2·70	2·65	2·61	2·57	2·53	2·50	2·45	2·43	29·715
2·32	2·33	2·33	2·33	2·34	2·33	2·33	2·33	2·33	2·34	2·34	2·35	29·330
2·51	2·52	2·53	2·54	2·55	2·56	2·57	2·58	2·60	2·61	2·62	2·63	29·494
2·86	2·87	2·89	2·91	2·92	2·93	2·96	2·97	3·00	3·02	3·05	3·07	29·852
3·28	3·27	3·26	3·26	3·26	3·25	3·25	3·25	3·26	3·25	3·24	3·24	30·228
3·04	3·02	2·98	2·95	2·92	2·89	2·82	2·77	2·72	2·68	2·65	2·58	29·998
2·71	2·73	2·75	2·75	2·76	2·77	2·80	2·81	2·83	2·84	2·85	2·86	29·700
3·01	4·01	3·02	3·03	3·03	3·04	3·05	3·07	3·08	3·09	3·10	3·11	29·998
3·25	3·25	3·25	3·25	3·25	3·25	3·24	3·23	3·23	3·22	3·21	3·20	30·217
3·15	3·15	3·16	3·16	3·17	3·17	3·17	3·18	3·18	3·18	3·19	3·20	30·175
3·19	3·19	3·18	3·18	3·18	3·18	3·17	3·17	3·17	3·17	3·17	3·17	30·193
3·22	3·22	3·22	3·22	3·21	3·21	3·20	3·20	3·21	3·21	3·21	3·21	30·210
3·17	3·17	3·15	3·14	3·13	3·12	3·12	3·11	3·10	3·10	3·08	3·08	30·169
2·98	2·96	2·94	2·93	2·92	2·90	2·90	2·90	2·90	2·90	2·90	2·90	29·985
2·85	2·83	2·82	2·82	2·81	2·80	2·79	2·79	2·79	2·79	2·79	2·78	29·847
2·70	2·68	2·68	2·68	2·68	2·67	2·66	2·65	2·65	2·64	2·63	2·63	29·713
2·62	2·63	2·62	2·62	2·61	2·61	2·60	2·60	2·59	2·58	2·57	2·57	29·601
2·73	2·75	2·77	2·80	2·83	2·84	2·86	2·89	2·92	2·93	2·94	2·97	29·736
2·97	2·97	2·95	2·95	2·90	2·87	2·86	2·84	2·83	2·83	2·83	2·83	29·944
29·935	29·931	29·926	29·924	29·921	29·917	28·915	29·914	29·914	29·916	29·917	29·918	29·928

BAROMETRIC PRESSURE (32° Fah.) at Victoria, B.C., for each Hour,

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·83	2·83	2·82	2 82	2·82	2·81	2·79	2 78	2 77	2·76	2·74	2·73
2	2·77	2 78	2·82	2·83	2·83	2·83	2·82	2·83	2·83	2·82	2 81	2·80
3	2·77	2 78	2·79	2·79	2·80	2·81	2·82	2 83	2·83	2·82	2·82	2·81
4	2·80	2 80	2·80	2·80	2·79	2 79	2·80	2 80	2·81	2·82	2·82	2·82
5	2·88	2·88	2·88	2·88	2·88	2 88	2·90	2·91	2·92	2 93	2·93	2·93
6	3·03	3·03	3·03	3·03	3·04	3·04	3·06	3·06	3·07	3 08	3 08	3·08
7	3·13	3 13	3·14	3·15	3·17	3·17	3·18	3·19	3·20	3 20	3·20	3·21
8	3·17	3·18	3·18	3 17	3·17	3·17	3·17	3·17	3·16	3 16	3·16	3·15
9	3 04	3 04	3 02	3·02	3·01	3·01	3 01	3 01	3 00	2·99	2·98	2 97
10	2 87	2 87	2 86	2 86	2·85	2 85	2 86	2 87	2 88	2 88	2 87	2·86
11	2 93	2·94	2 94	2 95	2 97	2 98	3·00	3 02	3·03	3·03	3 03	3·04
12	3·12	3 13	3 13	3·13	3·14	3 15	3·16	3 17	3·17	3 18	3·19	3 19
13	3·27	3·27	3 27	3·27	3·27	3 28	3·29	3·30	3·30	3·30	3·29	3·28
14	3·18	3 18	3·17	3 17	3·16	3·15	3·15	3·15	3·15	3 15	3·14	3·11
15	3 02	3·01	3·00	2·99	2·98	2 97	2·96	2·96	2 96	2 95	2·94	2 92
16	2·82	2 81	2·78	2·77	2·74	2 73	2·73	2 73	2 73	2 73	2·73	2·72
17	2·73	2 73	2·73	2·72	2·70	2·69	2·69	2 70	2·70	2 70	2·70	2·70
18	2 69	2 70	2 72	2 73	2 74	2·75	2·77	2·78	2 78	2 79	2 79	2 79
19	2 75	2 73	2·72	2·71	2·69	2·67	2·66	2·65	2 64	2·62	2·57	2·53
20	2·55	2 54	2·53	2·52	2 53	2 53	2·54	2 54	2·55	2 57	2·58	2·59
21	2·65	2·65	2 64	2·63	2·62	2·60	2·57	2·56	2 55	2 53	2 48	2 46
22	2·40	2 43	2·45	2·47	2·50	2 54	2·58	2·60	2 63	2 63	2 63	2 64
23	2 44	2·43	2 41	2 40	2·40	2 44	2 48	2 52	2 55	2 57	2 58	2 61
24	2 82	2 83	2 83	2·84	2·86	2 87	2 88	2·90	2·90	2·90	2·90	2·89
25	2·96	2 97	2 98	3·00	3 02	3 03	3 06	3·07	3 09	3 10	3·10	3·11
26	3·23	3·23	3 24	3·25	3 26	3 27	3·28	3 29	3 29	3 30	3 31	3·31
27	3·27	3 28	3 28	3 28	3 28	3 28	3·28	3 29	3 30	3 31	3·30	3 30
28	3·27	3·26	3 26	3·25	3 24	3 22	3 20	3 18	3·17	3 17	3·15	3 13
29	2·96	2·94	2 93	2·92	2 91	2·90	2 88	2·88	2·90	2 91	2 90	2 90
30	2 99	3·00	3 00	3 00	3·00	3 00	2·01	3·02	3·03	3·03	3·02	3·02
Mean.	29·915	29 913	29·912	29·912	29·914	29·916	29·919	29·925	29·930	29·931	29·925	29·920

from Self-registering Instruments, during the Month of November, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·70	2·70	2·68	2·66	2·65	2·64	2·63	2 61	2 63	2·67	2·73	2 74	29 730
2·79	2·79	2·78	2 77	2·75	2 76	2·75	2 75	2 75	2·75	2·76	2 77	29 789
2·80	2·80	2·80	2·80	2·80	2·80	2 81	2·81	2 81	2·81	2·81	2 80	29 805
2 83	2·80	2·83	2·84	2·84	2·84	2·85	2·86	2 87	2·88	2·88	2 88	29·826
2·94	2·94	2·96	2·98	3·00	3·00	3·01	3 01	3 02	3 02	3·03	3 03	29 947
3 07	3·07	3·07	3·07	3·07	3·07	3 07	3 08	3 10	3 11	3·12	3 12	30 068
3·19	3·18	3·17	3 18	3·18	3·18	3·18	3·19	3 18	3 18	3·18	3·18	30·176
3 13	3·11	3·10	3·10	3·09	3·07	3 07	3 07	3 06	3 06	3·05	3·04	30 123
2·95	2·93	2·93	2 91	2 91	2·90	2 90	2 89	2 88	2 87	2·87	2 87	29 954
2·85	2·85	2·85	2·85	2·85	2·85	2 85	2 88	2 89	2 90	2·91	2 92	29 868
3·04	3·05	3·05	3 05	3·06	3·07	3 07	3 07	3 03	3 09	3·10	3 11	30 029
3·19	3·19	3·20	3·20	3 22	3 22	3 23	3 24	3 25	3 25	3 26	3 26	30·190
3·27	3·25	3·24	3·22	3·30	3·19	3·18	3 18	3 19	3 19	3·19	3 19	30·245
3 08	3·07	3·06	3 05	3·04	3 04	3 03	3 03	3 03	3 03	3·03	3 03	30 099
2 89	2·88	2·87	2·87	2·86	2 86	2·86	2 87	2 87	2 87	2·84	2 83	29 918
2 71	2·70	2 70	2·69	2·70	2·70	2·72	2 73	2 73	2 73	2·74	2 74	29 738
2·69	2·68	2·68	2 68	2·68	2·67	2 67	2 67	2 67	2 67	2·68	2 69	29 692
2·79	2 79	2 80	2 80	2·80	2 80	2 80	2 79	2 79	2 78	2·77	2 77	29 771
2·50	2·45	2·40	2 36	2·35	2·37	2 43	2·47	2 53	2 54	2·56	2 56	29 561
2·59	2·59	2·60	2·61	2·62	2·63	2 65	2 66	2 67	2 67	2 67	2 66	29 590
2·47	2·43	2·38	2·37	2 35	2 35	2 36	2·36	2 35	2 35	2·37	2 38	29 477
2·65	2·66	2 66	2 66	2 65	2·61	2 58	2 56	2 52	2 50	2 48	2 46	29 562
2·62	2·63	2·66	2 67	2 68	2 71	2 73	2 74	2 75	2 76	2 77	2 79	29 597
2·87	2·87	2 87	2·87	2·87	2 87	2·87	2 88	2 90	2 91	2 92	2 94	29 877
3·10	3·12	3·13	3 13	3 14	3·15	3 16	3·17	3 18	3 20	3·21	3 22	30 100
3·29	3 29	3 30	3·30	3·30	3·28	3 27	3 28	3 27	3 28	3·28	3 27	30·278
3·28	3·27	3·27	3 27	3 27	3·27	3 27	3·27	3 27	3 27	3·28	3 27	30 279
3·09	3·07	3·05	3 02	3·00	2 99	2 96	2 95	2 94	2 93	2·95	2 96	30·100
2·90	2·91	2 92	2·93	2·93	2 94	2 95	2 96	2 97	2 97	2·98	2 99	29 928
3·01	3·00	3 00	3·01	3·01	3·02	3 02	3 01	3 03	3 04	3 05	3 06	30 016
29 909	29·907	29·900	29 897	29 896	29 895	29 898	29·902	29 906	29 909	29 916	29·917	29 912

Barometric Pressure (32° Fah.) at Victoria, B.C., for each Hour

27 ENGLISH INCHES + THE

Day.	Hour Ending											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8. a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	3·06	3·06	3·06	3·07	3·06	3·06	3·06	3·07	3·07	3·06	3·06	3·05
2	2·96	2·96	2·95	2·94	2·94	2·93	2·92	2·93	2·93	2·93	2·91	2·90
3	2·91	2·92	2·92	2·92	2·92	2·93	2·93	2·94	2·95	2·96	2·96	2·96
4	3·03	3·04	3·04	3·04	3·04	3·03	3·04	3·04	3·04	3·04	3·02	3·01
5	3·05	3·05	3·06	3·06	3·06	3·07	3·08	3·10	3·10	3·10	3·10	3·10
6	3·14	3·15	3·15	3·15	3·16	3·17	3·18	3·19	3·20	3·20	3·18	3·18
7	3·07	3·06	3·06	3·06	3·05	3·06	3·06	3·06	3·06	3·05	3·03	3·01
8	2·69	2·68	2·67	2·66	2·65	2·65	2·66	2·67	2·70	2·72	2·73	2·74
9	2·90	2·91	2·92	2·93	2·93	2·95	2·96	2·97	2·98	2·98	2·97	2·97
10	3·14	3·15	3·16	3·17	3·19	3·20	3·22	3·23	3·26	3·28	3·28	3·30
11	3·20	3·18	3·17	3·16	3·13	3·11	3·10	3·07	3·05	3·03	3·00	2·97
12	2·63	2·60	2·57	2·53	2·48	2·44	2·42	2·42	2·43	2·43	2·45	2·45
13	2·57	2·57	2·58	2·59	2·60	2·60	2·60	2·62	2·63	2·64	2·65	2·66
14	2·78	2·79	2·80	2·81	2·81	2·82	2·84	2·87	2·88	2·90	2·91	2·91
15	2·91	2·90	2·87	2·84	2·80	2·78	2·74	2·72	2·70	2·69	2·68	2·66
16	2·90	2·92	2·93	2·94	2·95	2·96	2·97	2·98	3·01	3·03	3·04	3·05
17	3·23	3·24	3·26	3·26	3·27	3·28	3·29	3·31	3·33	3·34	3·36	3·37
18	3·45	3·47	3·47	3·47	3·47	3·47	3·47	3·49	3·49	3·48	3·47	3·46
19	3·41	3·41	3·41	3·39	3·38	3·37	3·36	3·36	3·36	3·35	3·33	3·32
20	3·18	3·17	3·16	3·15	3·14	3·13	3·14	3·15	3·17	3·17	3·17	3·17
21	3·06	3·05	3·04	3·03	3·00	2·99	2·99	2·99	2·99	2·99	2·98	2·96
22	2·81	2·81	2·80	2·79	2·78	2·77	2·77	2·77	2·77	2·76	2·74	2·72
23	2·63	2·61	2·58	2·54	2·53	2·54	2·55	2·57	2·59	2·62	2·63	2·64
24	2·90	2·91	2·93	2·94	2·95	2·97	3·01	3·03	3·07	3·08	3·10	3·11
25	2·80	2·77	2·73	2·67	2·57	2·52	2·47	2·44	2·51	2·52	2·55	2·59
26	2·92	2·92	2·91	2·90	2·89	2·87	2·85	2·85	2·87	2·85	2·83	2·82
27	2·77	2·79	2·80	2·80	2·80	2·83	2·85	2·88	2·90	2·91	2·91	2·90
28	2·62	2·63	2·64	2·66	2·70	2·73	2·78	2·81	2·85	2·88	2·87	2·87
29	3·09	3·11	3·12	3·13	3·14	3·14	3·17	3·18	3·21	3·22	3·22	3·21
30	3·15	3·15	3·13	3·13	3·11	3·10	3·09	3·08	3·09	3·08	3·07	3·05
31	3·03	3·04	3·04	3·05	3·04	3·04	3·05	3·05	3·07	3·06	3·06	3·05
Mean	29·967	29·968	29·965	29·961	29·953	29·952	29·955	29·962	29·976	29·979	29·976	29·973

from Self-registering Instruments, during the Month of December, 1908.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
3·03	3 02	3·00	2·99	2·98	2·97	2·97	2·97	2·97	2 97	2·96	2 96	30 022
2·87	2 86	2·85	2·85	2·85	2·85	2 86	2·87	2·87	2 88	2·89	2 90	29 906
2 96	2·96	2 96	2·97	2·98	2·99	2·99	3 00	3·01	3 02	3·02	3 03	29 963
3·01	3 00	2 99	2·99	2·99	2·99	3 00	3 01	3·02	3 03	3·03	3 04	30 021
3·08	3·08	3 08	3·09	3·10	3 10	3·10	3·10	3·11	3·12	3 13	3 13	30 090
3·17	3 17	3 16	3 16	3·15	3 15	3 14	3·13	3 11	3 10	3·10	3 07	30 153
2·96	2 94	2 92	2·87	2·84	2·81	2·79	2 77	2·76	2 75	2·73	2·72	29 937
2·75	2·76	2 77	2 79	2·80	2 82	2 83	2 83	2·85	2 85	2·87	2·89	29 751
2·97	2·97	2 97	3 00	3·02	3·03	3 05	3 06	3·07	3 10	3·11	3·13	29 994
3·27	3 27	3·29	3·30	3·28	3 28	3·28	3 29	3·27	3 25	3·23	3·23	30 242
2·95	2 94	2·91	2·89	2·86	2 85	2 82	2 79	2·77	2 73	2·70	2 66	29 960
2 46	2·47	2 47	2 48	2·49	2 51	2 51	2 52	2·53	2 54	2·56	2 56	29 498
2·65	2 66	2·68	2 69	2·70	2 70	2·72	2 73	2·73	2 75	2·76	2 77	29·660
2·92	2 92	2·93	2·93	2·94	2 94	2 94	2 94	2 93	2 92	2·92	2 92	29 886
2·66	2·67	2 69	2·72	2 74	2 76	2 78	2 81	2·83	2 84	2·86	2 87	29 772
3·05	3 07	3 07	3·09	3 10	3 11	3·13	3 14	3 16	3 17	3·19	3 21	30 049
3·37	3 37	3 37	3·37	3·39	3 39	3 40	3 41	3·42	3 42	3·43	3 43	30 346
3·44	3·44	3 43	3 43	3 43	3·42	3 42	3 42	3·43	3 43	3·42	3·42	30 450
3·30	3·29	3 28	3·28	3·26	3 25	3 23	3 22	3·22	3 22	3·21	3 20	30 309
3 15	3 14	3·13	3·13	3·11	3·10	3 09	3 08	3·08	3 07	3·07	3 06	30 130
2 94	2 93	2 91	2·90	2·89	2 87	2 86	2 85	2·84	2 83	2·82	2 81	29 938
2·71	2 71	2 70	2·70	2·68	2 67	2 67	2 67	2·67	2 66	2·65	2 64	29 726
2·68	2 72	2·75	2 77	2·80	2 83	2·85	2 87	2 88	2 89	2 90	2 90	29 703
3·11	3 11	3·11	3·10	3 09	3 07	3 04	3·02	2·97	2 93	2·85	2 84	30 010
2·62	2 63	2 72	2 76	2·83	2·85	2 88	2 89	2·91	2 92	2·91	2 91	29 707
2·81	2 80	2·81	2·80	2·79	2 76	2 75	2·75	2·75	2 75	2·76	2 77	29 824
2 88	2 86	2 84	2·82	2 78	2 77	2 74	2 71	2·69	2 67	2·65	2 63	29 798
2·89	2 91	2 93	2 94	2·95	2 96	2 97	2 98	3·00	3 01	3 05	3 07	29 863
3·21	3 21	3 21	3·21	3·20	3·19	3 18	3 17	3 16	3 16	3 16	3 16	30 178
3 03	3 02	3 02	3·02	3·02	3·02	3 02	3 02	3·02	3 03	3 03	3 03	30 063
3·03	3 02	3 00	2 97	2 97	2 96	2 95	2 94	2·94	2 93	2 92	2 92	30 005
29 966	29·965	29 966	29·968	29 968	29·967	29 966	29 966	29 967	29 966	29·964	29 964	29·966

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·617	2·608	2·605	2·587	2·575	2·580	2·58	2·586	2·595	2·625	2·645	2·639
2	2·778	2·786	2·800	2·801	2·796	2·798	2·806	2·814	2·825	2·834	2·838	2·816
3	2·844	2·860	2·880	2·885	2·894	2·919	2·956	2·966	2·986	3·006	2·994	2·964
4	2·730	2·688	2·655	2·596	2·546	2·496	2·455	2·400	2·339	2·304	2·273	2·215
5	2·538	2·592	2·655	2·696	2·730	2·758	2·789	2·813	2·838	2·864	2·872	2·846
6	2·618	2·638	2·627	2·598	2·588	2·582	2·575	2·576	2·578	2·588	2·582	2·540
7	2·384	2·379	2·368	2·330	2·320	2·297	2·283	2·280	2·284	2·277	2·260	2·232
8	1·967	1·963	1·965	1·957	1·973	1·979	1·995	2·019	2·043	2·061	2·065	2·062
9	2·357	2·388	2·416	2·435	2·465	2·498	2·531	2·557	2·585	2·612	2·639	2·641
10	2·826	2·849	2·864	2·866	2·864	2·872	2·879	2·891	2·896	2·906	2·900	2·886
11	2·801	2·804	2·812	2·812	2·814	2·814	2·818	2·822	2·832	2·827	2·814	2·785
12	2·490	2·469	2·428	2·368	2·290	2·228	2·190	2·152	2·076	2·018	1·968	1·914
13	1·816	1·842	1·868	1·895	1·917	1·950	1·986	2·020	2·052	2·078	2·102	2·100
14	2·372	2·385	2·411	2·417	2·415	2·421	2·419	2·473	2·533	2·573	2·601	2·605
15	2·682	2·689	2·683	2·679	2·671	2·661	2·647	2·627	2·617	2·619	2·601	2·553
16	2·328	2·321	2·321	2·321	2·333	2·365	2·413	2·483	2·551	2·609	2·645	2·669
17	2·777	2·779	2·787	2·776	2·774	2·773	2·753	2·761	2·751	2·751	2·736	2·689
18	2·668	2·682	2·702	2·720	2·732	2·750	2·766	2·768	2·776	2·770	2·762	2·735
19	2·737	2·763	2·788	2·808	2·835	2·872	2·906	2·942	2·980	2·996	3·024	3·016
20	2·904	2·877	2·834	2·811	2·788	2·750	2·746	2·727	2·722	2·713	2·710	2·694
21	2·706	2·702	2·702	2·688	2·672	2·655	2·636	2·618	2·602	2·576	2·546	2·506
22	2·174	2·185	2·210	2·234	2·259	2·270	2·300	2·334	2·390	2·442	2·493	2·530
23	2·644	2·633	2·622	2·695	2·580	2·580	2·566	2·568	2·570	2·582	2·582	2·596
24	2·890	2·898	2·908	2·919	2·938	2·948	2·950	2·943	2·946	2·940	2·930	2·886
25	2·434	2·419	2·400	2·380	2·366	2·348	2·342	2·334	2·328	2·322	2·316	2·288
26	2·322	2·332	2·350	2·348	2·340	2·335	2·333	2·292	2·262	2·223	2·184	2·120
27	1·712	1·725	1·767	1·832	1·888	1·938	2·004	2·040	2·090	2·132	2·173	2·196
28	2·458	2·454	2·454	2·440	2·432	2·430	2·420	2·396	2·384	2·357	2·322	2·268
29	2·520	2·569	2·608	2·642	2·696	2·731	2·768	2·808	2·856	2·880	2·918	2·932
30	3·147	3·172	3·190	3·200	3·204	3·208	3·214	3·218	3·231	3·232	3·240	3·226
31	3·110	3·099	3·101	3·098	3·100	3·099	3·092	3·084	3·093	3·086	3·076	3·036
Mean.	2·[illegible]	2·566	2·573	2·575	2·573	2·578	2·585	2·591	2·600	2·607	2·607	2·587

from Self-registering Instruments, during the Month of January, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·639	2·643	2·648	2·672	2·694	2·728	2 749	2 760	2 760	2·765	2 779	2 777	2 661
2 803	2·796	2·790	2·795	2·799	2·816	2 830	2 834	2 839	2·838	2 840	2 840	2 813
2 964	2·948	2·942	2·932	2 932	2·920	2 902	2 900	2 864	2·848	2 816	2 771	2 913
2·175	2·150	2·135	2·135	2·168	2·206	2 234	2 279	2 327	2·367	2 436	2 504	2 367
2 834	2·813	2·810	2·808	2·804	2·794	2 784	2 762	2 747	2·722	2 706	2 684	2 761
2·503	2·487	2·474	2·459	2 464	2·472	2 456	2 464	2 452	2·432	2 412	2 393	2 566
2·179	2·150	2·141	2·111	2·093	2·084	2 073	2 038	2 016	1·999	1 985	1 969	2 189
2·067	2 078	2·095	2·119	2·145	2·177	2 213	2·247	2·273	2·292	2 328	2 341	2 101
2 635	2·634	2·656	2·675	2·696	2·728	2 750	2 774	2 784	2·794	2 816	2 828	2 579
2·850	2·836	2·849	2·832	2·820	2·818	2 824	2 820	2 804	2·816	2 807	2 807	2 849
2·738	2·688	2·670	2·673	2·686	2·686	2·688	2 652	2 648	2·634	2 594	2 539	2 735
1·865	1·829	1·814	1·795	1·786	1·794	1 799	1 784	1 782	1·794	1 800	1 808	2 040
2·101	2·119	2·145	2·171	2·195	2·225	2 255	2 280	2 293	2·319	2 335	2 355	2 101
2·593	2·597	2·598	2·625	2·648	2·659	2 671	2 681	2 685	2·683	2 680	2 680	2 559
2·495	2·481	2·467	2·453	2·447	2·437	2 419	2 384	2 399	2·379	2 353	2 347	2 533
2·681	2·709	2·738	2 774	2·797	2·807	2 817	2 809	2 807	2 799	2 796	2 795	2 612
2·618	2·595	2·579	2·562	2·547	2 569	2 578	2 596	2 618	2·634	2 642	2 652	2 679
2·688	2·653	2·643	2·632	2·620	2·633	2 643	2 668	2 686	2·690	2 702	2 723	2 701
3·022	3·024	3·034	3 034	3·044	3 039	3 037	3 015	2 996	2·978	2 953	2 934	2 949
2 672	2 656	2·643	2 675	2·688	2·693	2 706	2 716	2 715	2 718	2 711	2 714	2 733
2·452	2·423	2·418	2·384	2·367	2 360	2 332	2 302	2 276	2 236	2 201	2 178	2 481
2·554	2·586	2·618	2·637	2·668	2·696	2 714	2 708	2 713	2·703	2 689	2 671	2 490
2·628	2·652	2·683	2·706	2·738	2·772	2 806	2 830	2 858	2·878	2 888	2·891	2 690
2 862	2·815	2·799	2·766	2·730	2·701	2 662	2 616	2 590	2 542	2 494	2 442	2 797
2·243	2·224	2·228	2 240	2·254	2·280	2 296	2 302	2 300	2 306	2 316	2 318	2 316
2·030	1·976	1·928	1·870	1·819	1·774	1 742	1 690	1 684	1 676	1 674	1 702	2 042
2·222	2·264	2·295	2 344	2·377	2·388	2 424	2 452	2 464	2 469	2 474	2 472	2 173
2·230	2·195	2·174	2·187	2·200	2·233	2 281	2 326	2 358	2·396	2 434	2 489	2 347
2·948	2·958	2·978	3·004	3·032	3·056	3 088	3 101	3 116	3·132	3 133	3 147	2 901
3 209	3·186	3 173	3·164	3·162	3 157	3 154	3 136	3 133	3·128	3 131	3 132	3 184
2·964	2·934	2 903	2 870	2 823	2 758	2 728	2 672	2 568	2 538	2 [illegible]	2 534	2 503
2 564	2 552	2·551	2·552	2·557	2·563	2·570	2 567	2 566	2 567	2·561	2·558	2 572

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·297	2·226	2·156	2·084	2·020	1·954	1·908	1·850	1·806	1·762	1·720	1·690
2.....	2·082	2·128	2·171	2·211	2·258	2·302	2·356	2·408	2·446	2·492	2·528	2·534
3.....	2·582	2·570	2·544	2·532	2·524	2·516	2·518	2·528	2·534	2·550	2·568	2·588
4.....	3·030	3·060	3·118	3·144	3·186	3·195	3·224	3·262	3·288	3·290	3·310	3·296
5.....	3·249	3·237	3·215	3·175	3·143	3·116	3·085	3·074	3·010	2·974	2·942	3·818
6.....	2·146	2·120	2·148	2·174	2·198	2·208	2·216	2·244	2·260	2·272	2·285	2·290
7.....	2·540	2·584	2·620	2·656	2·698	2·740	2·778	2·818	2·848	2·882	2·908	2·918
8.....	2·122	3·142	3·164	3·183	3·208	3·235	3·264	3·304	3·335	3·350	3·378	3·384
9.....	3·466	3·474	3·492	3·487	3·500	3·517	3·523	3·522	3·534	3·534	3·522	3·498
10.....	3·282	3·276	3·269	3·246	3·236	3·228	3·216	3·214	3·208	3·204	3·192	3·184
11.....	3·100	3·102	3·102	3·108	3·110	3·124	3·130	3·142	3·140	3·142	3·154	3·146
12.....	3·143	3·152	3·138	3·126	3·116	3·110	3·090	3·084	3·088	3·072	3·052	3·032
13.....	2·783	2·772	2·775	2·757	2·773	2·757	2·769	2·765	2·766	2·757	2·751	2·739
14.....	2·721	2·725	2·709	2·720	2·721	2·707	2·697	2·681	2·642	2·607	2·577	2·538
15.....	1·926	1·874	1·848	1·803	1·788	1·740	1·704	1·700	1·686	1·656	1·632	1·623
16.....	2·108	2·138	2·152	2·173	2·194	2·216	2·226	2·250	2·264	2·268	2·280	2·272
17.....	2·360	2·378	2·389	2·402	2·424	2·448	2·479	2·506	2·532	2·554	2·579	2·590
18.....	2·832	2·842	2·850	2·848	2·861	2·866	2·872	2·875	2·904	2·932	2·924	2·887
19.....	2·652	2·631	2·599	2·566	2·551	2·521	2·511	2·501	2·480	2·459	2·455	2·431
20.....	2·479	2·495	2·515	2·541	2·577	2·599	2·630	2·662	2·680	2·695	2·709	1·713
21.....	2·609	2·585	2·573	2·555	2·549	2·542	2·539	2·537	2·538	2·538	2·529	2·502
22.....	2·511	2·521	2·524	2·539	2·559	2·582	2·611	2·643	2·661	2·676	2·685	2·670
23.....	2·431	2·388	2·362	2·340	2·338	2·348	2·345	2·342	2·362	2·365	2·367	2·374
24.....	2·656	2·688	2·721	2·752	2·779	2·802	2·847	2·887	2·890	2·917	2·937	2·940
25.....	2·726	2·708	2·685	2·685	2·679	2·667	2·626	2·630	2·625	2·615	2·579	2·555
26.....	2·266	2·236	2·201	2·169	2·137	2·137	2·135	2·120	2·109	2·109	2·105	2·123
27.....	2·312	2·318	2·328	2·333	2·350	2·362	2·373	2·385	2·392	2·393	2·392	2·393
28.....	2·479	2·480	2·480	2·503	2·522	2·538	2·548	2·578	2·588	2·607	2·606	2·618
29.....	2·802	2·815	2·836	2·840	2·856	2·877	2·908	2·910	2·920	2·935	2·939	2·937
Mean..	2·645	2·644	2·643	2·640	2·650	2·654	2·660	2·670	2·674	2·676	2·676	2·665

from Self-registering Instruments, during the Month of February, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1·660	1·662	1·678	1·664	1·722	1·804	1·862	1·900	1·940	1·964	2·002	2·042	1·891
2·562	2·560	2·572	2·574	2·586	2·598	2·612	2·610	2·606	2·596	2·606	2·610	2·459
2·606	2·628	2·666	2·710	2·745	2·794	2·850	2·890	2·922	2·940	2·970	3·002	2·678
3·284	3·266	3·272	3·282	3·300	3·297	3·295	3·297	3·308	3·312	3·320	3·288	2·247
2·740	2·666	2·614	2·564	2·500	2·442	2·404	2·358	2·308	2·264	2·214	2·174	2·762
2·286	2·288	2·322	2·344	2·374	2·386	2·404	2·430	2·452	2·472	2·484	2·506	2·305
2·910	2·918	2·926	2·942	2·966	2·996	3·026	3·042	3·058	3·080	3·088	3·104	2·877
3·366	3·370	3·378	3·382	3·404	3·420	3·436	3·456	3·459	3·460	3·476	3·476	3·340
3·470	3·438	3·437	3·426	3·426	3·426	3·418	3·396	3·382	3·350	3·330	3·316	3·453
3·154	3·134	3·122	3·114	3·122	3·124	3·126	3·128	3·132	3·122	3·116	3·108	3·177
3·128	3·122	3·106	3·114	3·124	3·126	3·127	3·132	3·132	3·144	3·155	3·146	3·127
2·987	2·933	2·903	2·887	2·891	2·867	2·872	2·848	2·842	2·824	2·807	2·796	2·986
2·717	2·691	2·679	2·690	2·695	2·711	2·719	2·723	2·721	2·722	2·727	2·721	2·737
2·429	2·356	2·311	2·264	2·208	2·158	2·127	2·096	2·062	2·018	1·992	1·956	2·417
1·654	1·658	1·690	1·732	1·770	1·828	1·900	1·954	2·003	2·038	2·062	2·092	1·807
2·267	2·269	2·277	2·280	2·301	2·328	2·347	2·351	2·361	2·368	2·368	2·362	2·268
2·598	2·596	2·618	2·643	2·660	2·692	2·730	2·751	2·778	2·796	2·810	2·824	2·589
2·873	2·868	2·853	2·839	2·833	2·823	2·825	2·787	2·775	2·738	2·719	2·686	2·838
2·402	2·365	2·363	2·367	2·373	2·403	2·423	2·429	2·450	2·460	2·466	2·469	2·472
2·703	2·695	2·703	2·696	2·695	2·705	2·693	2·699	2·677	2·647	2·633	2·621	2·644
2·459	2·434	2·421	2·424	2·431	2·428	2·437	2·464	2·475	2·484	2·486	2·504	2·702
2·656	2·634	2·617	2·597	2·575	2·557	2·553	2·528	2·524	2·506	2·486	2·460	2·578
2·370	2·3	2·407	2·424	2·462	2·486	2·508	2·524	2·548	2·576	2·598	2·631	2·429
2·913	2·883	2·885	2·879	2·878	2·856	2·853	2·841	2·827	2·793	2·763	2·723	2·829
2·523	2·495	2·456	2·435	2·433	2·414	2·414	2·399	2·359	2·347	2·323	2·295	2·528
2·112	2·118	2·136	2·160	2·182	2·207	2·244	2·262	2·284	2·288	2·288	2·288	2·180
2·391	2·384	2·396	2·418	2·444	2·447	2·468	2·472	2·482	2·485	2·478	2·475	2·403
2·622	2·626	2·636	2·650	2·671	2·700	2·704	2·721	2·740	2·752	2·772	2·781	2·622
2·929	2·922	2·934	2·940	2·946	2·958	2·972	2·986	2·997	2·991	2·976	2·977	2·921
2·647	2·633	2·634	2·636	2·645	2·655	2·667	2·672	2·676	2·674	2·673	2·670	2·657

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·903	2·957	2·924	2·905	2·887	2·878	2·860	2·840	2·800	2·763	2·710	2·664
2.....	2·479	2·454	2·442	2·420	2·410	2·412	2·433	2·438	2·485	2·490	2·508	2·512
3	2·692	2·727	2·748	2·766	2·787	2·809	2·830	2·862	2·890	2·908	2·930	2·944
4	3·106	3·105	3·112	3·128	3·136	3·140	3·149	3·154	3·167	3·166	3·166	3·164
5.....	3·066	3·066	3·064	3·048	3·046	3·046	3·046	3·048	3·046	3·028	3·014	3·004
6....	2·736	2·694	2·669	2·637	2·589	2·552	2·483	2·461	2·421	2·351	2·301	2·255
7	2·149	2·163	2·185	2·233	2·293	2·347	2·405	2·466	2·505	2·551	2·587	2·618
8	2·831	2·828	2·819	2·833	2·847	2·846	2·844	2·846	2·853	2·828	2·832	2·812
9	2·904	2·936	2·963	2·976	3·031	3·062	3·092	3·133	3·147	3·182	3·198	3·198
10	3·182	3·180	3·175	3·189	3·216	3·222	3·236	3·142	3·252	3·258	3·254	3·244
11.....	2·862	2·870	2·821	2·795	2·751	2·703	2·681	2·654	2·633	2·608	2·610	2·592
12	2·432	2·420	2·415	2·412	2·428	2·433	2·458	2·480	2·498	2·519	2·536	2·551
13	2·480	2·458	2·418	2·390	2·377	2·341	2·308	2·294	2·289	2·279	2·264	2·258
14	2·497	2·505	2·509	2·513	2·538	2·531	2·541	2·519	2·520	2·509	2·497	2·469
15.....	2·137	2·171	2·139	2·103	2·089	2·068	2·053	2·032	1·999	1·957	1·923	1·927
16.....	2·343	2·340	2·330	2·334	2·329	2·314	2·302	2·287	2·368	2·424	2·502	2·554
17	2·690	2·678	2·658	2·626	2·580	2·532	2·502	2·486	2·481	2·484	2·454	2·430
18	2·617	2·606	2·614	2·643	2·638	2·649	2·670	2·650	2·632	2·616	2·586	2·580
19. . ..	2·458	2·464	2·458	2·490	2·497	2·522	2·562	2·600	2·650	2·696	2·722	2·738
20.....	2·977	2·982	2·980	2·980	2·984	2·994	3·010	3·014	3·020	3·022	3·000	2·990
21	2·860	2·854	2·845	2·842	2·848	2·854	2·862	2·874	2·884	2·890	2·890	2·866
22.....	2·738	2·726	2·700	2·676	2·640	2·622	2·604	2·580	2·556	2·528	2·514	2·506
23.....	2·454	2·440	2·422	2·400	2·402	2·386	2·380	2·368	2·348	2·340		
24												
25... ...												
26. ...												
27												
28	2·456	2·410	2·324	2·324	2·336	2·300	2·296	2·326	2·346	2·367	2·367	2·376
29..	2·666	2·658	2·656	2·656	2·642	2·662	2·676	2·682	2·690	2·689	2·689	2·691
30	2·861	2·891	2·897	2·915	2·933	2·959	2·963	2·985	2·983	2·995	2·969	2·963
31..	2·709	2·682	2·653	2·639	2·629	2·615	2·607	2·581	2·581	2·563	2·549	2·529
Mean..												

From 9 a.m. on 23rd to 3 p.m. on 27th barograph was dismounted, being moved to 712 Spadina avenue. Daily means from 23rd to

from Self-registering Instruments, during the Month of March, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·590	2·585	2·544	2·546	2·524	2·525	2·512	2·498	2·505	2·500	2·502	2·486	2·686
2·502	2·510	2·530	2·546	2·568	2·584	2·607	2·632	2·656	2·670	2·677	2·677	2·526
2·950	2·957	2·972	3·006	3·025	3·045	3·074	3·088	3·103	3·110	3·108	3·108	2·935
3·146	3·120	3·116	3·110	3·115	3·112	3·114	3·111	3·106	3·098	3·086	3·073	3·125
2·974	2·947	2·931	2·935	2·911	2·912	2·897	2·877	2·856	2·819	2·793	2·774	2·965
2·185	2·128	2·079	2·041	2·011	1·997	2·005	2·051	2·053	2·073	2·126	2·133	2·293
2·648	2·667	2·682	2·714	2·742	2·776	2·800	2·830	2·843	2·855	2·847	2·840	2·573
2·803	2·806	2·794	2·800	2·808	2·797	2·836	2·845	2·850	2·868	2·876	2·873	2·832
3·162	3·154	3·145	3·146	3·134	3·138	3·151	3·160	3·154	3·154	3·150	3·145	3·109
3·222	3·184	3·164	3·137	3·104	3·086	3·070	3·046	3·012	2·985	2·960	2·928	3·142
2·543	2·536	2·526	2·537	2·524	2·520	2·506	2·510	2·498	2·468	2·455	2·440	2·612
2·554	2·555	2·552	2·568	2·574	2·574	2·586	2·581	2·576	2·564	2·554	2·550	2·512
2·261	2·231	2·272	2·295	2·325	2·361	2·391	2·409	2·427	2·447	2·459	2·469	2·354
2·439	2·409	2·407	2·363	2·349	2·349	2·311	2·289	2·263	2·247	2·227	2·204	2·417
1·924	1·936	2·038	2·118	2·176	2·250	2·300	2·325	2·325	2·335	2·341	2·342	2·125
2·594	2·620	2·637	2·657	2·679	2·694	2·708	2·720	2·726	2·726	2·724	2·716	2·526
2·422	2·408	2·416	2·428	2·457	2·480	2·505	2·538	2·566	2·590	2·603	2·618	2·527
2·552	2·496	2·484	2·488	2·476	2·496	2·478	2·488	2·498	2·488	2·426	2·458	2·470
2·768	2·779	2·806	2·826	2·846	2·873	2·902	2·930	2·954	2·962	2·966	2·972	2·727
2·978	2·948	2·922	2·906	2·886	2·882	2·890	2·896	2·894	2·886	2·880	2·866	2·940
2·854	2·832	2·832	2·814	2·810	2·806	2·796	2·796	2·786	2·784	2·772	2·748	2·833
2·490	2·478	2·484	2·484	2·484	2·492	2·500	2·504	2·500	2·488	2·482	2·466	2·552
												2·256
												2·399
												2·806
												2·459
		2·806	2·788	2·762	2·732	2·716	2·672	2·638	2·590	2·554	2·560	2·776
2·414	2·460	2·447	2·546	2·574	2·636	2·636	2·656	2·672	2·660	2·662	2·676	2·471
2·705	2·693	2·695	2·717	2·743	2·773	2·777	2·799	2·815	2·831	2·847	2·859	2·721
2·951	2·934	2·909	2·889	2·871	2·859	2·841	2·847	2·829	2·797	2·761	2·743	2·898
2·508	2·498	2·465	2·488	2·502	2·520	2·564	2·598	2·620	2·640	2·664	2·684	2·587
												2·653

27th, inclusive, obtained from 8 a.m. and 8 p.m. eye readings.

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

74th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·708	2·720	2·725	2·746	2·764	2·798	2·806	2·820	2·808	2·806	2·776	2·742
2.	2·100	2·140	2·168	2·186	2·196	2·214	2·224	2·233	2·228	2·246	2·255	2·262
3.	2·547	2·535	2·550	2·570	2·586	2·601	2·628	2·644	2·651	2·657	2·654	2·636
4.	2·706	2·721	2·742	2·762	2·802	2·835	2·860	2·870	2·886	2·902	2·914	2·918
5.	2·905	2·899	2·869	2·861	2·831	2·831	3·819	2·789	2·747	2·719	2·683	2·645
6.	2·567	2·591	2·627	2·648	2·659	2·682	2·684	2·692	2·689	2·693	2·691	2·671
7.	2·680	2·694	2·716	2·732	2·744	2·762	2·792	2·812	2·844	2·852	2·854	2·846
8.	2·810	2·741	2·744	2·656	2·600	2·544	2·513	2·454	2·438	2·407	2·372	2·368
9.	2·691	2·728	2·752	2·779	2·813	2·840	2·872	2·894	2·902	2·905	2·904	2·910
10.	2·758	2·732	2·710	2·682	2·649	2·635	2·630	2·594	2·550	2·515	2·493	2·462
11.	2·194	2·180	2·158	2·142	2·176	2·188	2·205	2·214	2·218	2·238	2·258	2·288
12.	2·677	2·702	2·731	2·756	2·784	2·810	2·827	2·842	2·856	2·849	2·824	2·800
13.	2·542	2·507	2·472	2·472	2·484	2·516	2·570	2·626	2·672	2·714	2·748	2·765
14.	2·990	2·994	2·994	2·986	2·982	2·992	2·999	2·998	2·986	2·971	2·942	2·913
15.	2·587	2·568	2·560	2·543	2·530	2·516	2·504	2·495	2·500	2·497	2·487	2·474
16.	3·037	3·054	3·085	3·101	3·138	3·172	3·204	3·222	3·236	3·242	3·241	3·233
17.	3·102	3·100	3·098	3·085	3·076	3·072	3·074	3·068	3·064	3·054	3·048	3·033
18.	2·758	2·722	2·688	2·678	2·638	2·620	2·598	2·573	2·552	2·524	2·498	2·466
19.	2·240	2·211	2·198	2·160	2·146	2·147	2·136	2·140	2·186	2·206	2·240	2·278
20.	2·369	2·326	2·320	2·324	2·271	2·219	2·193	2·200	2·196	2·198	2·252	2·242
21.	2·484	2·500	2·516	2·540	2·562	2·586	2·614	2·632	2·646	2·648	2·658	2·640
22.	2·632	2·624	2·630	2·638	2·627	2·608	2·580	2·525	2·478	2·466	2·450	2·432
23.	2·425	2·413	2·409	2·413	2·415	2·439	2·449	2·459	2·455	2·453	2·452	2·419
24.	2·479	2·467	2·479	2·486	2·481	3·485	2·516	2·509	2·499	2·497	2·497	2·475
25.	2·229	2·208	2·145	2·129	2·141	2·119	2·121	2·116	2·103	2·093	2·079	2·055
26.	2·128	2·145	2·149	2·177	2·205	2·224	2·250	2·248	2·269	2·293	2·285	2·306
27.	2·314	2·266	2·243	2·212	2·168	2·154	2·140	2·116	2·096	2·160	2·167	2·212
28.	2·262	2·238	2·224	2·224	2·233	2·251	2·258	2·256	2·250	2·246	2·237	2·232
29.	2·373	2·374	2·387	2·389	2·401	2·419	2·429	2·445	2·473	2·479	2·474	2·471
30.	2·559	2·557	2·555	2·565	2·555	2·549	2·558	2·547	2·540	2·525	2·505	2·473
Mean.	2·561	2·555	2·555	2·555	2·555	2·561	2·568	2·568	2·567	2·568	2·564	2·557

from Self-registering Instruments, during the Month of April, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending

1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	Mean
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·666	2·644	2·586	2·516	2·400	2·350	2·286	2·220	2·176	2·138	2·108	[illegible]	2·559
2·280	2·292	2·306	2·312	2·329	2·355	2·376	2·402	2·430	2·466	2·478	[illegible]	2·291
2·620	2·602	2·584	2·582	2·592	2·610	2·620	2·642	2·656	2·652	2·670	2·686	2·614
2·915	2·911	2·901	2·909	2·909	2·917	2·919	[illegible]	2·923	2·921	[illegible]	2·911	2·871
2·609	2·573	2·559	2·515	2·487	2·463	2·435	2·430	2·431	[illegible]	2·479	2·523	2·648
2·648	2·642	2·606	2·588	2·586	2·593	2·595	2·606	2·630	[illegible]	2·664	2·680	2·641
2·860	2·862	2·854	2·856	2·858	2·874	2·884	2·890	2·884	[illegible]	[illegible]	2·852	2·821
2·340	2·308	2·314	2·320	2·318	2·334	2·375	[illegible]	2·449	2·560	2·604	2·638	2·487
2·894	2·876	2·858	[illegible]	2·852	2·845	2·828	2·834	2·835	2·815	2·800	2·778	2·836
2·395	2·356	2·332	2·304	2·298	[illegible]	2·279	2·288	2·275	2·266	2·244	2·228	2·457
2·318	2·347	2·302	2·408	2·458	[illegible]	2·532	2·558	2·580	[illegible]	2·628	2·655	2·350
2·790	2·768	2·743	2·749	[illegible]	2·722	2·687	2·657	2·641	2·618	[illegible]	2·568	2·739
2·776	2·795	2·804	2·835	2·852	2·902	2·920	2·944	[illegible]	2·987	2·986	2·986	2·744
2·874	2·842	2·792	2·758	2·722	2·688	2·660	2·644	2·642	2·634	2·623	2·610	2·843
2·506	2·547	2·587	2·638	[illegible]	2·735	2·786	[illegible]	[illegible]	2·937	[illegible]	3·014	[illegible]
3·213	3·210	3·195	3·184	3·175	3·164	3·164	3·147	3·140	3·142	3·134	3·123	3·165
2·995	2·982	2·938	2·912	[illegible]	2·874	[illegible]	2·853	2·838	[illegible]	2·802	[illegible]	[illegible]
2·404	2·380	[illegible]	2·320	2·306	2·294	2·292	2·306	[illegible]	2·301	2·288	2·263	[illegible]
2·304	2·324	2·346	2·362	[illegible]	2·388	2·394	[illegible]	2·429	2·428	[illegible]	2·387	2·287
2·250	2·262	2·288	2·305	2·350	2·372	2·402	2·432	2·463	2·465	[illegible]	2·474	2·317
2·636	2·625	2·614	[illegible]	2·600	[illegible]	[illegible]	2·620	[illegible]	2·626	2·634	2·630	2·602
2·411	2·409	2·391	2·377	2·365	2·375	2·381	2·391	[illegible]	2·409	2·419	2·423	2·477
2·449	2·435	2·421	2·413	2·411	2·437	2·425	2·457	2·449	[illegible]	[illegible]	[illegible]	[illegible]
2·455	2·437	2·384	2·355	2·343	2·329	2·304	2·286	2·287	2·270	2·259	[illegible]	2·410
2·039	2·023	[illegible]	1·991	2·003	2·022	[illegible]	2·070	[illegible]	[illegible]	2·105	2·136	2·090
2·314	2·322	2·338	2·350	2·352	2·360	2·349	2·346	2·343	2·322	2·334	2·315	2·280
2·220	2·232	[illegible]	2·218	2·218	[illegible]	2·248	2·258	2·260	2·262	2·266	2·272	2·215
2·237	2·247	2·242	2·259	2·265	2·284	[illegible]	2·321	2·338	2·349	2·352	2·367	2·270
2·467	2·469	2·473	2·480	2·493	2·497	2·509	2·527	2·541	[illegible]	2·547	[illegible]	2·468
2·457	2·454	2·426	2·402	2·376	2·344	[illegible]	2·306	2·290	2·264	2·239	2·208	2·441
2·545	2·539	2·528	2·523	2·520	[illegible]	2·526	2·542	2·542	2·545	2·544	[illegible]	2·548

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·183	2·162	2·164	2·154	2·156	2·166	2·175	2·172	2·174	2·182	2·186	2·195
2	2·248	2·240	2·239	2·224	2·217	2·209	2·202	2·182	2·162	2·147	2·156	2·164
3	2·345	2·366	2·399	2·421	2·459	2·492	2·511	2·525	2·541	2·545	2·549	2·551
4	2·647	2·631	2·635	2·641	2·653	2·666	2·686	2·698	2·695	2·700	2·699	2·701
5	2·765	2·762	2·755	2·761	2·773	2·779	2·803	2·817	2·799	2·816	2·825	2·807
6	2·687	2·672	2·674	2·670	2·649	2·629	2·650	2·638	2·623	2·632	2·619	2·611
7	2·471	2·439	2·440	2·419	2·383	2·388	2·390	2·367	2·341	2·342	2·340	2·319
8	2·210	2·196	2·183	2·172	2·171	2·175	2·173	2·175	2·181	2·181	2·181	2·175
9	2·196	2·184	2·182	2·182	2·186	2·197	2·202	2·198	2·190	2·160	2·136	2·102
10	2·327	2·336	2·340	2·354	2·374	2·402	2·422	2·450	2·462	2·468	2·436	2·461
11	2·410	2·394	2·395	2·400	2·418	2·424	2·430	2·430	2·444	2·441	2·436	2·416
12	2·235	2·210	2·200	2·175	2·184	2·183	2·188	2·190	2·200	2·211	2·217	2·230
13	2·556	2·584	2·618	2·654	2·684	2·724	2·737	2·756	2·772	2·787	2·804	2·809
14	2·760	2·733	2·720	2·731	2·736	2·760	2·788	2·797	2·810	2·822	2·825	2·824
15	2·798	2·776	2·776	2·766	2·767	2·774	2·772	2·778	2·776	2·772	2·773	2·772
16	2·724	2·712	2·708	2·691	2·697	2·697	2·713	2·720	2·715	2·712	2·715	2·712
17	2·659	2·652	2·656	2·675	2·689	2·716	2·726	2·726	2·726	2·727	2·724	2·719
18	2·701	2·700	2·713	2·710	2·712	2·731	2·734	2·737	2·719	2·704	2·691	2·666
19	2·436	2·420	2·406	2·396	2·390	2·397	2·396	2·388	2·388	2·388	2·390	2·392
20	2·397	2·395	2·412	2·418	2·430	2·448	2·470	2·481	2·480	2·480	2·506	2·516
21	2·608	2·604	2·613	2·626	2·648	2·680	2·693	2·712	2·720	2·717	2·706	2·700
22	2·680	2·689	2·687	2·697	2·708	2·700	2·719	2·730	2·736	2·732	2·728	2·721
23	2·690	2·699	2·697	2·709	2·731	2·762	2·775	2·783	2·791	2·790	2·807	2·806
24	2·862	2·865	2·871	2·887	2·895	2·909	2·907	2·927	2·928	2·935	2·935	2·935
25	2·876	2·862	2·856	2·854	2·849	2·848	2·844	2·848	2·842	2·828	2·817	2·788
26	2·560	2·544	2·528	2·524	2·510	2·509	2·508	2·500	2·503	2·497	2·484	2·480
27	2·366	2·362	2·362	2·364	2·380	2·391	2·402	2·420	2·438	2·450	2·456	2·466
28	2·502	2·480	2·490	2·496	2·502	2·518	2·522	2·538	2·540	2·534	2·514	2·512
29	2·442	2·437	2·450	2·478	2·483	2·460	2·479	2·504	2·499	2·496	2·508	2·527
30	2·496	2·496	2·478	2·462	2·465	2·450	2·464	2·448	2·432	2·425	2·414	2·385
31	2·270	2·266	2·274	2·285	2·296	2·304	2·317	2·316	2·322	2·323	2·316	2·316
Mean.	2·526	2·512	2·514	2·516	2·522	2·532	2·542	2·547	2·547	2·547	2·546	2·541

from Self-registering Instruments, during the Month of May, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
2·195	2·214	2·216	2·225	2·233	2·235	2·241	2·254	2·262	2·262	2·264	2·259	2·205
2·153	2·153	2·177	2·214	2·231	2·229	2·257	2·281	2·304	2·315	2·321	2·331	2·223
2·556	2·561	2·563	2·561	2·571	2·586	2·599	2·611	2·633	2·649	2·659	2·664	2·538
2·701	2·705	2·695	2·693	2·691	2·695	2·717	2·734	2·739	2·747	2·756	2·759	2·695
2·789	2·777	2·762	2·762	2·748	2·745	2·739	2·739	2·731	2·734	2·721	2·697	2·767
2·601	2·593	2·581	2·579	2·551	2·561	2·549	2·542	2·533	2·501	2·486	2·479	2·596
2·299	2·291	2·279	2·269	2·269	2·267	2·268	2·269	2·260	2·241	2·235	2·225	2·325
2·162	2·154	2·148	2·150	2·164	2·190	2·199	2·205	2·218	2·210	2·213	2·200	2·182
2·078	2·074	2·070	2·086	2·132	2·173	2·201	2·233	2·270	2·282	2·301	2·317	2·181
2·462	2·447	2·440	2·440	2·459	2·454	2·460	2·458	2·461	2·451	2·442	2·425	2·427
2·408	2·402	2·394	2·396	2·394	2·395	2·370	2·361	2·366	2·355	2·335	2·309	2·397
2·238	2·255	2·272	2·290	2·314	2·334	2·362	2·415	2·454	2·482	2·512	2·522	2·286
2·812	2·788	2·819	2·803	2·804	2·803	2·778	2·754	2·768	2·790	2·791	2·768	2·748
2·822	2·818	2·820	2·819	2·824	2·834	2·814	2·814	2·815	2·808	2·820	2·808	2·797
2·770	2·772	2·763	2·752	2·750	2·737	2·742	2·745	2·744	2·752	2·734	2·732	2·762
2·674	2·630	2·632	2·622	2·622	2·599	2·586	2·597	2·621	2·642	2·646	2·658	2·669
2·705	2·702	2·688	2·682	2·691	2·692	2·698	2·710	2·718	2·715	2·730	2·726	2·702
2·650	2·620	2·579	2·565	2·544	2·520	2·506	2·491	2·474	2·467	2·461	2·457	2·619
2·392	2·390	3·394	2·397	2·400	2·392	2·400	2·412	2·420	2·418	2·414	2·418	2·401
2·518	2·529	2·540	2·544	2·576	2·580	2·582	2·596	2·612	2·624	2·624	2·619	2·516
2·706	2·694	2·686	2·694	2·696	2·691	2·698	2·695	2·702	2·707	2·692	2·674	2·682
2·713	2·703	2·685	2·687	2·691	2·671	2·673	2·687	2·690	2·705	2·697	2·683	2·701
2·795	2·794	2·789	2·792	2·796	2·812	2·821	2·835	2·849	2·853	2·853	2·864	2·787
2·923	2·917	2·910	2·911	2·906	2·898	2·890	2·890	2·892	2·892	2·884	2·884	2·902
2·766	2·740	2·722	2·689	2·673	2·650	2·640	2·630	2·622	2·610	2·600	2·584	2·752
2·453	2·426	2·395	2·366	2·343	2·350	2·393	2·360	2·352	2·358	2·360	2·361	2·444
2·463	2·465	2·466	2·474	2·472	2·482	2·489	2·494	2·508	2·513	2·518	2·527	2·447
2·490	2·486	2·467	2·454	2·448	2·424	2·434	2·435	2·421	2·418	2·430	2·442	2·479
2·544	2·522	2·478	2·484	2·480	2·484	2·478	2·485	2·481	2·465	2·473	2·480	2·484
2·365	2·348	2·312	2·299	2·292	2·307	2·282	2·287	2·276	2·274	2·286	2·295	2·377
2·314	2·329	2·345	2·375	2·398	2·415	2·426	2·440	2·462	2·484	2·495	2·520	2·359
2·533	2·526	2·519	2·519	2·521	2·523	2·525	2·531	2·537	2·539	2·540	2·538	2·531

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING										
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·[illegible]	2·[illegible]	2·555	2·575	2·592	2·627	2·650	2·676	2·673	2·681	2·693	2·687
2	2·[illegible]	2·656	2·654	2·657	2·672	2·709	2·728	2·745	2·751	2·754	2·759	2·755
3.	2·[illegible]	2·745	2·757	2·763	2·773	2·781	2·773	2·770	2·764	2·761	2·751	2·739
4	2·[illegible]	2·650	2·648	2·647	2·646	2·656	2·661	2·662	2·662	2·670	2·675	2·674
5	2·720	2·720	2·730	2·748	2·756	2·778	2·789	2·808	2·813	2·829	2·837	2·834
6	2·[illegible]	2·820	2·[illegible]	2·826	2·840	1·856	2·867	2·878	2·882	2·884	2·878	2·872
7	2·[illegible]	2·782	2·784	2·801	2·812	2·822	2·822	2·816	2·798	2·790	2·770	2·754
8	2·[illegible]	2·627	2·[illegible]	2·615	2·619	2·620	2·616	2·609	2·599	2·593	2·577	2·564
9. ...	2·385	2·377	2·379	2·381	2·397	2·408	2·413	2·413	2·407	2·393	2·387	2·371
10	2·[illegible]	2·470	2·470	2·476	2·496	2·506	2·516	2·530	2·536	2·544	2·544	2·552
11. .	2·[illegible]	2·[illegible]	2·625	2·[illegible]	2·638	2·654	2·662	2·675	2·678	2·686	2·682	2·676
12	2·625	2·[illegible]	2·724	2·741	2·767	2·772	2·790	2·795	2·798	2·798	2·797	2·789
13	2·760	2·748	2·743	2·741	2·735	2·738	2·732	2·723	2·720	2·715	2·701	2·677
14.	2·523	2·499	2·489	2·[illegible]	2·481	2·492	2·490	2·487	2·470	2·464	2·459	2·455
15	2·[illegible]	2·529	2·[illegible]	2·537	2·551	2·559	2·555	2·567	2·568	2·577	2·566	2·583
16	2·705	3·[illegible]	2·701	2·708	2·725	2·751	2·765	2·785	2·792	2·801	2·801	2·797
17.....	2·825	2·840	2·849	2·[illegible]	2·887	2·897	2·907	2·917	2·913	2·913	2·905	2·895
18... .	2·835	2·830	2·[illegible]	2·825	2·821	2·815	2·811	2·817	2·809	2·799	2·787	2·776
19	2·[illegible]	2·[illegible]	2·[illegible]	2·615	2·615	2·610	2·599	2·580	2·553	2·538	2·509	2·491
20. . .	2·454	2·[illegible]	2·[illegible]	2·472	2·485	2·511	2·534	2·546	2·554	2·562	2·568	2·562
21. ...	2·554	2·[illegible]	2·[illegible]	2·540	2·540	2·554	2·556	2·558	2·584	2·584	2·579	2·566
22	2·574	2·570	2·572	2·584	2·602	2·608	2·615	2·626	2·612	2·610	2·602	2·610
23	2·518	2·605	2·611	2·627	2·[illegible]	2·623	2·624	2·636	2·634	2·624	2·616	2·600
24	2·[illegible]	2·[illegible]	2·490	2·[illegible]	2·490	2·495	2·500	2·490	2·490	2·504	2·506	2·514
25 .. .	2·[illegible]	2·650	2·650	2·642	2·625	2·662	2·676	2·[illegible]	2·710	2·720	2·726	2·722
26.....	2·[illegible]	2·841	2·839	2·[illegible]	2·869	2·885	2·905	2·918	2·931	2·933	2·935	2·926
27	2·[illegible]	2·827	2·831	2·833	2·837	2·849	2·859	2·853	2·858	2·849	2·846	2·836
28	2·730	2·722	2·716	2·720	2·740	2·740	2·754	2·754	2·736	2·732	2·714	2·708
29	2·564	2·536	2·538	2·556	2·558	2·562	2·606	2·603	2·600	2·602	2·609	2·593
30	2·[illegible]	2·625	2·641	2·647	2·660	2·675	2·688	2·705	2·693	2·705	2·707	2·709
Mean.	2·[illegible]	2·647	2·647	2·653	2·656	2·674	2·682	2·688	2·686	2·687	2·683	2·673

from Self-registering Instruments, during the Month of June, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·693	2·689	2·681	2·676	2·669	2·669	2·667	2·663	2·677	2·678	2·671	2·661	2·674
2·743	2·727	2·714	2·707	2·701	2·699	2·705	2·708	2·721	2·731	2·735	2·733	2·713
2·716	2·692	2·672	2·664	2·654	2·646	2·645	2·648	2·652	2·655	2·656	2·654	2·711
2·678	2·670	2·667	2·658	2·657	2·664	2·669	2·689	2·704	2·707	2·714	2·720	2·671
2·836	2·832	2·833	2·835	2·834	2·834	2·828	2·834	2·835	2·834	2·835	2·840	2·807
2·854	2·838	2·829	2·812	2·794	2·792	2·790	2·788	2·798	2·796	2·798	2·787	2·830
2·735	2·713	2·701	2·671	2·657	2·653	2·653	2·649	2·657	2·655	2·657	2·651	2·649
2·548	2·523	2·510	2·481	2·463	2·448	2·449	2·451	2·449	2·435	2·415	2·403	2·536
2·368	2·360	2·366	2·366	2·364	2·384	2·408	2·428	2·446	2·454	2·468	2·472	2·400
2·554	2·552	2·548	2·554	2·549	2·557	2·572	2·588	2·612	2·610	2·617	2·617	2·543
2·673	2·660	2·669	2·671	2·667	2·657	2·669	2·679	2·693	2·713	2·723	2·725	2·668
2·791	2·790	2·791	2·778	2·777	2·768	2·765	2·757	2·759	2·771	2·769	2·762	2·771
2·673	2·649	2·625	2·615	2·586	2·565	2·551	2·543	2·543	2·536	2·530	2·523	2·653
2·449	2·425	2·399	2·392	2·390	2·405	2·421	2·459	2·476	2·497	2·514	2·519	2·467
2·595	2·609	2·609	2·621	2·625	2·626	2·642	2·657	2·679	2·687	2·707	2·702	2·600
2·791	2·777	2·767	2·748	2·740	2·745	2·757	2·765	2·781	2·797	2·809	2·814	2·764
2·889	2·876	2·867	2·861	2·855	2·854	2·848	2·852	2·853	2·854	2·853	2·845	2·913
2·764	2·737	2·729	2·717	2·707	2·592	2·677	2·665	2·663	2·665	2·645	2·639	2·752
2·484	2·474	2·460	2·436	2·426	2·410	2·418	2·461	2·438	2·450	2·452	2·453	2·514
2·557	2·552	2·550	2·546	2·542	2·548	2·548	2·548	2·544	2·544	2·552	2·553	2·552
2·544	2·530	2·528	2·518	2·518	2·518	2·528	2·538	2·555	2·574	2·578	2·582	2·550
2·606	2·606	2·596	2·590	2·581	2·572	2·567	2·570	2·584	2·664	2·648	2·468	2·606
2·590	2·562	2·604	2·544	2·608	2·576	2·568	2·554	2·550	2·538	2·518	2·518	2·586
2·520	2·523	2·538	2·544	2·564	2·574	2·596	2·618	2·634	2·636	2·642	2·654	2·542
2·729	2·731	2·743	2·747	2·753	2·767	2·787	2·803	2·815	2·821	2·827	2·823	2·729
2·907	2·887	2·869	2·853	2·847	2·835	2·830	2·824	2·829	2·831	2·837	2·839	2·868
2·816	2·798	2·788	2·786	2·766	2·754	2·754	2·748	2·748	2·752	2·744	2·734	2·803
2·690	2·676	2·661	2·634	2·630	2·622	2·614	2·611	2·606	2·602	2·592	2·568	2·678
2·596	2·591	2·573	2·551	2·553	2·549	2·552	2·583	2·603	2·621	2·621	2·607	2·580
2·703	2·691	2·687	2·685	2·683	2·682	2·697	2·701	2·711	2·709	2·708	2·701	2·685
2·666	2·658	2·652	2·642	2·638	2·636	2·639	2·646	2·654	2·660	2·661	2·652	2·659

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.....	2·706	2·699	2·692	2·698	2·706	2·709	2·713	2·712	2·711	2·714	2·717	2·720
2.....	2·827	2·834	2·838	2·848	2·860	2·866	2·882	2·895	2·914	2·916	2·914	2·904
3.....	2·809	2·788	2·801	2·794	2·805	2·820	2·818	2·821	2·825	2·821	2·827	2·824
4.....	2·671	2·665	2·675	2·661	2·663	2·667	2·674	2·673	2·663	2·669	2·667	2·643
5.....	2·604	2·601	2·613	2·629	2·645	2·663	2·667	2·679	2·680	2·690	2·695	2·695
6.....	2·736	2·733	2·734	2·734	2·750	2·755	2·755	2·746	2·736	2·742	2·752	2·746
7.....	2·660	2·638	2·626	2·614	2·610	2·600	2·588	2·576	2·563	2·552	2·539	2·482
8.....	2·654	2·647	2·649	2·660	2·686	2·707	2·720	2·753	2·762	2·768	2·767	2·764
9.....	2·765	2·769	2·768	2·772	2·781	2·784	2·791	2·796	2·795	2·791	2·787	2·779
10.....	2·705	2·693	2·686	2·686	2·680	2·683	2·894	2·691	2·688	2·677	2·675	2·669
11.....	2·537	2·536	2·523	2·525	2·524	2·520	2·525	2·522	2·520	2·506	2·497	2·493
12.....	2·478	2·489	2·479	2·498	2·496	2·513	2·519	2·529	2·543	2·544	2·541	2·544
13.....	2·617	2·628	2·640	2·620	2·607	2·603	2·615	2·614	2·605	2·599	2·592	2·581
14.....	2·507	2·513	2·509	2·506	2·511	2·518	2·531	2·533	2·536	2·536	2·540	2·532
15.....	2·555	2·558	2·559	2·556	2·556	2·567	2·576	2·595	2·619	2·631	2·647	2·649
16.....	2·718	2·727	2·737	2·753	2·769	2·784	2·795	2·804	2·801	2·794	2·787	2·796
17.....	2·638	2·625	2·591	2·558	3·528	2·521	2·481	2·467	2·425	2·387	2·365	2·321
18.....	2·236	2·222	2·225	2·214	2·228	2·170	2·196	2·200	2·203	2·206	2·204	2·201
19.....	2·437	2·444	2·451	2·458	2·464	2·484	2·496	2·506	2·513	2·529	2·540	2.542
20.....	2·701	2·705	2·717	2·725	2·747	2·761	2·784	2·782	2·791	2·785	2·789	2·794
21.....	2·707	2·693	2·677	2·679	2·672	2·659	2·673	2·677	2·667	2·647	2·657	2·651
22.....	2·661	2·654	2·654	2·650	2·666	2·682	2·689	2·705	2·706	2·710	2·708	2·704
23.....	2·774	2·781	2·783	2·787	2·802	2·810	2·820	2·822	2·836	2·855	2·861	2·853
24.....	2·876	2·870	2·872	2·874	2·881	2·899	2·913	2·920	2·919	2·925	2·915	2·907
25.....	2·855	2·835	2·825	2·827	2·836	2·847	2·853	2·861	2·870	2·874	2·887	2·879
26.....	2·855	2·839	2·838	2·844	2·848	2·857	2·858	2·866	2·872	2·871	2·866	2·856
27.....	2·789	2·774	2·760	2·758	2·761	2·760	2·758	2·772	2·770	2·764	2·768	2·763
28.....	2·706	2·698	2·694	2·690	2·702	2·713	2·725	2·732	2·744	2·747	2·748	2·748
29.....	2·739	2·742	2·743	2·753	2·772	2·782	2·788	2·790	2·789	2·796	2·796	2·788
30.....	2·748	2·746	2·744	2·746	2·752	2·756	2·762	2·762	2·756	2·754	2·741	2·732
31.....	2·633	2·626	2·628	2·623	2·625	2·630	2·626	2·622	2·620	2·614	2·612	2·601
Mean.	2·675	2·671	2·669	2·669	2·675	2·680	2·687	2·691	2·692	2·691	2·690	2·683

Self-registering Instruments, during the Month of July, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending											Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·713	2·718	2·724	2·732	3·734	2·744	2·759	2·772	2·796	2·808	2·819	2·825	2·735
2·878	2·839	2·817	2·808	2·826	2·820	2·828	2·818	2·812	2·815	2·810	2·802	2·849
2·805	2·789	2·769	2·751	2·739	2·737	2·733	2·729	2·739	2·733	2·729	2·716	2·780
2·630	2·609	2·595	2·586	2·579	2·569	2·577	2·583	2·601	2·591	2·603	2·623	2·633
2·682	2·690	2·697	2·691	2·684	2·689	2·698	2·708	2·726	2·736	2·730	2·735	2·680
2·731	2·720	2·703	2·686	2·672	2·661	2·674	2·674	2·674	2·674	2·678	2·671	2·714
2·495	2·501	2·465	2·477	2·435	2·459	2·481	2·527	2·551	2·568	2·579	2·619	2·550
2·759	2·747	2·741	2·741	2·741	2·743	2·747	2·756	2·762	2·759	2·764	2·767	2·731
2·761	2·743	2·729	2·719	2·713	2·705	2·703	2·704	2·713	2·718	2·707	2·705	2·750
2·651	2·620	2·603	2·582	2·565	2·551	2·547	2·553	2·561	2·553	2·549	2·543	2·630
2·477	2·469	2·461	2·451	2·445	2·438	2·443	2·448	2·461	2·470	2·479	2·480	2·490
2·533	2·525	2·507	2·507	2·537	2·569	2·591	2·595	2·605	2·617	2·611	2·610	2·541
2·554	2·526	2·497	2·475	2·459	2·461	2·485	2·486	2·495	2·517	2·519	2·506	2·504
2·523	2·495	2·485	2·465	2·462	2·473	2·499	2·519	2·538	2·545	2·549	2·554	2·516
2·647	2·643	2·643	2·641	2·648	2·645	2·667	2·677	2·693	2·705	2·714	2·715	2·629
2·771	2·761	2·755	2·737	2·729	2·714	2·713	2·693	2·693	2·685	2·673	2·669	2·744
2·268	2·249	2·200	2·152	2·136	2·116	2·130	2·166	2·208	2·232	2·229	2·230	2·343
2·217	2·226	2·230	2·248	2·276	2·299	2·323	2·346	2·381	2·406	2·414	2·425	2·262
2·557	2·568	2·589	2·599	2·610	2·621	2·639	2·657	2·669	2·671	2·683	2·690	2·559
2·787	2·782	2·777	2·767	2·763	2·759	2·757	2·749	2·747	2·742	2·743	2·721	2·757
2·638	2·624	2·628	2·617	2·623	2·628	2·630	2·633	2·649	2·659	2·665	2·661	2·655
2·690	2·686	2·686	2·678	2·682	2·690	2·718	2·736	2·741	2·753	2·762	2·770	2·699
2·849	2·844	2·839	2·829	2·827	2·828	2·844	2·843	2·847	2·863	2·875	2·877	2·831
2·904	2·900	2·877	2·859	2·858	2·845	2·844	2·839	2·849	2·860	2·872	2·869	2·881
2·870	2·854	2·838	2·832	2·827	2·814	2·821	2·821	2·844	2·846	2·855	2·856	2·847
2·844	2·821	2·804	2·790	2·782	2·770	2·767	2·767	2·770	2·789	2·793	2·790	2·823
2·752	2·732	2·715	2·702	2·690	2·690	2·682	2·680	2·680	2·696	2·710	2·716	2·735
2·742	2·737	2·727	2·718	2·708	2·700	2·698	2·710	2·725	2·734	2·742	2·742	2·722
2·777	2·771	2·764	2·742	2·736	2·730	2·730	2·738	2·752	2·752	2·750	2·742	2·761
2·719	2·704	2·680	2·666	2·656	2·646	2·642	2·638	2·647	2·645	2·632	2·634	2·705
2·589	2·589	2·589	2·582	2·583	2·591	2·601	2·615	2·635	2·648	2·650	2·658	2·616
2·671	2·661	2·649	2·640	2·636	2·636	2·644	2·651	2·663	2·671	2·674	2·675	2·668

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·677	2·689	2·693	2·707	2·716	2·724	2·721	2·725	2·715	2·711	2·701	2·697
2	2·566	2·561	2·568	2·551	2·568	2·588	2·605	2·621	2·617	2·628	2·629	2·630
3	2·658	2·644	2·654	2·632	2·640	2·656	2·653	2·656	2·658	2·653	2·638	2·605
4	2·487	2·510	2·466	2·464	2·492	2·504	2·512	2·515	2·516	2·520	2·535	2·523
5	2·420	2·396	2·392	2·364	2·320	2·354	2·355	2·356	2·350	2·354	2·344	2·340
6	2·432	2·428	2·428	2·421	2·421	2·420	2·420	2·422	2·428	2·431	2·433	2·434
7	2·438	2·448	2·440	2·430	2·432	2·442	2·460	2·466	2·474	2·478	2·468	2·460
8	2·504	2·496	2·498	2·504	2·510	2·523	2·537	2·531	2·534	2·536	2·545	2·544
9	2·523	2·516	2·508	2·498	2·504	2·510	2·520	2·529	2·530	2·528	2·523	2·516
10	2·506	2·500	2·491	2·496	2·506	2·517	2·524	2·529	2·533	2·537	2·524	2·517
11	2·557	2·565	2·579	2·585	2·580	2·583	2·597	2·608	2·620	2·626	2·625	2·627
12	2·639	2·651	2·643	2·643	2·639	2·635	2·641	2·619	2·631	2·661	2·579	2·569
13	2·500	2·502	2·494	2·514	2·512	2·520	2·546	2·563	2·574	2·578	2·580	2·594
14	2·664	2·655	2·668	2·679	2·686	2·705	2·715	2·726	2·717	2·721	2·733	2·715
15	2·791	2·797	2·800	2·802	2·825	2·846	2·861	2·874	2·882	2·883	2·885	2·890
16	2·869	2·860	2·851	2·852	2·850	2·853	2·851	2·845	2·845	2·833	2·824	2·808
17	2·584	2·565	2·569	2·525	2·543	2·548	2·539	2·540	2·532	2·519	2·521	2·501
18	2·589	2·592	2·605	2·616	2·635	2·647	2·663	2·665	2·671	2·668	2·662	2·644
19	2·479	2·462	2·437	2·403	2·393	2·383	2·376	2·386	2·402	2·402	2·402	2·397
20	2·506	2·564	2·575	2·588	2·606	2·622	2·639	2·652	2·663	2·657	2·656	2·644
21	2·687	2·688	2·693	2·703	2·706	2·712	2·716	2·714	2·705	2·699	2·685	2·662
22	2·505	2·498	2·481	2·461	2·461	2·466	2·468	2·461	2·453	2·453	2·455	2·442
23	2·684	2·689	2·700	2·708	2·712	2·731	2·746	2·763	2·763	2·760	2·756	2·738
24	2·735	2·729	2·728	2·733	2·739	2·747	2·767	2·782	2·796	2·810	2·812	2·807
25	2·886	2·894	2·912	2·916	2·912	2·916	2·922	2·936	2·940	2·946	2·946	2·934
26	2·849	2·842	2·843	2·848	2·846	2·858	2·873	2·881	2·879	2·878	2·878	2·876
27	2·871	2·859	2·873	2·875	2·888	2·909	2·913	2·920	2·917	2·919	2·917	2·903
28	2·848	2·841	2·832	2·831	2·828	2·837	2·841	2·846	2·845	2·850	2·845	2·828
29	2·738	2·728	2·712	2·720	2·727	2·741	2·756	2·762	2·761	2·759	2·759	2·748
30	2·778	2·780	2·787	2·800	2·811	2·830	2·842	2·855	2·858	2·860	2·863	2·857
31	2·869	2·867	2·879	2·885	2·895	2·916	2·922	2·917	2·916	2·917	2·911	2·895
Mean.	2·640	2·639	2·639	2·637	2·642	2·653	2·661	2·667	2·668	2·670	2·666	2·656

Self-registering Instruments, during the Month of August, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending											Mean
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·670	2 658	2 643	2 623	2 594	2 563	2·557	2 555	2·561	2·568	2 577	2·563	2 650
2 612	2·607	2·608	2 617	2 618	2 616	2·620	2 636	2·649	2·653	2 657	2·659	2 612
2 582	2 568	2·532	2 528	2·516	2 506	2·502	2·497	2·498	2·499	2 489	2 489	2·581
2·506	2 497	2·488	2 466	2 460	2 430	2·404	2·404	2·396	2·416	2 474	2·456	2·477
2 340	2 330	2·318	2 331	2 336	2 350	2·374	2·400	2·425	2·430	3·432	2 433	2·369
2 425	2 417	2·415	2 409	2 412	2 400	·2·410	2·422	2·444	2 442	2 442	2·440	2 425
2 448	2 454	2·454	2 455	2 458	2 468	2·482	2·494	2·502	2·506	2 512	2·508	2 466
2 530	2 525	2·512	2 512	2 518	2 518	2·522	2 528	2·538	2·540	2 532	2 528	2 524
2 510	2 506	2·499	2 490	2 482	2 482	2·488	2 492	2·506	2·508	2 514	2·513	2·508
2 512	2 509	2·508	2 513	2 513	2 523	2·529	2 531	2·549	2·550	2 545	2·557	2 521
2 619	2 608	2 607	2·601	2 601	2 603	2·619	2 629	2·646	2 659	2 661	2·651	2·611
2 535	2 502	2·467	2 423	2 429	2 444	2·451	2 443	2 470	2·472	2·470	2·484	2 548
2 583	2 590	2·598	2·600	2 605	2 598	2 604	2·616	2·638	2·642	2·652	2 654	2 577
2 709	2 703	2·698	2·699	2 698	2 709	2 725	2 739	2·759	2·769	2 783	2·780	2 717
2 884	2 871	2·864	2·863	2 864	2 867	2 869	2 862	2·872	2·872	2 877	2 876	2 856
2 789	2 760	2·740	2 729	2 709	2 693	2·675	2 669	2·661	2·633	2 609	2 618	2·768
2 493	2 465	2·441	2 443	2 443	2 458	2·475	2 507	2·533	2 545	2 561	2 582	2 518
2 626	2 608	2 594	2 582	2 569	2 560	2·550	2 538	2·532	2·518	2 505	2 503	2 598
2 404	2 402	2·412	2 420	2·436	2 452	2·480	2 512	2·536	2 544	2 544	2·551	2 442
2 627	2 616	2 609	2 609	2 612	2 620	2·631	2 649	2·667	2 669	2 670	2 682	2 626
2 634	2 617	2·599	2 575	2 558	2 541	2 528	2·523	2·521	5 517	2 503	2 506	2·625
2 440	2 470	2·474	2 480	2 498	2 524	2·564	2 601	2·620	2 643	2 658	2 677	2 511
2 728	2 714	2 690	2 686	2 683	2 694	2·700	2 716	2·722	2 721	2 729	2·736	2 820
2 798	2 792	2·790	2 792	2 795	2 810	2 825	2 842	2·864	2 865	2 872	2 878	2 796
2 922	2 904	2·894	2 876	2 878	2 874	2·871	2 862	2·868	2 872	2 864	2·852	2 900
2 870	2 864	2·857	2 860	2 868	2 860	2·857	2·868	2·877	2 880	2 879	2·881	2 866
2 894	2 877	2·871	2 859	2 857	2 843	2 843	2·851	2·856	2·859	2 858	2·857	2·879
2 808	2 783	2·764	2 761	2 757	2 752	752	2 749	2·749	2 734	2 729	2 639	2 798
2 734	2 725	2·714	2 709	2 718	2 719	2 725	2 745	2·748	2·759	2 768	2·772	2 739
2 863	2 865	2 862	2 862	2·859	2 849	2·853	2 857	2·860	2·859	2 862	2·869	2 843
2 873	2 855	2·839	2·832	2 819	2 805	2·794	2 789	2 788	2·780	2 767	2 753	2 854
2 644	2·634	2 625	2·620	2 618	2 617	2·622	2 630	2·641	2 643	2 645	2·647	2·643

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	2·741	2·731	2·725	2·712	2·695	2·689	2·685	2·671	2·654	2·641	2·619	2·587
2	2·518	2·509	2·510	2·510	2·512	2·532	2·542	2·542	2·545	2·548	2·550	2·556
3	2·716	2·713	2·725	2·724	2·747	2·766	2·780	2·798	2·804	2·816	2·807	2·800
4	2·761	2·747	2·741	2·749	2·753	2·754	2·745	2·756	2·753	2·741	2·716	2·684
5	2·618	2·615	2·617	2·617	2·615	2·609	2·605	2·603	2·595	2·595	2·585	2·567
6	2·412	2·400	2·400	2·392	2·368	2·345	2·336	2·318	2·307	2·302	2·292	2·308
7	2·598	2·620	2·636	2·654	2·668	2·702	2·726	2·738	2·758	2·777	2·774	2·771
8	2·871	2·870	2·875	2·879	2·896	2·923	2·937	2·963	2·966	2·983	2·984	2·982
9	2·907	2·886	2·884	2·884	2·886	2·903	2·924	2·923	2·914	2·906	2·891	2·873
10	2·829	2·824	2·829	2·827	2·829	2·842	2·847	2·857	2·850	2·836	2·828	2·811
11	2·720	2·718	2·718	2·717	2·727	2·746	2·758	2·764	2·759	2·758	2·752	2·736
12	2·737	2·735	2·733	2·735	2·744	2·755	2·763	2·762	2·762	2·766	2·759	2·735
13	2·660	2·650	2·642	2·644	2·650	2·663	2·670	2·662	2·668	2·670	2·665	2·655
14	2·689	2·714	2·726	2·755	2·783	2·814	2·832	2·848	2·864	2·865	2·870	2·870
15	2·955	2·951	2·951	2·955	2·966	2·980	2·995	3·004	3·014	3·020	3·020	3·012
16	2·964	2·958	2·956	2·954	2·950	2·963	2·964	2·971	2·974	2·970	2·956	2·941
17	2·778	2·768	2·760	2·763	2·763	2·765	2·772	2·767	2·767	2·758	2·741	2·730
18	2·598	2·598	2·588	2·584	2·578	2·582	2·590	2·585	2·580	2·580	2·560	2·529
19	2·526	2·530	2·537	2·557	2·582	2·601	2·646	2·668	2·692	2·716	2·730	2·743
20	2·842	2·844	2·833	2·841	2·838	2·853	2·871	2·877	2·884	2·879	2·872	2·872
21	2·785	2·770	2·756	2·764	2·756	2·769	2·774	2·767	2·775	2·766	2·754	2·736
22	2·705	2·702	2·702	2·706	2·711	2·723	2·726	2·727	2·728	2·722	2·717	2·695
23	2·625	2·622	2·619	2·620	2·616	2·623	2·631	2·647	2·641	2·647	2·637	2·628
24	2·674	2·687	2·692	2·721	2·732	2·749	2·761	2·775	2·793	2·799	2·799	2·799
25	2·820	2·818	2·819	2·823	2·831	2·835	2·843	2·845	2·849	2·849	2·846	2·832
26	2·766	2·761	2·749	2·758	2·761	2·770	2·781	2·777	2·775	2·762	2·747	2·732
27	2·671	2·666	2·656	2·653	2·659	2·661	2·665	2·664	2·667	2·653	2·638	2·627
28	2·535	2·523	2·502	2·488	2·469	2·445	2·426	2·394	2·376	2·333	2·301	2·265
29	2·501	2·516	2·541	2·550	2·558	2·577	2·585	2·595	2·611	2·621	2·629	2·637
30	2·784	2·792	2·791	2·788	2·779	2·768	2·740	2·732	2·708	2·673	2·647	2·613
Mean.	2·710	2·708	2·707	2·711	2·714	2·724	2·731	2·733	2·734	2·732	2·723	2·711

from Self-registering Instruments, during the Month of September, 1908

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·562	2·538	2·516	2·498	2·487	2·498	2·498	2·504	2·511	2·502	2·504	2·514	2·505
2·560	2·565	2·558	2·569	2·600	2·618	2·634	2·654	2·668	2·673	2·682	2·699	2·577
2·787	2·773	2·761	2·753	2·756	2·749	2·748	2·758	2·761	2·758	2·765	2·761	2·764
2·663	2·653	2·627	2·613	2·607	2·599	2·593	2·613	2·613	2·609	2·615	2·615	2·680
2·558	2·520	2·498	2·478	2·476	2·470	2·464	2·458	2·460	2·456	2·450	2·434	2·540
2·315	2·323	2·330	2·366	2·414	2·454	2·492	2·524	2·540	2·557	2·565	2·582	2·402
2·774	2·763	2·748	2·744	2·746	2·763	2·787	2·805	2·821	2·830	2·840	2·850	2·746
2·973	2·945	2·931	2·919	2·911	2·909	2·903	2·913	2·913	2·918	2·916	2·918	2·925
2·842	2·823	2·797	2·789	2·781	2·778	2·790	2·800	2·813	2·820	2·829	2·829	2·853
2·786	2·746	2·728	2·722	2·717	2·716	2·714	2·725	2·726	2·725	2·722	2·718	2·781
2·730	2·711	2·698	2·687	2·692	2·710	2·710	2·730	2·736	2·735	2·737	2·738	2·729
2·722	2·710	2·699	2·688	2·679	2·676	2·665	2·672	2·668	2·663	2·670	2·665	2·715
2·640	2·630	2·619	2·614	2·606	2·616	2·616	2·628	2·636	2·641	2·654	2·669	2·644
2·866	2·862	2·860	2·862	2·867	2·874	2·880	2·900	2·918	2·937	2·946	2·955	2·848
3·000	2·930	2·970	2·966	2·966	2·962	2·956	2·967	2·967	2·966	2·972	2·968	2·978
2·916	2·887	2·859	2·847	2·836	2·826	2·817	2·816	2·805	2·806	2·802	2·788	2·897
2·697	2·678	2·654	2·629	2·622	2·619	2·618	2·618	2·619	2·619	2·606	2·599	2·696
2·510	2·476	2·454	2·444	2·449	2·486	2·498	2·508	2·509	2·508	2·506	2·515	2·531
2·751	2·745	2·748	2·754	2·760	2·780	2·792	2·817	2·824	2·834	2·837	2·838	2·709
2·866	2·858	2·839	2·822	2·822	2·823	2·812	2·822	2·821	2·811	2·804	2·796	2·842
2·723	2·691	2·671	2·669	2·669	2·679	2·677	2·679	2·681	2·683	2·689	2·695	2·724
2·675	2·657	2·643	2·627	2·624	2·623	2·623	2·633	2·641	2·639	2·634	2·630	2·676
2·622	2·609	2·601	2·597	2·601	2·611	2·617	2·625	2·635	2·651	2·663	2·663	2·627
2·788	2·785	2·777	2·781	2·789	2·791	2·789	2·799	2·799	2·801	2·815	2·819	2·771
2·811	2·801	2·789	2·779	2·781	2·782	2·785	2·792	2·791	2·787	2·785	2·764	2·811
2·713	2·691	2·680	2·664	2·663	2·663	2·671	2·676	2·674	2·674	2·674	2·672	2·719
2·609	2·585	2·571	2·567	2·559	2·559	2·563	2·573	2·571	2·565	2·557	2·543	2·613
2·223	2·179	2·167	2·192	2·225	2·289	2·343	3·386	2·411	2·442	2·461	2·481	2·369
2·641	2·647	2·669	2·677	2·701	2·721	2·731	2·756	2·762	2·769	2·773	2·775	2·648
2·550	2·541	2·533	2·491	2·501	2·483	2·480	2·482	2·479	2·468	2·468	2·472	2·615
2·693	2·679	2·666	2·660	2·663	2·671	2·676	2·688	2·698	2·695	2·698	2·699	2·701

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour, from

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING.											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·475	2·482	2·501	2·523	2·548	2·563	2·583	2·596	2·619	2·613	2·617	2·619
2.	2·712	2·714	2·733	2·746	2·775	2·806	2·832	2·846	2·874	2·892	2·892	2·898
3.	2·989	2·989	2·990	3·007	3·017	3·026	3·045	3·053	3·054	3·045	3·032	3·023
4.	2·962	2·943	2·945	2·946	2·953	2·966	2·977	2·996	2·998	2·996	2·978	2·986
5.	2·988	2·982	2·974	2·976	2·981	2·996	3·005	3·016	3·026	3·020	3·012	2·989
6.	2·871	2·850	2·830	2·834	2·832	2·830	2·825	2·837	2·838	2·831	2·819	2·799
7.	2·704	2·695	2·687	2·691	2·699	2·701	2·700	2·707	2·695	2·700	2·679	2·661
8.	2·676	2·660	2·662	2·654	2·668	2·683	2·692	2·700	2·717	2·721	2·730	2·727
9.	2·795	2·797	2·792	2·798	2·816	2·824	2·740	2·854	2·875	2·879	2·872	2·858
10.	2·880	2·873	2·878	2·881	2·873	2·881	2·881	2·889	2·877	2·861	2·831	2·801
11.	2·467	2·447	2·437	2·440	2·441	2·451	2·459	2·479	2·509	2·522	2·534	2·563
12.	2·983	3·002	3·019	3·040	3·059	3·087	3·109	3·153	3·154	3·159	3·168	3·164
13.	3·115	3·108	3·105	3·101	3·099	3·103	3·096	3·099	3·098	3·085	3·062	3·038
14.	2·839	2·825	2·822	2·814	2·796	2·781	2·764	2·747	2·735	2·717	2·699	2·662
15.	2·600	2·603	2·597	2·596	2·598	2·600	2·600	2·616	2·606	2·606	2·598	2·586
16.	2·614	2·626	2·639	2·659	2·689	2·703	2·710	2·725	2·728	2·723	2·723	2·709
17.	2·706	2·714	2·727	2·741	2·755	2·769	2·782	2·795	2·801	2·801	2·791	2·777
18.	2·797	2·800	2·796	2·800	2·807	2·812	2·816	2·822	2·822	2·818	2·813	2·798
19.	2·789	2·796	2·799	2·815	2·829	2·863	2·890	2·910	2·920	2·927	2·924	2·919
20.	2·974	2·984	2·975	2·978	2·984	2·998	3·011	3·030	3·024	3·024	3·016	3·008
21.	2·995	2·994	2·990	2·997	3·002	3·016	3·029	3·050	3·050	3·062	3·052	3·041
22.	3·003	3·006	3·002	3·012	3·019	3·024	3·024	3·029	3·038	3·045	3·044	3·019
23.	2·933	2·940	2·933	2·934	2·934	2·932	2·938	2·951	2·948	2·948	2·939	2·920
24.	2·763	2·751	2·732	2·723	2·714	2·698	2·690	2·680	2·670	2·660	2·646	2·600
25.	2·536	2·537	2·526	2·528	2·585	2·528	2·530	2·534	2·540	2·548	2·541	2·544
26.	2·534	2·526	2·520	2·518	2·516	2·512	2·504	2·488	2·502	2·516	2·515	2·512
27.	2·547	2·547	2·547	2·550	2·558	2·568	2·566	2·568	2·577	2·580	2·576	2·566
28.	2·600	2·588	2·577	2·577	2·571	2·571	2·577	2·587	2·577	2·584	2·573	2·551
29.	2·571	2·581	2·584	2·577	2·593	2·593	2·579	2·579	2·569	2·582	2·569	2·532
30.	2·467	2·465	2·469	2·487	2·508	2·525	2·551	2·578	2·589	2·599	2·605	2·597
31.	2·673	2·687	2·691	2·701	2·717	2·734	2·753	2·783	2·795	2·808	2·823	2·823
Mean.	2·760	2·758	2·757	2·763	2·772	2·779	2·786	2·796	2·801	2·802	2·796	7

Self-registering Instruments, during the Month of October, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·614	2·628	2·636	2·654	2·674	2·687	2·694	2·700	2·711	2·706	2·696	2·699	2·618
2·890	2·895	2·899	2·902	2·914	2·932	2·946	2·940	2·943	2·954	2·966	2·980	2·870
2·996	2·970	2·956	2·944	2·937	2·939	2·933	2·919	2·964	2·970	2·974	2·972	2·990
2·976	2·978	2·975	2·977	2·990	2·998	3·004	3·013	3·015	3·018	2·997	2·998	2·983
2·961	2·943	2·935	2·918	2·909	2·902	2·914	2·909	2·903	2·901	2·895	2·879	2·956
2·777	2·764	2·747	2·743	2·733	2·727	2·721	2·725	2·724	2·714	2·714	2·707	2·783
2·624	2·604	2·599	2·592	2·599	2·618	2·636	2·634	2·632	2·626	2·658	2·642	2·658
2·726	2·729	2·732	2·740	2·753	2·768	2·772	2·776	2·791	2·786	2·789	2·789	2·727
2·825	2·812	2·809	2·809	2·822	2·831	2·843	2·859	2·865	2·863	2·851	2·877	2·836
2·767	2·732	2·709	2·679	2·649	2·633	2·615	2·583	2·558	2·542	2·518	2·488	2·745
2·594	2·637	2·667	2·703	2·755	2·800	2·827	2·868	2·900	2·925	2·949	2·965	2·639
3·154	3·137	3·125	3·109	3·105	3·101	3·107	3·113	3·118	3·119	3·119	3·117	3·104
2·984	2·956	2·928	2·910	2·898	2·880	2·876	2·872	2·874	2·868	2·859	2·847	2·994
2·629	2·606	2·587	2·578	2·579	2·599	2·604	2·604	2·614	2·619	2·615	2·610	2·685
2·573	2·552	2·547	2·547	2·546	2·561	2·575	2·584	2·588	2·589	2·592	2·605	2·586
2·691	2·673	2·663	2·662	2·667	2·671	2·690	2·697	2·693	2·685	2·691	2·694	2·684
2·772	2·762	2·762	2·750	2·746	2·762	2·774	2·767	2·784	2·786	2·788	2·794	2·767
2·782	2·768	2·763	2·752	2·751	2·770	2·768	2·775	2·773	2·773	2·779	2·780	2·788
2·908	2·904	2·894	2·901	2·920	2·932	2·948	2·957	2·962	2·975	2·972	2·973	2·901
2·988	2·974	2·965	2·967	2·976	2·986	2·988	2·993	2·994	3·000	3·004	2·998	2·993
3·022	3·011	3·006	3·006	3·004	3·006	3·008	3·007	3·004	3·003	3·003	3·003	3·015
3·000	2·988	2·966	2·958	2·955	2·950	2·948	2·944	2·939	2·926	2·922	2·933	2·987
2·891	2·873	2·862	2·848	2·850	2·858	2·848	2·838	2·825	2·808	2·797	2·780	2·889
2·602	2·589	2·580	2·563	2·559	2·558	2·548	2·538	2·540	2·539	2·538	2·540	2·626
2·524	2·528	2·526	2·524	2·531	2·531	2·538	2·536	2·549	2·546	2·536	2·536	2·537
2·474	2·488	2·488	2·506	2·516	2·531	2·530	2·530	2·540	2·542	2·544	2·540	2·516
2·554	2·557	2·558	2·553	2·561	2·585	2·593	2·593	2·589	2·599	2·607	2·612	2·571
2·539	2·537	2·541	2·552	2·558	2·569	2·560	2·579	2·585	2·580	2·579	2·576	2·570
2·509	2·497	2·492	2·481	2·471	2·501	2·495	2·495	2·495	2·488	2·478	2·475	2·533
2·590	2·585	2·587	2·589	2·611	2·643	2·651	2·663	2·675	2·677	2·673	2·673	2·586
2·822	2·818	2·819	2·832	2·843	2·864	2·819	2·894	2·900	2·904	2·918	2·928	2·806
2·766	2·758	2·752	2·750	2·754	2·764	2·767	2·772	2·776	2·775	2·775	2·775	2·772

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1..	2 933	2 946	2·955	2 971	2 975	2·991	2 992	3 010	3 010	3 016	3·013	3·001
2.....	3·008	3 002	2·992	2 994	2·988	2·992	2 993	2 996	2·994	2 982	2·966	2·930
3..	2·756	2 756	2·740	2 728	2 714	2 693	2 682	2 666	2·634	2 602	2·567	2 515
4..	2 072	2 124	2·172	2 212	2 257	2·308	2·356	2 394	2 425	2·447	2·464	2·462
5.. ...	2·525	2 528	2·528	2 524	2·522	2·523	2 518	2 521	2 519	2 518	2·515	2·502
6.. ...	2·503	2 488	2·468	2 438	2·421	2·393	2·367	2·339	2 316	2 288	2·264	2·224
7... .	2·235	2 237	2·233	2 247	2 248	2·250	2 248	2·261	2 258	2 248	2·243	2·226
8.. .	2 127	2 109	2 095	2 093	2·079	2·078	2 077	2 095	2·115	2 111	2·141	2·143
9..	2·272	2 244	2·213	2 216	2·184	2·191	2 202	2·230	2 267	2 290	2·321	2·337
10..	2·582	2·594	2 600	2 601	2·610	2 609	2 606	2 618	2·614	2·602	2·590	2·581
11.. ...	2 602	2 595	2 583	2 583	2 575	2·559	2 564	2 587	2·592	2·601	2·615	2·619
12.. .	2 726	2 739	2 741	2·739	2·741	2·747	2 763	2·765	2 766	2 769	2·770	2·746
13..	2 782	2 782	2·784	2 790	2·800	2·802	2 799	2 816	2 829	2 840	2·840	2·842
14..	2 868	2 864	2 871	2 852	2 838	2·836	2·836	2 825	2 823	2 815	2 800	2 760
15.. ..	2·480	2·496	2·499	2·496	2 507	2·521	2 540	2 561	2 571	2·576	2·588	2·573
16..	2·516	2 489	2 460	2 439	2 434	2·422	2 417	2·398	2 392	2 371	2·358	2·320
17.. . . .	2 461	2 475	2·473	2 484	2·480	2·435	2 557	2 573	2 574	2·574	2·567	2·543
18.....	2 157	2 127	2·092	2 068	2·070	2 070	2 083	2 108	2 139	2·172	2 206	2·229
19..	2·502	2 486	2·483	2 468	2·450	2 423	2 404	2 379	2 360	2 330	2·298	2·273
20..	2·592	2 620	2·658	2 677	2 710	2 744	2 771	2 809	2·838	2·878	2·866	2 863
21.. .	2·910	2 915	2·917	2 916	2 914	2 913	2 924	2 932	2·932	2 945	2·950	2·936
22.....	2·887	2 882	2·879	2 877	2 878	2 877	2 877	2 872	2 882	2 879	2·872	2·844
23.. ..	2·782	2 780	2·777	2 768	2·765	2 763	2 762	2 760	2·760	2 752	2·739	2·714
24..	2·642	2 648	2·658	2 652	2 649	2 649	2 654	2 662	2 667	2·676	2·672	2·648
25..	2·615	2 622	2 625	2 634	2·643	2 642	2 651	2·670	2 677	2·700	2·693	2·709
26..	2·556	2 541	2·530	2 524	2 492	2 470	2 458	2·453	2 447	2·444	2·433	2·437
27.	2·677	2 693	2·717	2 723	2 735	2 744	2 772	2 794	2·817	2·830	2·842	2·847
28.....	2·964	2 966	2·978	2 975	2 981	2 974	2 963	2 949	2 930	2 912	2·899	2 859
29.	2·764	2 767	2 770	2 752	2 752	2 760	2 762	2 762	2·765	2·750	2·740	2·713
30..	2 616	2·621	2·594	2 569	2·528	2 506	2 469	2 440	2·400	2 366	2·294	2·235
Mean..	2 604	2 605	2·603	2·600	2·598	2·596	2·602	2·608	2·610	2·609	2·604	2 588

from Self-registering Instruments, during the Month of November, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending											
1 p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	Mean.
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·988	2·976	2·970	2·973	2·977	2·988	3·002	3·015	3·016	3·022	3·012	3·012	2·990
2·912	2·886	2·866	2·864	2·845	2·838	2·832	2·830	2·819	2·810	2·791	2·760	2·912
2·456	2·394	2·358	2·310	2·268	2·238	2·190	2·144	2·166	2·112	2·082	2·074	2·452
2·468	2·474	2·492	2·522	2·540	2·570	2·574	2·571	2·564	2·550	2·534	2·530	2·420
2·485	2·468	2·476	2·488	2·504	2·529	2·536	2·532	2·530	2·528	2·517	2·516	2·515
2·191	2·187	2·182	2·182	2·183	2·194	2·203	2·223	2·232	2·239	2·231	2·231	2·291
2·213	2·199	2·195	2·189	2·185	2·189	2·185	2·181	2·165	2·159	2·149	2·137	2·212
2·148	2·164	2·186	2·212	2·232	2·263	2·270	2·284	2·289	2·298	2·294	2·289	2·175
2·357	2·368	2·397	2·424	2·460	2·494	2·581	2·538	2·559	2·569	2·569	2·582	2·369
2·572	2·579	2·583	2·600	2·597	2·616	2·623	2·639	2·636	2·629	2·619	2·616	2·617
2·601	2·616	2·625	2·640	2·651	2·681	2·679	2·684	2·691	2·699	2·702	2·718	2·628
2·739	2·730	2·740	2·748	2·751	2·761	2·761	2·767	2·781	2·785	2·780	2·781	2·756
2·835	2·834	2·832	2·844	2·849	2·866	2·870	2·863	2·876	2·878	2·874	2·874	2·853
2·727	2·688	2·654	2·629	2·610	2·588	2·558	2·523	2·502	2·480	2·468	2·479	2·704
2·562	2·558	2·560	2·560	2·562	2·570	2·574	2·574	2·568	2·566	2·557	2·542	2·548
2·294	2·298	2·317	2·341	2·354	2·397	2·419	2·440	2·451	2·457	2·457	2·463	2·404
2·517	2·507	2·480	2·460	2·444	2·432	2·397	2·372	2·338	2·281	2·241	2·218	2·453
2·259	2·484	2·326	2·368	2·398	2·458	2·468	2·484	2·492	2·512	2·510	2·515	2·283
2·248	2·246	2·258	2·291	2·320	2·368	2·394	2·425	2·467	2·498	2·528	2·570	2·395
2·862	2·858	2·867	2·882	2·891	2·903	2·905	2·903	2·901	2·904	2·915	2·910	2·822
2·918	2·905	2·896	2·893	2·893	2·902	2·904	2·900	2·895	2·895	2·887	2·890	2·912
2·826	2·812	2·804	2·797	2·808	2·810	2·811	2·812	2·808	2·803	2·795	2·798	2·841
2·690	2·666	2·660	2·652	3·651	2·669	2·659	2·657	2·646	2·650	2·649	2·648	2·709
2·624	2·599	2·596	2·586	2·583	2·596	2·586	2·614	2·608	2·602	2·607	2·612	2·628
2·670	2·660	2·643	2·642	2·644	2·623	2·603	2·616	2·598	2·586	2·585	2·575	2·639
2·423	2·427	2·441	2·474	2·514	2·565	2·587	2·593	2·617	2·665	2·645	2·683	2·517
2·853	2·859	2·874	2·890	2·905	2·935	2·939	2·946	2·961	2·963	2·964	2·965	2·844
2·810	2·758	2·743	2·730	2·718	2·712	2·732	2·728	2·738	2·756	2·762	2·760	2·846
2·678	2·656	2·632	2·640	2·637	2·645	2·643	2·645	2·649	2·633	2·618	2·620	2·698
2·184	2·134	2·110	2·110	2·111	2·113	2·114	2·136	2·154	2·179	2·211	2·227	2·309
2·570	2·566	2·557	2·565	2·570	2·583	2·587	2·588	2·591	2·600	2·585	2·586	2·591

BAROMETRIC PRESSURE (32° Fah.) at Toronto Observatory, for each Hour,

75th Meridian

27 ENGLISH INCHES + THE

DAY.	HOUR ENDING											
	1 a.m.	2 a.m.	3 a.m.	4 a.m.	5 a.m.	6 a.m.	7 a.m.	8 a.m.	9 a.m.	10 a.m.	11 a.m.	Noon.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1.	2·218	2·230	2·246	2·266	2·283	2·320	2·360	2·416	2·440	2·447	2·501	2·517
2.	2·782	2·801	2·810	2·817	2·832	2·853	2·872	2·874	2·886	2·894	2·898	2·895
3.	2·996	3·016	3·025	3·024	3·028	3·030	3·039	3·042	3·050	3·050	3·044	3·010
4.	2·698	2·658	2·624	2·595	2·560	2·508	2·465	2·430	2·402	2·390	2·388	2·344
5.	2·550	2·588	2·636	2·664	2·686	2·720	2·739	2·767	2·804	2·830	2·837	2·835
6.	2·936	2·944	2·958	2·960	2·953	2·950	2·943	2·938	2·934	2·921	2·898	2·852
7.	2·387	2·343	2·315	2·265	2·229	2·200	2·188	2·184	2·197	2·211	2·235	2·235
8.	2·609	2·061	2·627	2·625	2·637	2·649	2·659	2·657	2·664	2·673	2·671	2·660
9.	2·657	2·648	2·652	2·640	2·648	2·657	2·679	2·698	2·720	2·750	2·768	2·773
10.	2·991	3·013	3·026	3·031	3·026	3·030	3·042	3·060	3·052	3·048	3·041	3·013
11.	2·667	2·595	2·544	2·470	2·411	2·365	2·325	2·295	2·289	2·283	2·269	2·239
12.	2·173	2·158	2·155	2·143	2·143	2·147	2·159	2·167	2·171	2·187	2·177	2·169
13.	2·084	2·052	2·021	1·990	1·961	1·976	1·990	2·012	2·043	2·081	2·097	2·093
14.	2·341	2·367	2·389	2·397	2·414	2·421	2·436	2·449	2·449	2·467	2·463	2·447
15.	2·473	2·476	2·502	2·509	2·516	2·542	2·578	2·588	2·620	2·640	2·640	2·638
16.	2·807	2·819	2·830	2·846	2·846	2·864	2·864	2·864	2·878	2·883	2·894	2·878
17.	2·842	2·841	2·838	2·826	2·820	2·816	2·817	2·792	2·812	2·802	2·898	2·768
18.	2·376	2·340	2·295	2·240	2·215	2·190	2·158	2·163	2·158	2·188	2·224	2·242
19.	2·554	2·558	2·562	2·253	2·542	2·534	2·521	2·512	2·511	2·514	2·506	2·470
20.	2·398	2·402	2·424	2·435	2·456	2·470	2·514	2·538	2·574	2·594	2·579	2·544
21.	2·385	2·387	2·387	2·385	2·385	2·394	2·411	2·430	2·495	2·531	2·568	2·581
22.	2·971	3·011	3·040	3·042	3·043	3·063	3·071	3·071	3·104	3·123	3·098	3·079
23.	3·017	3·028	3·028	3·018	3·015	3·019	3·030	3·042	3·045	3·043	3·037	3·004
24.	2·788	2·772	2·749	2·713	2·679	2·640	2·627	2·589	2·568	2·546	2·504	2·456
25.	2·221	2·219	2·209	2·181	2·165	2·149	2·153	2·159	2·161	2·163	2·162	2·141
26.	2·153	2·183	2·211	2·226	2·245	2·270	2·300	2·334	2·373	2·403	2·425	2·427
27.	2·327	2·311	2·296	2·272	2·227	2·222	2·219	2·213	2·225	2·234	2·240	2·233
28.	2·699	2·735	2·773	2·793	2·806	2·826	2·851	2·875	2·886	2·894	2·894	2·855
29.	2·727	2·755	2·786	2·802	2·829	2·856	2·896	2·924	2·960	2·982	3·002	3·006
30.	2·830	2·784	2·740	2·708	2·640	2·596	2·580	2·544	2·521	2·502	2·484	2·482
31.	2·490	2·506	2·532	2·531	2·534	2·551	2·560	2·578	2·613	2·632	2·645	2·641
Mean.	2·585	2·586	2·588	2·580	2·573	2·575	2·582	2·587	2·900	2·610	2·612	2·598

from Self-registering Instruments, during the Month of December, 1908.

Standard Time.

NUMBERS IN THE TABLES.

Hour Ending												Mean.
p.m.	2 p.m.	3 p.m.	4 p.m.	5 p.m.	6 p.m.	7 p.m.	8 p.m.	9 p.m.	10 p.m.	11 p.m.	Midnight.	
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
2·538	2·573	2·602	2·644	2·668	2·687	2 705	2·726	2·744	2·754	2·761	2·773	2·517
2 894	2 900	2 916	2·942	2·954	2·974	2·975	2·980	2·985	2·986	2 989	2 997	2 904
2·974	2 941	2·918	2·900	2·876	2 864	2·843	2·820	2·792	2 770	2 745	2·712	2·938
2·326	2·336	2 345	2 367	2 388	2 424	2·446	2·468	2 475	2·496	2 518	2·538	2·466
2·833	2 833	2 846	2·870	2·879	2 906	2·918	2·922	2·930	2·944	2 946	2·946	2·810
2·815	2·813	2·757	2·713	2·691	5·673	2·619	2 601	2·528	2·510	2·477	2·435	2·784
2·233	2·225	2·242	2·302	2·361	2·411	2·453	2·495	2·525	2·557	2 577	2 602	2·332
2·637	2 634	2 638	2·641	2 647	2·654	2·652	2·667	2·662	2 660	2 651	2·651	2·647
2·777	2·792	2 818	2·838	2·867	2·893	2·919	2·941	2·955	2·973	2 984	2·984	2 792
2·981	2·971	2·958	2·927	2·919	2 897	2·868	2·825	2·830	2·777	2 747	2 720	2·950
2 230	2·217	2·210	2 216	2 221	2·233	2·223	2·215	2·199	2·201	2 193	2·187	2·304
2·157	2 152	2·156	3 170	2·158	2 179	2·179	2·188	2·192	2 181	2 147	2·109	2·163
2·100	2·115	2 137	2·171	2 203	2 247	2·275	2 291	2 306	2·311	2 322	2 337	2·134
2·432	2·420	2·410	2·408	2·397	2·417	2 431	2·446	2·443	2·460	2 461	2·471	2 426
2·632	2·628	2·652	2·675	2·700	2·717	2·735	2·755	2·769	2 778	2 792	2 797	2·640
2·852	2·858	2·860	2 862	2 864	2·860	2·861	2·865	2 862	2·872	2 862	2·846	2·858
2 744	2 723	2·730	2 690	2·688	2 658	2 645	2 599	2·569	2 533	2 482	2·438	2·719
2·250	2·317	2·365	2·415	2·448	2·500	2·528	2·545	2·560	2·570	2 564	2·548	2·350
2 443	2 408	3 408	2·418	2·420	2 424	2·410	2·402	2·390	2·388	2 402	2 390	2·468
2·538	2·534	2·533	2·529	2·531	2 516	2 513	2·484	2·473	2·459	2 431	2·393	2·494
2·606	2·643	2·683	2 733	2 755	2·813	2·845	2 893	2·903	2·924	2 937	2·949	2·626
2 068	3·049	3·039	3 044	3·051	3·053	3·052	3 049	3 031	3·028	3 026	3 020	3·051
2·977	2·967	2·970	2 956	2 942	2 930	2·918	2·896	2·875	2·855	2 841	2·814	2 969
2·409	2·393	2 373	2·362	2·349	2·347	2·329	2·301	2·283	2·268	2 243	2 227	2·480
2·119	2 120	2 131	2 159	2·143	2 161	2·158	2·153	2·143	2·141	2 134	2·138	2·157
2·419	2·433	2·453	2·472	2·471	2 467	2·452	2·440	2 426	2·403	2 373	2 346	2·363
2 242	2·262	2 300	2·346	2 392	2 422	2 460	2 499	2·528	2·562	2 607	2·660	2·346
2·822	2·807	2 808	2·808	2·799	2·787	2·776	2·759	2·747	2·732	2 727	2·724	2·799
2 990	2·995	2·998	3·017	2·999	2·997	3·004	2·987	2 974	2·946	2 908	2·865	2·925
2·458	2·464	2 466	2·466	2·454	2·445	2·442	2 433	2 433	2·447	2 454	2·466	2·535
2·652	2·673	2·693	2·719	2·739	2·766	2·785	2·798	2·809	2·809	2 812	2·811	2·662
2·585	2·587	2·594	2·605	2·612	2·623	2·626	2·627	2 624	2·622	2 617	2·609	2·600

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of January, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·88	29·90	29·89	29·88	29·88	29·88	29·88	29·89	29·95	29·98	30·00	30·00	29·93
2	29·95	29·98	30·00	30·05	30·08	30·11	30·09	30·09	30·10	30·12	30·11	30·12	30·07
3	30·21	30·16	30·23	30·27	30·32	30·32	30·30	30·30	30·29	30·29	30·24	30·21	30·26
4	30·16	30·09	30·00	29·94	29·84	29·69	29·63	29·50	29·41	29·33	29·27	29·29	29·68
5	29·27	29·54	29·70	29·88	29·98	30·01	29·99	29·99	30·05	30·09	30·10	30·06	29·90
6	30·07	30·05	29·98	29·94	29·90	29·89	29·86	29·84	29·85	29·86	29·85	29·84	29·91
7	29·83	29·80	29·77	29·76	29·75	29·72	29·66	29·64	29·61	29·54	29·35	29·24	29·64
8	28·97	28·92	28·91	28·97	29·05	29·07	29·13	29·35	29·45	29·53	29·57	29·58	29·21
9	29·59	29·62	29·64	29·72	29·75	29·77	29·78	29·86	29·92	29·96	30·02	30·06	29·81
10	30·10	30·18	30·23	30·29	30·35	30·37	30·38	30·41	30·43	30·44	30·43	30·43	30·34
11	30·40	30·40	30·36	30·38	30·38	30·34	30·28	30·24	30·23	30·24	30·23	30·18	30·31
12	30·16	30·10	30·02	29·97	29·82	29·82	29·62	29·45	29·38	29·29	29·23	29·17	29·67
13	29·13	29·13	29·14	29·19	29·27	29·32	29·36	29·42	29·45	29·47	29·47	29·47	29·32
14	29·50	29·54	29·57	29·64	29·71	29·72	29·73	29·79	29·90	29·99	30·07	30·13	29·77
15	30·16	30·18	30·21	30·25	30·26	30·26	30·21	30·16	30·08	30·05	29·93	29·84	30·13
16	29·80	29·71	29·63	29·61	29·57	29·57	29·64	29·85	29·96	30·06	30·12	30·13	29·80
17	30·13	30·11	30·08	30·12	30·14	30·08	30·04	30·00	29·95	29·93	29·90	29·89	30·03
18	29·90	29·96	29·97	30·01	30·02	29·96	29·84	29·80	29·77	29·77	29·80	29·85	29·89
19	29·85	30·00	30·16	30·30	30·41	30·48	30·49	30·55	30·59	30·59	30·61	30·60	30·39
20	30·56	30·48	30·38	30·29	30·19	30·08	29·99	29·98	29·97	29·98	30·00	30·02	30·16
21	30·04	30·05	30·04	30·04	30·03	29·96	29·87	29·82	29·78	29·77	29·70	29·59	29·89
22	29·50	29·44	29·38	29·39	29·43	29·44	29·44	29·55	29·76	29·93	30·02	30·07	29·61
23	30·18	30·22	30·24	30·28	30·29	30·27	30·26	30·30	30·29	30·29	30·29	30·29	30·27
24	30·29	30·29	30·28	30·27	30·26	30·23	30·16	30·13	30·08	30·03	29·97	29·90	30·16
25	29·87	29·82	29·72	29·67	29·63	29·56	29·52	29·51	29·53	29·54	29·55	29·56	29·62
26	29·56	29·67	29·75	29·80	29·84	29·85	29·79	29·73	29·66	29·55	29·48	29·35	29·67
27	29·21	29·09	28·99	28·97	28·96	29·08	29·06	29·31	29·44	29·57	29·64	29·70	29·25
28	29·77	29·82	29·86	29·92	29·95	29·95	29·90	29·85	29·85	29·81	29·74	29·68	29·84
29	29·60	29·74	29·78	30·01	30·08	30·17	30·17	30·20	30·26	30·34	30·35	30·37	30·09
30	30·38	30·42	30·45	30·48	30·51	30·50	30·46	30·45	30·46	30·48	30·49	30·49	30·46
31	30·50	30·48	30·47	30·47	30·48	30·47	30·44	30·42	30·43	30·42	30·37	30·28	30·44
Mean.	29·89	29·90	29.90	29.90	29·94	29·93	29·90	29·92	29·93	29·94	29·93	29·92	29·92

ATMOSPHERIC PRESSURE at 32° Fahr. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of February, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·24	30·21	30·01	29·85	29·72	29·61	29·40	29·22	29·11	29·04	29·00	28·99	29·53
2	28·96	28·99	29·06	29·18	29·36	29·47	29·55	29·65	29·74	29·80	29·82	29·85	29·45
3	29·90	29·92	29·91	29·92	29·95	29·97	29·97	29·98	30·03	30·10	30·16	30·23	30·00
4	30·23	30·31	30·40	30·49	30·55	30·57	30·54	30·58	30·62	30·61	30·70	30·72	30·53
5	30·74	30·76	30·76	30·75	30·73	30·70	30·60	30·53	30·46	30·37	30·29	30·24	30·58
6	30·15	30·04	29·96	29·88	29·84	29·80	29·74	29·73	29·74	29·73	29·73	29·71	29·84
7	29·70	29·70	29·72	29·77	29·83	29·87	29·90	29·97	30·00	30·10	30·15	30·18	29·91
8	30·24	30·28	30·30	30·35	30·41	30·46	30·46	30·49	30·55	30·63	30·65	30·69	30·46
9	30·69	30·72	30·74	30·78	30·82	30·83	30·79	30·77	30·77	30·80	30·80	30·80	30·78
10	30·77	30·76	30·72	30·72	30·68	30·62	30·56	30·54	30·53	30·53	30·52	30·52	30·62
11	30·50	30·49	30·50	30·51	30·52	30·51	30·49	30·50	30·53	30·57	30·61	30·61	30·53
12	30·69	30·70	30·72	30·72	30·73	30·73	30·69	30·65	30·59	30·57	30·50	30·44	30·65
13	30·35	30·31	30·29	30·27	30·22	30·16	30·13	30·07	30·07	30·06	30·04	30·04	30·17
14	30·03	30·04	30·07	30·09	30·05	30·01	29·94	29·86	29·81	29·67	29·54	29·40	29·88
15	29·34	29·32	29·27	29·19	29·14	29·16	28·96	28·95	28·80	28·84	28·87	28·93	29·06
16	28·97	29·10	29·22	29·32	29·44	29·51	29·52	29·61	29·65	29·71	29·74	29·76	29·46
17	29·77	29·77	29·78	29·79	29·80	29·79	29·81	29·83	29·89	29·96	30·01	30·04	29·85
18	30·07	30·12	30·18	30·25	30·31	30·34	30·34	30·33	30·37	30·39	30·37	30·39	30·29
19	30·40	30·37	30·35	30·30	30·27	30·33	30·14	30·07	30·01	29·97	29·89	29·83	30·15
20	29·74	29·74	29·76	29·81	29·84	29·84	29·82	29·83	29·89	29·93	29·96	29·95	29·84
21	29·95	29·92	29·91	29·86	29·85	29·84	29·78	29·75	29·74	29·75	29·75	29·70	29·82
22	29·69	29·68	29·70	29·77	29·86	29·87	29·87	29·89	29·90	29·92	29·92	29·92	29·83
23	29·90	29·88	29·88	29·87	29·88	29·87	29·85	29·84	29·88	29·90	29·94	29·96	29·89
24	29·99	30·04	30·09	30·18	30·24	30·28	30·29	30·33	30·34	30·35	30·35	30·37	30·24
25	30·33	30·31	30·32	30·32	30·26	30·26	30·20	30·16	30·13	30·12	30·07	30·06	30·21
26	29·99	29·96	29·91	29·89	29·85	29·80	29·72	29·69	29·69	29·65	29·65	29·69	29·79
27	29·71	29·71	29·72	29·72	29·73	29·71	29·69	29·65	29·64	29·65	29·66	29·64	29·69
28	29·61	29·60	29·61	29·68	29·71	29·72	29·74	29·79	29·87	29·90	29·94	29·94	29·76
29	29·98	30·00	30·03	30·09	30·11	30·11	30·12	30·13	30·17	30·23	30·28	30·33	30·13
Means	30·02	30·03	30·03	30·05	30·06	30·06	30·02	30·01	30·02	30·03	30·03	30·03	30·03

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.: Bi-hourly Readings from Self registering Instruments, for the Month of March, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·35	30·37	30·38	30·53	30·56	30·54	30·48	30·45	30·29	30·27	30·24	30·20	30·39
2	30·14	30·09	30·07	30·01	29·98	29·96	29·93	29·90	29·88	29·89	29·92	29·94	29·98
3	29·93	29·95	29·98	30·04	30·09	30·13	30·16	30·20	30·26	30·22	30·33	30·35	30·14
4	30·36	30·39	30·42	30·45	30·48	30·48	30·47	30·45	30·46	30·46	30·46	30·45	30·44
5	30·45	30·43	30·43	30·43	30·42	30·40	30·36	30·33	30·35	30·37	30·34	30·33	30·39
6	30·32	30·29	30·28	30·26	30·19	30·12	30·04	29·93	29·76	29·66	29·55	29·51	29·99
7	29·42	29·39	29·42	29·45	29·49	29·54	29·64	29·81	29·92	30·05	30·13	30·16	29·70
8	30·19	30·19	30·22	30·24	30·25	30·24	30·20	30·20	30·19	30·16	30·15	30·10	30·19
9	30·09	30·08	30·12	30·18	30·30	30·39	30·40	30·40	30·41	30·45	30·49	30·51	30·32
10	30·53	30·52	30·53	30·54	30·55	30·52	30·45	30·41	30·40	30·40	30·37	30·36	30·47
11	30·27	30·22	30·18	30·09	29·97	29·84	29·77	29·75	29·76	29·75	29·76	29·77	29·93
12	29·74	29·75	29·76	29·86	29·89	29·92	29·95	29·98	30·02	30·05	30·09	30·09	29·93
13	30·04	29·97	29·93	29·85	29·76	29·65	29·56	29·56	29·58	29·64	29·63	29·65	29·74
14	29·67	29·73	29·78	29·80	29·82	29·84	29·81	29·83	29·82	29·85	29·80	29·76	29·79
15	29·70	29·60	29·54	29·52	29·48	29·42	29·29	29·19	29·06	29·07	29·20	29·39	29·37
16	29·47	29·47	29·57	29·60	29·63	29·65	29·70	29·73	29·83	29·96	30·06	30·09	29·73
17	30·13	30·13	30·14	30·13	30·12	30·10	30·06	30·02	29·99	30·01	30·02	30·04	30·07
18	30·08	30·10	30·12	30·18	30·18	30·17	30·11	30·07	30·05	30·04	30·00	29·97	30·09
19	29·91	29·86	29·85	29·86	29·85	29·86	29·92	29·95	30·01	30·08	30·14	30·17	29·96
20	30·20	30·24	30·24	30·29	30·32	30·32	30·27	30·22	30·22	30·21	30·21	30·21	30·25
21	30·21	30·20	30·21	30·24	30·24	30·25	30·22	30·18	30·17	30·17	30·17	30·16	30·20
22	30·15	30·13	30·09	30·03	29·96	29·86	29·80	29·79	29·78	29·81	29·84	29·85	29·92
23	29·81	29·82	29·82	29·81	29·80	29·80	29·71	29·61	29·54	29·52	29·47	29·43	29·68
24	29·37	29·35	29·33	29·32	29·36	29·41	29·43	29·50	29·63	29·71	29·86	29·95	29·52
25	30·07	30·15	30·28	30·38	30·42	30·43	30·43	30·44	30·42	30·41	30·34	30·31	30·34
26	30·15	30·01	29·90	29·88	29·80	29·76	29·73	29·71	29·71	29·80	29·86	29·89	29·85
27	29·96	30·06	30·16	30·32	30·38	30·40	30·38	30·37	30·32	30·32	30·26	30·11	30·25
28	30·10	29·90	29·81	29·73	29·63	29·67	29·70	29·71	29·78	29·85	29·94	29·98	29·82
29	29·89	30·00	30·01	30·03	30·03	29·97	30·95	29·95	29·96	29·97	30·01	30·02	29·99
30	30·02	30·04	30·12	30·18	30·24	30·25	30·24	30·24	30·24	30·22	30·21	30·19	30·18
31	30·15	30·11	30·09	30·08	30·02	29·97	29·88	29·82	29·82	29·84	29·85	29·92	29·96
Mean	30·03	30·02	30·02	30·04	30·04	30·03	30·00	29·99	29·99	30·01	30·02	30·03	30·02

ATMOSPHERIC PRESSURE at 32 Fah. at Montreal, Que.: Bi-hourly Readings from Self-registering Instruments, for the Month of April, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·06	30·13	30·21	30·24	30 27	30·28	30 23	30 14	30·10	30·02	29 87	29·71	30·11
2	29·56	29·43	29·39	29·30	29 30	29·30	29 30	29·30	29·30	29·35	29 43	29·47	29·37
3	29·49	29·54	29·64	29·70	29 74	29·75	29 75	29 75	29·76	29·81	29 83	29·85	29·72
4	29·87	29·90	29·96	29·99	30·03	29·94	30 06	30 09	30·12	30·16	30 21	30·25	30·05
5	30·28	30 31	30·32	30·28	30 25	30·19	30·10	30 05	29·96	29·92	29 87	29·84	30·11
6	29·81	29·75	29·77	28·86	29·90	29·93	29 92	29 89	29·89	29·90	29 90	29·89	29·88
7	29·90	29 92	29 96	30 06	30·14	30·19	30 22	30·23	30 27	30·33	30 38	30·38	30·16
8	30·40	39 39	30·38	30·32	30 23	30·12	30 00	29 85	29·78	29·68	29 59	29·56	30·03
9	29·64	29 73	29·82	29·93	30·00	30·06	30·07	30 08	30·10	30·12	30 14	30·14	29·99
10	30·10	30·08	30·04	30 03	29 98	29·91	29·81	29 73	29·66	29·62	29·57	29·53	29·84
11	29·49	29 43	29·38	29·24	29 20	29·30	29 28	29 28	29·35	29·44	29 50	29·56	29·37
12	29·66	29 72	29·80	29·87	29 89	29·89	29 89	29 88	29·89	29·93	29 95	29·95	29·86
13*	29·93	29·89	29·87	29·88	29 90	29·91	29·95	30 02	30·10	30·17	30 25	30·30	30·01
14	30·37	30 42	30 45	30·50	30 49	30 47	30 38	30 27	30·11	30·06	29 97	29 96	30·29
15	29·91	29 89	29 86	29·83	29 75	29 71	29 71	29·79	29·93	30·02	30 15	30·23	29·90
16	30·28	30 33	30 46	30·53	30 54	30·54	30 50	30 46	30·44	30·43	30 45	30·45	30·45
17	30·45	30 44	30 44	30 41	30 47	30·39	30 32	30 26	30·23	30·19	30 17	30·12	30·32
18	30 08	30 04	30 00	29·98	29 92	29·86	29 80	29 75	29·69	29·68	29·67	29·61	29·84
19	29·51	29 45	29 42	29·41	29 37	29 38	29 39	29 42	29·49	29·58	29 66	29·68	29·48
20	29·69	29 67	29 63	29·59	29 49	29·40	29 35	29 38	29·45	29·59	29 64	29·60	29·54
21	29·53	29 52	29 64	29 72	29 72	29·71	29 69	29 68	29·69	29·73	29 77	29·78	29·68
22	29 81	29 84	29 85	29 84	29·82	29·79	29 74	29 70	29 66	29·67	29 70	29·71	29·76
23	29·70	29 68	29 72	29 78	29 80	29 81	29 81	29 79	29·82	29·82	29 85	29·87	29 79
24	29 91	29 94	29 96	30 01	30 05	29 98	29 93	29 90	29·85	29·85	29 84	29·83	29·92
25	29·78	29 75	29 71	29 68	29 64	29·58	29 58	29 52	29·46	29·44	29 49	29·49	29·69
26	29·49	29 49	29 49	29 49	29 51	29·54	29 58	29 59	29·66	29 68	29 73	29·75	29·58
27	29·78	29 83	29 83	29 83	29 81	29 74	29 68	29 64	29·58	29 63	29 68	29·71	29 73
28	29 71	29 70	29 69	29 68	29 65	29·62	29 63	29 61	29·66	29·69	29 72	29·73	29·76
29	29·71	29 71	29 72	29 74	29 79	29·80	29 81	29 79	29 80	29·84	29 86	29 86	29·79
30	29·85	29 88	29 89	29 89	29 89	29·88	29 86	29 80	29·71	29·65	29 58	29·47	29·78
Mean	29·86	29 86	29 88	29.89	29·88	29 87	29·85	29·82	29·82	29·83	29·85	29·84	29·85

ATMOSPHERIC PRESSURE at 32 Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of May, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·38	29·20	29·08	29·06	29·10	29·16	29·21	29·27	29·35	29·43	29·50	29·53	29·27
2	29·57	29·60	29·62	29·64	29·65	29·64	29·62	29·59	29·56	29·55	29·53	29·49	29·59
3	29·48	29·48	29·53	29·68	29·64	29·69	29·71	29·72	29·74	29·81	29·86	29·87	29·69
4	29·90	29·91	29·92	29·96	29·97	29·96	29·97	29·96	29·97	29·98	30·00	30·02	29·96
5	30·04	30·05	30·08	30·12	30·13	30·12	30·12	30·10	30·11	30·16	30·17	30·18	30·12
6	30·19	30·19	30·21	30·22	30·19	30·17	30·16	30·13	30·11	30·12	30·13	30·13	30·16
7	30·13	30·13	30·12	30·12	30·10	30·06	30·06	30·04	30·00	29·96	29·93	29·89	30·05
8	29·84	29·79	29·76	29·74	29·69	29·63	29·59	29·55	29·54	29·55	29·53	29·47	29·64
9	29·43	29·39	29·37	29·34	29·31	29·29	29·27	29·28	29·30	29·32	29·36	29·38	29·34
10	29·42	29·42	29·45	29·58	29·52	29·54	29·55	29·56	29·57	29·61	29·64	29·65	29·54
11	29·64	29·63	29·62	29·63	29·64	29·64	29·64	29·64	29·65	29·68	29·70	29·70	29·65
12	29·75	29·71	29·70	29·64	29·57	29·51	29·49	29·48	29·49	29·53	29·69	29·79	29·61
13	29·84	29·89	30·00	30·05	30·11	30·13	30·14	30·13	30·14	30·15	30·16	30·17	30·08
14	30·20	30·21	30·22	30·24	30·26	30·25	30·23	30·21	30·21	30·22	30·25	30·26	30·23
15	30·31	30·31	30·31	30·32	30·30	30·28	30·25	30·20	30·15	30·14	30·15	30·16	30·24
16	30·18	30·15	30·15	30·15	30·14	30·13	30·09	30·00	29·95	29·92	29·94	29·91	30·06
17	29·88	29·85	29·83	29·86	29·88	29·90	29·91	29·92	29·93	29·96	30·02	30·04	29·92
18	30·09	30·09	30·11	30·13	30·13	30·11	30·07	30·03	30·00	29·96	29·97	29·97	30·06
19	30·01	29·99	29·97	29·93	29·93	29·89	29·87	29·83	29·80	29·81	29·83	29·84	29·90
20	29·86	29·87	29·90	29·94	29·96	29·95	29·92	29·94	29·97	30·02	30·04	30·06	29·95
21	30·08	30·10	30·17	30·26	30·26	30·25	30·25	30·24	30·22	30·24	30·24	30·24	30·21
22	30·27	30·24	30·27	30·27	30·24	30·24	30·21	30·17	30·15	30·14	30·16	30·15	30·21
23	30·14	30·10	30·10	30·11	30·07	30·05	30·00	29·98	29·97	29·97	30·00	30·01	30·04
24	30·02	30·06	30·17	30·23	30·26	30·25	30·23	30·21	30·22	30·23	30·25	30·26	30·20
25	30·26	30·27	30·28	30·29	30·27	30·22	30·18	30·10	30·07	30·05	30·03	29·99	30·17
26	29·92	29·90	29·87	29·87	29·84	29·79	29·73	29·64	29·63	29·63	29·62	29·62	29·76
27	29·62	29·62	29·64	29·64	29·63	29·65	29·63	29·66	29·66	29·72	29·81	29·82	29·68
28	29·87	29·89	29·91	29·91	29·92	29·94	29·88	29·86	29·82	29·79	29·79	29·78	29·86
29	29·80	29·76	29·77	29·79	29·78	29·79	29·80	29·80	29·80	29·85	29·90	29·91	29·81
30	29·90	29·91	29·93	29·93	29·91	29·86	29·81	29·75	29·71	29·71	29·67	29·66	29·82
31	29·57	29·55	29·57	29·59	29·61	29·62	29·62	29·65	29·70	29·75	29·76	29·81	29·65
Mean.	27·89	29·88	29·90	29·91	29·90	29·89	29·88	29·86	29·86	29·87	29·89	29·90	29·89

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of June, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·84	29·87	29·90	29·94	29·93	29·91	29·86	29·81	29·84	29·85	29·84	29·85	29·87
2	29·89	29·93	29·96	29·97	29·96	29·95	29·94	29·95	29·95	29·98	30·05	30·07	29·97
3	30·07	30·06	30·07	30·07	30·05	30·01	29·95	29·92	29·89	29·90	29·91	29·90	29·98
4	29·91	29·94	29·97	30·00	30·04	30·04	30·03	30·02	30·02	30·04	30·06	30·11	30·02
5	30·10	30·13	30·17	30·21	30·24	30·24	30·24	30·23	30·22	30·22	30·24	30·24	30·21
6	30·22	30·23	30·26	30·29	30·29	30·25	30·22	30·15	30·14	30·11	30·12	30·13	30·20
7	30·10	30·09	30·11	30·11	30·08	30·05	30·03	29·98	29·95	29·96	29·95	29·95	30·03
8	29·92	29·90	29·92	29·91	29·89	29·86	29·85	29·80	29·80	29·77	29·77	29·77	29·85
9	29·75	29·72	29·73	29·73	29·71	29·70	29·65	29·63	29·63	29·63	29·63	29·63	29·68
10	29·63	29·65	29·70	29·72	29·76	29·76	29·76	29·80	29·81	29·83	29·83	29·86	29·76
11	29·86	29·88	29·94	29·96	29·99	29·99	30·00	30·00	30·01	30·01	30·01	30·03	29·97
12	30·05	30·07	30·11	30·11	30·14	30·14	30·11	30·10	30·12	30·14	30·15	30·13	30·11
13	30·14	30·14	30·17	30·17	30·17	30·16	30·12	30·08	30·05	30·03	30·02	30·00	30·10
14	29·97	29·96	29·95	29·94	29·90	29·87	29·81	29·75	29·78	29·79	29·79	29·78	29·86
15	29·78	29·77	29·77	29·77	29·74	29·73	29·75	29·77	29·77	29·82	29·87	29·89	29·79
16	29·89	29·89	26·92	29·95	29·97	29·97	29·97	29·97	29·98	30·02	30·06	30·09	29·97
17	30·10	30·14	30·20	30·25	30·27	30·26	30·23	30·21	30·21	30·22	30·24	30·26	30·22
18	30·27	30·26	30·26	30·25	30·25	30·20	30·15	30·11	30·06	30·05	30·04	30·03	30·16
19	30·02	30·02	30·01	30·01	29·94	29·88	29·80	29·71	29·68	29·66	29·66	29·65	29·84
20	29·70	29·69	29·69	29·70	29·69	29·68	29·65	29·62	29·61	29·64	29·69	29·74	29·68
21	29·75	29·75	29·75	29·75	29·80	29·83	29·84	29·84	29·84	29·86	29·87	29·89	29·81
22	29·90	29·95	30·00	30·04	30·07	30·07	30·03	30·02	30·02	29·99	30·00	30·02	30·01
23	30·02	30·02	30·05	30·05	30·06	30·06	30·05	30·00	29·96	29·96	29·94	29·92	30·01
24	29·88	29·88	29·85	29·83	29·78	29·76	29·72	29·66	29·66	29·70	29·74	29·77	29·77
25	29·78	29·79	29·86	29·90	29·95	29·96	29·96	29·96	29·96	29·98	30·04	30·08	29·94
26	30·08	30·09	30·14	30·16	30·17	30·17	30·15	30·11	30·09	30·08	30·10	30·12	30·12
27	30·13	30·13	30·13	30·13	30·15	30·14	30·13	30·09	30·06	30·08	30·08	30·08	30·11
28	30·07	30·07	30·07	30·08	30·12	30·10	30·08	30·05	30·01	30·00	29·99	29·98	30·05
29	29·96	29·93	29·92	29·93	29·89	29·90	29·89	29·88	29·87	29·86	29·86	29·85	29·90
30	29·81	29·80	29·79	29·83	29·89	29·93	29·94	29·94	29·96	30·01	30·04	30·07	29·92
Mean	29·953	29·958	29·979	29·992	29·996	29·986	29·964	29·939	29·932	29·940	29·953	29·963	29·963

ATMOSPHERIC PRESSURE at 32 Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of July, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

Day.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·08	30·09	30·13	30·14	30·15	30·14	30·11	30·08	30·08	30·08	30·08	30·09	30·10
2	30·09	30·12	30·14	30·16	30·19	30·19	30·19	30·18	30·15	30·15	30·16	30·18	30·16
3	30·18	30·18	30·21	30·23	30·25	30·25	30·22	30·18	30·15	30·15	30·16	30·15	30·19
4	30·14	30·14	30·14	30·14	30·13	30·11	30·07	30·03	30·00	29·99	29·99	29·99	30·07
5	29·96	29·96	29·98	29·99	29·97	39·98	29·99	29·97	29·96	29·95	29·99	30·02	29·98
6	30·04	30·05	30·06	30·08	30·09	30·07	30·07	30·03	30·00	29·98	29·98	29·99	30·04
7	30·03	30·03	30·02	30·03	29·98	29·95	29·87	29·77	29·70	29·79	29·77	29·73	29·89
8	29·72	29·73	29·80	29·83	29·87	29·88	29·89	29·91	29·93	29·96	30·00	30·00	29·88
9	30·03	30·04	30·07	30·10	30·10	30·11	30·08	30·06	30·05	30·03	30·04	30·04	30·06
10	30·05	30·05	30·05	30·06	30·06	30·04	30·00	29·93	29·90	29·90	29·90	29·89	29·99
11	29·85	29·84	29·84	29·84	29·84	29·82	29·76	29·72	29·68	29·67	29·67	29·67	29·77
12	29·69	29·70	29·73	29·75	29·78	29·77	29·76	29·75	29·75	29·75	29·77	29·79	29·75
13	29·78	29·79	29·83	29·83	29·84	29·84	29·80	29·78	29·77	29·77	29·78	29·80	29·80
14	29·81	29·81	29·81	29·81	29·81	29·78	29·73	29·69	29·67	29·71	29·75	29·75	29·76
15	29·74	29·77	29·80	29·81	29·83	29·82	29·80	29·79	29·82	29·84	29·87	29·89	29·82
16	29·89	29·89	29·91	39·94	29·96	29·96	29·96	29·95	29·96	29·98	29·99	30·00	29·87
17	30·00	29·99	29·98	29·96	29·93	29·90	29·88	29·80	29·75	29·66	29·62	29·56	29·84
18	29·51	29·52	29·54	29·57	29·58	29·57	29·56	29·58	29·62	29·64	29·70	29·72	29·59
19	29·73	29·74	29·78	29·81	29·83	29·84	29·83	29·86	29·90	29·94	29·96	29·96	29·85
20	30·00	30·01	30·06	30·08	30·09	30·10	30·10	30·10	30·11	30·13	30·13	30·13	30·09
21	30·15	30·15	30·14	30·14	30·13	30·12	30·09	30·03	30·02	30·00	29·97	29·96	30·08
22	29·99	29·99	29·99	30·00	30·02	30·03	30·02	30·02	30·01	30·00	30·03	30·06	30·01
23	30·07	30·08	30·09	30·13	30·16	30·16	30·16	30·16	30·16	30·16	30·19	30·24	30·15
24	30·23	30·23	30·26	30·31	30·33	30·33	30·31	30·30	30·27	30·26	30·26	30·26	30·28
25	30·25	30·24	30·24	30·25	30·25	30·23	30·23	30·21	30·20	30·19	30·19	30·19	30·22
26	30·17	30·17	30·17	30·18	30·18	30·16	30·12	30·07	30·06	30·05	30·05	30·05	30·12
27	30·05	30·03	30·00	29·98	29·98	29·98	29·96	29·91	29·90	29·95	29·99	30·03	29·98
28	30·05	30·05	30·07	30·07	30·07	30·06	30·05	30·04	30·04	30·05	30·05	30·05	30·05
29	30·05	30·06	30·09	30·11	30·10	30·09	30·06	30·06	30·05	30·05	30·04	30·04	30·07
30	30·03	30·04	30·05	30·06	30·05	30·05	30·00	29·96	29·93	29·93	29·92	29·91	30·00
31	29·89	29·87	29·88	29·87	29·86	29·84	29·80	29·76	29·76	29·76	29·83	29·91	29·84
Mean	29·976	29·978	29·995	30·007	30·013	30·005	29·982	29·957	29·947	29·951	29·964	29·969	29·98

ATMOSPHERIC PRESSURE at 32 Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of August, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·95	29·96	29·98	29·99	29·98	29·93	29·90	29·86	29·85	29·85	28·84	29·84	29·91
2	29·86	29·85	29·86	29·89	29·88	29·87	29·86	29·85	29·86	29·87	29·94	29·97	29·88
3	30·01	30·03	30·06	30·07	30·07	30·06	30·03	30·02	30·00	30·00	30·01	30·00	30·03
4	29·96	29·88	29·86	29·86	29·88	29·86	29·86	29·86	29·84	29·83	29·80	29·79	29·86
5	29·76	29·74	29·76	29·76	29·72	29·70	29·67	29·67	29·67	29·67	29·69	29·69	29·71
6	29·70	29·70	29·74	29·76	29·79	29·79	29·79	29·77	29·77	29·77	29·77	29·77	29·76
7	29·75	29·75	29·76	29·77	29·79	29·78	29·75	29·72	29·74	29·75	29·76	29·75	29·76
8	29·74	29·74	29·75	29·76	29·77	29·77	29·75	29·76	29·76	29·77	29·78	29·79	29·76
9	29·80	29·79	29·81	29·82	29·84	29·83	29·83	29·83	29·82	29·82	29·82	29·83	29·82
10	29·84	29·83	29·83	29·85	29·87	29·86	29·86	29·85	29·85	29·86	29·89	29·89	29·86
11	29·89	29·90	29·91	29·93	29·94	29·94	29·93	29·92	29·93	29·94	29·98	29·98	29·93
12	29·98	29·99	30·01	30·03	30·02	30·01	29·99	29·96	29·93	29·92	29·91	29·89	29·97
13	29·84	29·82	29·83	29·84	29·82	29·82	29·83	29·84	29·85	29·86	29·90	29·91	29·85
14	29·93	29·93	29·94	29·98	30·00	29·99	29·98	29·98	29·98	29·97	29·97	29·96	29·97
15	29·96	29·98	30·05	30·09	30·15	30·17	30·17	30·17	30·16	30·18	30·21	30·23	30·13
16	30·23	30·25	30·27	30·29	30·29	30·27	30·24	30·19	30·17	30·13	30·08	30·06	30·21
17	30·03	30·00	29·94	29·90	29·89	29·86	29·82	29·75	29·70	29·69	29·68	29·67	29·83
18	29·66	29·70	29·75	29·80	29·82	29·82	29·81	29·81	29·82	29·83	29·83	29·80	29·79
19	29·78	29·73	29·70	29·64	29·61	29·59	29·53	29·53	29·56	29·63	29·72	29·75	29·65
20	29·75	29·77	29·78	29·81	29·86	29·86	29·85	29·84	29·84	29·86	29·89	29·91	29·84
21	29·93	29·94	29·98	29·97	29·97	29·96	29·94	29·90	29·89	29·89	29·87	29·87	29·93
22	29·85	29·82	29·80	29·79	29·78	29·77	29·72	29·68	29·68	29·71	29·78	29·83	29·77
23	29·85	29·88	29·90	29·93	29·95	29·95	29·95	29·94	29·95	29·96	29·99	29·99	29·94
24	30·00	30·00	30·02	30·04	30·06	30·07	30·06	30·05	30·05	30·08	30·14	30·17	30·06
25	30·17	30·22	30·24	30·29	30·31	30·30	30·30	30·26	30·25	30·25	30·28	30·28	30·26
26	30·29	30·26	30·27	30·26	30·27	30·26	30·25	30·24	30·23	30·25	30·26	30·27	30·26
27	30·30	30·30	30·30	30·32	30·34	30·33	30·28	30·25	30·23	30·24	30·25	30·25	30·28
28	30·24	30·24	30·26	30·28	30·28	30·27	30·22	30·16	30·13	30·13	30·13	30·13	30·21
29	30·13	30·13	30·13	30·15	30·16	30·15	30·13	30·08	30·07	30·08	30·09	30·10	30·12
30	30·10	30·10	30·13	30·16	30·18	30·21	30·20	30·20	30·21	30·22	30·27	30·28	30·19
31	30·30	30·31	30·31	30·32	30·31	30·30	30·27	30·22	30·21	30·18	30·14	30·12	30·25
Mean.	29·955	29·953	29·965	29·978	29·987	29·978	29·960	29·939	29·935	29·939	29·956	29·960	29·959

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of September, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·12	30·10	30·08	30·06	29·99	29·88	29·80	29·76	29·73	29·71	29·69	29·66	29·88
2	29·75	29·76	29·76	29·78	29·77	29·75	29·74	29·73	29·73	29·73	29·81	29·82	29·76
3	29·80	29·82	29·87	29·94	29·97	29·98	29·98	29·98	30·00	30·02	30·06	30·08	29·96
4	30·11	30·11	30·11	30·14	30·13	30·12	30·07	30·00	29·99	29·99	29·99	29·98	30·06
5	29·97	29·97	29·98	29·98	29·97	29·95	29·90	29·86	29·85	29·85	29·85	29·82	29·91
6	29·80	29·78	29·77	29·77	29·71	29·67	29·58	29·54	29·60	29·59	29·65	29·74	29·68
7	29·81	29·86	29·92	29·98	30·00	30·00	30·00	29·99	30·00	30·06	30·08	30·12	29·99
8	30·15	30·18	30·23	30·28	30·29	30·30	30·28	30·24	30·23	30·22	30·23	30·22	30·24
9	30·23	30·20	30·21	30·21	30·19	30·13	30·07	30·02	30·03	30·04	30·06	30·08	30·12
10	30·07	30·08	30·09	30·11	30·12	30·11	30·07	30·04	30·03	30·01	29·98	29·97	30·06
11	29·95	29·96	29·97	30·00	30·02	30·03	30·03	30·02	30·02	30·02	30·08	30·14	30·02
12	30·14	30·14	30·14	30·14	30·14	30·13	30·05	30·02	30·01	30·01	30·00	29·99	30·08
13	29·98	29·97	29·97	29·98	29·97	29·95	29·93	29·89	29·89	29·90	29·94	29·99	29·95
14	30·03	30·06	30·11	30·17	30·20	30·22	30·23	30·23	30·24	30·29	30·33	30·37	30·21
15	30·38	30·40	30·44	30·47	30·49	30·48	30·43	30·40	30·39	30·38	30·39	30·38	30·42
16	30·38	30·37	30·37	30·37	30·33	30·32	30·25	30·19	30·15	30·13	30·13	30·07	30·26
17	30·04	30·03	30·03	30·03	30·01	29·97	29·92	29·88	29·83	29·82	29·83	29·83	29·94
18	29·84	29·82	29·82	29·82	29·81	29·80	29·74	29·70	29·70	29·74	29·75	29·79	29·78
19	29·86	29·92	30·01	30·08	30·11	30·12	30·11	30·11	30·14	30·22	30·25	30·27	30·10
20	30·28	30·29	30·34	30·34	30·35	30·34	30·29	30·23	30·21	30·18	30·17	30·17	30·27
21	30·15	30·12	30·10	30·10	30·07	30·05	30·02	29·99	29·98	30·00	30·02	30·04	30·05
22	30·04	30·05	30·06	30·09	30·10	30·09	30·05	30·02	30·00	29·99	29·98	29·99	30·04
23	29·99	29·98	29·98	29·99	29·99	29·96	29·93	29·93	29·93	29·94	29·95	29·97	29·96
24	29·98	30·02	30·02	30·06	30·09	30·12	30·11	30·11	30·12	30·15	30·16	30·17	30·09
25	30·20	30·21	30·22	30·24	30·26	30·25	30·21	30·16	30·15	30·14	30·13	30·13	30·19
26	30·14	30·13	30·14	30·15	30·14	30·13	30·09	30·03	30·04	30·04	30·04	30·05	30·09
27	30·06	30·06	30·07	30·08	30·09	30·09	30·06	30·03	30·02	30·03	30·03	30·03	30·05
28	30·03	30·03	30·03	30·03	30·02	29·97	29·89	29·83	29·77	29·72	29·63	29·57	29·88
29	29·69	29·78	29·87	29·91	29·93	29·93	29·92	29·96	30·00	30·04	30·07	30·11	29·94
30	30·11	30·13	30·15	30·16	30·21	30·19	30·14	30·06	30·04	30·04	30·03	29·98	30·10
Mean.	30·036	30·044	30·062	30·082	30·081	30·068	30·030	29·998	29·994	30·000	30·010	30·018	30·035

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.; Bi-hourly Readings from Self-registering Instruments, for the Month of October, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	29·98	29·96	29·95	29·96	29·98	29·95	29·94	29·91	29·90	29·91	29·91	29·90	29·94
2	29·90	29·88	29·87	29·88	29·92	29·96	29·98	29·99	30·02	30·09	30·14	30·17	29·98
3	30·24	30·26	30·30	30·34	30·36	30·34	30·28	30·24	30·23	30·24	30·26	30·25	30·28
4	30·26	30·26	30·31	30·36	30·40	30·41	30·40	30·38	30·38	30·39	30·39	30·36	30·36
5	30·35	30·35	30·36	30·38	30·39	30·37	30·32	30·30	30·29	30·29	30·30	30·30	30·33
6	30·30	30·29	30·29	30·30	30·31	30·28	30·22	30·19	30·18	30·17	30·17	30·16	30·24
7	30·16	30·15	30·15	30·14	30·13	30·08	30·02	30·01	30·00	29·99	29·99	29·99	30·07
8	29·99	29·98	29·99	30·00	30·02	30·02	30·01	29·99	30·03	30·06	30·07	30·07	30·02
9	30·09	30·09	30·10	30·12	30·12	30·12	30·11	30·10	30·11	30·11	30·16	30·22	30·12
10	30·21	30·25	30·28	30·32	30·33	30·31	30·24	30·18	30·14	30·09	30·05	29·99	30·20
11	29·98	29·89	29·81	29·77	29·75	29·75	29·74	29·75	29·78	29·89	30·03	30·09	29·85
12	30·10	30·17	30·24	30·33	30·41	30·42	30·42	30·41	30·41	30·42	30·46	30·47	30·36
13	30·48	30·48	30·47	30·46	30·43	30·38	30·29	30·22	30·19	30·18	30·18	30·18	30·33
14	30·19	30·18	30·16	30·14	30·12	30·06	30·00	29·95	29·94	29·95	29·94	29·94	30·05
15	29·95	29·95	29·95	29·96	29·97	29·95	29·93	29·90	29·89	29·90	29·90	29·90	29·93
16	29·89	29·91	29·94	30·00	30·01	30·02	29·99	29·98	29·98	30·02	30·03	30·05	29·99
17	30·07	30·09	30·10	30·14	30·15	30·15	30·11	30·09	30·08	30·07	30·09	30·10	30·10
18	30·08	30·08	30·08	30·09	30·10	30·10	30·05	30·04	30·03	30·03	30·02	30·02	30·06
19	30·01	30·05	30·13	30·22	30·26	30·27	30·28	30·29	30·31	30·35	30·42	30·44	30·25
20	30·47	30·48	30·49	30·52	30·52	30·49	30·44	30·44	30·46	30·46	30·47	30·47	30·48
21	30·50	30·50	30·52	30·54	30·56	30·55	30·53	30·50	30·50	30·50	30·50	30·50	30·52
22	30·51	30·50	30·52	30·53	30·56	30·54	30·50	30·47	30·44	30·41	30·40	30·39	30·48
23	30·40	30·40	30·41	30·41	30·41	30·39	30·35	30·31	30·30	30·30	30·29	30·27	30·35
24	30·26	30·26	30·25	30·26	30·26	30·24	30·18	30·14	30·14	30·14	30·13	30·13	30·20
25	30·11	30·11	30·09	30·09	30·09	30·06	30·05	30·05	30·05	30·05	30·06	30·06	30·07
26	30·05	30·05	30·04	30·04	30·02	29·99	29·96	29·92	29·93	29·93	29·93	29·90	29·98
27	29·90	29·89	29·89	29·90	29·91	29·91	29·87	29·89	29·92	29·93	29·95	39·96	29·91
28	29·97	29·97	29·97	29·97	29·98	29·99	29·94	29·92	29·90	29·91	29·91	29·88	29·94
29	29·89	29·89	29·89	29·90	29·92	29·92	29·90	29·82	29·80	29·80	29·80	29·74	29·86
30	29·71	29·68	29·65	29·64	29·64	29·66	29·65	29·67	29·72	29·73	29·75	29·75	29·69
31	29·74	29·74	29·75	29·77	29·82	29·85	29·85	29·88	29·94	29·98	30·01	30·02	29·86
Mean.	30·120	30·120	30·127	30·141	30·156	30·146	30·114	30·094	30·096	30·106	30·119	29·118	30·122

ATMOSPHERIC PRESSURE at 32° Fah. at Montreal, Que.; Bi-hourly Readings from Self registering Instruments, for the Month of November, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	30·02	30·04	30·08	30·11	30·14	30·15	30·12	30·14	30·17	30·20	30·21	30·21	30·13
2	30·21	30·22	30·23	30·24	30·25	30·19	30·14	30·11	30·10	30·10	30·07	29·97	30·15
3	29·96	29·92	29·91	29·91	29·93	29·89	29·79	29·74	29·63	29·53	29·44	29·36	29·75
4	29·24	29·14	29·09	29·17	29·32	29·43	29·49	29·53	29·59	29·61	29·61	29·59	29·40
5	29·59	29·58	29·58	29·58	29·58	29·57	29·53	29·54	29·57	29·59	29·60	29·60	29·58
6	29·62	29·63	29·62	29·61	29·58	29·52	29·44	29·42	29·41	29·45	29·45	29·44	29·52
7	29·44	29·45	29·45	29·48	29·50	29·48	29·46	29·44	29·46	29·47	29·48	29·49	29·47
8	29·48	29·48	29·48	29·51	29·53	29·52	29·51	29·52	29·54	29·59	29·64	29·68	29·54
9	29·70	29·74	29·74	29·74	29·73	29·71	29·67	29·68	29·72	29·79	29·84	29·93	29·75
10	29·96	29·99	30·03	30·08	30·10	30·09	30·08	30·09	30·09	30·08	30·07	30·06	30·06
11	30·03	30·04	30·02	30·00	29·95	29·89	29·80	29·76	29·77	29·81	29·85	29·85	29·90
12	29·87	29·87	29·87	29·87	29·87	29·85	29·82	29·80	29·78	29·80	29·81	29·82	29·84
13	29·80	29·81	29·84	29·89	29·92	29·91	29·91	29·94	29·99	30·02	30·05	30·09	29·93
14	30·10	30·13	30·15	30·18	30·19	30·19	30·15	30·10	30·08	30·02	29·96	29·87	30·09
15	29·81	29·74	29·69	29·65	29·64	29·67	29·72	29·78	29·82	29·83	29·87	29·88	29·76
16	29·92	29·90	29·86	29·85	29·83	29·78	29·74	29·73	29·73	29·70	29·66	29·64	29·78
17	29·63	29·65	29·70	29·74	29·80	29·80	29·79	29·79	29·78	29·79	29·78	29·75	29·75
18	29·75	29·70	29·66	29·65	29·64	29·64	29·66	29·77	29·94	29·88	29·88	29·89	29·76
19	29·92	29·94	29·94	29·93	29·91	29·85	29·83	29·72	29·71	29·72	29·74	29·79	29·83
20	29·85	29·92	29·99	30·06	30·12	30·19	30·21	30·25	30·30	30·31	30·33	30·33	30·16
21	30·34	30·33	30·32	30·33	30·34	30·33	30·28	30·28	30·29	30·31	30·31	30·32	30·31
22	30·31	30·32	30·33	30·34	30·33	30·28	30·23	30·23	30·22	30·22	30·24	30·24	30·27
23	30·22	30·21	30·20	30·19	30·20	30·17	30·10	30·08	30·07	30·07	30·06	30·05	30·14
24	30·06	30·06	30·06	30·07	30·12	30·13	30·13	30·15	30·19	30·22	30·21	30·22	30·14
25	30·22	30·21	30·21	30·21	30·21	30·20	30·20	30·20	30·21	30·22	30·21	30·17	30·21
26	30·18	30·16	30·09	30·06	30·02	30·03	29·84	29·76	29·77	29·77	29·75	29·76	29·93
27	29·79	29·82	29·84	29·88	29·95	29·95	29·94	29·95	29·97	29·99	30·02	30·07	29·93
28	30·07	30·12	30·15	30·18	30·20	30·15	30·07	29·97	29·91	29·87	29·86	29·85	30·03
29	29·85	29·94	29·98	30·02	30·03	30·01	29·94	29·92	29·88	29·88	29·91	29·95	29·94
30	29·96	29·97	29·99	30·00	30·01	29·97	29·83	29·68	29·52	29·48	29·46	29·43	29·78
Mean	29·897	29·901	29·903	29·918	29·931	29·918	29·881	29·869	29·874	29·877	29·879	29·877	29·894

ATMOSPHERIC PRESSURE at 32 Fah. at Montreal, Que.: Bi-hourly Readings from Self registering Instruments, for the Month of December, 1908.

CORRECTED FOR INDEX ERROR AND TO SEA LEVEL.

DAY.	1 o'clock.	3 o'clock.	5 o'clock.	7 o'clock.	9 o'clock.	11 o'clock.	13 o'clock.	15 o'clock.	17 o'clock.	19 o'clock.	21 o'clock.	23 o'clock.	Mean.
	m.	m.	m.	m.	in.	in.	m.	m.	m.	m.	in.	in.	in.
1	29·46	29·49	29·51	29·53	29·54	29·52	29·55	29·59	29·67	29·74	29·79	29·81	29·60
2	29·85	29·90	29·93	29·98	30·03	30·04	30·04	30·07	30·11	30·15	30·20	30·24	30·05
3	30·27	30·33	30·37	30·40	30·44	30·42	30·37	30·35	30·30	30·28	30·25	30·19	30·33
4	30·12	30·11	30·05	29·99	29·94	29·86	29·76	29·69	29·67	29·67	29·69	29·70	29·85
5	29·69	29·79	29·81	29·91	30·09	30·19	30·19	30·21	30·31	30·29	30·34	30·42	30·10
6	30·47	30·52	30·54	30·58	30·60	30·58	30·55	30·55	30·50	30·44	30·37	30·32	30·50
7	30·15	30·12	29·99	29·93	29·72	29·59	29·47	29·40	29·40	29·42	29·47	29·66	29·69
8	29·71	29·79	29·83	29·97	30·01	30·02	30·00	29·99	30·00	30·01	30·03	30·04	29·95
9	30·01	30·02	30·04	30·07	30·09	30·11	30·12	30·18	30·22	30·27	30·29	30·32	30·15
10	30·36	30·39	30·43	30·47	30·49	30·50	30·47	30·45	30·45	30·44	30·40	30·36	30·43
11	30·34	30·37	30·20	30·11	30·03	29·91	29·81	29·74	29·68	29·68	29·62	29·59	29·92
12	29·60	29·55	29·51	29·52	29·47	29·45	29·38	29·38	29·41	29·42	29·46	29·52	29·47
13	29·53	29·54	29·57	29·59	29·62	29·62	29·58	29·59	29·61	29·62	29·60	29·59	29·59
14	29·61	29·66	29·69	29·76	29·81	29·82	29·83	29·85	29·89	29·91	29·92	29·91	29·81
15	29·86	29·86	29·86	29·88	29·92	29·90	29·88	29·91	29·94	29·98	30·01	30·03	29·92
16	30·11	30·11	30·12	30·12	30·17	30·16	30·16	30·17	30·18	30·20	30·20	30·21	30·16
17	30·24	30·25	30·25	30·29	30·29	30·23	30·22	30·22	30·21	30·19	30·18	30·12	30·22
18	30·13	30·07	29·98	29·89	29·85	29·74	29·61	29·59	29·67	29·75	29·84	29·90	29·84
19	29·91	29·92	29·95	29·95	29·94	29·89	29·82	29·79	29·76	29·76	29·67	29·63	29·83
20	29·60	29·58	29·56	29·64	29·73	29·80	29·83	29·86	29·91	29·94	29·96	29·95	29·78
21	29·95	29·92	29·87	29·83	29·82	29·76	29·76	29·81	29·87	30·01	30·11	30·26	29·91
22	30·31	30·39	30·45	30·52	30·59	30·61	30·60	30·61	30·63	30·61	30·57	30·54	30·54
23	30·57	30·55	30·52	30·52	30·51	30·49	30·44	30·43	30·39	30·37	30·36	30·31	30·46
24	30·30	30·26	30·21	30·21	30·17	30·08	30·02	30·00	29·94	29·90	29·83	29·80	30·06
25	29·75	29·67	29·64	29·63	29·60	29·53	29·49	29·51	29·50	29·50	29·45	29·43	29·56
26	29·42	29·43	29·42	29·44	29·48	29·49	29·55	29·61	29·66	29·69	29·71	29·74	29·55
27	29·78	29·81	29·81	29·81	29·79	29·68	29·62	29·61	29·61	29·60	29·61	29·66	29·70
28	29·68	29·76	29·84	29·92	30·15	30·21	30·23	30·29	30·29	30·28	30·26	30·25	30·10
29	30·21	30·18	30·17	30·18	30·24	30·28	30·36	30·43	30·48	30·53	30·52	30·53	30·34
30	30·54	30·53	30·45	30·42	30·36	30·23	30·09	29·99	29·91	29·88	29·82	29·73	30·16
31	29·71	29·71	29·67	29·68	29·72	29·74	29·73	29·76	29·77	29·90	29·98	30·07	29·79
Mean.	29·975	29·986	29·975	29·991	30·006	29·982	29·952	29·955	29·966	29·981	29·984	29·995	29·979

PART V

For each Month and for the Year 1908:

Mean Temperature;
Maximum Temperature;
Minimum Temperature;
Mean Daily Range of Temperature;
Rainfall in inches;
Snowfall in inches;
Amount of Bright Sunshine Registered.

Mean Temperature at all Stations for each Month and the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.													
Agassiz	38·8	38·7	42·8	50·3	52·7	62·0	65·6	62·3	52·8	48·3	45·2	38·2	49·8
Alberni	34·4	36·8	41·7	47·3	51·7	59·9	66·5	65·6	56·7	49·9	45·5	34·4	49·2
Athalmer									50·6	40·9	32·8	18·0	
Atlin	16·2	10·8	14·3	31·9	42·6	50·9	53·2	52·3	41·1	29·2	25·2	17·5	32·1
Babine Lake										34·8	27·0	16·8	
Barkerville	20·4	19·1	22·2	31·8	42·5	50·4	56·5	53·7	45·0	37·0	33·5	19·8	36·0
Bella Coola	28·7	29·5	34·8	42·0	50·1	56·8	59·6	61·2	51·3	43·8	39·7	29·8	43·9
Cape Scott	38·0	37·6	41·1	43·0	47·0	52·2	54·3	53·4	50·0	46·3	43·6	37·7	45·4
Chilcotin (Big Creek)	16·2	16·3	25·0	36·2	45·1	52·0	59·2	57·6	46·6	36·1	30·7	14·9	36·3
Clayoquot	42·0	40·2	42·2	46·0	49·3	55·1	58·3	57·6	56·5	52·5	46·3	38·8	48·4
Cowichan	56·1	38·8	43·0	47·2	52·7	58·7	60·3	62·9	54·9	48·5	46·8	37·6	50·6
Crawford Bay	28·6	30·0	35·7	46·5	53·3	59·5	66·8						
Garry Point	38·7	38·1	41·9	46·6	51·7	56·9	61·8	59·8	52·7	48·0	46·8	36·5	48·3
Glacier	17·9	17·0	22·8	31·6	43·2	51·1	57·9	54·7	45·7	35·9	28·3	15·7	35·2
Golden	15·5	15·3	28·6	41·2	51·5	56·7	62·4	59·3	51·4	39·8	33·1	14·9	39·1
Hedley	25·8	27·2	35·8	47·1	53·2	61·9	69·5	67·0	57·1	46·9	38·6	23·6	46·1
Hedley (Nickel Plate)	20·5	23·0	25·0	34·2	37·9	45·4	56·8	57·6	46·9			20·8	
Ikeda Bay							55·2	57·1	50·2	44·8	43·5	38·1	
Kamloops	27·9	24·9	36·3	48·8	57·5	66·2	72·1	68·8	57·9	46·3	41·7	24·6	47·8
Kelowna (Okanagan Msn)	27·8	27·4	37·0	46·5	55·0	62·6	68·8	65·0	55·3	45·5	40·7	27·5	46·6
Ladner	39·2	38·8	41·9	46·6	50·7	58·1	62·5	60·0	53·4	48·1	47·6	37·3	48·7
Massett (Q.C.I.)	37·6	35·5	39·7	44·4	47·4	53·3	59·4	58·0	50·7	45·0	42·8	39·0	46·9
Nanaimo	38·2	38·0	42·3	46·1	51·7	58·3	64·4	64·3	54·9	47·8	45·1	36·9	49·0
Nelson	28·4	30·4	36·9	46·9	53·2	59·3	66·1	64·5	57·0	46·5	41·1	28·5	46·6
New Westminster	37·3	38·1	41·6	47·4	51·0	58·6	63·9	62·0	55·0	48·4	45·1	35·3	48·7
Nicola Lake	22·8	21·4	31·9	44·1	50·1	58·0	63·6	61·8	52·3	43·8	39·7	33·1	42·7
North Nicomen	37·9	37·9	42·6	48·9	52·7	59·7	65·7	63·9	55·8	49·6	42·4	36·3	46·9
Pemberton							64·8	64·6	52·7	44·2	39·8	28·5	
Penticton	31·7	31·8	39·6	47·0	55·2	63·4	68·5	65·5	57·5	47·7	41·8		
Port Simpson	35·7	34·9		41·0	45·5	51·0	54·5	53·5	49·1	43·4	40·5	36·2	
Princeton	18·1	22·2	32·0	44·2	50·1	57·6	64·9	60·9	52·3	42·8	35·2	17·6	41·5
Quesnel	20·5	29·5	28·8	40·4	50·9	56·0	61·2	59·0	48·9	39·3	34·4	18·2	40·6
Revelstoke	26·3	25·2	33·5	43·2	52·1	59·7	64·5	63·6	52·7	43·1	38·0	22·8	43·7
Rossland	24·5	25·7	32·4	42·3	48·2	55·9	63·8	60·5	53·5	42·6	37·0	22·3	42·4
Salmon Arm	29·0	31·8	36·6	46·9	56·1	63·6	69·1	65·5	55·3	45·1	40·3	27·5	47·3
Spence's Bridge	30·5	28·8	40·8	52·7			74·6					28·7	
Fort St. James	13·3	12·1	19·1	33·8	42·9	50·2	54·0	50·8	43·0	33·1	25·5	13·2	32·6
Summerland	26·7	26·5	36·3	47·5	54·4	63·4	70·8	67·9	57·2	45·8	39·9	25·1	
Thetis Island	38·8	38·1	41·9	45·5	50·8	57·8	64·1					37·2	
Tobacco Plains	25·0	27·4	31·9	47·1	54·9	59·3	68·7	65·0			37·0	25·5	
Vancouver	38·1	38·4	41·6	46·6	51·2	58·0	63·5	61·9	54·1	47·9	45·5	36·1	48·6

MEAN TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA *Concluded.*													
Vernon (Coldstream Ranch)	25·6	25·4	35·6	47·0	54·3	62·8	69·5	66·0	56·0	44·6	39·9	23·7	45·9
Victoria	41·6	41·0	43·7	48·5	52·7	58·7	62·7	61·0	53·6	49·3	47·1	39·8	50·0
Winter Harbour						48·8	53·3	58·1	58·1	52·9	48·5	44·6	38·0	
SASKATCHEWAN.													
Alameda	10·0	14·9											
Battleford	8·2	9·5	9·0	39·4	54·6	58·6	64·4	57·5	53·2	37·0	25·1	6·2	35·2
Broadview						50·5	55·7	67·1	60·8	55·5	42·7			
Brownhill	12·0	11·3	12·6	38·8	51·2		64·4	59·5	48·3	39·2	27·8	13·2	
Chaplin	9·9	7·9	9·5	39·2	51·0	56·1	65·4	58·6	53·5	36·9	27·6	13·8	25·8
Drumague	7·0	6·9	5·6	33·1	45·7	52·4	60·1	55·3	49·8	35·4	24·1	7·8	31·9
East End	17·6											19·7	
Esterhazy			17·1	39·8	48·8	58·4	66·3	57·7	52·8	37·4	27·7	6·3	
Estevan	13·5	10·7	16·1	40·5	49·1	58·4	66·1	59·7	55·3	39·2	28·1	15·5	39·7
Fond du Lac	—12·0	—11·0	13·8	16·7	43·7	50·6	58·0	55·5	47·2	32·4	8·2	—10·8	22·1
Gatesgarth (Pense)	11·1	9·7	10·8	39·9	49·7	57·2	61·5	59·1	55·1	37·2			
Humboldt	8·2	5·6	5·1	35·5	51·6	54·9	63·0	56·7	52·5	36·8	29·6		
Indian Head	9·5	8·3	9·4	37·4	49·9	57·8	64·7	58·9	54·2	37·8	27·9	11·4	35·6
Kamsack							62·7	55·5	51·8	37·4		7·2	
Lloydminster	7·8	5·9	3·4	35·8	51·2		61·4	55·7	49·8	35·0	24·0	6·5	
Manor			16·3	40·4	50·7	60·5	68·1	60·6	55·1		27·9	11·4	
Melfort									56·0		23·4		
Meota (Prince)	5·4	7·5	8·6	37·7	52·7	56·0	63·1	56·5	50·7	34·9	21·8	2·0	32·7
Moose Jaw	11·1	9·3	11·3	38·9									
Moosomin	9·6	9·2	11·3				62·9	57·7	52·2	37·3	25·7		
Onion Lake						55·0							
Prince Albert	8·1	9·8	9·5	36·5	53·2	56·2	62·8	56·1	51·3	37·1	23·3	6·7	34·2
Qu'Appelle							63·8	56·0	54·1	38·0	27·7	11·4	
Regina	11·3	9·5	11·5	39·9	51·3	58·5							
St. Peter's Monastery	7·0	4·7	5·7	34·7	50·5	53·9	62·6	54·0	50·0	33·2	25·8	7·0	32·4
Saskatoon	6·3	6·1	4·4	36·6	52·9	56·5	64·5	58·6	52·9	36·3		7·4	
Swift Current	17·7	14·8	16·9	43·5	53·3	58·9	68·2	61·5	56·3	37·6	30·8	17·1	39·7
Wa	7·3	7·5	5·0	36·4	52·2	54·9	62·1	55·5	49·3	35·7	25·8	8·7	33·4
Willow Lance		16·6	18·5	42·5	50·1	59·5	66·4	62·3	55·3	16·4	35·0		
Yorkton											27·1	9·5	
ALBERTA.													
Alix	15·2	13·2	16·4	41·0	51·1	58·8	61·7	54·3	48·7	35·6	29·5	14·8	36·3
Athabaska Landing									49·6	37·5	25·4	10·7	
Banff	19·4	17·5	22·0	38·2	45·6	51·6	59·5	55·7	49·7	36·5	30·0	16·1	36·8
Blackfalds	16·7	15·6	16·6	39·3	48·2	53·2	59·6	54·6	49·4	36·6	29·6		

MEAN TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA—*Concluded.*													
Bon Accord	16·6	15·9	21·9	39·4	53·1	53·3	60·9	56·0	49·4	36·1	26·0	13·5	36·8
Calgary	25·8	22·3	22·0	43·2	50·1	55·2	63·7	57·8	53·3	40·4	33·3	21·2	40·7
Cardston	26·1	21·3	23·1	43·1	47·3	55·8							
Daysland		10·6	9·7	36·8	23·5	62·4	65·9	57·1	48·1	33·8	25·0	10·0	
Didsbury	27·0	22·0	22·1	43·5	50·3	54·9	63·3	57·1	53·4	40·9	34·3	24·4	41·1
Dunvegan	8·6	11·6	12·2	38·2	51·3	56·0	61·0	57·4	49·0	35·6	16·9	4·1	33·5
Eckville	10·5	10·8	13·6	27·8	48·4	52·8	59·6	53·1	46·7	35·1	28·1	11·0	33·1
Edmonton	17·9	17·8	17·1	42·4	54·5	57·5	63·8	58·5	51·5	38·5	28·7	15·5	38·5
Ft. Vermilion	2·6	4·5	2·1	31·4	52·3	56·0	61·7	58·5	45·1	32·1	10·0	— 7·0	28·7
Ft. Vermilion (2)							60·6	57·2	45·3	31·2	7·9	7·9	
Gleichen	20·2		26·4	42·3	49·8	54·6	62·2	56·9	51·0	38·4	30·8	15·1	
Gray Hill	23·6	19·5	18·3	41·9	50·6	18·3	61·9	56·0					
Harmattan		16·7	16·0	38·8	45·8	51·1	56·6	51·7	46·8	35·2	20·9	15·6	
High River	24·1	17·6	20·5	41·4	45·3	54·4	62·6	56·6	50·9	37·2	32·9	18·7	38·5
Hillsdown	21·1	18·0	18·9	42·2	43·7	53·4		56·4	50·5	37·9	30·7	17·2	
Islay			7·6										
Knee Hills	14·1	12·3	17·6	40·3	48·4	52·5	60·3			31·2	28·5		
Lacombe	17·6	16·6	16·9	40·7	50·8	53·5	61·2	55·8	49·8	36·5	28·7	15·2	36·9
Lawrence	22·7	15·2	22·1	43·4	50·9	57·0						14·5	
Lethbridge	29·0	24·0	25·7	45·0	52·8	58·1	67·8	63·0	57·2	42·8	37·5	24·9	44·0
Lethbridge (Experimental Farm)			23·7	45·9	51·7	56·5	65·2	61·1	56·3	43·6	36·7	24·7	
Macleod	26·3	20·9	23·1	44·0	49·7	55·3	65·3	61·4	55·8	40·4	35·5	23·4	41·8
Medicine Hat	26·3	19·4	24·9	48·6	58·2	61·5	71·3	64·8	60·1	42·7	36·4	21·8	44·7
Pakan	9·9	11·0	8·6	38·4	52·1	53·6	60·9		49·0	35·7	24·2	8·0	
Peace River Landing	6·1	13·0	11·9	39·1	53·2	55·0	61·5	58·6	49·0	38·4	17·7	3·9	33·7
Pekisko	25·7	19·6	21·1	40·6	46·2	50·8	60·3	53·7	50·3	39·8			
Pembina			11·4	39·4	51·7	54·5	61·9	56·3	49·5	36·6	38·9	10·6	
Pincher Creek							63·5	59·3	54·1	40·3	36·0	25·0	
Red Willow	14·8	27·6	22·2	41·9	53·2	56·1	64·7	57·5	51·8	38·5	30·6	17·2	39·7
Shaftesbury	6·2	12·9	12·8	40·5	57·5								
Sion	16·6	17·8	16·1										
Taber	25·3	20·7	24·0	45·0	52·2		68·4						
Threehills Creek	16·4	13·0	17·9	39·0	49·0	53·8	61·3	56·5	50·6	36·0	28·0	13·4	36·2
Waitefield	12·7	11·2	9·6	37·7	52·3	54·2	61·7	56·5	50·5	36·1	25·8	9·1	34·8
Wetaskiwin	16·6	16·3	15·1	39·2	51·8	56·0	63·9	57·7	50·6	37·2	28·1		
MANITOBA.													
Almasippi	6·3	10·4	13·3	41·5	50·2	64·4	66·1	60·9	57·5	42·1	28·1	8·0	37·4
Berens River	— 3·7	0·6	0·4	30·0	46·9	57·9		55·0	53·1	38·7	22·1	0·7	
Birtle					59·3	65·4	70·0	60·9	58·0	38·2			

MEAN TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January	February	March	April	May	June	July	August	September	October	November	December	Year
MANITOBA—*Concluded.*													
Brandon	7·3	7·4	10·0	39·0	49·6	58·1	64·8	58·7	55·8	39·5	26·4	8·4	35·4
Carberry	15·2	5·3	5·3	31·6	42·9	50·6	59·5	...					
Carman					48·5	58·5	64·1	58·7	56·8	40·2			
Cypress River					47·6	59·8	65·1	59·3	57·1	51·3			
Fort Osborne	7·9	5·8	11·6	37·2	52·7		68·4	68·4	59·1	34·6	21·6	10·9	
Hillview	6·5	8·1	12·0	41·6	49·7	58·4	64·3	59·6	56·4	38·9	26·9	6·6	35·7
Minnedosa	8·9	10·1	11·4	39·3	50·1	58·5	64·7	58·4	55·1	40·0	28·0	10·0	36·2
Morden	14·0	22·4	12·7	40·3	49·1	59·6	65·3	61·5	58·0	40·8	28·7	11·3	38·6
Oakbank	6·0	9·0	9·8	38·3	50·9	59·4	63·9	59·6	56·8	41·9	27·5	8·3	35·9
Pierson					48·8	58·8	64·4	58·6	56·1	40·0			
Pipestone					51·0	60·2	66·0	64·5	58·8	40·6			
Portage la Prairie	8·0	11·0	10·6	39·8	50·9	61·0	67·1	60·8	58·1	41·5	27·3	10·0	37·2
Portage la Prairie (2)						60·4	66·1	61·0	58·0	41·8			
St. Albans (Awemee)	9·5	9·7	13·9	41·3	51·3	61·7	30·8	62·2	58·5	41·1	28·1	10·5	34·9
Stony Mountain	5·6	9·8	9·3	39·2	52·8	62·0	67·4	62·8	57·5	42·2	27·2	8·3	47·0
Swan River					53·1	57·4	66·0	59·6	54·7	40·0	25·2	5·6	
Treherne	8·2	6·1	8·5	36·9	48·5	58·1	64·7	59·2	54·4	40·6	26·9	8·2	35·0
Virden					50·0	58·9	65·6	59·9	56·1	41·6			
Winnipeg	7·8	8·7	9·6	40·0	52·2	62·1	66·9	62·2	58·3	43·3	28·4	10·0	37·5
ONTARIO.													
Agincourt	20·7	16·2	28·5	41·1	55·0		70·8	66·8	65·4	52·1	27·5	26·9	
Alton	10·0	10·2	23·3	36·8	53·0	62·4	66·5	61·9	63·1	47·5	33·5	21·9	40·8
Bancroft	10·0	8·9	23·3	36·8	53·9	62·6	66·1	60·1	59·4	45·7	33·8	15·6	39·7
Barrie							68·7	64·7	64·2	49·3	37·2	24·0	
Beatrice	13·0	10·2	23·7	35·6	53·5	60·3	65·5	60·9	59·0	45·9	34·6	18·8	40·1
Birnam	22·5	18·4	32·1	43·6	57·0	65·2	70·3	66·6	65·5	50·9	38·0	26·6	46·4
Bloomfield	19·0	12·7	27·5	38·9	55·2	64·9	70·4	66·1	63·9	50·5	37·3	26·0	44·4
Brantford	22·0	16·0	31·4	42·1	56·7	66·6	70·2	66·0	62·8	49·2	37·2	25·9	45·5
Bruce Mines	15·5	11·6	22·3	35·2	51·2	60·0	64·9	62·4	60·2	48·3	35·5	20·1	40·6
Chatham	27·8	22·2	36·6	46·6	59·9	68·4	71·9	69·1	67·1	53·0	39·0	30·2	49·2
Clinton	21·8	15·8	28·1	41·0	55·5	63·8	68·4	63·5	63·4	49·4	37·1	26·3	44·5
Clontarf	10·3	10·6		33·7									
Cockburn Island	17·5	9·8	22·0	34·8	48·9	59·8	65·2	62·4	61·4	48·4	36·1	24·2	40·9
Coldwater	14·9	9·2	22·6	36·0	55·0	62·5	66·3	59·6	60·3	45·1	36·8	20·4	40·7
Copper Cliff									60·6	46·3	33·6	13·7	
Cottam	23·1	22·5	35·9	43·6	57·0	65·8	70·8	67·5	65·3	51·2	39·5	28·2	47·5
East Toronto	22·6	16·2	29·4	39·4	53·6	63·9	68·8	65·5	62·5	50·1	38·2	27·2	44·8
Gravenhurst	13·1	10·1	23·6	36·3	54·0	62·9	67·3	62·8	60·4	47·2	36·5	19·5	41·1
Guelph	20·9	16·7	31·8	38·8	56·0	65·5	69·5	65·0	64·1	50·9	37·7	25·4	45·2
Haileybury	6·8	7·4	18·5	32·8	52·0	63·5	67·0	62·8	62·1	46·1	32·2	11·1	38·6

Mean Temperature at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Ontario *Continued.*													
Haliburton	13·5	10·2	24·6	36·6	55·7	62·7	67·4	62·0	59·1	46·5	33·1	17·6	40·8
Hamilton	25·1	20·1	33·7	42·8	56·3	68·3	72·7	67·6	64·9	52·1	39·2	30·4	47·8
Huntsville	10·0	8·6	20·7	35·1	54·5	62·6	66·7	61·8		45·7	34·8	16·8	
Judge	3·2	1·9	28·3	31·3	50·2	59·0	64·9	59·6	54·1	43·4	30·6	9·5	36·3
Kakabeka Falls											29·7	10·5	
Kenora	8·2	11·3		33·0								9·6	
Kingston	18·6	13·4	27·5	38·9	55·1	63·7	69·2	65·5	63·5	51·7	38·2	23·9	44·1
Kinmount		6·8	21·4	36·9	55·3	61·3	66·0	60·2	57·1	43·9	32·4	14·4	
Lake Talon	6·2	8·6	20·8	34·7	53·7	61·5	66·0	62·4	58·9	46·6	33·6	13·0	38·8
Lakefield	14·6	11·2	24·3	38·4	54·7	63·2	69·2	65·3	63·7	50·1	35·8	21·8	42·7
Lakeside Home	25·3	19·0	30·9	39·1	50·5	60·6	66·7	65·8	63·1	50·5	39·4	30·1	45·1
Lindsay	16·4	12·0	25·8	39·5	56·3	65·6	70·1	65·7	63·1	49·9	36·3	22·3	43·6
Listowel	21·4	13·7	26·3	37·6			67·0	64·6			24·2	22·2	
London	22·0	18·2	31·5	43·6	60·1	66·8	71·2	67·0	64·6	50·6	37·4	27·0	46·7
Lorne Park												27·5	
Lucknow	20·8	16·0	26·9	39·4	54·8	62·1	66·7	62·8	63·5	49·0	37·5	25·2	43·8
Madoc	13·6	10·4	25·4	38·7	55·3	65·3	70·4	65·4	63·1	49·3	34·6	19·5	42·6
Meaford	20·6	13·6	26·8	39·0	51·3	63·4	68·8	66·2	65·8	51·5	38·5	27·8	44·3
Moose Factory	3·0	0·9	5·1	22·7	44·6		64·5	60·3	60·8				
North Bruce	22·8	17·5	28·5	40·1	55·1	64·5	66·6	64·8	63·8	49·8	39·8	26·9	45·0
North Gower	12·6	8·5	24·1	38·1	57·5	65·3	70·7	65·8		49·2	39·7		
Orillia	17·6	12·0	27·0	39·6	57·0	66·2	69·6	66·1	64·0	50·2	38·2	24·0	44·3
Otonabee	18·5	14·4	27·8	40·2	55·9	66·1	70·3	64·9	64·0	50·5	38·6	24·6	44·7
Ottawa	11·8	10·9	24·3	36·6	57·9	66·2	71·9	66·7	63·1	48·9	33·8	14·9	42·3
Owen Sound	21·1	15·9	28·7	40·6	54·8	64·2	69·0	65·2	63·5	50·8	39·7	27·2	45·1
Paris	22·7	17·1	31·2	42·2	57·0	67·5	70·8	66·9	63·2	50·0	38·3	39·7	46·6
Parry Sound	15·8	10·7	25·6	37·5	55·6	64·0	69·3	65·7	62·6	49·4	37·5	21·1	42·9
Pelee Island									66·2	55·9	48·8	27·7	
Peterborough	14·6	10·0	23·8	38·8	56·6	64·1	69·1	65·4	62·4	50·0	36·7	20·6	43·6
Port Arthur	12·8	13·0	20·6	36·3	49·4	56·9	62·6	60·6	58·5	44·7	31·0	14·4	38·3
Port Burwell	21·9	19·2	31·0	41·5	55·3	63·9	69·0	65·9	62·5	50·6	39·1	28·5	46·0
Port Dover	23·5	16·5	30·3	40·0	55·4	64·8	70·2	66·6	62·9	54·3	38·5	27·6	45·6
Port Hope	18·8	14·4	28·9	40·2	53·9	63·7	69·3	65·7	61·9	47·3	35·3	24·9	43·7
Port Stanley	24·7	19·5	31·8	40·6	55·4	64·7	69·2	65·9	61·6	50·0	38·5	28·7	45·9
Renfrew	16·8	8·9	23·2	37·4	56·3	64·5	70·1	64·7	63·3	47·1	33·5	13·0	41·6
Rockcliffe	5·6	6·5	20·8	33·9	53·9	63·1	65·5	60·1	58·0	44·3	30·4	11·0	37·8
Ronville	10·8	8·1	21·2	33·9	53·6	61·1	66·3	61·7	60·6	48·2	35·2	16·6	39·8
Sarnia	23·9	19·1	31·7	42·1	57·7	66·6	71·6	68·3	66·6	51·7	40·4	30·0	47·5
Southampton	23·9	16·7	28·2	40·2	54·9	65·2	67·4	65·2	63·7	50·6	40·1	27·9	45·2
Stoney Creek	25·5	19·1	33·9	42·4	54·7	65·9	72·0	68·3	65·5	51·5	39·8	30·0	47·4

MEAN TEMPERATURE at all Stations for each Month and the Year 1908 —*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
Stratford	19·4	16 8	29·4	41 5	55·9	64·9	68 4	64 0	61 6	79·3	36 1	23·8	44·3
Sutton West	16 4	11 3	26 2										
Toronto	24 4	19·3	31·5	41 8	56 2	66·2	70·7	67 0	63 7	51 4	39 6	29·1	46·7
Uplands	10 8	10 6	24 8	33 3	52 8	58·8	64 5	60 4	58·9	46 1	33·8	18·0	39·4
Uxbridge	16 4	14 7	26 5	39·4	55·5	64 4	68·9	63 6	62 2	49·1	36·8	23·0	43·4
Wallaceburgh	25 0	19 8	32·9	44·0	57·8	66 9	70·8	67·4	64 8	51·3	38 6	28·1	47·3
Welland	25 7	20 5	33 9	44 3	59·0	68·2	73 1	67·1	64·4	52 1	38 9	29·0	48·0
White River	3 7	2·2	11·8	29 3	48·8	57·9	61·3	57 7	55·9	42 7	27·0	6 0	33·7
Windsor	25·8	21 1	35·5	46 1	58·6	67·1	71·9	69 5	66·9	52·6	39·9	30·1	48·8
Woodstock	22 5	17 0	29 7	41·0	55 6	64·4	68 7	64·2	62·5	49·1	36·6	25·3	44 7
QUEBEC.													
Abitibi	− 0 2	0 6	10·7	26·2	45 8	61 8	65·0	62·0	60 5	44 0	27 4	5·2	34 1
Anticosti (West Point)	13·7	12 9	18·4	27 1	41·3	48·9	18·4	56·2	50 2	43·3	30 7	16·0	34 8
Anticosti (S.W. Point)	14 2	11·7	16 4	24 4	38 5	49·0	61·6	55·3	54 2	46·7	29 0	15 1	34·7
Anticosti (Heath Point)	16 0	15 8	18 6	25·3	37·6	44 9	58·0	56 2	52 9	44 6	30 8	18·4	34·9
Bicquet				28·0	40·6	47·9	56 4	51·6	46 5	41·5	30 6		
Bird Rocks	23 0	18 2	21 2	29·0	39 3	47·5	60 4	59 6	55 6	44 6	34 7	23 9	38·1
Bronne	13 6	10 5	25 0	34 6	55 5	61·7	68·1	60·5	59 3	48 0	34 0	16 8	40 6
Cape Chatte	12 6	14·5	20 0	27·7	44·0	53·7	64 3	57 7	54 0	44·0	30 6	14·1	36·4
Cape Magdeleine	13 6	14·2	18·4	28 4	44 9	52 9	64·3	57·4	54·1	44·3	30·2	15·5	36 5
Chicoutimi	1 6	2 5	14·7	27 5	49·3	62·5	67 7	62·6	57 5	43·9	29 5	6·5	35·5
Clarke City	1 6	6 7	12 8	25 4	43·3	52·5	64 8	57 4	53·9	43 8	25 5	6 5	32 9
Father Point	12 6	12 2	20·4	29·7	44·7	53·7	61·0	56·0	52·4	43 8	31·3	13 0	35·9
Montreal	13·4	12 2	25·6	37·1	57·1	66 6	71·8	66·6	63·6	50 1	34·8	16 5	42·9
Perce	15·1								56·6		31 3	16·1	
Quebec	10 2	10 8	21 2	31 5	51·9	64·1	69·9	63·5	59 4	46 4	30 6	12 4	39 3
Roberval	4 5	−11 6									20 3	6 5	
Shawenegan Falls	8·0	9 9	21·0	32·4	53 5	59 9	63 9	60 1		47 9	32 3	7 8	
Sherbrooke	12 4	10·4	23 3	35 3	56·2	62 7			59 9	47 3	33 1	15 3	
Ste. Anne de Bellevue	10·6	9 2	23·2	37 4	57·4	66·2	72·0	67·7	63·2	49·2	33 5	13 0	41·9
Whitefish River						59·0	62·2	51 9	55·1	40 5	26 3	3 0	
NEW BRUNSWICK													
Chatham	15 9	15·5	24 5	35·1	51·3	61·8	70·7	64 9	60 3	49 0	32 7	14 3	41·3
Dalhousie	12 6	14·7	20·1	29 5	47 2	56 4		56·1	57 5	47 8	33·1	19 5	
Fredericton	16 8	14 8	24 7	35 9	51·1	61·6	68 4	62·5	59 0	47 5	32 9	16·3	41·0
Grand Manan	26·7	24 2	31 2	38 0	49 6	59·2	64 9	61·8	60 4	51 9	39 9	28 0	44·7
Moncton	18·0	16 3	25 1	35·0	50·9	60·6	66 6	61 8	57 9	47·1	34 1	18·2	41·0
Point Lepreaux	24 3	20 3	28·5	35·1	46·0	53·1	59·4	58·3	56 8	49 6	39 3	25·7	41·4
St. John	23·6	17·5	28 1	36 4	50 2	57·1	63·5	61·2	58·1	50·0	37 9	24·2	42·3

MEAN TEMPERATURE at all Stations for each Month and the Year 1908 *Concluded*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NEW BRUNSWICK *Concluded.*													
St. Stephen	20·2	16·8	27·5	36·7	51·4	60·0	69·2	62·2	58·7	46·4	35·8	20·9	42·1
Sussex	19·4	14·0	21·6	29·9	49·9	60·6	67·4	60·7	57·2	46·0	34·6	19·6	40·1
NOVA SCOTIA													
Halifax	26·5	24·0	30·6	36·4	49·8	59·7	67·1	62·6	59·6	50·4	38·6	25·7	44·3
Parrsboro'		17·1	24·5	33·5	46·4		62·5	56·5	56·1	47·0	36·0	19·1	
Port Hastings	26·5	29·9	28·2	36·1	43·4	58·0	66·8	54·2	55·4	48·8	37·2	25·8	42·1
Sable Island (E. Point)	34·0	31·5	33·5		44·9	52·6	62·3	62·4	60·2	54·1	42·1	33·6	
Sable Island (Main Station)	33·5	31·0	33·1	36·7	44·5	52·9	62·4	61·9	60·0	53·8	42·5	34·3	45·6
Sydney	26·3	24·3	26·6	33·1	46·6	57·9	66·1	62·9	60·2	50·5	37·6	27·3	43·3
Truro	21·7	21·9	27·3	34·7	49·1	59·3	65·7	61·4	57·1	47·3	35·1	24·1	42·1
Whitehead	26·9	24·1	27·8	31·4	41·3	49·1	59·6	59·0	57·8	50·6	39·0	28·9	41·5
Windsor	26·1	22·3	28·8	36·2	50·6	60·2	67·6	63·4	59·3	50·6	36·2	25·8	43·9
Yarmouth	29·5	25·4	31·9	38·1	48·9	56·2	61·7	59·6	56·5	49·0	41·5	30·4	44·1
PRINCE EDWARD ISLAND													
Charlottetown	21·0	19·6	25·6	33·1	48·2	59·2	68·2	64·2	60·5	50·1	35·6	22·6	42·3
Hamilton	18·6	17·5	23·0	30·6	47·2	58·5	67·8	63·5	60·3	50·0	37·1	21·9	41·2
Hillsboro'				36·2	.....	60·2			56·4				
Summerside	20·3	18·9	24·4	32·6	48·2	58·7	67·5	62·4	59·8	48·2	34·1	22·0	41·4
NEWFOUNDLAND.													
Belle Isle	13·9	10·6	15·3	25·7	35·3	50·9	61·4	52·6	49·5	38·1	28·8	17·1	33·0
Cape Norman	11·0	12·8	15·6	21·3	34·3	41·8	51·2	52·5	48·5	37·0	28·2	16·7	30·4
Channel	25·4	23·0	25·5	28·5	41·7	48·5	59·1	57·7					
Point Amour	11·2	15·2	14·4	24·7	36·6	43·1	52·7	51·6	49·2	39·4	27·0	15·8	31·9
Point Rich	18·8	19·7	17·2	25·5	36·8	47·4	57·1	56·9	52·9	44·2	32·4	19·2	35·6
St. George	25·5	24·6	23·4	27·6	43·9	53·4	62·4	61·0	55·9	45·8	34·4	25·9	40·3
St. John's	27·8	27·0	25·9	32·4	42·3	52·9	60·5	60·3	56·2	45·8	37·1	27·7	41·3
NORTH-WEST TERRITORIES.													
Fort Churchill (H.B.Co.)	.....	13·2			37·9	43·5	43·2	52·4					
Fort Churchill (R.N.W.M.P.)	15·1	15·1	16·0	10·2	35·0	40·6	50·4	52·4					
Fort Hope	0·5	2·0	6·2	26·6	43·5	56·9	64·5	57·4	54·0	38·4	19·7	5·1	30·3
Norway House	3·4	0·7	0·6	27·3	47·2	59·9	63·0	57·3	51·6	36·6	20·7	4·7	29·9
York Factory	16·8	9·9	5·3	13·5	34·0				49·0	36·0	25·2	13·7	
BERMUDA.													
Prospect	61·7	58·8	64·2	65·4	69·8	74·2	80·0	80·9	78·0	74·1	67·5	66·4	70·2
YUKON.													
Dawson City	13·6	9·5	1·3	29·6	47·9	58·0	58·9	53·7	48·0	16·8	0·4	8·1	27·8

Maximum Temperature at all Stations for each Month and the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.													
Agassiz	54·0	53·0	59·0	73·0	79·0	91·0	92·0	98·0	79·0	74·0	57·0	56·0	98·0
Alberni	48·1	62·1	60·1	79·1	75·0	93·3	102·4	106·4	90·2	82·2	62·1	52·1	106·4
Athalmer									85·0	64·0	58·0	45·0	
Athlu	39·0	38·0	38·5	51·0	67·5	72·0	80·0	70·0	61·0	49·0	38·5	42·0	80·0
Babine										57·8	48·0	34·0	
Barkerville	36·0	40·0	40·0	54·0	64·0	71·0	82·0	75·0	70·0	65·0	58·0	41·0	82·0
Bella Coola	40·0	45·0	52·0	67·0	78·0	83·0	90·0	96·0	78·0	67·0	52·0	43·0	96·0
Cape Scott	50·0	48·0	52·5	61·9	59·2	68·0	69·0	66·0	62·3	60·1	56·8	48·0	69·0
Chilcotin (Big Creek)	40·0	47·0	49·0	68·0	72·0	81·0	92·0	89·0	77·0	72·0	66·0	43·0	92·0
Clayoquot	54·0	54·0	52·5	62·5	65·0	72·5	90·5	80·0	77·5	77·5	56·0	41·5	90·5
Cowichan	56·1	53·0	56·1	66·0	72·8	78·8	90·3	95·5	74·2	68·2	61·4	52·0	95·5
Crawford Bay	44·0	43·0	51·0	70·0	80·0	88·0	91·0						
Garry Point	49·0	49·0	54·0	61·5	71·0	74·5	79·6	76·0	71·0	63·0	61·5	49·5	79·0
Glacier	32·0	32·0	37·0	50·0	60·0	75·0	83·0	80·0	72·0	55·0	45·0	32·0	83·0
Golden	37·0	40·0	46·0	65·0	76·0	82·0	91·0	89·0	77·0	65·0	60·0	38·0	91·0
Hedley	44·0	44·0	59·0	74·0	82·0	93·0	100·0	96·0	86·0	75·0	65·0	42·0	100·0
Hedley (Nickel Plate)	41·0	52·0	52·0	60·0	65·0	68·0	86·0	85·0	75·0			37·0	
Ikeda Bay							80·0	77·5	65·0	60·0	57·0	58·0	
Kamloops	47·5	46·4	57·6	75·5	77·8	92·8	101·6	95·3	87·0	72·0	71·5	49·5	101·6
Kelowna (Okanagan Mis.)	44·0	43·0	59·9	69·0	77·1	88·9	96·2	90·1	79·0	66·9	64·9	44·8	96·2
Ladner	55·0	50·0	57·0	75·0	65·0	79·0	87·0	85·0	68·0	65·0	62·0	54·0	87·0
Massett	48·0	49·0	51·0	59·0	64·0	75·0	77·0	70·0	65·0	60·0	55·0	48·0	77·0
Nanaimo	59·2	50·9	60·0	71·0	74·9	84·0	89·4	94·2	71·9	69·9	62·8	49·9	94·2
Nelson	41·0	44·0	56·0	70·0	76·0	84·0	90·0	95·0	83·0	69·0	56·0	42·0	90·0
New Westminster	48·0	52·7	54·6	78·6	68·3	85·3	86·9	93·0	76·4	70·5	59·6	48·4	93·0
Nicola Lake	42·0	48·0	54·0	71·0	72·5	81·0	91·0	86·0	80·0	73·0	64·0	46·0	91·0
North Nicomen	54·0	53·0	58·0	77·0	70·0	87·0	93·0	99·0	78·0	72·0	68·0	51·0	99·0
Pemberton							97·0	95·5	76·0	66·0	55·0	42·0	
Penticton	46·5	46·5	62·0	73·0	78·5	92·0	95·0	93·0	90·0	70·5	69·0		
Port Simpson	51·8	47·2	45·9	68·5	65·5	71·0	72·8	73·0	60·3	59·0	50·3	46·9	73·0
Princeton	39·0	49·0	55·0	75·0	79·0	88·0	99·0	93·0	85·0	73·0	63·0	38·0	99·0
Quesnel	44·0	55·0	58·0	65·0	83·0	86·0	95·0	89·0	77·0	71·0	69·0	44·0	95·0
Revelstoke	40·0	40·0	46·0	68·0	73·0	83·0	100·0	93·0	76·0	64·0	54·0	40·0	100·0
Rossland	34·5	37·5	46·0	63·7	74·0	79·5	85·2	82·0	76·0	64·8	57·8	42·0	85·0
Salmon Arm	47·0	45·0	55·0	74·0	81·0	91·0	101·0	94·0	81·0	71·0	60·0	46·0	101·0
Spences Bridge	48·0	53·5	65·5	82·0			108·0					46·5	
Stuart's Lake (Fort St James)	35·9	44·0	45·0	58·0	67·0	75·5	81·0	75·0	69·0	64·0	47·5	37·9	81·0
Summerland	41·0	43·0	63·0	69·5	76·0	89·0	98·0	93·0	82·0	67·0	66·0	42·0	98·0
Thetis Island	51·4	50·0	58·5	71·0	71·5	77·6	88·3					51·6	
Tobacco Plains	42·0	47·0	53·0	73·0	76·0	89·1	96·1	97·6			63·0	57·0	

MAXIMUM TEMPERATURE at all Stations for each Month and the Year 1908 *Continued.*

STATIONS.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA - *Concluded.*	°												°
Vancouver	48·1	49·8	55·7	77·2	64·0	79·8	87·2	92·2	70·3	65·4	59·5	49·7	92·2
Vernon (Coldstream Ranch)	42·0	42·0	55·0	71·0	76·0	90·0	104·0	95·0	83·0	68·0	65·0	43·0	104·0
Victoria	49·3	51·2	55·2	73·1	66·2	79·4	83·2	83·7	75·2	67·2	62·9	52·0	83·7
Winter Harbour					64·0	74·0	78·0	88·0	64·0	67·0	56·0	52·0	
SASKATCHEWAN.													
Alameda	40·0		48·0										
Battleford	42·0	44·0	44·0	82·0	84·0	90·0	88·0	86·0	91·0	73·0	52·0	42·0	91·0
Broadview					80·0	85·0	94·0	96·0	95·0	79·0			
Brownhill	37·0	37·0	40·0	75·0	78·0		90·0	88·0	92·0	72·0	58·0	38·0	
Chaplin	40·0	38·0	38·0	86·0	78·0	92·0	98·0	99·0	89·0	73·0	63·0	43·0	99·0
Crescent Lake						83·0							
Drinnagne	36·0	38·0	50·0	69·0	78·0	81·0	93·0	83·0	83·0	70·0	55·0	37·0	93·0
East End	42·0											40·0	
Esterhazy			57·0	79·0	79·0	84·0	92·0	89·0	86·0	71·5	57·0	38·0	
Estevan	39·5	37·0	48·0	82·0	78·0	90·0	90·0	88·0	90·5	69·0	60·0	40·0	90·5
Fond du Lac	26·0	19·0	23·0	50·0	76·0	80·0	88·0	79·0	78·0	54·0	34·0	19·0	88·0
Gatesgarth (Penser)	40·0	42·0	42·0	80·0	83·0	87·0	97·0	92·0	99·0	72·0			99·0
Humboldt	38·0	36·0	37·0	71·0	85·0	82·0	94·0	82·0	85·0	66·0	55·0		
Indian Head	40·0	39·0	43·0	76·0	86·0	85·0	94·5	88·0	94·0	74·0	58·0	40·0	94·5
Kamsack						85·0	89·0	86·0	86·0	69·0		35·0	
Lloydminster	41·0	42·4	40·6	73·9	80·4		84·3	80·5	86·2	72·2	57·6	40·0	
Manor			46·0	83·0	95·0	97·0	99·0	94·0	102·0		62·0	40·0	
Melfort									87·0		47·0		
Meota	46·0	43·0	43·7	79·0	82·8	87·0	96·0	85·0	88·0	74·0	50·0	38·0	96·0
Moose Jaw	40·0	42·0	42·0	84·0			101·5	94·0	96·0	75·0	66·0	44·0	101·5
Moosomin	43·0	39·0	42·0				86·0	82·0	87·0	71·0	59·0		
Onion Lake						81·0							
Prince Albert	36·5	43·5	47·5	70·0	80·5	86·5	89·5	79·0	81·0	70·0	44·0	39·0	89·5
Qu'Appelle	41·0	40·0	42·5	75·0	78·0	84·0	91·0	85·0	92·5	74·0	59·0	40·0	92·5
Regina	39·8	38·0	42·0	80·0	81·0	84·0	90·5	88·0	96·5	74·0	60·0	39·0	96·5
St. Peter's Monastery	39·0	36·0	36·0	66·0	78·0	82·0	89·0	80·0	83·0	66·0	79·0	34·0	89·0
Saskatoon	38·0	39·4	38·0	78·4	81·0	88·5	97·0	85·4	86·2	70·8	51·0	35·0	97·0
Swift Current	42·0	43·0	46·0	75·0	80·0	96·0	102·0	101·0	90·0	75·0	61·0	44·0	102·0
Wascca	39·0	42·0	40·0	74·0	80·0	81·0	86·0	81·0	84·0	72·0	48·0	40·0	86·0
Willow Bunch		49·6	53·0	89·0	74·0	89·0	100·0	103·0	90·0	89·0	69·0		103·0
Yorkton											52·0	34·0	
ALBERTA.													
Alix	45·0	54·0	53·0	71·0	82·0	76·0	82·0	80·0	80·0	72·0	67·0	42·0	82·0
Athabaska Landing									87·5	81·5	51·0	43·0	

MAXIMUM TEMPERATURE at all Stations for each Month and the Year 1908 — *Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA — *Concluded.*													
Banff	59·1	45·8	42·7	69·0	72·0	76·2	87·5	84·7	76·7	64·6	58·4	35·3	87·5
Blackfalds	47·0	55·5	55·0	74·0	84·0	78·0	86·0	84·0	86·0	76·5	71·0		
Bon Accord	44·5	52·6	49·0	67·0	82·3	77·0	83·9	80·5	78·5	70·0	53·0	43·8	83·9
Calgary	50·0	76·0	56·0	74·0	82·0	82·0	89·0	84·0	84·0	71·0	68·0	47·0	89·0
Cardston	54·0	55·0	50·0	70·0	82·0	84·0							
Daysland		43·0	42·0	64·0	82·0	90·0	89·0	88·0	80·0	68·0	55·0	40·0	
Didsbury	46·0	66·0	60·0	74·0	80·0	84·0	90·0	88·0	90·0	78·0	70·0	50·0	90·0
Dunvegan	44·0	50·0	47·0	60·0	79·0	83·0	91·0	86·5	75·5	65·0	46·0	43·0	91·0
Edmonton	46·0	53·0	52·0	70·0	84·0	79·0	88·0	84·0	81·0	71·0	62·0	45·0	88·0
Eckville	50·5	61·2	55·0	71·1	83·2	78·3	86·2	79·8	81·0	71·2	64·1	42·2	86·2
Fort Vermilion	30·0	48·8	41·0	56·0	82·2	80·0	93·0	81·8	73·4	57·5	42·0	39·0	93·0
Fort Vermilion, [illegible]							92·0	85·0	73·9	59·0	41·0	43·0	
Gleichen	[illegible]		59·0	77·0	84·5	84·0	90·0	87·5	89·0	79·0	72·0	48·0	
Gray Hill	45·2	60·0	58·2	73·2	82·7	77·0	81·0	84·2					
Harmattan		59·0	59·0	70·0	80·0	78·0	80·0	73·0	78·0	73·0	64·0	46·0	
High River	52·0	60·0	56·0	74·0	83·0	84·0	89·0	86·0	85·0	74·0	68·0	48·5	89·0
Hillsdown	47·[illegible]	60·0	56·2	72·3	85·0	78·0		81·0	81·0	72·3	64·5	48·0	
Islay			41·0										
Knee Hills	47·0	66·0	57·0	76·0	84·0	84·0	87·0		85·5	71·0	77·0		
Lacombe	44·7	60·6	54·6	71·6	84·6	79·2	86·3	86·4	85·8	74·8	69·8	42·6	86·4
Lawrence	46·0	[illegible]	60·0	72·0	84·0	84·0						40·0	
Lethbridge	50·9	60·4	60·1	84·7	91·8	87·8	93·1	95·0	91·0	77·6	71·8	48·9	95·0
Lethbridge (Experimental Farm)		59·0	63·2	81·1	85·1	86·2	91·6	94·9	91·0	76·6	73·5	67·2	
Macleod	48·0	54·0	55·0	74·0	83·0	85·5	91·0	93·0	91·0	73·0	68·0	45·0	93·0
Medicine Hat	50·0	54·0	59·0	82·0	90·0	95·0	96·0	103·0	90·0	75·0	69·0	41·9	103·0
Pekan	40·0	50·0	41·7	67·5	85·3	78·0	87·2		79·5	71·1	55·0	43·4	
Peace River Landing	40·0	51·0	50·0	61·5	80·0	85·0	93·5	85·0	76·0	68·0	46·5	45·0	93·5
Pekisko	49·0	55·0	55·0	70·0	73·5	79·0	95·0	84·0	85·0	72·0			
Penhalma			52·[illegible]	66·5	82·0	80·0	85·0	81·0	82·0	71·0	56·0	44·5	
Pincher Creek							89·0	90·0	87·0	70·0	64·0	44·0	
Red Willow	45·[illegible]	54·0	56·0	70·0	79·0	78·0	87·0	80·0	83·0	72·0	62·0	39·0	87·0
Shaftesbury	40·0	51·0	49·0	75·0	85·0								
Soon	44·0	52·0	56·0										
Taber	48·0	60·0	63·0	81·0	89·0	95·0							
Three Hills Creek	46·0	56·0	58·0	74·0	84·0	78·0	86·[illegible]	87·0	88·5	72·[illegible]	62·[illegible]	42·5	88·5
Wanteeld (Ranch)	40·0	48·0	46·0	69·8	81·8	75·0	85·5	82·7	84·0	74·0	63·6	40·0	85·5
Wetaskiwin	44·0	57·0	60·0	70·0	83·0	86·0	84·0	83·0	82·0	72·0	66·0		
MANITOBA													
Almasippi	48·0	44·0	46·0	85·0	84·0	89·0	96·[illegible]	92·0	95·0	77·0	58·0	29·0	95·5

MAXIMUM TEMPERATURE at all Stations for each Month and the Year 1908 — *Continued.*

Stations.	January	February	March	April	May	June	July	August	September	October	November	December	Year
MANITOBA — *Concluded*													
Berens River	36·0	36·0	44·0	64·0	77·0	81·0		78·0	74·0	60·0	50·0	40·0	
Birtle					81·0	89·0	90·0	86·0	84·0	71·0			
Brandon	39·0	44·0	46·0	81·5	82·0	88·0	93·0	87·0	84·0	74·0	61·0	38·0	92·0
Carberry	38·0	40·0	41·0	65·0	68·0	75·0	78·0						
Carman					78·0	91·0	92·0	90·0	90·0	70·0			
Cypress River					80·0	86·0	93·0	90·0	91·0	74·0			
Fort Osborne	44·0	46·0	58·0	74·0	89·0		93·0	97·0	92·0	46·0	54·0	30·0	
Hilliney	37·0	39·0	43·0	80·0	86·0	85·0	88·0	89·0	92·0	73·0	58·0	37·0	92·0
Minnedosa	40·0	44·0	43·0	79·0	80·0	83·8	90·0	88·0	88·0	74·0	63·0	36·0	90·0
Morden	52·0	45·0	46·0	81·0	83·0	88·5	92·5	91·0	92·0	78·0	62·5	43·0	92·5
Oakbank	40·2	41·7	39·8	72·0	82·6	84·0	88·0	87·0	87·0	67·0	49·0	35·0	88·0
Pierson					79·0	86·0	92·0	88·0	91·0	72·0			
Pipestone					80·0	95·0	93·0	92·0	93·0	74·0			
Portage la Prairie	42·0	42·0	44·0	82·0	83·0	89·0	95·0	91·0	94·0	75·0	63·0	36·0	95·0
Portage la Prairie, 2						86·0	95·0	91·0	94·0	75·0			
St. Albans (Aweme)	45·0	41·0	44·0	85·0	84·0	100·0	97·0	93·0	90·0	74·0	60·0	40·0	100·0
Stony Mountain	37·0	40·0	38·0	74·0	83·0	87·0	94·0	92·0	92·0	70·0	60·0	38·0	94·0
Swan River					82·0	88·0	94·0	87·0	90·0	78·0	54·0	35·0	
Treherne	42·0	46·0	42·0	80·0	86·0	87·0	104·0	90·0	90·0	75·0	57·0	32·0	104·0
Virden					86·0	87·0	93·0	92·0	92·0	74·0			
Winnipeg	42·2	38·0	41·0	75·0	84·0	88·0	93·0	91·0	90·8	69·3	56·6	34·5	93·0
ONTARIO													
Agincourt	40·0	42·0	60·4	73·1	82·3		92·0	92·0	83·8	70·0	62·0	40·1	
Alton	35·8	40·0	52·2	75·2	87·2	90·2	92·2	87·0	90·2	85·2	58·0	34·2	92·2
Bancroft	39·0	44·0	60·0	66·0	84·5	87·0	92·0	88·0	83·0	70·0	55·0	38·0	92·0
Barrie						92·0	89·4	88·8	77·4	68·0	49·7		
Beatrice	37·0	40·0	48·0	69·0	82·0	86·0	88·0	84·0	81·0	74·0	60·0	50·0	86·0
Birnam	40·2	41·0	64·5	78·0	86·0	87·4	92·1	90·0	89·7	79·0	63·0	40·1	92·1
Bloomfield	40·0	38·0	50·0	66·0	80·0	87·0	91·0	86·0	84·0	74·0	60·0	40·0	91·0
Brantford	42·0	44·0	64·0	78·0	86·0	90·0	93·0	92·0	90·0	80·0	62·0	43·0	93·0
Bruce Mines	45·0	40·0	47·0	66·0	80·0	82·0	87·0	82·0	84·0	72·0	58·0	38·0	87·0
Chatham	43·0	45·0	64·0	82·0	90·0	93·0	96·0	94·0	92·0	82·0	62·0	51·0	96·0
Clinton	39·0	42·0	52·0	71·0	84·0	88·0	90·0	90·0	88·0	75·0	60·0	37·5	90·0
Clontarf	41·0	42·0	53·0	66·0	87·0								
Cockburn Island	43·0	40·0	50·0	66·0	77·0	85·0	87·0	86·0	83·0	74·0	57·0	51·0	88·0
Coldwater	40·0	42·0	54·0	76·0	87·0	90·0	92·0	91·0	88·0	80·0	63·0	49·0	92·0
Copper Cliff									85·0	74·0	55·0	45·0	
Cottam	43·0	47·0	68·0	74·0	86·0	94·0	94·0	90·0	88·0	80·0	65·0	49·0	94·0
East Toronto	40·0	42·0	62·0	76·0	84·0	85·0	91·0	89·0	86·0	75·0	61·0	54·0	91·0
Gravenhurst	39·0	43·0	50·0	67·0	86·0	91·0	91·0	87·0	85·0	74·0	61·0	49·0	91·0

MAXIMUM TEMPERATURE at all Stations for each Month and the Year 1908 — *Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO — *Continued.*													
Guelph	41·0	43·0	41·0	72·5	84·0	86·0	89·0	88·0	88·5	79·0	60·0	50·0	89·0
Haileybury	42·9	42·0	45·6	60·7	85·0	86·7	89·2	87·7	86·4	74·3	57·6	45·5	89·2
Haliburton	38·0	39·0	47·0	69·0	88·0	89·0	92·0	90·0	89·0	76·0	58·0	54·0	92·0
Hamilton	46·0	41·0	66·5	74·0	89·5	91·0	96·0	92·0	90·0	81·5	61·5	55·0	96·0
Huntsville	37·0	40·0	43·0	66·0	83·0	85·0	87·0	82·0	80·0	72·0	75·0	57·0	87·0
Judge	44·0	41·0	45·0	61·0	86·0	87·0	95·0	87·0	79·0	64·0	56·0	45·0	95·0
Kakabeka Falls											64·0	36·0	
Kenora	40·0	38·0		60·0							48·0	30·0	
Kingston	39·0	39·9	45·4	65·0	75·7	82·0	83·5	79·6	77·5	68·0	55·7	52·2	83·5
Kinmount		46·0	48·0	66·0	81·0	87·0	90·0	89·0	84·0	78·0	55·0	37·0	90·0
Lake Talon	39·8	42·0	58·8	68·8	84·5	87·0	92·0	86·0	86·0	76·0	61·0	37·2	92·0
Lakefield	39·0	42·0	58·0	68·0	83·0	85·0	91·0	84·0	87·0	79·0	61·0	56·0	91·0
Lakeside Home	41·0	41·0	52·0	62·0	75·0	75·0	88·0	84·0	82·0	70·0	62·0	50·0	88·0
Lindsay	38·8	39·9	49·4	68·4	84·7	89·7	94·1	89·6	88·6	76·8	61·9	51·8	94·1
Listowel	46·0	39·0	52·0	72·0		91·0	86·0			65·0	67·0	36·0	
London	42·0	45·0	65·0	80·5	87·5	92·0	93·5	94·5	92·5	81·5	60·5	42·0	94·5
Lorne Park												59·0	
Lucknow	37·9	41·5	52·5	72·7	83·6	87·1	90·1	90·9	90·0	76·2	59·0	46·0	90·9
Madoc	39·0	38·0	44·0	69·0	82·0	88·0	92·0	85·0	89·0	84·0	59·0	43·0	92·0
Meaford	41·0	42·0	45·0	72·0	85·0	90·0	90·0	89·0	88·0	77·0	63·0	58·0	90·0
Moose Factory	28·0	40·0	40·0	49·0	80·0		95·0	87·0	87·0				
North Bruce	35·0	37·0	50·0	72·0	85·0	88·0	90·0	90·5	94·0	81·0	65·0	37·0	94·0
North Gower	45·0	39·0	47·5	72·0	85·5	90·5	96·5	90·5	88·5	82·5	68·0		96·5
Orillia	41·0	44·0	50·0	57·0	83·0	91·0	91·5	84·0	88·0	78·0	62·0	52·0	91·5
Otonabee	40·0	40·0	50·0	69·0	83·0	85·0	91·0	90·0	86·0	75·0	58·0	46·0	91·0
Ottawa	37·0	37·0	46·0	64·0	85·0	92·0	94·0	86·0	89·5	78·0	56·0	52·0	94·0
Owen Sound	42·0	43·0	54·0	74·0	90·0	91·0	94·0	90·0	91·0	78·0	63·0	41·0	94·0
Paris	40·0	40·0	61·0	74·0	88·0	90·0	93·0	93·0	92·0	80·0	60·0	54·0	93·0
Parry Sound	40·0	40·0	50·0	72·0	86·0	90·0	95·0	90·0	84·0	73·0	60·0	40·0	95·0
Pelee Island									79·5	68·5	54·5	39·5	
Peterboro	40·0	41·0	50·0	69·0	85·0	87·0	93·0	89·0	91·0	80·0	60·0	55·0	93·0
Point Clark	49·0	41·0	52·0	67·0	97·0	101·0	99·0	95·0	89·0	78·0	61·0	41·0	101·0
Port Arthur	48·0	39·0	56·0	75·0	83·0	83·0	90·0	85·0	86·0	74·0	50·0	37·0	90·0
Port Burwell	38·7	42·0	52·0	71·0	80·5	79·5	89·8	86·0	79·0	70·5	59·5	44·0	89·8
Port Dover	40·5	40·5	62·0	68·5	82·5	87·7	92·1	88·5	86·1	75·4	59·5	44·2	92·1
Port Hope	41·0	40·0	54·0	65·0	78·0	85·0	91·0	87·0	86·0	75·0	54·0	53·0	91·0
Port Stanley	39·9	41·8	56·0	64·0	80·0	85·4	84·2	84·4	77·8	68·0	56·4	52·0	85·4
Renfrew	42·0	43·7	54·0	63·0	87·0	90·0	97·0	88·5	93·2	80·5	59·0	55·0	97·0
Rockcliffe	36·0	49·0	48·0	62·0	84·0	91·0	92·0	82·0	83·0	74·0	54·0	43·0	92·0
Ronville	45·0	40·0	44·0	66·0	85·0	83·0	89·0	85·0	85·0	74·0	58·0	41·0	89·0
Sarnia	40·0	45·0	67·0	78·0	88·0	90·0	96·0	94·0	99·0	93·0	65·0	45·0	96·0

MAXIMUM TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
Southampton	41 0	41 4	52 8	72 2	82 0	87 2	87 7	86 9	87 5	76 2	62 2	48 2	87 7
Stoney Creek	44 0	45 0	70 0	73 0	88 0	94 0	96 0	97 0	97 0	85 0	64 0	52 0	97 0
Strattord	38 0	39 0	56 0	74 0	81 0	88 0	89 0	88 0	85 0	77 0	57 0	54 0	89 0
Sutton West	39 0	42 2	54 0										
Toronto	41 5	44 3	63 8	75 3	84 0	88 2	92 2	92 0	89 5	77 8	64 0	57 0	92 2
Uplands	39 0	41 0	49 8	64 5	85 0	86 0	92 5	86 0	88 0	76 0	54 0	50 0	92 5
Uxbridge	39 0	42 0	53 0	70 0	83 0	88 0	92 0	88 0	91 0	78 0	61 0	33 0	92 0
Wallaceburgh	41 0	47 0	63 0	76·0	86·0	90 0	93 0	93 0	91 0	80 0	61·0	57 0	93 0
Welland	45·0	44 0	64 0	75 0	90 0	91·0	96·0	92 0	88 0	75 0	63 0	52 0	96 0
White River	40·0	28 0	44 0	62 0	81 5	84 0	87 0	85·0	81 0	69·0	50 0	34 0	87 0
Windsor	43 0	47 0	68·0	75·0	83 0	87·0	93 0	89 0	87 0	78·0	63·0	60 0	93 0
Woodstock	40·1	41 5	60 0	77·0	85·0	87 5	89 3	88 4	89 0	79·0	60 5	50 0	89 3
QUEBEC.													
Abitibi	35·0	37 0	44 0	57 0	75·0	84 0	94 0	85 0	83 0	67 0	52·0	39 0	94 0
Anticosti (Heath Point)	37 0	38 9	34·0	35 6	51 0	58 0	69 0	65 0	62 0	56·0	42·0	34 0	69·0
Anticosti (S. W. Point)	38·0	40 0	35 0	41·0	54 5	79·0	79 0	73 0	72 0	65·0	39·0	34·0	79 0
Anticosti (W. Point)	37 0	37·0	34 0	42 0	63 0	68 0	75 0	72 0	65 0	56 0	38·0	31 0	75 0
Bicquet				39 0	50 0	69 0	76 0	68 0	61 0	49 0	41 0		76 0
Bird Rocks	48 9	40 0	39 2	46 9	57 7	65 5	77 8	78 0	65·0	60 1	52 9	41·9	78 0
Brome	42 0	50 0	52 0	75 0	80 0	86 0	92 0	82·0	85 0	76 0	59 0	52 0	92 0
Cape Chatte	47 0	40 0	47 0	41·0	67 0	72 0	78 0	78·0	67·0	56·0	41·0	33·0	78·0
Cape Magdalen	45·0	48 0	42 0	48 0	81·0	70·0	88 0	75 0	76·0	58 0	46·0	40 0	88 0
Chicoutimi	34 9	40 6	42 8	52 1	75 7	91 2	90 4	84 5	87 7	68 7	52 8	42·0	91 2
Clarke City	35 0	37 0	39·0	52·0	68 0	89 0	88 0	76 0	77·0	65·0	43 0	30 0	88 0
Father Point	45 0	43 4	43·0	47 1	69 7	77 8	81 7	77 8	74 7	63 7	50·8	39 9	81 7
Montreal	39 4	39 8	46 8	66·5	82 0	87·0	91 8	81 0	84 0	74·6	56 3	52 1	91·8
Percé	38 0				67 4	75·1			77 4	70 8	62 4	39 4	
Quebec	38 8	40 2	44·0	57·8	79 2	88 5	89 6	81·6	81 8	65 4	50 8	44·0	89 6
Roberval	38 0	18 0									40 0		
Shawenegan Falls	41 0	47 0	49 0	58·0	80 0	90 0	89 0	85 0	79 0	70 0	50·0	45·0	90·0
Sherbrooke	42 8	41 3	53 7	70 2	81 3	89 6	91 2	90 2	85 2	76 3	58 8	53 0	91 2
Ste. Anne de Bellevue	34·5	40 0	54 5	67·0	83 5	90·0	96 8		88 5	78 1	58·5	58 0	
Whitefish River						90 0	93 5	83 2	83 0	68 0	52 0	39 0	
NEW BRUNSWICK.													
Bathurst							99 0	108 0					
Chatham	46 5	51 0	53 0	76 0	84 0	94 5	96 0	85 0	84 0	75 0	52 5	35 0	96 0
Dalhousie	46 0	46·0	49 0	53 0	80 0	92 0		81·0	84 0	71 0	53 0	71 0	
Fredericton	49 0	49 2	54·0	73 2	79 0	91 5	90 5	83 0	84 4	76 6	55 0	48 0	91 5
Grand Manan	50·2	49 2	51 2	66 6	74 6	82 1	87 6	79 6	84·1	75 0	56 0	52·2	87 6

Maximum Temperature at all Stations for each Month and the Year 1908 *Concluded.*

Stations	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
New Brunswick—*Concluded*													
Moncton	52·0	52·5	61·0	72·0	77·0	89·0	90·0	82·5	80·0	74·0	56·0	51·0	90·0
Point Lepreau	45·0		50·0	65·0	60·0	66·0	71·0	69·0	67·0	60·0	52·0	50·0	71·0
St. John	49·8	50·0	48·4	63·6	74·2	78·7	84·5	76·2	77·0	68·2	54·5	50·2	84·5
St. Stephen	52·0	49·5	53·0	77·0	80·5	89·0	94·0	84·0	87·0	77·0	55·0	57·5	94·0
Sussex	54·0	54·0	46·0	69·0	79·0	86·0	90·2	81·0	82·0	75·0	56·0	57·0	90·2
Nova Scotia													
Halifax	50·6	48·6	51·6	65·7	77·4	85·5	89·8	80·8	79·7	71·6	55·6	53·8	89·8
Parrsboro		51·0	45·0	60·0	69·0		86·0	79·0	73·0	69·0	60·0	52·0	
Port Hastings	70·0		62·0	71·0	65·0	97·0	92·0	74·0	79·0	58·0	50·0	45·0	97·0
Sable Island (E. Point)	57·0	40·0	45·5		53·0	62·0	71·0	76·0	69·0	66·0	52·0	50·0	76·0
Sable Island (Main Station)	54·0	48·0	46·0	52·0	57·0	68·0	76·0	78·0	69·0	67·0	55·0	52·0	78·0
Sydney	54·0	50·5	48·0	56·0	75·0	83·0	88·5	84·5	78·5	70·5	56·0	52·5	88·5
Truro	56·8	55·4	54·0	64·5	74·7	84·3	92·0	82·4	77·4	70·0	55·4	54·6	92·0
Whitehead	43·0	39·0	40·0	49·0	61·0	65·0	71·0	68·0	69·0	62·0	52·0	47·0	71·0
Windsor	56·0	55·0	57·0	68·0	74·0	84·5	92·0	86·5	81·0	75·0	57·5	57·5	92·0
Yarmouth	53·7	50·0	51·6	63·0	68·0	70·2	80·4	73·2	73·7	66·4	55·0	52·2	80·4
Prince Edward Island													
Charlottetown	47·5	48·0	45·5	60·5	77·0	81·0	89·0	83·0	79·0	66·0	52·0	46·0	89·0
Hamilton	62·0	49·0	46·0	58·0	72·0	80·0	89·0	80·0	78·0	68·0	52·0	47·0	89·0
Hillsboro				62·0	83·5				75·0				
Summerside	54·1	52·0	53·0	61·0	72·0	82·0	89·0	76·0	80·0	68·0	58·0	47·0	89·0
Newfoundland													
Belle Isle	38·0	47·0	33·0	42·0	52·0	65·0	64·0	62·0	60·0	54·0	40·0	36·0	65·0
Cape Norman	35·0	38·0	33·0	33·0	48·0	65·0	68·0	64·0	56·0	50·0	42·0	33·0	68·0
Channel	45·0	38·0	40·0	44·0	64·0	69·0	76·0	73·0	68·0	60·0			76·0
Point Amour	35·0	40·0	35·0	35·0	47·0	63·0	67·0	63·0	60·0	50·0	43·0	37·0	67·0
Point Rich	40·0	46·0	37·0	39·0	52·0	68·0	68·0	67·0	65·0	58·0	55·0	35·0	68·0
St. George	45·5	47·2	49·8	51·2	62·4	78·2	82·0	80·0	73·5	65·0	55·6	48·5	82·0
St. John's	46·0	50·0	46·0	49·0	69·0	80·0	83·0	79·0	78·0	67·0	54·0	54·0	83·0
North West Territories													
Fort Churchill (H.B.Co.)							96·0	87·0					
Fort Churchill (R. N. W. M. P.)	14·0	23·0	25·0	32·0	62·0	66·0	96·0	87·0					
Fort Hope	36·0	40·0	38·0	54·0	78·0	89·0	92·0	80·0	80·0	73·0	42·0	28·0	92
Norway House	17·0	34·0	36·0	56·0	80·0	81·0	85·0	76·0	75·0	64·0	35·0	27·0	85·0
Bermuda													
Prospect	72·4	75·4	73·6	76·4	78·6	84·4	89·0	90·0	87·0	82·4	75·6	75·0	90·0
Yukon													
Dawson	30·0	35·0	35·0	56·0	77·5	84·0	84·0	79·6	61·0	52·0	28·0	25·0	84·0

Minimum Temperature at all Stations for each Month and the Year 1908.

Stations.	January	February	March	April	May	June	July	August	September	October	November	December	Year
BRITISH COLUMBIA													
Agassiz	21·0	20·0	28·0	[illegible]	36·0	45·0	47·0	42·0	36·0	[illegible]	32·0	0·0	20·0
Alberni	14·0	10·8	22·9	[illegible]	29·0	38·0	[illegible]	38·0	23·0	[illegible]	26·0	20·0	10·8
Athalmer			[illegible]						30·0	20·0	6·0	16·0	
Atlin	13·0	25·0	14·5	11·0	24·0	30·0	33·0	31·0	24·0	3·0	− 5·0	26·0	26·0
Babine										5·0	7·0	30·0	
Barkerville	6·0	− 4·0	9·0	7·0	25·0	30·0	37·0	35·0	19·0	6·0	0·0	22·0	−22·0
Bella Coola	12·0	6·0	16·0	21·0	31·0	37·0	39·0	39·0	27·0	22·0	26·0	12·0	12·0
Cape Scott	21·0	24·0	28·2	29·0	31·0	38·4	43·7	40·0	37·0	30·0	28·0	23·5	21·0
Chilcotin–Big Creek	−12·0	23·0	15·0	9·0	25·0	32·0	31·0	32·0	14·0	6·0	4·0	15·0	23·0
Clayoquot	24·5	22·5	28·0	31·0	33·0	41·0	40·0	43·0	33·0	30·0	30·0	28·0	22·5
Cowichan	22·6	16·8	27·0	29·0	37·4	40·2	41·5	44·0	28·8	27·8	25·0	21·0	16·0
Crowsnest Pass	4·0	4·0	14·0	19·0	37·0	41·0	40·0						
Garry Point	22·0	16·0	27·0	31·0	35·0	40·0	39·0	42·0	25·0	32·0	27·0	22·0	16·0
Glacier	10·0	10·0	16·0	9·0	32·0	34·0	41·0	35·0	25·0	23·0	9·0	15·0	15·0
Golden	25·0	26·0	29·0	31·0	27·0	38·0	39·0	37·0	22·0	21·0	6·0	11·0	26·0
Hedley	7·0	7·0	10·0	26·0	34·0	36·0	42·0	39·0	28·0	29·0	7·0	4·0	7·0
Hedley (Nickel Plate)	4·0	4·0	3·0	8·0	14·0	30·0	[illegible]	28·0	19·0			2·0	
Lake Bay							42·4	44·0	34·0	28·0	30·5	24·0	
Kamloops	1·7	1·0	5·1	9·0	28·0	42	47·4	45·0	30·2	23·0	13·8	0·2	1·0
Kelowna (Okanagan Mission)	0·0	− 2·2	7·8	20·9	[illegible]·0	43·1	48·7	39·7	27·7	25·6	17·4	9·8	− 3·0
Lytton	14·0	19·0	26·0	29·0	35·0	42	49·0	44·0	26·0	30·0	26·0	22·0	14·0
Mission	17·0	17·0	19·0	28·0	32·0	35·0	43·0	45·0	33·0	17·0	28·0	27·0	17·0
Nanaimo	14·0	11·0	25·0	29·0	33·0	40·0	41·8	46·0	29·2	27·5	30·5	33·3	11·0
Nelson	14·0	2·0	18·0	19·0	34·0	41·0	40·0	41·0	29·0	29·0	9·0	6·0	2·0
New Westminster	17·0	14·4	27·0	28·0	36·2	44·1	43·1	46·1	28·7	32·0	25·0	21·2	15·4
Nicola Lake	13·0	4·0	8·0	18·0	32·0	37·0	37·0	24·0	25·0	9·0	1·0	11·5	
North Nicomen	4·0	1·0	9·4	20·0	28·0	44·0	43·0	44·0	1·0	30·0	28·0	20·0	2·0
Penderton							44·0	42·0	24·0	32·0	22·0	12·0	
Penticton	4·0	0·0	16·0	23·0		38·0	38·0	44·0	29·0	28·0	9·0		
Port Simpson	23·7	19·6	19·4	29·3	30·0	35·4	44·0	46·0	30·0	32·0	26·0	20·2	19·4
Revelstoke	27·0	25·0	7·0	16·0	27·0	30·0	36·0	32·0	30·0	30·0	6·0	7·0	25·0
Quesnel	12·0	12·0	26·0	30·0	25·0	18·0	35·0	32·0	32·0	3·0	− 1·0	27·0	−27·0
Rose Hill	0·0	3·0	7·0	17·0	31·0	36·0	42·0	41·0	28·0	28·0	20·0	0·4	− 0·4
Rossland	0·3	1·0	14·0	16·0	34·0	36·0	39·0	36·7	26·0	25·5	12·0	3·8	− 1·5
Salmon Arm	1·0	1·0	8·0	20·0	35·0	41·0	46·0	44·0	28·0	29·0	21·0	11·0	1·0
Spences Bridge	1·0	1·0	17·0	26·0			44·0					3·0	
Stuarts Lake (Fort St James)	20·0	21·5	−23	4	17·5	24·5	37·0	32·0	11·0	0·0	0·0	−41·0	−41·0
Summerland	2·0	− 2·0	8·0	20·0	34·0	41·0	44·0	42·0	31·0	29·0	10·0	0·7	− 2·0
Tuctus Island	23·7	20·1	26·8	29·5	34·7	42·5	47·4					25·4	
Tobacco Plains	7·0	0·0	12·0	14·0	25·0	28·0	32·0	35·0			6·0	0·0	

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908—*Continued*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
BRITISH COLUMBIA *Concluded*													
Vancouver	18·4	16·0	25·6	29·6	37·6	45·4	43·0	46·7	29·9	31·3	28·0	23·9	16·9
Vernon (Coldstream Ranch)	−1·0	−2·0	0·0	18·0	34·0	38·0	40·0	38·0	26·0	29·0	14·0	5·0	2·0
Victoria	26·2	23·7	27·2	32·9	39·6	46·0	44·2	47·4	34·9	31·2	31·9	28·3	23·7
Winter Harbour					36·0	39·0	47·0	46·0	38·0	34·0	20·0	25·0	
SASKATCHEWAN													
Alameda	28·0		13·0										
Battleford	33·0	20·0	31·0	10·0	22·0	33·0	44·0	34·0	20·0	12·0	23·0	28·0	33·0
Broadview					22·0	30·0	43·0	33·0	20·0	13·0			
Brownhill	−25·0	−20·0	−20·0	4·0	19·0		42·0	31·0	19·0	10·0	−15·0	29·0	−29·0
Chaplin	−27·0	−45·0	−22·0	14·0	25·0	35·0	38·0	30·0	13·0	14·0	−18·0	−28·0	45·0
Crescent Lake				2·0		32·0							
Drinnagne	34·0	22·0	32·0	13·0	12·0	29·0	37·0	28·0	14·0	11·0	−11·0	−32·0	34·0
East End	−18·0											−25·0	
Esterhazy			20·0	4·0	35·0	21·0	36·0	28·0	18·5	11·0	0·0	−34·5	
Estevan	23·0	18·0	8·0	−8·0	22·0	32·0	36·0	34·0	20·0	14·0	−9·0	−28·0	28·0
Fond du Lac	45·0	−42·0	47·6	26·0	1·0	34·0	37·0	30·0	24·0	6·0	42·0	−40·0	−47·0
Gatesgarth	26·0	25·0	21·0	14·0	18·0	31·0	38·0	32·0	10·0	1·0	12·0	32·0	32·0
Humboldt	−32·0	22·0	31·0	8·0	23·0	33·0	42·0	32·0	18·0	12·0	18·0		
Indian Head	−33·0	29·0	32·0	10·0	21·0	34·0	41·0	33·0	20·0	11·0	14·0	−32·0	−33·0
Kamsack						27·0	34·0	25·0	18·0	9·0		−40·0	
Lloydminster	−30·5	29·7	28·0	10·5	19·2		38·2	27·6	17·2	10·1	26·5	−30·0	−30·5
Manor			37·0	12·0	18·0	29·0	42·0	30·0	18·0		−9·0	−30·0	
Melfort									25·0		20·0		
Meota	39·0	25·0	31·0	9·0	18·0	27·5	36·0	28·0	15·0	10·0	31·0	36·0	−39·0
Moose Jaw	25·0	−29·0	−17·0	14·0			41·0	32·0	10·0	16·0	10·0	−25·0	25·0
Moosomin	34·0	23·0	26·0				40·0	31·0	20·0	10·0	14·0		
Onion Lake						32·0							
Prince Albert	−35·0	26·0	−35·0	4·5	19·5	31·5	40·5	35·0	17·5	13·5	21·0	−39·0	39·0
Qu'Appelle	−29·5	−20·9	17·0	7·0	20·0	32·0	41·0	35·0	17·0	12·0	14·0	−31·0	−31·0
Regina	26·1	30·4	−18·0	17·5	20·0	30·0	38·0	33·0	11·0	12·0	10·0	−32·0	−32·0
St. Peter's Monastery	31·0	20·0	31·0	15·0	18·0	30·0	39·0	30·0	13·0	12·0	26·0	−34·0	34·0
Saskatoon	29·4	27·0	24·7	9·0	20·5	36·0	41·0	34·5	12·0	12·5		29·5	29·5
Swift Current	18·0	16·0	15·0	2·0	2·0	33·0	42·0	39·0	18·0	16·0	10·0	25·0	25·0
Wascana	30·0	27·0	25·0	10·0	20·0	31·0	41·0	36·0	12·0	10·0	28·0	34·0	−35·0
Wolseley		18·0	16·0	5·0	15·0	33·0	40·0	37·0	17·0	14·0	10·0		
Yorkton											10·0	−30·0	
ALBERTA													
Alix	21·0	24·0	17·0	16·0	29·0	34·0	39·0	30·0	12·0	3·0	5·0	−27·0	27·0
Athabaska Landing									7·0	1·0	20·0	35·0	
Banff	−28·0	12·7	16·5	13·3	26·0	34·3	39·5	33·2	18·0	6·5	−7·8	−33·7	−33·7

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908 *Continued.*

Stations	January.	February.	March.	April	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA *Concluded.*													
Blackfalds	20·0	25·0	−20·0	− 4·5	13·5	33·0	35·0	25·0	7·0	5·0	− 7·0		
Bon Accord	−21·0	−20·5	−18·6	5·3	25·2	31·4	38·9	26·8	16·0	7·0	−14·8	29·0	−29·0
Calgary	8·0	−14·0	−12·0	3·0	25·0	36·0	39·0	34·5	20·3	9·0	2·0	20·0	−20·0
Cardston	−10·0	− 9·0	12·0	5·0	27·0	33·0							
Daysland		24·0	−22·0	−10·5	24·0	36·0	45·0	30·0	18·0	7·0	−15·0	33·0	
Didsbury	−14·0	16·0	−14·0	− 2·0	20·0	36·0	40·0	32·0	12·0	4·0	−10·0	−26·0	26·0
Dunvegan	−24·0	−34·0	−25·0	10·0	27·0	37·0	34·5	34·0	21·0	−14·0	−19·0	−45·0	−45·0
Eckville	27·2	28·7	−20·5	12·8	26·5	32·2	32·7	26·5	11·2	1·3	− 4·0	−35·3	35·3
Edmonton	−25·0	− 22·0	16·0	− 5·0	29·0	34·0	43·0	31·0	12·0	9·0	8·0	30·0	30·0
Fort Vermilion	−32·0	39·5	−37·0	−16·0	26·8	32·2	38·4	26·9	18·9	14·0	−26·0	49·0	−49·0
Fort Vermilion (2)							38·0	33·0	20·0	15·0	43·5	51·0	
Gleichen	−15·0		−18·0	9·0	29·5	34·0	35·0	30·5	10·0	2·5	−24·0	26·5	
Gray Hill	8·8	17·8	−13·0	4·8	29·9	32·0	40·5	29·4					
Harmattan		−18·0	16·0	2·0	23·0	32·0	31·0	29·0	10·0	2·0	− 9·0	−28·0	
High River	−14·0	14·0	19·0	3·0	24·0	36·0	30·0	32·0	14·0	11·0	− 7·0	−24·0	24·0
Hillsdown	−16·0	−20·0	−16·0	− 5·0	27·5	34·0		31·0	11·0	8·0	− 5·0	−29·0	
Islay			−30·0										
Knee Hills	25·0	−25·0	−18·0	−13·0	18·0	32·0	31·5		5·0	0·0	−20·0		
Lacombe	−20·1	−18·1	17·6	− 5·1	27·4	30·4	39·9	26·5	14·4	7·4	− 5·2	31·5	31·5
Lawrence	−10·0	22·0	−14·0	1·0	28·0	34·0						40·0	
Lethbridge	4·3	7·9	13·0	− 0·7	28·0	39·0	38·8	35·1	21·7	12·2	− 2·3	−22·0	22·0
Lethbridge (Experimental Farm)		14·0	13·1	0·0	30·0	38·9	33·7	35·6	19·2	10·5	3·8	−28·5	
Medicine Hat	−13·7	15·8	− 7·4	2·6	29·7	39·7	46·0	38·0	28·0	14·5	2·0	−21·0	21·0
Macleod	− 9·0	7·0	−16·0	6·0	30·0	39·0	39·0	38·0	21·0	13·0	4·0	− 19·0	19·0
Pakan	32·0	26·0	−33·5	16·3	25·0	31·0	39·0		16·0	5·0	−28·0	41·5	
Peace River Landing	30·0	−33·0	−27·0	1·0	29·0	32·0	37·0	36·0	14·0	9·0	20·0	− 39·0	39·0
Pekisko	− 9·0	21·0	21·0	− 6·0	28·0	28·0	30·0	29·0	11·5	3·0			
Pembina			− 30·0	11·5	10·0	27·5	36·6	26·0	13·0	2·0	−21·0	− 33·0	
Pincher Creek							35·0	35·0	11·0	13·0	− 7·0	−16·0	
Red Willow	−29·0	−18·0	− 8·0	3·0	29·0	40·0	42·2	32·0	18·0	11·0	−10·0	28·0	29
Shaftesbury	− 30·0	34·0	−28·0	− 5·0	25·0								
Sion	−25·0	−23·0	15·0										
Taber	11·0	−11·0	− 9·0	1·0	32·0	40·0							
Three Hills Creek	−26·0	−25·0	−14·0	13·0	20·0	20·0	32·0	30·5	7·0	2·5	−22·0	−38·5	38·5
Waitefield (Kanfurly)	35·0	26·0	27·0	18·0	22·5	35·0	43·2	30·0	15·0	7·0	28·0	32·5	35·0
Wetaskiwin	24·0	22·0	20·0	8·0	25·0	36·0	43·0	32·0	19·0	8·0	− 8·0		
MANITOBA.													
Almasippi	−38·0	−25·0	−22·0	12·0	20·0	30·5	34·0	31·0	27·0	17·0	4·0	−24·0	−38·0
Berens River	−43·0	−33·0	35·0	−10·0	19·5	29·0		35·0	20·0	15·0	−15·0	−42·0	−43·0

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

STATIONS	January	February	March	April	May	June	July	August	September	October	November	December	Year
MANITOBA—*Concluded.*													
Elm Creek					39·0	37·0	45·0	34·0	23·0	13·0			
Elsmere	46·4	31·5	31·3	1·1	11·0	29·0	40·0	29·0	22·0	8·0	6·4	34·3	-46·4
Gladstone	15·0	37·0	27·0	5·0	14·0	22·0	32·0						
Gretna					30·0	28·0	36·0	36·0	24·0	11·0			
Cypress River					20·0	30·0	40·0	34·0	27·0	14·0			
Fort Ostell	35·0	36·0	35·0	8·0	29·0		45·0	46·0	32·0	22·0	8·0	—29·0	36·0
Hillcrew	40·0	29·0	26·0	16·0	20·0	32·0	45·0	33·0	25·0	10·0	10·0	27·0	40·0
Manitou	41·2	21·1	24·1	4·2	15·6	32·0	42·0	32·6	27·4	17·0	8·7	—30·5	-41·2
Meadow	36·0	26·0	24·5	1·5	18·0	31·5	36·0	36·0	24·5	12·5	5·0	26·0	-36·0
Oak Bank	—39·0	—31·0	31·0	3·0	25·3	34·5	36·5	36·0	28·7	21·7	- 2·5	26·0	-39·0
Pierson					22·0	15·0	24·0	30·0	24·0	10·0			
Pipestone					21·0	30·0	42·0	32·0	25·0	13·0			
Portage la Prairie	29·0	19·0	20·0	8·0	23·0	31·0	40·0	37·5	28·0	20·0	15·0	23·5	29·0
Portage la Prairie (2)						34·0	44·0	39·0	28·0	20·0			
St. Albans Awenue	37·5	21·5	23·5	2·5	29·7	31·5	44·5	31·5	26·0	11·5	2·0	28·0	-37·5
Stony Mountain	38·0	28·0	24·0	5·0	26·0	34·0	40·0	38·0	26·0	19·0	4·0	28·0	38·0
Swan River					27·0	30·5	39·0	30·0	26·0	19·0	21·0	30·0	
Treherne	33·0	20·0	22·0	0·0	15·0	33·0	33·0	32·0	25·0	12·0	7·0	28·0	33·0
Virden					20·0	28·0	40·0	31·0	24·0	10·0			
Winnipeg	36·0	—25·4	-19·8	2·2	32·0	32·1	37·0	34·7	27·0	23·2	5·0	22·0	36·0
ONTARIO.													
Agincourt	— 8·0	22·3	1·7	15·6	32·6		48·7	43·0	37·0	24·6	17·8	2·0	22·3
Alton	16·9	32·2	11·8	1·6	21·4	33·5	41·0	36·5	28·0	16·3	13·8	12·3	—32·2
Barrie	- 47·0	38·0	—16·0	3·0	26·0	33·0	40·0	34·0	29·0	18·0	5·0	- 26·0	47·0
Barrie							48·8	42·1	37·7	21·2	19·2	1·0	
Beeton	—38·0	35·0	6·0	2·0	24·0	33·0	42·0	33·0	35·0	19·0	11·0	18·0	38·0
Bervie	-15·0	14·0	7·0	22·0	29·2	35·2	47·0	43·5	33·7	29·0	15·0	4·0	-15·0
Bloomfield	—22·0	—26·0	2·0	15·0	32·0	43·0	49·0	45·0	40·0	30·0	20·0	1·0	-26·0
Brantford	13·0	21·0	0·0	18·0	26·0	36·0	47·0	41·0	30·0	25·0	17·0	1·0	-13·0
Bruce Mines	—26·0	—27·0	—11·0	4·0	27·0	34·0	43·0	36·0	32·0	21·0	13·0	16·0	27·0
Cathcart	7·0	9·0	14·0	26·0	30·0	37·0	47·0	45·0	34·0	26·0	18·0	10·0	9·0
Chesley	— 3·0	—21·0	— 1·0	17·0	30·0	33·5	43·0	39·0	36·0	25·0	22·0	- 5·0	24·0
Clinton	—39·0	—33·2	11·5	-12·0	7·0								
Coe Hill	2·0	22·0	8·0	0·0	27·0	34·0	43·0	40·0	37·0	25·0	17·0	6·0	25·0
Coldwater	42·0	46·0	1·0	7·0	23·0	31·0	42·0	27·0	19·0	13·6	10·0	23·0	-46·0
Copper Cliff									25·0	28·0	16·0	19·0	
Cottam	5·0	14·0	9·0	11·0	19·0	35·0	44·0	38·0	30·0	26·0	15·0	4·0	14·0
East Toronto	—20·0	—22·0	6·0	15·0	32·0	41·0	50·0	44·0	39·0	26·0	21·0	— 2·0	—22·0
Gravenhurst	48·0	33·0	15·7	2·0	25·0	35·0	45·0	37·0	36·0	21·0	16·8	13·9	48·0
Guelph	18·0	19·0	17·0	15·0	29·0	40·0	48·0	44·0	33·0	24·0	20·0	10·0	- 19·0

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908 *Continued*

Stations.	January.	February.	March	April.	May	June	July.	August.	September.	October	November	December	Year
ONTARIO *Continued*													
Haileybury	35·1	—33·4	—19·6	0·8	27·0	35·1	46·8	41·0	34·3	24·1	14·1	20·1	35·1
Haliburton	44·0	—32·0	7·0	—7·0	22·0	31·0	41·0	33·0	31·0	19·0	5·0	—26·0	44·0
Hamilton	7·5	—11·0	11·0	21·0	31·0	45·0	54·5	47·0	37·0	30·0	25·0	8·0	11·0
Huntsville	—40·0	—34·0	—4·0	4·0	26·0	37·0	46·0	40·0	36·0	21·0	15·0	11·0	—40·0
Judge	46·0	46·0	—34·0	4·0	25·0	29·0	41·0	31·0	35·0	27·0	10·0	33·0	46·0
Kakabeka Falls											3·0	21·4	
Kenora	—39·0	30·0		4·0							6·0	25·0	
Kingston	27·5	—27·9	2·4	13·3	33·0	41·8	51·7	45·1	36·4	29·0	21·0	—5·8	27·9
Kinmount		40·0	—21·0	4·0	23·0	33·0	39·0	30·0	28·0	17·0	7·0	23·0	
Lake Talon	—44·5	35·0	—19·0	0·5	25·5	30·0	41·2	30·8	30·0	15·0	16·5	26·5	—44·5
Lakefield	28·0	—28·0	—2·0	9·0	30·0	42·0	51·0	46·0	36·0	28·0	18·0	11·0	28·0
Lakeside House	12·0	—18·0	0·0	19·0	33·0	43·0	49·0	47·0	41·0	32·1	25·0	8·0	18·0
Lindsay	27·0	29·0	3·8	10·3	27·8	39·8	48·9	40·7	33·9	24·2	13·4	—17·5	29·0
Listowel	10·0	10·0	5·0	9·0		45·0	48·0			29·0	14·0	3·0	10·0
London	9·0	—20·0	3·5	18·0	27·0	31·5	47·5	41·0	32·5	25·0	17·0	9·5	29·0
Lorne Park												1·0	
Lucknow	—7·1	16·2	—0·1	8·0	29·9	36·1	41·9	37·1	34·1	23·9	21·0	8·1	16·2
Madoc	30·0	31·0	—5·0	9·0	28·0	40·0	50·0	44·0	34·0	24·0	18·0	16·0	—31·0
Meaford	9·0	21·0	0·0	13·0	27·0	42·0	50·0	45·0	40·0	32·0	24·0	9·0	—21·0
Moose Factory	38·0	33·0	34·0	17·0	23·0		33·0	44·0	32·0				
North Bruce	3·0	15·0	8·0	20·0	35·0	45·0	50·0	45·0	40·0	32·0	23·0	10·0	15·0
North Gower	28·0	40·0	—13·5	7·0	32·5	31·5	47·5	39·0	33·0	22·5	16·5		40·0
Orillia	—25·0	26·5	3·0	9·0	29·0	42·0	49·0	44·5	37·0	24·0	16·0	—4·0	26·5
Otonabee	—30·0	26·0	7·0	15·0	34·0	45·0	52·0	45·0	41·0	29·0	20·0	5·0	30·0
Ottawa	22·0	23·0	2·0	8·0	33·0	41·5	51·0	45·0	37·0	28·0	14·0	—13·0	23·0
Owen Sound	7·0	22·0	2·0	14·0	26·0	36·0	47·0	40·0	37·0	26·0	20·0	6·0	22·0
Paris	—12·0	—22·0	—1·0	19·0	27·0	41·0	50·0	43·0	33·9	25·0	18·0	2·0	22·0
Parry Sound	36·0	32·0	6·0	6·0	30·0	36·0	48·0	43·0	40·0	21·0	16·0	6·0	36·0
Pelee Island									54·0	41·0	21·0	16·0	
Peterboro	29·0	29·0	6·0	10·0	28·0	40·0	47·0	39·0	31·0	24·0	15·0	—19·0	—29·0
Point Clark	0·0	10·0	9·0	16·0	32·0	42·0	55·0	43·0	43·0	37·0	30·0	13·0	0·0
Port Arthur	31·0	17·0	12·0	—2·0	28·0	33·0	42·0	36·0	31·0	23·0	8·0	16·0	—31·0
Port Burwell	11·5	—13·0	7·0	15·0	28·0	38·5	48·0	43·0	34·0	26·0	18·0	7·5	—13·0
Port Dover	—10·0	—16·5	4·5	19·5	27·2	38·1	49·5	43·1	36·1	27·2	16·2	8·0	—16·5
Port Hope	23·0	—22·0	5·0	15·0	27·0	43·0	38·0	44·0	41·0	24·0	19·0	3·0	—23·0
Port Stanley	—9·5	—16·1	9·0	18·7	30·0	38·5	40·8	42·8	34·0	26·3	19·0	9·0	—16·1
Renfrew	—34·0	35·7	—17·0	4·0	29·6	36·0	45·0	37·5	28·5	21·0	12·0	28·0	—35·7
Rockcliffe	—42·0	—39·0	—19·0	4·0	26·6	34·0	44·0	39·0	31·0	21·0	14·0	—20·0	42·0
Ronville	—43·0	38·0	9·0	—5·0	23·0	34·0	43·0	38·0	35·0	20·0	9·0	—20·0	—43·0
Sarnia	20·0	—15·0	15·0	22·0	31·0	43·0	55·0	50·0	41·0	30·0	20·0	4·0	—20·0
Southampton	—6·0	16·1	0·1	12·3	26·1	38·4	48·2	42·1	40·1	31·6	25·0	1·6	—16·1

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908 *Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded*	°				'	°	°	°	°	'	'	°	°
Stoney Creek	−12·0	−15·0	15·0	21·0	28·0	41·0	52·0	43·0	36·0	26·0	21·0	10·0	−15·0
Stratford	7·0	21·0	1·0	13·0	29·0	37·0	47·0	39·0	31·0	22·0	14·0	— 5·0	−21·0
Sutton West	−24·2	31·0	− 3·0										
Toronto	13·8	17·5	7·5	17·5	29·4	42·7	51·7	43·0	36·7	27·6	22·4	6·2	−17·5
Uplands	40·3	−37·6	2·5	9·5	17·0	30·8	39·5	29·7	27·5	16·5	15·5	−24·0	−40·3
Uxbridge	−29·0	−21·0	6·0	10·0	25·0	38·0	46·0	38·0	33·0	22·0	16·0	−10·0	−29·9
Wallaceburg	11·0	11·0	13·0	21·0	32·9	44·0	48·0	45·0	36·0	25·0	17·0	5·0	11·0
Welland	7·0	−12·0	12·0	20·0	32·0	44·0	50·0	45·0	37·0	29·0	20·0	7·0	−12·0
White River	47·0	45·0	38·0	20·0	−12·0	26·0	33·0	23·0	29·0	17·0	5·8	28·0	47·0
Windsor	2·0	1·0	19·0	24·0	33·0	44·0	52·0	50·0	40·0	33·0	18·0	9·0	— 1·0
Woodstock	7·5	20·0	4·5	17·0	26·5	38·0	47·4	41·0	31·0	24·0	12·0	5·0	−20·0
QUEBEC													
Abitibi	−41·0	36·0	35·0	20·0	19·0	30·0	35·0	43·0	34·0	24·0	9·0	−33·0	−41·0
Anticosti (Heath Point)	5·0	14·0	3·0	6·0	29·0	35·0	53·0	44·0	41·0	35·0	14·0	0·0	−14·0
Anticosti (S.W. Point)	16·0	15·0	6·0	0·0	26·0	34·0	44·0	38·0	36·0	19·0	7·0	0·0	16·0
Anticosti (W. Point)	−12·0	−11·0	5·0	9·0	28·0	38·0	48·0	44·0	42·0	29·0	15·0	6·0	−12·0
Bicquette				7·0	34·0	40·0	43·0	45·0	41·0	30·0	17·0		
Bird Rocks	0·4	6·0	1·4	7·6	26·2	32·9	46·1	49·2	40·2	26·2	16·5	8·2	6·0
Bronte	−21·0	38·0	12·0	4·0	30·0	31·0	40·0	36·0	26·0	20·0	9·0	23·0	38·0
Cape Chatte	−10·0	11·0	0·0	10·0	32·0	39·0	53·0	44·0	45·0	30·0	17·0	7·0	−11·0
Cape Magdeleine	— 8·0	10·0	1·0	13·0	30·0	37·0	51·0	45·0	40·0	25·0	18·0	8·0	−10·0
Chicoutimi	31·3	38·1	19·1	3·6	15·6	35·5	44·9	42·9	31·4	20·4	6·7	−20·2	−38·1
Clarke City	−28·0	−34·0	−16·0	0·0	25·0	32·0	45·0	35·0	29·0	29·0	1·0	−29·0	−34·0
Disraeli		30·0		0·0		40·0							
Father Point	−12·0	−14·0	5·0	6·0	30·0	32·0	42·0	37·0	34·0	28·3	17·0	−16·2	−16·2
Montreal	−20·0	−20·6	1·4	7·3	36·0	44·0	54·2	48·4	40·0	31·0	17·4	− 9·5	−20·6
Perce	−12·9				33·8	32·8			39·7	29·6	16·3	— 1·9	
Quebec	−21·6	−24·2	− 7·5	1·2	31·6	36·0	46·0	45·6	35·8	27·2	8·5	−14·0	−24·2
Roberval	−46·0	−42·0									11·0		
Shawenegan Falls	−37·0	−32·0	−20·0	0·0	31·0	34·0	38·0	40·0		24·0	12·0	18·0	−37·0
Sherbrooke	19·6	−30·7	−11·1	5·1	31·5	32·0	41·0	39·4	29·1	21·4	12·0	17·0	−30·7
Ste. Anne de Bellevue	−26·8	33·5	− 5·8	8·8	37·0	40·0	51·8		36·0	25·8	17·0	−17·0	−33·5
Whitefish River						26·0	33·0	30·5	23·0	13·0	5·0	-42·0	
NEW BRUNSWICK													
Bathurst							40·0	30·0					
Chatham	−14·0	−27·5	−10·5	11·0	29·0	33·0	45·0	42·0	36·5	27·5	20·0	-17·5	−27·5
Dalhousie	−15·0	9·0	6·0	5·0	23·0	25·0		33·0	35·0	32·0	12·0	19·0	19·0
Fredericton	−12·0	−29·0	− 9·0	9·5	29·0	34·3	45·0	38·0	30·0	24·8	13·0	20·0	29·0
Grand Manan	11·0	5·0	4·0	14·0	35·8	37·0	52·0	49·0	43·0	32·0	23·0	5·0	11·0
Moncton	14·0	17·0	- 12·0	13·0	29·0	34·0	39·0	36·0	30·0	23·0	15·0	−10·0	- 17·0
Pt. Lepreaux	5·0		4·0	14·0	35·0	38·0	52·0	48·0	44·0	31·0	19·0	0·0	

MINIMUM TEMPERATURE at all Stations for each Month and the Year 1908 *Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
	°	°	°	°	°	°	°	°	°	°	°	°	°
NEW BRUNSWICK - *Concluded.*													
St. John.	- 9·4	-13·2	1·0	12·0	34·2	35·0	49·8	51·5	39·2	30·0	21·5	— 4·3	13·2
St. Stephen.	-11·0	—27·0	—15·0	10·0	28·5	32·0	37·0	33·0	28·0	20·0	13·0	10·0	-27·0
Sussex.	-12·0	—25·0	—14·0	9·0	30·0	31·0	40·0	36·0	27·0	16·0	18·0	—14·0	25·0
NOVA SCOTIA.													
Halifax	— 2·4	— 7·3	7·5	17·0	31·1	36·6	46·9	42·0	34·3	27·4	24·6	4·6	7·3
Parrsboro'...		—18·0	- 4·0	11·0	20·0		40·0	25·0	39·0	22·0	21·0	— 6·0	
Port Hastings	2·0		0·0	12·0	27·0	35·0	42·0	35·0	38·0	25·0	22·0	3·0	
Sable Island (E. Pt.)	11·0	12·0	19·0		39·0	47·0	54·0	56·0	52·0	43·0	32·0	22·0	11·0
Sable Island (Main Station)	4·0	11·0	16·0	22·0	36·6	39·5	53·0	47·0	49·0	41·0	30·0	19·5	4·0
Sydney	2·0	0·0	0·5	16·5	28·0	35·0	46·3	41·9	37·0	29·4	23·0	12·0	0·0
Truro	7·2	- 16·8	0·8	14·6	25·4	34·0	41·7	35·4	28·4	20·4	17·0	6·3	16·8
Whitehead	3·0	2·0	11·0	19·0	33·0	30·0	53·0	52·0	49·0	39·0	27·0	11·0	2·0
Windsor.	3·0	- 13·5	4·5	16·0	31·0	34·0	45·0	37·5	34·0	23·0	20·0	— 4·0	13·5
Yarmouth.	5·1	0·2	10·5	20·1	31·8	40·0	44·5	42·8	34·0	25·8	29·1	5·7	0·2
PRINCE EDWARD ISLAND													
Charlottetown	5·0	10·0	2·0	16·0	29·5	37·0	47·0	44·0	44·0	31·0	23·0	1·0	-10·0
Hamilton	7·0	11·0	— 2·0	13·0	30·0	36·0	48·0	46·0	44·0	32·0	20·0	0·0	-11·0
Hillsboro'				14·5	35·0				33·5				
Summerside.	-11·0	—12·1	0·0	14·0	28·0	35·0	45·0	43·0	38·1	27·0	20·0	— 3·0	-12·1
NEWFOUNDLAND													
Belle Isle	— 6·0	— 6·0	0·0	7·0	28·0	28·0	42·0	42·0	40·0	25·0	10·0	—10·0	-10·0
Cape Norman	— 8·0	0·0	4·0	7·0	20·0	30·0	40·0	44·0	40·0	30·0	5·0	6·0	- 8·0
Channel	2·0	0·0	5·0	13·0	29·0	33·0	45·0	45·0	45·0	33·0			
Point Amour	—15·0	—10·0	- 6·0	1·0	31·0	32·0	43·0	40·0	40·0	25·0	10·0	15·0	-15·0
Point Riche	— 7·0	0·0	0·0	2·0	28·0	30·0	47·0	46·0	40·0	29·0	19·0	0·0	— 7·0
St. George	2·5	1·5	1·2	9·2	28·0	34·0	45·4	42·4	39·2	29·6	19·6	9·7	1·5
St. John's	4·0	— 1·0	7·0	13·0	26·0	36·0	37·0	42·0	36·0	31·0	19·0	4·0	- 1·0
NORTH WEST TERRITORIES													
Fort Churchill (H.B. Co).		—38·0			13·0	21·0	31·0	30·0					
Fort Churchill (R. N. W. M. P.	—43·0	—41·0	—37·0	—20·0	15·0	24·0	32·0	30·0					
Fort Hope	42·0	—35·0	—31·0	—23·0	18·0	25·0	39·0	36·0	22·0	18·0	-5·0	-32·0	—42·0
Norway House	—38·0	—37·0	—29·0	—23·0	20·0	27·0	39·0	36·0	20·0	18·0	5·0	32·0	-38·0
BERMUDA													
Prospect	39·0	46·0	49·6	52·0	59·6	65·0	72·0	69·0	67·0	66·0	29·0	57·0	39·4
YUKON													
Dawson City	—42·0	—44·0	—42·0	— 6·0	27·0	34·0	39·5	32·0	10·0	22·5	-25·0	-49·0	—49·0

Mean Daily Range of Temperature at all Stations for each Month and the Year 1908

Stations	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia													
Agassiz	11·5	14·5	20·8	24·5	23·8	28·1	32·2	21·1	22·6	24·3	12·6	13·5	21·1
Ahbau	11·5	18·1	21·0	27·6	25·6	35·1	34·9	30·9	30·5	26·4	12·7	9·7	24·4
Athalmer									31·4	22·5	17·4	17·1	
Atlin	11·0	14·5	16·1	17·9	21·0	23·8	25·9	18·7	11·0	10·8	9·7	9·7	15·5
Batsano										18·1	12·5	13·5	
Barkerville	6·5	14·1	11·4	14·8	19·6	22·5	25·4	24·5	22·0	17·6	17·4	16·1	18·5
Bella Coola	10·6	12·8	14·0	17·8	21·5	22·5	20·4	24·7	18·5	16·7	9·7	7·4	16·3
Cape Scott	10·7	9·6	7·6	11·8	12·6	12·0	11·1	11·4	11·2	8·8	9·4	8·8	10·6
Chilcotin (Big Creek)	25·7	26·2	25·0	25·4	27·2	28·7	31·2	34·1	30·6	22·8	18·8	22·0	26·5
Clayoquot	12·4	13·3	14·6	16·1	15·5	16·4	20·4	17·1	23·0	24·4	9·4	10·8	16·1
Cowichan	10·7	13·2	15·2	17·9	18·3	20·7	24·0	24·0	21·2	18·4	10·0	10·1	16·9
Crawford Bay	13·9	17·3	16·7	19·3	20·9	23·2	28·0						
Garry Point	10·0	11·5	13·8	14·1	15·8	17·0	19·4	18·3	17·2	15·5	11·4	10·1	14·3
Glacier	10·0	13·1	14·4	15·7	15·2	21·6	26·5	24·2	15·3	10·5	8·1	9·4	15·3
Golden	23·0	27·5	18·8	22·7	24·6	26·6	29·6	31·7	26·8	21·6	17·7	15·5	23·6
Hedley	15·6	16·1	19·6	22·5	24·0	26·6	30·1	30·2	27·8	21·3	17·7	13·1	22·1
Hedley (North Fork)	11·5	18·3	21·7	21·6	23·4	23·6	28·6	28·5	21·9			15·5	
Ikeda Bay							14·9	15·9	12·8	11·4	10·2	9·6	
Kamloops	9·4	14·0	16·7	22·0	21·7	24·1	26·0	25·2	24·0	17·2	11·8	11·1	18·6
Kelowna Observatory	14·6	16·0	18·7	24·6	25·5	27·2	30·6	29·8	24·3	20·8	18·7	13·7	22·0
Lytton	7·9	9·6	14·1	16·1	18·4	18·7	21·5	19·6	18·3	15·2	10·3	9·0	14·9
Macmillan	12·6	14·7	15·7	18·8	17·1	16·7	18·9	18·7	16·6	16·5	15·3	13·5	16·2
Nanaimo	14·0	16·7	17·3	17·8	16·9	21·5	22·4	21·4	18·9	15·2	8·8	9·9	15·7
Nelson	11·2	13·6	15·0	19·3	20·7	24·6	27·0	28·5	24·2	20·9	14·4	8·9	19·4
New Westminster	8·9	10·1	13·6	17·1	15·5	19·1	20·5	20·9	17·7	13·7	9·0	9·0	14·6
Nicola Lake	13·0	13·4	16·3	21·4	22·4	25·7	27·3	27·0	24·4	20·7	15·6	12·8	20·1
North Nicomen	10·6	12·1	14·1	18·6	18·4	20·7	23·7	21·1	19·5	15·5	46·6	10·6	19·5
Penticton							33·0	31·7	24·1	18·0	9·2	10·6	
Penticton	8·1	9·7	21·7	30·9	28·1	29·4	30·8	30·0	27·6	22·1	17·5		
Port Simpson	6·6	10·9		12·8	13·2	14·5	12·0	12·7	9·1	8·8	7·3	5·3	
Princeton	9·6	12·1	24·4	29·9	29·0	31·1	35·8	24·1	33·2	25·5	17·9	17·0	26·7
Quesnel	22·0	26·6	24·4	25·9	27·6	28·5	26·5	32·3	24·9	20·1	16·3	18·4	24·0
Revelstoke	6·8	12·9	14·2	20·5	21·5	27·8	28·3	30·9	23·2	15·2	11·5	10·9	18·9
Rossland	7·1	8·4	11·1	17·3	15·2	19·5	22·9	21·5	20·9	12·8	10·8	7·4	14·6
Sandon, Alta	9·0	13·1	15·6	21·0	23·8	27·1	31·4	28·5	23·0	17·6	10·1	9·3	19·2
Spence Bridge	9·3		19·7	25·6			33·7					9·5	
Stuart's Lake (Fort St. James)	21·4	25·7	28·4	24·1	27·0	27·5	30·5	30·7	27·1	24·7	19·3	22·7	25·9
Summerland	13·7	15·2	16·8	23·0	21·0	22·6	26·0	23·1	21·7	17·1	16·9	14·2	
Thetis Island	10·5	11·0	14·3	16·7	17·2	19·8	22·1					10·4	
Tobacco Plain	9·7	15·0	17·5	21·1	20·7	25·9	27·3	25·0			11·5	12·0	

Mean Daily Range of Temperature at all Stations for each Month and the Year 1908—*Continued.*

Stations	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia—*Concluded.*													
Vancouver	8·3	9·7	13·2	15·6	14·8	17·6	19·5	19·3	16·3	12·7	7·8	8·1	14·0
Vernon (Coldstream Ranch)	13·8	15·1	16·5	22·9	24·5	28·7	32·1	31·3	24·3	18·0	13·2	12·7	21·1
Victoria	6·3	9·8	11·9	14·8	14·9	18·4	20·9	19·1	16·6	12·2	8·5	7·0	13·4
Winter Harbour					14·0	14·5	14·9	15·5	11·7	11·2	10·5	9·1	
Alberta.													
Alix	27·1	25·0	26·7	25·1	24·1	19·6	24·7	26·3	32·1	23·9	21·6	22·4	24·9
Athabaska Landing									35·1	26·1	18·7	24·4	
Blackfalds	24·9	26·1	27·0	29·3	27·5	20·0	28·0	28·6	34·4	25·3	24·4		
Bittern Lake													
Bon Accord	20·6	18·7	13·3	22·4	25·2	19·9	24·6	22·6	24·7	20·2	16·1	17·6	21·5
Calgary	25·1	22·4	23·7	29·5	23·6	21·9	28·7	26·9	27·4	21·3	23·8	23·3	24·8
Cardston	22·5	24·6	21·3	24·6	20·6	20·8							
Daysland		20·1	18·4	23·1	49·9	26·0	30·4	28·7	27·2	21·3	18·3	18·0	
Didsbury	25·2	25·4	30·9	31·1	27·0	22·4	29·0	27·3	34·3	27·6	28·8	26·0	27·9
Dunvegan	20·3	24·5	27·7	24·9	31·4	21·7	31·1	25·2	24·6	22·8	17·8	20·8	24·4
Eckville	34·2	33·9	29·6	30·1	26·7	20·2	28·9	27·5	33·1	29·2	29·0	30·5	29·5
Edmonton	19·2	19·3	23·8	23·8	24·8	20·4	25·1	24·2	27·2	21·9	18·8	19·5	20·4
Ft. Vermilion	22·4	25·8	28·5	23·6	28·2	25·6	27·0	23·7	20·8	18·2	15·8	18·6	23·2
Ft. Vermilion (2)							28·2	27·8	23·3	21·6	19·1	19·7	
Gleichen	29·7		22·5	36·1	27·1	21·1	30·5	32·3	36·8	30·8	31·8	33·9	
Gray Hill	20·2	18·5	23·7	24·6	22·4	52·9	23·9	23·5					
Harmattan		26·8	24·9	25·0	24·9	21·4	26·8	26·7	30·2	27·5	28·1	29·8	
High River	29·8	24·9	24·5	27·4	21·0	21·5	32·7	30·0	30·5	21·4	24·2	27·1	26·3
Hillsdown	23·6	21·3	24·8	25·0	21·7	17·3		24·2	29·8	22·1	22·3	23·5	
Islay			23·7										
Knee Hills	29·6	30·8	29·5	33·5	30·9	22·5	31·7			25·2	34·3		
Lacombe	26·2	25·2	27·4	29·0	26·5	20·5	27·8	27·4	32·4	25·2	25·2	24·8	26·5
Lawrence	25·7	26·8	25·9	25·5	26·1	30·8						31·4	
Lethbridge	24·8	24·6	25·9	28·4	23·8	22·7	31·3	31·8	27·6	23·7	22·2	22·4	25·8
Lethbridge (Experimental Farm)			26·8	30·7	22·4	21·3	31·6	31·1	30·1	27·8	29·1	30·4	
Macleod	22·9	20·5	21·8	22·0	18·0	18·7	28·8	31·9	26·1	22·0	22·0	23·3	23·2
Medicine Hat	24·1	22·0	22·4	27·5	25·4	22·4	29·6	27·3	27·9	18·6	18·9	21·3	24·0
Pakan	25·8	25·9	29·7	24·6	25·0	22·2	26·2		28·1	25·5	20·2	29·1	
Saskatchewan.													
Alameda	20·0	19·8											
Battleford	22·1	19·4	24·8	24·7	27·7	23·4	27·4	25·4	26·9	18·8	15·3	17·1	22·8
Broadview					28·2	21·8	22·8	28·8	28·4	22·5			
Brownhill	18·3	16·5	19·3	22·6	25·1		23·2	24·6	21·3	20·8	18·1	20·8	
Chaplin	24·4	22·5	19·5	23·9	25·7	21·1	29·7	27·3	29·5	20·3	20·5	22·1	23·9

MEAN DAILY RANGE OF TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded.*	°	°	°	°	°	°	°	°	°	°	°	°	°
Drumague..	27·2	19·1	22·7	22·8	26·2	23·4	26·3	26·0	26·8	21·3	17·9	22·1	23·5
East End. .	18·3											11·7	
Esterhazy .			30·1	26·3	26·3	21 9	26·8	27·5	26·2	20·0	17·9	23·5	
Estevan.	20 4	17 2	20 5	24·1	21·9	20·0	26·5	25 7	25 9	19·2	16·7	16·5	21·2
Fond du Lac .	20·1	21 7	26·4	25·0	24 9	19·8	20·0	18·7	15 8	11·9	13 9	16·0	19 5
Gatesgarth (Pense)	23·2	19 6	22·1	26·1	28 7	24 1	29·4	28·8	31·7	23·7			
Humboldt . .	21·7	16·3	18·2	17 8	25·5	21·4	25 4	27·4	29·7	21·7	26·4		
Indian Head.....	24·0	20·5	24 7	25·7	26 4	20·5	26·1	24·5	26·1	19·9	19·0	21·0	23·2
Kamsack.....							27 7	29·6	27 8	23·1		21·3	
Lloydminster.....	22 7	21·8	26·2	22·1	27 1		23·4	24·0	29 3	22·2	17 9	20·2	
Manor...			30 2	31·1	33·1	29·2	33 9	34·5	38 7		20·6	20·8	
Melfort.....									26 2		15·5		. .
Meota (Prince	28 6	25 7	28·0	23 4	30 2	21·4	28 5	27 5	29·8	22 9	19 4	21·2	25·6
Moose Jaw	19·6	19 9	17 7	24·8			30 2	27 6	29 8	20 3	18 5	20 1	
Moosomin.	17 5	16·1	18·9				24 7	31·0	32 5	19 1	14·6		
Onion Lake.. .				..		21·3							
Prince Albert	27 1	22 4	26 7	23 2	29 4	22 7	22 0	20 2	24 0	18 4	13 5	16·1	22·2
Qu'Appelle	19 4	16·6	20 3	23 3	23 0	21 8	24 2	22 8	24 6	19·1	15·2	17 3	20·6
Regina	26 0	22 0	22·5	24·1	26 7	21 8	26·1	26 3	30 5	22 1	22·0	23 3	24·5
St. Peter's Monastery . . .	18 5	18 6	19·1	17 1	27·4	19·9	22 4	23 8	24·3	16 4	19·0	21·6	20·7
Saskatoon	23 6	18·6	21·0	21·8	27·1	19 5	25 4	26 8	28 4	20 7		18·4	
Wascca .	22·8	19·2	26 9	24 4	24 4	20 3	22·8	22·7	27 7	23 8	16 0	22·0	22 8
Willow Bunch		18 3	24·6	24 5	23 8	24 2	27 9	28 4	26 6	27·2	22·3		
Yorkton.....											16·9	20 1	
Peace River Landing	22 0	26 2	29 1	27 6	30 9	22 8	29·2	26·3	26 0	22·9	17·7	19·5	25·0
Pekisko	23 7	26·0	27·9	26 8	20 4	23 2	33 9	30·0	29 6	24·3			
Pembina			34 9	24 1		21 7	27 0	25 3	31 7	23·7	22·9	23·1	
Pincher Creek..	. . .						28·4	28·7	22 9	18·3	17 7	16 8	.
Red Willow	22·7	27·0	25 6	23 6	21 8	17·1	23 2	23 3	29·7	22 6	20 7	20·4	23·1
Shaftesbury	21·7	25·4	31·0	31·2	36·7								
Sion.....	19·6	21·7	26·7										
Swift Current	21·1	17 4	20 0	27 5	26 6	24 0	29 3	26·7	26 1	15·7	14 7	17·0	22·2
Taber. .	24·4	23 5	24·3	26·8	21·8		33·1				. .		
Threehills Creek	26·0	28·2	24 2	32 7	28 2	21·1	30·1	32·2	37 1	26·5	30·8	30·2	28·9
Waitefield....	22·3	23·2	26 7	23 3	25 2	19 3	22·9	23·9	27·4	22·5	19·5	23·4	23 3
Wetaskiwin.....	23·3	23·6	27 6	23 8	27·0	20 4	23·2	23·7	27 3	21 4	18·0.		
MANITOBA													
Almasippi	17·8	16·7	21·1	23·2	25 5	22·9	28 9	27 8	26·7	20 5	14·0	19·4	22·0
Berens River	26 7	21·9	26 6	20·0	22·9	21·2		17 0	18 1	14·1	11·7	19·0	
Birtle.....					23·2	16·8	14·6	21·2	21·4	20·3	. . .		. . . . .

MEAN DAILY RANGE OF TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Concluded.*													
Brandon	24·7	23·3	29·1	31·5	30·9	26·4	30·5	30·2	29·3	25·8	20·3	23·1	27·1
Carberry	30·3	23·9	21·6	16·0	16·5	14·1	14·9						
Carman					13·7	23·5	29·4	32·7	28·8	23·6			
Cypress River					22·6	22·0	26·6	28·4	24·0	21·6			
Hillview	19·5	17·9	11·6	23·6	24·6	19·2	22·5	23·3	24·6	20·4	16·6	18·0	20·2
Minnedosa	24·0	19·8	24·5	26·3	25·6	21·1	25·5	25·0	23·7	20·6	15·7	17·5	22·4
Morden	24·1	9·6	26·1	30·1	25·5	23·9	26·8	28·3	28·3	21·9	20·1	21·6	23·9
Oakbank	18·1	15·8	21·0	20·3	22·4	19·6	24·1	22·7	21·0	14·0	11·2	14·8	18·8
Pierson					23·9	24·2	26·9	31·1	27·8	21·5			
Pipestone					26·8	24·1	26·8	39·8	30·6	21·6			
Portage la Prairie	20·6	18·3	21·3	21·5	22·0	20·9	23·3	22·6	22·8	16·9	13·9	17·1	20·1
Portage la Prairie						19·7	22·5	23·9	22·8	18·6			
St. Albans (Awenue)	26·1	22·8	23·5	25·6	27·6	24·7	30·8	30·0	26·5	22·2	16·8	22·2	28·4
Stony Mountain	24·1	19·2	25·4	25·7	23·8	23·4	27·3	27·0	28·2	21·8	18·2	21·0	23·8
Swan River					30·0	22·9	29·0	26·2	29·1	19·8	15·5	16·2	
Treherne	18·1	16·3	20·4	23·7	26·1	24·2	27·7	25·4	22·7	20·7	16·2	17·7	21·6
Virden					26·7	23·2	29·3	28·8	29·5	25·7			
Winnipeg	20·1	18·9	24·2	23·0	24·5	22·2	25·7	24·3	23·5	15·9	14·3	15·9	21·0
ONTARIO.													
Agincourt	18·0	17·5	14·8	16·8	18·5		23·6	23·8	26·3	20·5	14·2	13·8	
Alton	20·1	25·5	22·5	23·0	22·6	30·2	27·7	29·1	37·0	29·0	17·9	16·8	25·1
Bancroft	23·4	23·6	19·0	17·8	20·6	26·9	26·1	30·9	32·3	25·4	12·8	22·3	23·4
Barrie							19·9	20·8	22·9	19·0	12·0	12·3	
Beatrice	23·0	21·8	18·5	19·3	20·3	25·4	22·5	24·3	25·8	21·8	14·4	20·2	21·4
Birnam	12·0	12·5	14·4	16·5	18·8	20·5	19·5	19·5	22·2	18·7	14·6	11·2	16·7
Bloomfield	18·2	17·6	13·9	15·6	16·7	21·6	19·7	19·8	22·7	18·0	11·7	14·5	17·5
Brantford	16·0	19·7	18·0	20·6	21·6	27·4	24·4	25·2	30·4	26·0	18·8	15·4	22·0
Bruce Mines	17·9	19·5	20·7	18·5	19·6	23·2	22·7	23·4	24·3	18·0	15·9	13·5	19·8
Chatham	14·1	17·5	17·4	17·0	19·9	25·8	24·9	25·6	28·6	26·4	18·8	11·0	20·6
Clinton	12·9	16·7	15·4	16·2	17·5	22·5	20·4	20·9	26·4	20·1	12·0	13·2	17·9
Clontarf	26·9	19·5		28·2									
Cockburn Island	17·9	23·2	21·3	19·2	19·6	22·6	20·0	20·4	24·9	16·3	14·1	13·9	19·5
Coldwater	25·6	26·8	22·7	19·6	22·5	30·9	28·8	33·7	36·4	32·8	20·5	22·7	26·9
Copper Cliff									23·2	19·1	13·6	19·5	
Cottam	15·6	18·4	19·3	22·2	23·7	28·5	25·2	28·8	32·8	26·6	23·0	17·9	23·5
East Toronto	15·9	16·4	15·7	15·8	17·8	20·6	20·7	20·9	22·3	18·2	15·1	13·5	17·7
Gravenhurst	26·6	23·0	20·4	19·0	20·2	24·8	22·0	23·8	26·5	22·9	13·8	20·7	22·0
Guelph	15·1	16·2	10·6	14·5	17·0	24·1	20·7	21·0	26·0	21·8	13·9	11·7	17·7
Haileybury	22·2	20·0	23·5	19·6	20·0	24·7	20·6	20·6	22·6	17·1	12·7	17·7	20·1
Haliburton	27·0	27·5	21·4	23·5	22·6	31·0	27·5	31·5	31·8	26·3	15·3	21·8	25·6

MEAN DAILY RANGE OF TEMPERATURE at all Stations for each Month and the Year 1908 -*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
													°
ONTARIO—*Concluded.*													
Hamilton	13·8	15·7	14·2	15·5	17·4	22·1	20·6	19·2	19·2	16·1	13·0	9·8	16·4
Huntsville	22·4	23·2	16·3	16·9	17·7	23·0	20·8	21·2		19·2	13·6	19·1	
Judge	28·2	29·6	30·3	20·4	21·7	30·7	24·9	26·2	53·6	42·9	16·7	20·5	28·8
Kakabeka Falls											22·2	18·8	
Kenora	13·8	14·1		17·6								11·7	
Kingston	19·8	18·4	14·6	15·1	13·8	15·1	14·2	16·3	16·1	15·8	12·2	16·5	15·7
Kinmount		26·7	21·5	19·3	20·7	29·5	28·8	31·1	33·4	28·3	14·5	24·2	
Lake Talon	23·9	19·1	21·6	20·8	24·1	31·2	26·1	27·2	27·0	20·0	13·3	15·4	22·5
Lakefield	19·4	22·9	21·0	20·7	16·3	21·6	17·8	20·0	23·2	20·3	12·9	17·8	19·5
Lakeside Home	13·7	15·2	13·1	12·7	15·8	17·2	16·6	14·0	16·9	14·5	11·4	10·9	14·3
Lindsay	19·5	19·1	17·9	18·5	18·9	25·8	24·7	24·6	27·8	22·9	13·2	16·1	20·8
Listowel	12·9	13·4	17·3	20·9			23·6	21·9			14·8	12·9	
London	17·1	17·4	17·2	19·8	22·2	27·1	25·1	25·0	30·1	24·3	15·8	13·5	21·2
Lorne Park												13·4	
Lucknow	13·7	14·2	15·8	18·5	18·2	24·6	23·2	24·1	25·4	21·2	12·7	10·6	18·3
Madoc	18·7	19·5	16·2	17·8	21·2	24·1	20·1	22·3	27·6	21·7	12·7	16·0	19·8
Meaford	14·3	19·9	16·4	16·1	16·6	19·0	18·4	20·9	20·7	15·6	10·7	11·8	16·7
Moose Factory	20·4	22·5	33·1	24·8	21·8		27·7	20·0	26·7				
North Bruce	22·7	17·3	27·4	38·0	53·3	59·5	62·6	60·6	60·0	47·0	39·0	26·0	42·8
North Gower	26·4	20·9	21·4	18·6	20·6	25·7	24·0	28·6		26·8	15·7		
Orillia	20·4	19·7	17·7	18·5	18·3	22·9	18·6	19·2	22·4	21·1	14·6	15·1	19·0
Otonabee	18·9	14·3	27·6	39·9									
Ottawa	18·4	15·8	15·4	15·7	18·2	23·6	21·7	22·4	24·3	19·5	10·3	17·8	18·6
Owen Sound	13·9	18·4	15·9	17·3	21·5	24·8	23·6	24·9	26·1	21·0	13·7	11·2	19·4
Paris	16·6	17·6	17·6	17·6	19·6	26·4	22·5	22·5	28·6	23·5	14·7	12·8	20·0
Parry Sound	21·7	21·2	19·6	18·7	20·2	25·4	22·4	22·3	22·5	20·0	13·2	16·9	20·3
Pelee Island									7·9	9·1	8·6	8·2	
Peterboro'	22·6	22·1	19·3	17·8	18·1	23·3	23·8	23·9	31·1	27·5	15·4	18·5	22·0
Port Arthur	21·6	19·3	23·8	19·8	20·5	22·5	22·9	22·5	20·7	14·3	15·4	18·6	20·2
Port Burwell	11·6	14·6	12·1	14·9	17·4	20·7	19·3	19·3	20·0	17·1	13·5	9·9	15·9
Port Dover	11·3	14·7	13·2	13·8	17·6	20·2	19·4	19·8	22·4	19·4	13·8	11·1	16·4
Port Hope	18·6	20·7	14·9	15·3	15·3	22·2	20·8	20·3	24·2	23·2	16·6	18·7	19·2
Port Stanley	14·5	17·0	13·8	15·1	16·7	21·7	19·4	20·0	30·2	17·9	15·0	13·1	17·9
Renfrew	24·9	22·3	22·4	19·0	20·1	26·6	25·5	28·5	32·3	27·7	17·0	26·0	24·4
Rockcliffe	24·9	26·1	25·0	20·8	23·0	31·7	22·7	21·8	26·0	18·2	11·6	20·3	22·7
Ronville	26·5	22·3	18·6	18·7	19·2	26·6	21·8	24·5	28·2	25·7	15·1	19·7	22·2
Sarnia	22·9	17·9	30·7	39·5									
Southampton	13·9	18·0	17·0	17·6	18·2	22·4	18·0	17·0	21·3	18·7	12·2	12·4	17·2
Stoney Creek	15·4	17·9	16·6	17·4	17·8	26·9	23·1	24·3	27·6	22·3	16·5	12·0	19·8
Stratford	14·3	18·3	17·3	17·7	18·2	22·5	20·7	20·0	24·3	21·0	13·4	14·8	18·5
Sutton West	18·2	21·1	16·7										

MEAN DAILY RANGE OF TEMPERATURE at all Stations for each Month and the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Concluded.*													
Toronto.	15·0	16·1	15·1	16·6	18·7	22·1	21·8	21·8	23·4	19·6	14·9	12·2	18·1
Uplands...	29·3	26·3	20·6	24·1	24·3	23·7	28·5	28·3	32·3	24·7	15·4	26·5	26·2
Uxbridge.....	12·8	15·5	16·3	17·8	17·8	24·6	23·1	24·3	25·6	19·2	11·4	11·0	18·3
Wallaceburg	14·6	15·5	16·4	18·0	19·4	22·6	24·4	23·4	28·7	23·5	17·4	14·5	19·9
Welland	15·5	16·5	17·1	20·8	20·5	26·0	24·5	20·1	22·9	19·1	14·1	12·7	19·2
White River	27·7	26·2	30·8	24·2	25·9	29·4	25·1	23·9	26·7	16·7	14·0	23·5	24·5
Windsor.	12·5	15·8	14·9	17·1	15·5	17·9	17·5	18·1	20·2	18·3	15·9	13·4	16·4
Woodstock	14·7	17·0	17·2	19·7	20·1	25·7	23·3	23·8	26·9	22·9	17·3	17·9	20·5
QUEBEC.													
Abitibi .	25·5	22·9	31·0	24·1	20·4	21·9	20·6	16·7	21·2	13·7	11·2	18·1	20·6
Anticosti (S.W. Point	17·1	17·5	16·3	12·9	9·9	14·1	20·4	11·2	18·6	18·6	9·1	14·6	15·0
Bird Rocks	16·4	16·2	14·8	15·4	11·9	11·5	11·6	8·8	10·7	16·9	12·8	13·3	13·4
Brome	15·4	19·2	18·1	16·1	20·8	23·1	22·4	21·1	27·0	22·6	11·4	16·3	19·5
Chicoutimi..	27·3	24·8	21·1	19·1	19·7	25·8	24·0	21·1	23·4	20·3	13·2	21·3	21·8
Clarke City..	23·0	22·1	27·2	19·8	19·1	21·2	24·9	20·2	21·1	18·0	16·0	21·6	21·2
Father Point	18·2	15·9	17·7	14·1	14·4	17·2	18·4	16·3	15·9	12·2	9·4	15·4	15·4
Montreal	18·5	14·5	15·1	15·5	17·1	18·3	16·2	15·1	17·2	14·0	9·7	14·8	15·5
Percé..	16·8								14·5		11·7	14·6	
Quebec.....	16·7	15·6	16·8	16·5	17·9	23·6	20·6	18·1	19·2	15·7	9·3	14·9	17·1
Shawenegan Falls.....	25·3	26·4	24·7	23·1	23·0	37·1	34·4	36·7		20·9	10·2	20·4	
Sherbrooke	22·4	20·9	21·0	19·8	19·7	22·1	69·5	63·1	26·7	23·0	11·1	20·4	28·3
Ste. Anne de Bellevue....	18·3	14·5	15·4	16·9	20·8	23·4	21·4	20·8	25·3	18·2	9·6	13·9	18·2
Whitefish River.						30·7	29·8	25·6	28·3	18·4	14·4	22·1	
NEW BRUNSWICK													
Chatham...	21·6	23·5	22·1	20·2	21·0	25·3	26·4	22·0	21·9	20·0	10·7	17·8	21·0
Dalhousie.....	20·6	19·8	18·4	21·2	19·9	22·3		26·5	20·8	17·9	14·8	26·6	
Fredericton..	22·8	23·0	21·9	20·9	21·5	26·6	24·8	21·2	27·2	24·1	13·1	19·5	22·2
Grand Manan.....	18·2	16·6	14·6	15·9	14·5	18·7	17·3	15·0	15·3	14·0	11·2	17·6	15·7
Moncton.	24·7	24·1	19·0	17·9	21·5	23·5	24·8	21·9	24·0	22·0	13·6	21·2	21·5
St. John.	19·4	21·0	15·0	15·2	14·8	13·9	13·9	12·3	13·0	14·1	10·0	17·4	15·0
St. Stephen	17·0	22·3	19·0	21·9	24·5	29·0	30·0	24·8	30·5	24·4	15·3	17·2	23·0
Sussex.	14·7	19·5	14·5	16·8	21·9	25·9	23·7	24·3	28·1	24·0	8·7	15·4	19·8
NOVA SCOTIA.													
Halifax.	17·2	15·9	14·0	16·2	19·2	21·7	20·9	18·0	20·5	20·7	13·4	13·8	17·6
Parrsboro'...		23·2	18·6	18·1	22·8		26·6	23·8	24·5	27·2	18·6	23·5	
Port Hastings..	13·9	21·2	17·5	18·3	14·0	14·3	18·5	9·3	11·0	9·3	9·7	13·3	14·2
Sable Island (Main Station)	13·7	9·4	9·3	9·8	8·3	9·3	11·4	10·0	8·2	9·9	9·8	12·7	10·2
Sydney .	16·8	15·8	17·7	14·9	18·6	20·4	20·9	18·5	17·7	19·6	12·1	14·3	17·3

MEAN DAILY RANGE OF TEMPERATURE at all Stations for each Month and the Year 1908—*Concluded.*

Stations	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NOVA SCOTIA—*Concluded.*													
Truro	21·8	19·0	18·6	19·1	22·8	23·5	24·4	22·0	24·8	25·1	15·4	19·3	21·3
Windsor	17·1	16·9	14·7	16·1	20·2	21·1	22·3	18·9	22·3	22·6	13·4	15·6	18·4
Yarmouth	14·5	14·8	12·7	12·5	15·4	15·2	15·1	14·7	15·5	17·2	10·4	14·4	14·4
PRINCE EDWARD ISLAND													
Charlottetown	16·2	15·1	14·6	13·0	16·5	17·4	17·3	14·7	15·2	14·6	9·7	15·3	15·0
Hamilton	17·0	16·7	14·9	12·4	16·4	17·9	16·4	14·1	15·7	15·5	11·2	13·9	15·2
Hillsboro'				19·3		20·7			18·5				
Summerside	21·3	20·1	16·8	13·8	17·3	16·1	17·4	14·2	14·9	14·6	10·6	19·4	16·4
NEWFOUNDLAND													
Belle Isle	10·0	7·6	8·1	7·9	9·0	10·9	11·7	9·2	6·9	9·0	6·2	8·7	8·8
Cape Norman													
Channel	12·6	11·5	12·1	10·5	13·0	12·7	14·4	12·7					
St. George	15·0	13·6	15·2	11·6	14·6	13·4	15·3	14·0	12·7	12·8	9·9	12·9	13·4
St. John's	12·6	11·7	11·7	11·5	14·7	18·3	18·7	14·2	16·0	14·0	10·9	12·7	13·9
NORTH-WEST TERRITORIES													
Fort Churchill (H. B. Co.)		19·6			26·0	27·2	36·7	28·7					
Fort Churchill (R.N.W.M.P.)	13·8	18·1	20·3	20·4	17·5	18·3	34·9	28·6					
Fort Hope	23·4	22·2	29·8	23·0	22·3	23·8	26·1	19·7	20·2	14·6	15·3	21·9	21·9
Norway House	23·8	22·9	27·0	22·9	26·1	20·1	20·0	15·7	17·6	13·7	12·3	18·5	20·1
BERMUDA													
Prospect	12·7	11·6	10·9	10·4	9·7	9·8	11·7	11·2	10·5	8·4	9·6	9·9	10·5
YUKON.													
Dawson City	15·9	15·7	21·9	23·0	23·9	25·8	24·0	26·7	17·5	14·9	12·2	13·1	19·6

Rainfall in inches in each Month and for the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Agassiz	3·04	5·52	7·64	3·60	2·66	4·68	2·60	1·24	1·90	3·93	7·45	2·42	46·68
Alberni	11·58	6·81	5·31	5·13	3·39	·67	·57	·88	1·76	5·00	22·45	8·22	71·77
Alberni (townsite)	10·52	7·75	6·87	4·98	3·12	·86	·17	1·16	1·49	4·89	24·84	10·14	76·79
Athalmer	..	..	..	..	..	..	..	..	·78	·63	·48	..	..
Atlin	0·00	0·00	0·00	0·06	0·14	0·89	0·21	0·80	1·22	0·13	0·00	0·01	3·40
Babine (Lake)	..	..	..	..	..	..	..	..	..	5·10	1·40	..	..
Barkerville	00·0	0·03	0·00	1·79	2·29	4·75	4·52	3·72	6·29	1·83	2·86	0·00	28·08
Bella Coola	1·11	2·77	6·32	3·74	2·06	1·61	2·74	·73	6·15	3·28	6·28	2·13	38·92
Cape Scott	13·64	9·40	13·65	11·02	8·60	4·22	4·86	2·57	7·17	8·52	20·25	11·37	115·27
Chilcotin	·00	·00	·07	·56	1·97	3·22	1·71	1·05	·51	·65	·23	·00	9·97
Clayoquot	16·24	7·06	18·30	7·28	9·82	1·93	3·55	2·19	6·92	12·21	27·60	9·45	122·55
Coquitlam	7·15	7·63	9·47	4·72	3·76	1·33	2·01	1·55	2·49	7·58	13·97	10·84	72·50
Cowichan	9·16	6·28	3·68	1·74	2·47	·21	·13	·93	·30	3·76	10·01	6·49	45·16
Cranbrook	..	..	..	..	..	2·20	·30	·19	·74	·92	·47	·04	..
Crawford Bay	·60	1·09	1·43	2·51	2·89	2·19	1·53	..	..	..	..	..	..
Denman Island	12·85	6·67	3·40	3·41	1·90	1·65	·64	·62	1·06	4·29	19·82	7·04	63·35
Ducks	..	..	..	..	2·81	..	·42	2·47	·21	·25	·36	·35	..
Ferguson	..	..	..	..	..	3·45	1·76	2·00	2·84	3·67	5·20	..	..
Fort St. James	·00	·40	·41	1·04	3·28	2·01	1·61	1·41	1·89	·31	1·81	·00	14·17
Garry Point	4·96	3·99	1·52	1·35	2·88	1·34	·73	·56	·80	3·72	9·29	5·24	36·38
Glacier	..	..	..	..	..	..	3·32	2·40	4·71	2·70	7·64	..	..
Golden	..	..	..	..	..	1·10	1·10	·37	·92	1·10	1·37	·03	5·99
Goldstream Lake	9·59	8·51	9·61	3·79	2·75	·10	·34	1·18	·97	5·22	11·51	13·67	67·24
Hedley	·32	05	·50	·43	1·54	·48	·78	1·28	·47	·51	·22	·09	6·67
Hedley (Nickel Plate)	..	..	..	..	·55	·20	1·45	1·56	·51	..	..	..	..
Hornby Island	11·75	6·04	3·19	..	1·42	1·00	·97	·19	·55	3·23	12·45	4·05	..
Ikeda Bay	..	..	..	..	..	..	4·23	5·72	11·43	18·02	17·26	11·05	..
Jordan River	11·14	9·41	14·46	5·59	2·98	·99	·22	1·90	1·36	5·74	12·45	10·95	77·19
Kelowna	·22	·51	·45	·41	·90	·34	·25	·87	·48	·68	·25	·27	5·63
Ladner	5·47	6·10	4·35	1·45	3·86	·45	·67	·85	44	4·54	5·76	5·55	39·49
Little Qualicum	..	..	..	..	..	..	..	..	..	..	..	5·46	..
Massett	5·52	3·15	3·57	4·46	3·16	2·59	2·46	·94	5·06	6·40	2·35	3·09	42·75
Naas Harbour	4·22	1·40	6·44	10·11	4·06	1·89	3·06	2·22	24·88	18·85	7·23	3·61	87·97
Nanaimo	9·40	6·40	3·07	2·02	2·36	0·54	0·64	0·66	0·10	3·34	11·39	6·02	45·94
Nelson	1·20	·20	1·13	1·91	2·41	1·90	1·45	·79	·98	2·32	1·30	·32	15·91
New Westminster	6·81	5·72	7·49	2·38	4·05	1·15	1·93	1·02	1·33	6·23	11·35	8·21	..
Nicola Lake	·11	·04	·02	·03	1·11	·24	·39	1·54	·26	·53	·31	·22	4·80
North Nicomen	7·84	5·91	10·85	5·66	3·41	1·62	1·16	2·33	·81	6·57	9·41	8·06	63·63
Pemberton	..	..	..	..	2·40	·88	1·57	·47	1·38	3·73	11·75	1·89	..
Penticton	..	·28	·37	·28	·79	·48	·75	3·04	·88	·76	·42	..	..

RAINFALL in inches in each Month and for the Year 1908.—*Continued.*

Stations	January.	February.	March	April	May	June.	July.	August.	September	October	November.	December.	Year.
BRITISH COLUMBIA.—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Port Simpson	5·39	3·62		8·62	4·61	3·54	4·84	4·47	19·12	13·76	8·66	6·29	
Princeton	·11	·06	·71	·14	1·21	1·02	1·02	·93	·31	·60	·51	·79	7·41
Quesnel	·50	·15	0·0	·18	1·43	2·67	2·28	1·81	3·64	·56	1·23	0·0	14·45
Revelstoke	1·95	2·60	3·84	2·51	2·23	2·61	1·33	1·78	1·79	3·09	5·18	1·62	30·53
Rossland	·00	·10	·58	2·76	3·62	2·21	1·19	1·06	·13	3·23	1·62	·00	16·50
Royal Oak	4·98	5·64	5·20	·88	1·61	·30	·16	·83	·64	2·79	4·43	7·62	35·08
Salmon Arm	·51	·34	·73	·67	1·32	·87	·51	1·51	·92	1·10	1·39	·21	10·08
Spence's Bridge	·18	·09	R.	·30			·09					·15	
Summerland	·07	·08	·57	·43	2·02	·27	·88	·97	·36	·51	·16	·05	6·37
Swanson Bay	16·52	10·68	18·92	21·90	9·64	6·85	11·31	5·47	25·95	21·40	31·08	12·64	192·36
Thetis Island	8·90	6·39	2·94	1·83	2·47	·25	·31					6·93	
Tobacco Plains	·32	1·10	·64	1·23	5·28	2·56	·43	·66			1·23	·11	
Vancouver	7·60	6·30	7·11	2·61	4·11	1·86	1·59	1·15	1·46	6·77	18·99	8·41	67·99
Vernon (Coldstream Ranch)			·27	·63	·74	·93	·58	1·40	·87	·76	·25	·10	6·53
Victoria	3·16	1·20	1·58	0·63	1·27	0·09	0·15	0·67	0·62	2·33	4·02	4·88	26·70
Winter Harbour					9·70	3·96	5·82	2·47	8·59	10·63	18·99	10·65	
ALBERTA													
Alix	·00	·50	·00	·05	1·46	5·08	2·32	1·31	·45	·25	·00	·00	11·42
Athabasca Landing									·60	·35	·30		
Banff	0·00	0·00	0·11	1·01	4·14	2·61	1·06	1·71	1·31	0·60	0·98	0·00	13·59
Bardo	·00	·00	·00	·00	1·54	5·47	4·03	2·06	1·27	·18	·00	·00	
Beaver Hills, W		·04		·45	1·88	7·22	2·11	2·58	·56				
Bismarck	·00	·00	·00	R	1·66	6·30	2·51	1·15	·35	1·16	·00	·00	15·13
Butter Lake				·07	2·55	4·83		1·72	·53	·36	·12		
Blackfalds				·80	2·55	7·71	1·57	2·23	·33	·29	R	·00	15·48
Bon Accord	R	·04		·29	1·89	6·73	2·28	3·67	·85	·37	·16		16·28
Bruederheim				1·55	1·41	4·98	2·09				·14		
Calgary	0·00	0·00	0·18	0·23	1·59	7·26	1·73	1·52	0·02	0·32	0·00	0·00	15·85
Cardston				·42	6·56	9·59							
Conjuring Creek				·11	1·68	10·18	1·84	2·48		·18			
Coutts				·65	2·65	6·00	1·25	1·25					
Daysland				·50	1·03	5·15	2·86	1·00					
Didsbury	·00	·00	·00	·55	3·63	10·38	1·77	2·15	·15	·36	·00	·00	18·99
Dorenlee	·00	·00	R	·30	·22	6·62	3·10	1·29	1·20		·00	·00	12·73
Dunvegan	·00	·00	·00	·28	·31	3·33	·87	1·78	1·32	·32	·00	·00	8·21
Eckville	·00	·35	·00	·52	4·35	9·81	1·55	1·51	·70	·20	R	·00	18·99
Edmonton	0·00	0·02	0·00	0·42	2·58	2·61		1·71	0·54	0·53	0·06		
Ft. Vermilion	·00	·00	·00	·79	·33	2·72	2·05	1·56	·76	·23	·00	·00	8·44
Ft. Vermilion (2)							2·29	1·45	·66	·30			
Gleichen	·00	·00	·00	·56	3·20	7·95	1·13	1·52		·93	·00	·00	15·29

RAINFALL in inches in each Month and for the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ALBERTA—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Grassy Lake	00	·00	·00		2·00	1·85	·56	1·08	·20	·60	·00	·00	6·29
Gray Hill...				·37	2·96	9·27	3·13	2·48					
Harmattan	00	00	00	·17	1·12	7·15	·84	3·03	·00	·00	·00	00	12·31
Heather Brae. .				·36	2·14	8·48	2·17						
High River. .	00	00	00	·13	3·57	5·57	·76	1·05	·00	·56	·00	·00	11·64
Hillsdown...				·27	2·54	7·97		2·91	·53	·30			
Innisfail				·56	3·85	10·39	1·48	3·11					
Josephsburg	00	00	·00	·10	1·53	3·60	·74	1·34	·24	1·20	·00	·00	8·75
Jumping Pound	00	·00	·00	·23	4·06	6·44	1·18	2·97	·69	·53	·00	·00	16·10
Kimball.....			·05	·05	2·67	4·02	1·07	·72					
Knee Hills				·22	2·23	5·19	1·11			·16			
Lacombe.				·25	2·29	7·84	1·47	1·09	·34	1·10			14·38
Lacombe Expl. Station				·26	2·90	8·22	2·10	2·39	·30	·41			16·58
Lawrence. .				·49	3·94	6·86				1·01	·06		
Lethbridge....				·42	2·78	7·64	·41	·89	·32	·69			13·15
Lethbridge Expl. Farm.				·59	2·60	7·01	·37	·90	·58	·34			12·39
Macleod...				·24	4·71	6·83	·77	·57	·69	·49			14·36
Macleod (2					..	7·98	·93	·80	·60	·83			·
Magrath. .				·15	5·73	7·07	·37			1·57			
Mayton.....				·75	3·20	6·00	1·05	1·55					12·55
Medicine Hat	0·00	0·00	0·00	0·00	2·98	1·66	1·86	1·34	R.	0·67	0·00	0·00	8·50
Morinville.....				·03	1·43	3·76	1·50	·70					
Okotoks....				·62	5·21	6·79	1·20	1·55	·14	·97			16·48
Pakan				2·05	1·84	4·48	2·03		6·30	3·10	2·40		
Peace River Landing				·21	1·33	2·92	2·38	1·84	1·35	·25			10·28
Pekisko.....				·56	5·24	8·62	·87	1·48	·14	·37			
Pembina.....				·36	1·25	5·61	1·34	4·40			R.		12·96
Pincher Creek.. ..							1·33	·68	·23	2·77	·08		
Ponoka.....				·37	2·68	6·24	2·86	1·56	·39	·12			14·22
Red Willow				·60	1·79	8·49	1·97	1·10	·73	·21			14·89
Shaftesbury				·50	·35								
Sion.....		·01		·23	2·07	8·11	2·18	1·88	·82	·39	·09		15·78
Taber.....				·63	4·30		·78						
Threehills Creek ..				11	2·75	6·33	1·09	1·28	·16	·37			12·09
Vermilion		R.						1·00	3·90				
Wabamum		·16	·02	46	2·07	8·18	2·38	2·12	·91	·29	·17		16·76
Wainfield.		R	02	·16	2·61	5·21	2·17	3·87	·88	·61	15	·11	15·79
Wetaskiwin. .				·23	1·39	7·45	2·86	1·53	28	·24			13·98
SASKATCHEWAN.													
Arcola						3·47	2·32						
Battleford	0·00	00·4	00·0	0·03	12·1	7·60	0·35	1·58	1·23	0·13	0·11	0·00	12·28

RAINFALL in inches in each Month and for the Year 1908 -*Continued.*

Stations.	January.	February.	March.	April	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Broadview					·90	2·10	1 43	1 09	1·53	·20			
Brownhill				1·40	1·22		1 55	1·46	·98	1 29	·20		
Chaplin	·00	·00	·00	·59	·99	1 06	·49	1·99	·46	·87	·00	·01	9·45
Crescent Lake				·10		1·01							
Drumague	·00	·00	00	·82	·56	4 75	·25	1 02	·22	1·50	·00	·00	9 12
Duck Lake						6·00							
Elm How	·00	·00		1·85	2 48	4·59	·46	1 75	·40	1 43	·00	00	
Esterhazy								2·11	·72	1 49	·05		
Estevan	·00	·00	·00	·63	2·87	3·94	2·01	2·48	1·41	1 45	R	·00	14·79
Fond du Lac	·00	·00	00	R	·02	·62	96	2·45	1 30	·28	·02	·00	5·38
Gatesgarth (Pense)				·91	1·17	4·01	1·71	1·52	·20				
Hanley					·60	6·10	2·10	2·55	·25				
Humboldt					·40	4·11	·99	2·34		1·00			
Indian Head	·00	·00	·00	1·45	1 46	5·44	·71	1 87	·64	1·60	·00	·00	13·17
Insinger				1·00	1·48	4·14	1·62	1·54					
Kamsack						35	3·03	2·45	·73	1·22			
Last Mountain							·41			1 22			
Lloydminster				·27	1·90		2·22	3 29	·55	·11	·01		
Moota (Prince)	·00	·00	00	27	·86	5·04	1·71	2·55	1 02	·46	·08	·00	11·99
Moose Jaw				·49									
Moosomin							2·71	·38	·31	1 05			
Onion Lake						6·08							
Prince Albert	0 90	0·00	0·00	2·27	0·58	4·34	3·90	1·18	1 37	0 77	0·00	0·00	13·07
Qu'Appelle	0·00	0 00	0·00	1·10	1·01	5·73	0·59	1 91	0·69	1·61	1·99	0·00	14 63
Regina				·94	81	5 87	55						
St. Peter's Monastery	00	·00	·00	·50	·22	5 31	1·04	4·32	R.	1·00	·00	·00	12 39
Saskatoon	00	·00	·00	·64	·65	5 48	1 22	2·00	·33	1·65	·00	·00	11·97
Wascana	·00	·00	·00	17	1 22	7·36	2·38	2·23	·69	·00	·00	·00	14·05
Wolseley Bench	·00	·00	R	·75	3·80	4 50	3·30	·90	1·40	1 50	·00	·00	16 15
MANITOBA													
Alexander	00	·20	00	1 33	1 79	2 85	1·04	2·39	86	1 18	·26	·00	11·90
Berens River	·00	·25	·00	·52	1,45	5·06		3·36	·31	42	·00	·00	
Birtle					1 25	2·95	1·02	1 98	1 03	42			
Brandon	00	·00	00	64	2 14	2·97	2·22	2·09	1·73	·67	·08	·00	12·54
Carberry	·00	·00	00	·10	1·31	2·56	·58	2·43	·81	1·08	·00	·00	8·87
Carman	·00	·00	·00	00	1 57	2 86	·86	1·32	·54	1·72	·00	·00	
Cartwright	·00	·00	·00	1·46	2·98	3·14	1·72	2 78	·91	·94	2 10	·00	16·03
Cypress River					2·57	2·99	1·55	2·70	1·29	·81			
Deloraine		·22											
Gretna	·00	·00	R	1 55	2·76	3 47	·86	2·52	1·08	·97	·28	R.	13·49

RAINFALL in inches in each Month and for the Year 1908 *-Continued.*

Stations.	January.	February.	March	April	May	June.	July.	August.	September.	October.	November.	December.	Year.
MANITOBA—*Concluded.*	in.	in.	in.	in	in.	in	in.	in.	in.	in.	in.	in.	in.
Hillview	·00	·00	·00	·70	2·60	2·40	2·56	1·84	1·61	·48	·00	·00	12·25
Minnedosa	·00	·00	·01	·66	2·09	2·68	3·20	2·83	1·24	·41	·20	·00	13·32
Morden	00	·07	·30	·81	2·52	3·60	·71	2·27	·53	1·73	·15	·00	12·69
Norquay	·00	·00	·00	·56	2·42	3·44	·96	2·20	·78	·40	R.	·00	10·76
Oakbank	·00	·35	·00	1·02	3·79	2·16	1·92	2·35	1·90	2·24	·00	·00	15·73
Pierson					1·50	3·93	1·60	1·84	1·30	·80			
Pipestone					2·11	3·94	1·48	1·55	1·87	·51			
Portage la Prairie	·00	33	·00	·69	1·63	1·83	1·69	1·75	1·05	·38	39	·00	9·74
Portage la Prairie (2)						2·19	1·73	1·79	1·08	·22			
Rapid City	·00	·03	·00	·51	1·92	2·18	3·33	2·01	1·75	·44	·07	·00	12·21
Rosebank					2·55								
St. Alban's (Aweme)	·00	·08	·10	·74	1·98	2·85	1·25	2·28	1·33	·47	·03	·00	11·11
Stony Mountain	R.	·00	·00	1·70	2·85	2·72	1·48	2·07	1·74	2·04	·00	·00	14·60
Swan River					·90	4·26	·72	2·05	·31	·85			
Treherne									R.				
Virden					·83	1·92	1·35	1·38	1·20	·40			
Winnipeg	·00	·05	00	1·22	3·01	3·11	1·76	2·44	1·66	2·21	·06	·00	15·52
ONTARIO.													
Agincourt		1·08	1·45	1·55	5·39		2·20	2·40	1·20	1·12	1·18	0·43	
Alton	·03	·70	1·50	2·29	5·49	1·91	5·31	3·52	·86	·98	1·35	·10	24·04
Arden	·57	2·03	2·33	1·67	4·26	3·11	2·49	3·63	1·31	1·82	1·56	1·90	26·68
Aurora	47	1·62	2·70	1·79	4·39	1·60	3·76	2·12	·78	·88	1·06	·12	21·29
Bancroft				·82	3·81	2·25	3·00		1·47		·81		
Barrie							3·17	2·29	·97	·40	1·36	·12	
Beatrice	12		·72	1·90	4·34	1·45	3·60	2·96	3·36	·75	1·60	·81	21·61
Birnam	1·26	2·35	2·50	1·96	5·25	2·59	1·99	3·79	·67	·68	·92	·83	24·79
Bloomfield	·20	·00	63	2·97	3·59	1·92	2·38	2·33	1·10	1·44	1·44	·80	18·80
Brantford	00	1·20	·99	1·72	3·75	2·40	3·74	2·74	·47	1·28	1·47	·96	20·72
Bruce Mines	·00	·41	·00	2·01	4·07	1·42	4·96	1·33	1·76	·74	3·05	·38	20·16
Chatham	2·01		·65	1·54	1·35	1·45	1·69	5·39	·47	·85	·94	1·35	18·29
Clinton	·76	1·20	3·20	2·46	5·17	3·84	7·34	2·50	·75	·87	1·19	·43	29·71
Clontarf			3·64	1·42	1·76	2·32	4·23	·80	2·41		3·31		
Cockburn Island	00	·00	·00	1·37	4·11	1·35	5·59	·60	1·71	1·97	2·62	·32	19·64
Coldwater	·00	·00	·47	·40	2·50	1·02	3·59	3·71	3·63	·38	2·70	·00	18·40
Copper Cliff									1·76	72	2·65		
Cottam	1·69	2·97	2·51	2·25	2·34	1·65	2·25	5·78	36	1·41	85	2·02	26·08
Croydon		·12	2·45	1·55	4·10	2·20	4·25						
Sutton	1·90	2·15	·95	1·85	3·45	·40	1·86	4·00	·60	·52	R.	86	18·54
East Toronto	·97	1·38	1·30	1·36	4·24	1·93	3·16	2·26	1·12	1·43	1·32	·77	20·94
Emsdale	·40	·07	·95	2·47	3·46	1·37	2·07	2·23	2·71	1·25	2·86	·00	19·84

RAINFALL in inches in each Month and for the Year 1908—*Dontinued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Ennismore ..	·25	·75	1·60	·90	4·81	2·13	2·03	1·95	1·55	·98	1·20	·40	18·55
Georgetown	·81	1·33	1·82	1·90	5·26	2·80	3·42	3·75	·87	1·05	1·13	·41	24·55
Goderich lighthouse	1·10	·62	2·50	2·09	3·10	1·54	2·62	1·50	·60	·10	1·00	·50	17·57
Gravenhurst	17	R.	1·57	1·95	4·89	1·14	2·92	3·12	1·40	·45	2·10	R.	22·71
Guelph..	·33	1·05	1·36	1·33	3·47	2·34	3·32	2·82	·73	·95	·08	·00	17·78
Haileybury	·29	·03	·13	1·15	3·77	·72	4·32	1·85	1·90	1·38	2·03	·08	17·65
Haliburton.				2·10	4·51	2·35	2·36	3·65	1·85	·74	4·70		
Hamilton.....					5·25		3·21	1·43	·60	1·24	·94		
Huntsville			·25	1·20	3·83	1·46	2·82	2·41					
Kakabeka Falls.											1·12		
Kingston..	·44	1·11	1·55	1·65	4·84	3·45	5·56	2·77	1·20	2·17	1·82	·84	27·40
Kinmount	·00	·00	·00	1·66	3·77	2·54	3·19	1·75	1·97	1·09	79		16·76
Lakefield.	12	·00	1·19	56	4·14	1·71	2·62	1·36	1·79	54	84	·09	14·96
Lake Talon.....	·00	·00	·00	77	3·99	·76	1·96	1·92	1·95	·37	1·37	·00	13·09
Lansdowne	·43		R	·26	5·13	·58	1·75	2·12	2·58	1·16	69	·94	15·64
Lindsay....	47	1·24	2·17	1·45	4·09	1·79	2·79	2·53	1·78	·80	1·23	·80	21·14
Listowel	·86		1·48	1·16	5·88		8·70	4·42	76	51	19		
London	·78	2·09	2·06	1·72	4·94	1·35	3·35	3·29	1·62	1·62	1·32	1·16	25·30
Lorne Park												·85	
Lucknow	·41	·39	2·23	2·44	3·40	2·39	3·34	3·61	·74	·96	1·31	·52	21·74
Lynedoch.. .	·10	·93	1·33	2·37		1·17	3·90	5·71					
MacCue	·20	1·50	·95	1·38	3·77	1·89	3·81	·89	1·23	2·20	2·91	·00	19·83
Madoc	·25	1·05	1·51	1·25	4·74	2·12	2·02	1·36	1·37	1·04	1·39	R	18·30
Meaford	15	·00	1·76	1·81	2·69	3·75	1·26	2·46	1·04	·57	65	·00	18·54
Midland... ..	·00	·00	R	2·89	4·39	1·80	3·96	3·67	1·95	·64	87	·00	20·17
Montague, South's Falls	·23	·37	1·30	1·74	3·92	1·19	3·65	1·24	1·01	1·58	1·51	·00	17·75
North Bruce	·23	·00	·59	2·07	2·42	2·78	1·83	1·68	1·18	1·00	2·06	·21	16·05
North Gower	·61	1·76	1·78	1·37	5·47	3·61	2·95	1·68	1·70	1·70	1·46	·15	23·84
Orangeville		2·10	2·87	2·65	7·45	2·60	3·62	2·84	1·12	1·08	1·03	·41	27·77
Orillia.....	·00	·00	·00	0·80	2·60	1·91	3·78	2·76	1·31	·27	2·42	·00	15·65
Ottawa	·00	·62	1·96	1·41	3·56	2·08	3·25	1·37	·95	·20	1·11	·39	16·90
Ottawa	·25	·85	2·19	1·22	5·34	1·26	2·63	1·43	1·48	2·40	1·63	·07	20·45
Owen Sound	·16	·03	1·70	1·79	3·33	3·85	3·15	3·19	1·89	·60	1·53	·08	21·30
Paris	·54	1·48	2·00	2·13	4·24	2·47	4·36	3·20	·71	1·56	1·68	·95	25·02
Parry Sound	5	R	1·01	1·41	2·24	1·04	2·31	3·74	3·38	·57	2·80	R.	18·75
Pelee Island ..										·72	59	27	
Peterborough	38	1·22	2·97	44	4·25	2·31	2·11	2·13	1·33	57	1·19	·20	18·55
Point Clark .	·00	·00	·79	1·81	2·94	1·03	2·65	2·05	·75	·55	1·29		13·86
Port Arthur.. .	·00	1·02	·00	2·27	2·85	3·70	1·96	3·71	1·08	1·00	1·99		19·58
Port Burwell . .	1·53	1·31	2·21	2·01	1·99	1·92	2·42	4·37	·49	1·69	1·47	1·08	22·55
Port Dover,... .	1·42	1·40	1·91	2·38	3·16	·96	3·74	3·01	52	1·30	1·61	1·64	23·08

RAINFALL in inches in each Month and for the Year 1908—*Continued.*

Stations.	January	February	March	April	May	June	July	August	September	October	November	December	Year.
ONTARIO—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Port Hope	1·10	·00	1·41	2·07	3·53	1·94	3·05	2·92	1·33	·58	1·42	·30	19·65
Port Stanley	1·24	1·34	1·52	1·64	2·19	2·03	3·02	4·33	·52	1·53	1·06	1·69	22·11
Princeton	·65	·75	1·46	1·89	4·95	1·46	3·27	3·13	5·90	1·40	2·04	1·63	28·53
Renfrew	·02	·03	1·57	1·10	5·24	1·71	2·05	1·68	1·40	1·80	1·41	·38	18·39
Reservoir Grounds (Toronto)	·02	1·06	1·29	1·80	4·19	2·80	2·67	2·75	1·08	·88	1·38	1·45	21·33
Rockliffe (Stonecliffe)	·00	·00	·06	·24	3·98	·88	2·86	1·42	2·15	1·14	·96	·74	14·43
Ronville									2·65	·22	2·72		
Sarnia	·00	·25	·57	·20	1·47	2·14	·20	2·97	·15	·22	·00	·00	8·17
Southampton	·18	·04	1·05	2·28	2·29	1·19	2·07	2·14	1·02	1·04	2·13	·09	15·47
Stoney Creek	1·00	1·17	1·70	·86	2·80	2·49	2·83	2·36	·65	·95	1·04	·41	18·26
Stratford	·54	2·05	2·98		3·89	3·41	7·04	2·70	1·79	2·13	2·63		
Strathroy	2·18	3·90	2·76	2·12	4·38	2·70	2·50	3·46	1·18	·99	1·25	1·73	29·15
Sunnyside (Woodley)	·40	1·27	1·97	1·86	4·99	2·35	3·40	2·58	1·54	69	1·31	1·48	22·77
Sutton West	07	·70	1·76										
Sydenham	·80	·85	2·49	3·29	3·72	1·45	4·38	1·94	1·45	3·20	1·63	1·35	26·55
Toronto	61	1·17	1·06	1·72	4·54	3·07	2·93	2·83	1·29	1·02	1·25	·39	21·88
Uplands	·10	·00	4·90	1·60	2·84	1·35	2·86	2·86	2·83	·86	·52	·00	20·72
Uxbridge	·47	1·11	2·10	1·61	2·96	1·44	2·46	1·67	1·38	·56	94	·03	16·73
Wallaceburg			R.	2·15	3·98	1·18	1·54	4·20	·39	·92			
Watford	1·13	1·40	1·78	2·08	4·12	3·33	2·16	5·30	1·00	·75	1·11	20	24·36
Welland	1·49	1·19	1·66	1·92	2·57	2·06	6·52	1·83	1·02	1·04	1·31	·69	23·30
Westport	·00	·67	·78	2·59	4·67	1·97	3·15	2·52	1·33	2·71	1·48	·00	21·90
White River	·00	·25	·00	·93	5·04	1·30	1·40	2·40	2·88	1·35	1·86	·00	20·41
Wiarton	·58	·10	1·38	2·54	2·32	1·33	1·12	3·00	1·42	·42	2·25	·39	16·80
Windsor	1·82	1·93	2·56	2·58	4·18	2·15	2·05	4·64	·44	1·59	·75	1·15	25·84
Woodstock	12	1·31	2·40	3·92	3·32	1·07	3·47	4·45	·57	1·84	·94	1·05	26·46
QUEBEC.													
Abitibi	·00	·00	·00	·36	2·71	2·00	1·31	1·19	79	2·02	1·11	·00	11·52
Anticosti (E. Point)	·96	1·91	·34	16	2·64	1·59	2·43	3·01	1·49	3·94	1·85	1·57	21·89
Anticosti (S.W. Point)	1·12	3·11	R.	·42	1·84	3·74	1·55	4·67	·78	3·01	2·90	·00	23·14
Anticosti (W. Point)	·36	1·18	·10	·26	2·47	2·35	1·06	5·06	1·45	2·84	1·16	·00	18·29
Bicquette				·60	2·60	·43	1·40	2·57	·90	29	·40	·00	
Bird Rocks	77	30	·82	·56	·68	·41	·69	1·44	1·02	·88	1·61	1·04	10·27
Brome	R	75	1·62	1·87	5·65	2·22	2·46	2·42	1·13	2·15	1·11	R.	21·38
Cape Chatte	22	·00	·11	·32	2·63	3·30	·86	1·60	·51	1·53	·21	00	11·29
Cape Magdeleine	32	·40	·20	1·31	1·65	1·65	1·26	2·70	·43	2·55	70	·00	13·17
Chicoutimi	·00	·00	·00	·00	1·21	3·06	2·55	4·12	1·77	1·31	·00	·00	14·02
Clarke City	·24	·00	00	1·15	3·23	3·95	3·25	5·42	2·69	2·58	·70	·00	23·49
Father Point	·42	62	·37	1·85	3·79	5·83	1·27	3·86	1·48	3·37	62	·00	23·48
Montreal	·34	2·16	2·54	1·86	5·61	·90	4·39	2·83	1·80	1·47	1·44	·03	25·37

RAINFALL in inches in each Month and for the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
QUEBEC—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Percé	1·56	1·88	·38	1·60	4·01	5·94	1·88	5·50	1·17	3·87	1·48	·00	29·27
Quebec	·81	1·51	2·41	1·17	3·78	2·47	3·28	5·72	1·48	2·18	1·34	·45	26·60
Ste. Anne de Bellevue	·00	·00	2·00	1·07	4·62	·96	3·88	1·56	1·65	1·39	1·56	·33	19·02
Shawinigan Falls	·00	1·18	1·94	·62	4·01	1·34	2·01	3·43	1·62	1·16	1·00	·71	19·02
Sherbrooke	·78	·91	1·55	1·11	3·98	1·89	3·09	2·92	·97	1·98	1·03	·50	20·71
Whitefish River						3·79	2·76	1·85	3·52	1·36	1·46		
NEW BRUNSWICK.													
Chatham	1·34	2·30	·58	1·16	3·64	2·98	1·51	4·15	·89	5·57	1·47	·66	26·28
Dalhousie	·03	·04	·03	·07	·26	1·18	2·65	2·21	·08	1·02	·17	·00	7·74
Fredericton	2·00	1·27	1·30	1·39	4·87	2·16	2·43	3·62	1·34	5·53	1·80	1·69	29·40
Grand Manan	3·86	3·07	2·37	3·34	3·86	1·30	3·31	4·98	1·76	4·90	1·47	3·67	37·89
Moncton	1·55	1·17	1·42	1·50	3·23	2·31	2·66	4·11	1·37	3·49	·65	1·29	24·75
Point Escuminac	·27	·18	·17	1·05	2·90	1·71	1·18	3·22	·72	2·68	·59	·70	15·37
Point Lepreaux	3·44	1·90	1·92	2·45	4·01	1·38	2·49	5·16	1·90	3·00	1·25	3·96	32·86
St. John	3·47	1·72	2·69	1·77	4·08	2·43	2·93	5·21	1·20	3·58	1·74	3·74	34·56
St. Stephen	3·38	1·31	1·25	·83	3·72	1·45		2·64	1·04	4·93	1·26	3·19	25·00
Sussex	3·89	2·62	2·73	2·07	3·62	2·59	2·43	3·31	1·92	3·39	1·31	2·87	32·75
NOVA SCOTIA.													
Halifax	4·28	4·94	2·42	5·59	6·24	4·32	5·69	10·66	1·42	3·70	3·26	6·76	59·28
Port Hastings	4·52	3·43	1·32	2·01	5·76	3·07	3·95	2·58	1·55	1·80	3·20	3·20	36·39
Sable Island (E. Point)	3·97	6·72	3·46		3·80	1·09	2·99	1·81	·32	2·29	5·17	6·06	
Sable Island Main Station	4·19	5·70	3·57	4·37	4·03	·78	3·03	5·03	1·68	2·88	4·46	7·29	47·01
Sydney	4·13	5·12	2·72	5·15	4·08	2·94	3·04	2·26	2·10	3·22	5·50	5·68	45·94
Truro	3·98	3·14	2·06	3·10	4·05	3·38	4·38	7·04	1·38	2·67	2·05	5·07	42·30
Whitehead	2·82	1·92	2·79	2·99	3·84	2·27	3·79	3·47	2·17	2·29	2·65	4·79	35·79
Windsor	3·71	4·67	1·70	2·77	4·04	2·94	2·56	6·16	2·41	2·43	1·25	4·74	39·38
Yarmouth	3·54	2·08	2·05	5·21	3·81	2·02	3·39	4·21	2·29	5·26	1·57	5·16	40·59
PRINCE EDWARD ISLAND.													
Charlottetown	2·43	1·32	2·28	2·86	4·13	1·93	4·28	5·53	1·81	2·08	1·57	2·82	33·04
Hamilton	1·54	·70	3·02	2·65	2·91	1·89	1·95	5·31	·91	2·10	·95	2·30	26·23
Hillsboro'						1·16			1·39				
Summerside	1·55	·84	3·32	1·87	3·79	1·94	5·13	8·04	1·35	2·49	1·87	3·55	35·74
NEWFOUNDLAND.													
Belle Isle								1·97					
Cape Norman	1·00	·88	·45	·11	1·21	1·92	·82	1·21	2·97	·85	1·43	·09	12·94
Channel	1·80	·00	1·00	2·00	2·60	2·30	1·50	8·65					
Point Amour	·00	·25	·02	·00	·00	·94	1·66	1·34	1·24	1·53	·85	·00	7·83
Point Riche	·26	·00	·10	·30	·20	1·80	1·05	2·40	1·51	·90	2·35	·00	10·87
St. George	·62	·84	·52	·37	·60	1·06	·52	1·03	·30	·82	·72	·87	8·27
St. John's	3·89	3·73	2·78	5·75	2·36	2·07	2·70	2·01	1·38	3·16	4·15	4·43	38·41

RAINFALL in inches in each Month and for the Year 1908—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NORTH WEST TERRITORIES.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Fort Hope	....	.. .			·28	3·43	·44		3·25	1·55			
Fort Norman	. . .	.						·56	·07	·18			
Norway House	. ..	..				4·01	·46	5·66	18	·48			
York Factory	....	.. .			·46								
BERMUDA													
Prospect	4·46	5·78	8·98	4·32	2·62	2·64	2·14	1·82	5·68	9·62	4·24	1·36	53·66
YUKON.													
Dawson	·00	00	·00	·18	1·43	1·23	2·43	1·08	1·11	R.	·00	·00	7·46

Snowfall in inches in each Month and the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Agassiz	1·0	5·0										2·0	8·0
Alberni	5·5	19·0	S.									3·7	28·2
Alberni (Townsite)	5·0	12·3										1·0	18·3
Athalmer										5·0	1·0	5·0	
Atlin	10·8	6·0	17·6	0·2					7·4	13·6	14·8	9·4	79·8
Babine										2·8	9·5	11·5	
Barkerville	25·0	33·0	57·5	12·0					7·7	34·2	15·7	29·5	214·6
Bella Coola	13·8	12·1	6·5	S.						8·5	S.	28·3	69·2
Chilcotin	8·0	14·3	8·5	3·0						1·0	3·0	4·5	42·3
Coquitlam	0·5	2·0											2·5
Cowichan		S.											S.
Cranbrook										S		4·7	4·7
Crawford Bay	12·1	26·4	14·9	2·0									
Denman Island		5·0											5·0
Ducks												2·3	
Ferguson									0·5	1·0	16·0	84·5	102·0
Fort St. James	7·0	19·3	14·9	2·7						1·5	5·0	11·5	61·9
Glacier	98·5	64·0	105·5	16·0					3·0	21·0	30·5	104·0	442·5
Golden	2·0	S.								7·0	4·0	11·5	24·5
Goldstream Lake	13·0	12·8										3·0	28·8
Hedley	3·0	4·9	1·0								S.	5·8	14·7
Hedley (Nickel Plate)	25·0	27·0	20·0	25·5	41·5	17·5		8·0	1·0			11·5	
Hornby Island												S.	S
Ikeda Bay												2·0	
Kelowna (Okanagan)	8·7	6·1	1·3									5·5	21·6
Ladner		1·0											1·0
Massett	3·0	2·5		1·0						1·0		5·0	12·5
Naas Harbour	27·0	10·0	19·0	13·0						1·0	1·0	23·0	94·0
Nanaimo		3·0											
Nelson	21·9	27·4	13·4	2·0							5·0	20·5	90·2
New Westminster	S.	8·7	0·0	0·0					0·0	0·0	0·0	0·0	8·7
Nicola Lake	5·3	9·2	2·1									10·0	26·6
North Nicomen	S.	0·5											0·5
Pemberton												21·3	
Penticton	9·6	4·8	2·5										
Princeton	12·5	12·3	5								2	11·0	36·5
Port Simpson												3·8	
Quesnelle	4·7	19·5	2·5							8·0	3·0	8·5	46·2
Revelstoke	47·0	41·0	8·1	0·1						2·0	4·0	22·0	124·2
Rossland	28·0	26·5	15·6	0·4						2·4	3·3	28·9	105·1

Snowfall in inches in each Month and for the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
British Columbia - *Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Royal Oak	0·5	0·5											1·0
Salmon Arm ...	17·5	17·7	9·2									10·4	54·8
Spence's Bridge ...	2·5	6·3	2·0									12·0	22·8
Summerland . . .	3·7	11·4	1·0									6·8	22·9
Swanson Bay . .	9·0	14·5	6·6	2·8	0·3					1·5		4·5	39·2
Thetis Island. .. .		S.											S.
Tobacco Plains .	3·5	12·0	9·0	2·0							1·0	6·0	33·5
Vancouver .. .	0·0	0·0	0·0							0·0	0·0	0·0	0·0
Vernon(Coldstream Ranch)	10·5	13·0	3·0								S.	7·6	34·1
Victoria .	0·6	0·2								0·0	0·0	0·0	0·8
Alberta.													
Alix	1·3	4·3	10·5	0·3						6·0	3·0	2·0	27·4
Athabasca Landing .										S. 5	3·7	8·5	
Banff .	11·0	10·3	14·7	6·2	S.				1·0	12·7	2·0	17·1	75·0
Bardo.....	1·3	4·5	6·5	2·0					1·5	4·0		4·0	
Beaver Hills, W.....	2·3	7·2	12·5	1·2					0·5		5·3		
Bismarck....	1·3	4·6	18·8	S.						5·4	1·5	4·5	39·1
Bittern Lake	0·8	8·6	15·3						1·3	12·0	8·0	7·0	53·0
Blackfalds...	9·5	3·3	9·8	0·5					S.	4·1	1·8		
Bon Accord.....	2·8	6·8	10·8	S.					2·0	7·0	4·5	3·5	37·4
Bruederheim.....	2·0	9·0	6·5								5·5	6·0	
Calgary.....	0·8	2·9	3·7	0·4					5·6	2·3	0·3	2·0	24·0
Cardston.....	8·0	2·0	15·0	2·0									
Conjuring Creek	2·3	8·0	9·5							S. 5		6·0	
Coutts.....	5·8	6·0	7·5						10·0		0·3		
Daysland.....		11·3	22·8							5·0	2·0	0·0	
Didsbury	S.	S	10·0						S.	15·0		4·0	29·0
Dorenlee	3·3	11·0	14·0							9·0	6·0	6·0	49·3
Dunvegan.....	2·5	3·5	17·5	4·0						2·5	0·8	3·5	31·3
Eckville.....	4·4	5·3	26·5	10·8						4·9	1·5	S	53·4
Edmonton.....	3·1	5·5	11·7	1·5					0·5	9·5	8·5		
Ft. Vermilion.....	8·3	2·5	7·3	4·8					1·1	2·3	13·3	2·3	41·9
Ft. Vermilion (2).....										4·0	S 5	2·5	
Gleichen	0·3		1·8	1·6					0·3	1·0	0·5	0·5	
Grassy Lake	0·3	3·0	6·3						0·2	7·0	0·5	2·0	19·3
Gray Hill.....	1·8	5·0	19·3	0·7		1·0							
Harmattan.		6·5	11·0	0·5						12·0		1·0	
Heather Brae.....	2·9	8·5	11·4										
High River .	2·0	9·4	8·5	6·0					8·0	2·0	1·5	2·0	39·4
Hillsdown .	2·5	7·0								6·4	2·3	3·0	41·7

Snowfall in inches in each Month and for the Year 1908.

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
Alberta—*Concluded*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Innisfail		5·0	5·0										
Islay			6·8										
Josephsburg			12·0	1·5					2·0	12·0	4·0		
Jumping Pound	1·5	1·3	1·7	7·4					6·0	3·2	0·6	3·4	25·3
Kimball	7·0	7·0	20·0	4·0									
Lacombe	S.	3·5	3·0	0·8						2·3			
Lacombe Exp'l Station	..		10·4									0·3	
Lawrence	2·5	3·3	10·0	1·9						6·0	0·5	S.	24·2
Lethbridge	2·7	7·5	11·0	2·5					4·1	4·7	0·2	2·5	35·2
Lethbridge Exp'l Farm			7·9	S.					S.	4·3	S.	3·6	
Macleod	5·1	7·8	17·9	1·0					2·0	3·0	1·0	0·5	38·3
Macleod (2)									4·0	10·0	2·4	..	
Magrath	4·0	8·0	13·0	2·0					10·0	6·0			
Mayton			11·3							4·0	1·5	1·0	
Medicine Hat	1·0	4·5	4·5	0·5						5·5	0·0	1·2	17·2
Morinville	1·1	8·0	9·5										
Okotoks	2·0	5·5	4·8	2·0					2·5	·5	·8	2·5	21·6
Pakan	3·0	9·3	13·5	0·5					8·0	6·6	6·0	5·8	52·7
Peace River Landing	1·0	2·3	12·0							3·8	1·5	6·5	27·1
Pekisko	4·5	4·0	12·0	3·3					2·8	1·5			
Pembina			6·0							3·0			
Pincher Creek									14·7		1·8	S.	
Ponoka	1·0	6·5	12·5						S.	5·5	3·0	8·0	36·5
Red Willow	2·2	9·7	7·5	0·3						3·2	2·2	2·0	27·1
Shaftesbury		3·0	6·0										
Sion	5·0	8·0	16·3						0·5	5·5	4·5	10·5	50·3
Taber	3·4	6·0	8·7										
Threehill Creek	S.	1·5	12·5							5·5	0·5	2·0	22·0
Vermilion	2·5	15·0	17·8										
Wabamum	4·3	6·3	14·0						S.	7·2	5·6	7·4	44·8
Waterfield	2·5	12·7	19·1	0·1					S.	10·8	15·5	10·1	70·8
Wetaskiwin	2·8	13·5	10·3						1·3	6·0	6·0		
Saskatchewan													
Alameda	1·3		14·0										
Battleford	1·6	9·7	16·6	2·8						8·8	8·0	4·0	53·7
Broadview									2·0				
Brownhill	3·0	20·0	20·5	8·0	4·0						5·0	6·0	66·5
Chaplin	5·0	12·0	16·0	3·0						6·6	7·0	7·0	56·6
Crescent Lake		12·0		4·3									
Drinmaene		12·0	11·5								3·0	8·0	
East End	3·0			0·5								4·0	

SNOWFALL in inches in each Month and for the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
SASKATCHEWAN—*Concluded*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Elm How	2·0	8·0	3·0						0·5	4·5	7·0	8·5	33·5
Esterhazy									S.	S.	5·2	7·1	
Estevan	3·0	10·0	10·0	4·0	3·0				S.	S.	3·0	3·0	36·0
Fond du Lac	S.		S.	S.					0·9	0·6	S.		
Gatesgarth (Pense)	3·5	16·5	12·0	S.									
Humboldt		4·0			1·0					S.	2·3		
Indian Head	2·5	10·0	12·0	5·0	7·5				·0	·5	4·0	9·0	51·4
Insinger	1·0	9·0	13·0	10·0	1·0	S.							
Kamsack												5·0	
Lloydminster	2·1	S.	9·0	S.					S.	6·0	3·1	3·8	32·0
Meota (Prince)	1·5	14·0	15·0							1·5	4·0	2·0	43·0
Moose Jaw											1·2	4·6	
Prince Albert	4·0	21·5	5·5	1·5							8·0	18·1	56·6
Qu'Appelle	2·5	15·7	16·0	8·0	5·0				0·8	0·0	9·0	6·8	63·8
Regina	1·5	8·9	25·3	3·0									
St. Peter's Monastery											8·0	2·0	
Saskatoon	1·0	7·5	6·3								2·5	4·5	21·8
Swift Current	4·6	14·2	12·6	1·9						1·8	3·6	1·6	52·3
Waseca	2·5	6·0	6·0							8·0	3·0	1·0	26·5
Willow Bunch		8·0	8·0	1·0						5·0	7·0		
MANITOBA													
Almasippi	6·0	18·5	16·0								6·5	14·5	61·5
Berens River	2·5	5·5	8·0						10·3	6·3	21·5	16·0	64·1
Brandon	3·0	7·5	14·0	6·0						1·0	6·0	12·0	49·5
Carberry	1·0		11·2	6·0						1·0	2·0	13·0	
Cartwright	2·5	20·5	16·0	7·3							8·0	11·8	66·1
Deloraine	2·6	5·0	12·3	2·3									
Gretna	7·5	23·5	22·5	9·0						S.	14·0	10·0	86·5
Hillview	6·0	10·0	7·0	6·0					1·0	6·0	6·0	3·0	39·0
Minnedosa	3·1	5·9	7·1	6·5					2·9	0·7	5·4	2·8	34·4
Morden	3·9	24·3	15·0	9·0	0·5				0·8	3·9	9·2	9·8	76·4
Norquay	1·3	8·5	8·3	7·9	0·5				1·3	2·2	7·5	7·5	45·0
Oakbank	6·0	18·0	11·0	8·0					2·6	0·0	8·0	7·0	60·6
Portage la Prairie	6·8	12·5	15·3	3·5					6·8	0·0	7·8	5·0	51·7
Rapid City	3·5	10·4	9·9	1·6						1·0	4·5	3·9	34·8
Rosebank					S.								
St. Alban's (Aweme)	2·0	11·3	12·0	11·7	0·1				4·2	0·0	7·3	11·4	60·0
Stony Mountain	5·0	18·0	12·3	3·4					2·0	S.	2·8	0·6	44·1
Treherne									1·0				
Virden									S.	S.			
Winnipeg	4·4	17·5	18·3	5·3					2·3	0·0	4·9	6·5	59·2

SNOWFALL in inches in each Month and for the Year 1908—*Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Acton	10·5	27·4	5·7	7·1						1·5	3·8	13·3	69·3
Alton	28·5	25·5	13·0	7·5	1·3						11·0	20·3	107·1
Arden	37·0	35·0	7·0	1·0	2·0						9·0	13·0	104·0
Aurora	16·4	21·9	8·5	3·5							8·0	14·6	72·9
Barrie										1·8	10·0	49·4	
Beatrice	29·5	45·5	12·5	6·5							18·5	50·0	16·25
Birnam	33·0	37·8	0·5	0·3							8·5	20·3	100·4
Bloomfield	9·5	43·0	5·0	1·0							2·0	8·0	68·5
Brantford	19·0	22·0	5·0									8·5	56·5
Bruce Mines	15·0	41·0	24·2	6·0							2·0	24·0	112·2
Chatham		19·0									1·5	5·5	26·0
Clinton	26·5	42·0	7·5							2·0	6·6	22·0	106·6
Colchester	14·0	12·0	6·0									4·0	36·0
Cockburn Island	11·0	33·0	21·0	4·0							10·5	29·0	108·5
Coldwater	27·3	34·0	1·3								7·0	32·5	102·1
Copper Cliff											3·8	12·8	
Cortam	13·8	42·8		1·0	0·5						1·2	8·5	67·8
Croydon	19·0	19·0	2·0		2·0								
Dutton	20·0	23·0	S.	S.	S.					0·3	2·5	11·0	56·8
East Toronto	14·5	7·2	4·8	6·5						0·1	2·0	6·4	41·5
Lansdale	20·5	25·8	3·3	3·5							8·3	31·8	93·2
Lansmere	30·0	26·0	10·0	3·0							4·0	20·0	93·0
Georgetown	20·6	28·0	11·8	3·3	S.					S.	6·1	18·4	88·2
Goderich	16·0	38·0	3·0	0·0	1·0						6·0	12·0	76·0
Gravenhurst	29·0	32·5	7·0	5·0	S.						20·0	42·0	135·5
Guelph	34·5	13·0	2·5	S.	S.					S.	3·0	13·0	66·0
Hamilton	10·0	23·7	22·3	11·5	0·7					0·6	10·2	29·1	108·1
Haliburton					S.					S.	...	20·0	
Harriston											1·7		
Hespeler	18·5	37·0	6·5	4·0									
Kingston											3·7	20·5	
Kenora	3·0	12·0										6·0	
Kincardine	9·9	24·1	4·9	0·5	0·2					S.	6·9	13·2	59·7
Lakefield	69·3	37·8	10·5	4·7	0·9						9·4	26·5	146·1
Lake Dore		0·0	7·5	4·0	1·0					2·8	10·0	18·5	75·8
Lansdowne	4	14·0	1·0								2·0	8·0	29·0
London	37·4	38·8	16·9	6·9	2·9					S.	12·4	47·2	161·8
Lucknow											20·2	17·9	
Lucan	33·0	16·5	1·4	0·6	S.					2·5	6·5	26·0	106·5
Lynn Pass												8·8	

SNOWFALL in inches in each Month and for the Year 1908– *Continued.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO – *Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Lucknow	37·5	42·3	8·5	6·2	1·3					3·5	14·7	34·3	148·3
Lyndoch	17·8	11·2	0·5										
MacCue	14·0	16·0	8·0	8·0							6·0	22·5	74·5
Madoc	28·5	37·0	17·5	1·8	0·8						8·7	23·6	117·9
Meaford	33·5	38·0	13·0	1·0						S.	6·0	17·0	108·5
Midland	20·5	33·0	4·0							0·8	10·3	40·0	108·6
Montague	12·0	25·0	10·0	3·0							4·0	16·0	70·0
Moose Factory	13·5	14·5	8·0	5·0									
North Bruce	18·0	22·5	8·2								2·5	26·7	77·9
Orangeville	36·8	41·2	10·0	6·3	2·3						11·6	23·3	131·5
Orillia	34·0	24·0		2·0							3·5	22·5	86·0
Otonabee	26·3	20·0	7·5	3·4							9·5	14·0	80·7
Ottawa	21·5	17·9	15·3	5·0							10·1	38·6	108·4
Owen Sound	51·2	49·0	11·8	2·8							7·0	68·5	190·3
Paris	8·0	35·0	11·5								1·0	9·8	65·3
Parry Sound	27·5	54·0	5·5	3·5	1·0						19·0	53·0	163·5
Pelee Island												2·0	
Peterborough	28·0	23·5	10·0	6·0	S.						6·4	15·0	88·9
Point Clark	23·0	34·0	3·0								2·0	14·0	76·0
Port Arthur	4·7	6·5	5·7	5·5					S.		S.	27·3	49·7
Port Burwell	13·0	27·0	1·5	0·5						S.	0·8	7·3	50·1
Port Dover	15·7	23·9	6·9	4·7	1·6						3·5	8·7	65·0
Port Hope	4·8	11·5	1·0								2·0	3·0	22·3
Port Stanley	15·0	31·1	3·6	1·9	0·5					S.	4·3	11·4	67·8
Princeton	35·0	36·0	8·0	1·0								17·3	97·3
Renfrew	22·3	20·0	11·0	5·1	3·8						11·5	44·2	117·9
Reservoir Grounds	12·0	22·0	6·0	2·2	S.						2·5	11·0	55·7
Rockliffe	18·9	27·5	8·9	9·9	0·4						10·3	22·4	98·3
Ronville	14·0										10·0	27·0	
Sarnia	14·5	10·5										12·5	37·5
Southampton	25·1	42·1	10·1	2·9						0·3	5·2	37·4	123·1
Stoney Creek	11·8	21·3	7·6								2·0	7·3	50·0
Stratford	27·8	58·0	0·8								3·6	21·5	111·7
Strathroy	33·0	41·5	1·0	1·0							6·0	15·0	97·5
Sunnyside (Wooler)	17·0	25·0	7·5	1·0	S.						4·5	9·0	64·0
Sutton West	19·0	14·0	3·0										
Sydenham	19·0	10·0	8·0								6·5	17·0	60·5
Toronto	19·0	26·0	6·2	5·8	0·3					S.	3·6	16·5	77·4
Uplands	27·5	48·0	6·0	4·7	3·0						10·0	51·0	150·2
Uxbridge	26·5	16·0	6·0	5·0							8·0	13·0	74·5
Wallaceburg	S.	31·0											

SNOWFALL in inches in each Month and for the Year 1908—*Continued.*

STATION.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
ONTARIO—*Continued.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Welland	4·7	8·5	2·2	0·5							4·2	11·4	56·2
Westminster	18·0	18·0	2·0		S.					S.	5·5	13·8	57·3
Westport	25·8	31·8	11·5	0·5							9·0	17·8	94·4
White River	21·8	22·7	17·8	18·2	1·5				1·4	1·0	12·7	34·7	131·8
Wiarton	19·5	31·0	7·8	S.						S.	9·5	12·5	110·3
Windsor	0·0	2·0	0·5	0·0	S.					0·0	0·0	4·0	6·5
Woodstock	16·8	19·0	2·4							0·2	1·1	14·0	47·5
QUEBEC.													
Alaska	8·0	21·5	9·0	6·0	7·0					0·5	9·2	13·2	74·4
Anticosti (E. Point)	38·9	13·6	3·3	4·7	0·4					0·6	1·4	5·6	68·5
Anticosti (S.W. Point)	7·1	4·3	2·9	4·0							1·4	6·0	21·7
Anticosti (W. Point)	33·0	42·0	31·5	13·5	4·0						8·0	55·5	187·5
Bicquette				40·0						3·0	37·5		
Bird Rocks	17·0	7·5	10·8	25·2							7·0	24·4	91·9
Bonne	17·0	20·5	12·0	7·0							4·5	23·0	84·0
Cape Charles	11·0	24·0	17·0	16·0	2·0						8·0	16·0	97·0
Cape Magdeline	22·8	48·0	15·2	26·4	5·0					0·2	13·1	26·3	157·0
Chicoutimi	8·2	1·1	2·3							1·0	15·6	7·9	36·1
Clarke City	75·5	49·0	30·5	14·0	8·0						16·8	56·0	197·8
Father Point	44·8	25·8	21·3	7·6						1·8	24·5	36·6	131·8
Montreal	43·7	40·6	32·4	8·7							13·3	53·2	171·6
Perce	28·5	16·5	20·0	21·5							3·7	25·4	115·6
Quebec	39·9	47·1	31·1	12·9							8·4	37·7	173·8
St. Anne de Bellevue												36·3	
St. Anne's Pool			5·2										
St. Hyacinthe	22·2	22·4	21·3	15·0						0·1	10·4	28·7	121·1
Wapitagun River										9·0	12·3	12·0	
NEW BRUNSWICK.													
Campbellton	16·9	14·9	17·3	15·9	0·7					1·0	4·1	23·6	94·4
Dalhousie	20·1	25·0	9·0	9·1						S.	5·1	15·6	95·9
Fredericton	24·0	16·0	19·0	7·2						0·1	4·0	18·7	97·3
Grand Manan	7·7	2·8	2·7	5·2							1·3	10·5	29·6
Moncton	12·4	11·7	1·2	1·0						1·2	2·2	3·5	49·3
Point Lepreau	20·0	13·8	12·5	8·4						S.	0·2	17·0	77·9
Point Escuminac	11·0	9·0	10·0	4·5							1·5	6·0	42·0
St. John	9·0	12·0	10·7	11·6						0·2	1·0	7·0	61·1
St. Stephen	4·0	1·0	15·5	7·0							2·8	3·0	45·3
Shediac	20·0	10·0	15·7	7·0						S.	5·0	3·0	66·7
NOVA SCOTIA.													
Halifax	28·5	11·0	7·0	3·5							0·3	8·0	54·7
Port Hastings	31·2	1·0	31·0	18·0								4·0	88·0
Sable Island (E. Pt.)	0·0	1·0	0·0							S.	0·0	S.	1·0
Sable Island (main station)	0·9	4·7	10·5	2·1							0·0	11·5	59·7

SNOWFALL in inches in each Month and for the Year 1908—*Concluded.*

Stations.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Year.
NOVA SCOTIA—*Concluded.*	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Sydney	16·0	8·0	30·5	12·0	0·5						2·2	17·7	86·9
Truro	15·3	11·0	8·8	14·1						0·5	11·9	8·7	70·3
Whitehead	11·2			3·5						0·0	0·0	0·0	14·7
Windsor	16·5	5·0	8·9	4·3							11·8	8·0	54·5
Yarmouth	15·2	10·9	6·9	4·0						0·2	2·1	11·3	50·6
PRINCE EDWARD ISLAND													
Charlottetown	22·4	17·0	16·7	18·3							3·1	16·1	93·6
Hamilton	11·0	12·5	32·5	12·0							1·3	7·0	76·3
Summerside	11·5	11·0	14·5	11·5							3·0	6·0	57·5
NEWFOUNDLAND.													
Cape Norman	27·8	9·7	13·1	25·1	4·1	8·5				·7	7·1	9·8	105·9
Channel	12·0	10·0	11·0	15·0									
Point Amour	14·8	18·0	4·0	21·0	4·0	1·0					7·0	14·5	84·3
Point Rich	21·5	10·5	4·0	27·0	1·5	5·0					5·5	14·5	89·5
St. George	19·5	13·8	24·2	35·4	0·3	0·5					21·3	36·8	151·8
St. John's	15·7	15·0	28·2	4·5	0·3						0·5	20·3	84·3
NORTHWEST TERRITORIES													
Fort Churchill (H.B. Co.)	S.												
Fort Churchill (R.N.W.M.)	S.												
Fort Hope	4·0		8·0						2·0		10·0	21·0	
Fort Norman								5·0			7·0		
Norway House												73·6	
York Factory	9·0			S.	1·0								
YUKON.													
Dawson	7·1	10·0	7·1	1·1					1·4	6·9	14·8	19·6	68·

Hours of Bright Sunshine during the Year 1908.

Station.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
British Columbia.												
Victoria	65	81	129	166	160	248	321	281	201	109	67	62
Nanaimo	58	79	140	170	204	260	303	297	184	104	37	41
Vancouver								265	188	106	36	54
Agassiz	62	67	90	117	120	164	244	198	103	91	49	63
Tranquille				190	198	257	291	277	200	151	76	68
Summerland					202	251	320	271	213	144	80	55
Kamloops	84	94	127	129	149	226	243	283	190	123	67	54
Alberta.												
Edmonton	86	110	143	202	232	196					101	92
Lethbridge			151	202	185	254	360	309	217	151	124	143
Lacombe	116	117	141	217	203	207	331	294	220	112	113	133
Medicine Hat	121	109	114	223	243	177	376		221	126	121	116
Ft. Vermilion						210	300	233	160	128	61	69
Saskatchewan												
Battleford										104	67	65
Indian Head	94	83	124	181	241	218	301	280	212	123	69	51
Moosejaw							339	269	216	123	100	100
Manitoba												
Brandon	124	117	135	200	232	203	316	270	223	124	75	82
Winnipeg	99	102	112	217	217	217	244	242	205	82	63	56
Ontario.												
Harbour City	103	111	122	178	177	310	268	228	174	102	53	59
Gravenhurst	92	113	99	184	176	282	295	224	240	203	87	
Woodstock	89	107	98	157	194	346	289	241	179	158	89	56
Ludlow	95	133	95	176	171	336	284	238	170	170	60	40
Toronto	88	127	104	175	186	341	321	291	196	187	91	61
Barrie	85	105	111	185	203	333	311	269	178	171	77	47
Kingston	88	109	79	184	184	345	299	283	177	160		77
Ottawa	101	129	100	195	207	297	284	263	163	131	52	75
Quebec.												
Montreal	70	96	86	166	192	294	270	234	195	113	42	52
Quebec	97	98	135	160	186	307	258	251	151	133	46	94
Sherbrooke	84	91	103	181	217	315	251	233	189	152	48	58
Maritime Provinces.												
Pictou	96	140	143	220	172	292	274	243	214	194	96	110
Charlottetown	115	116	128	171	212	266	294	228	197	154	70	88

PART VI.

Daily Weather Reports from Selected Telegraph Stations for the Year 1908.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—January, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	28·58	28·51	29·0	37 0	27 0	38 0			N.	3	S.	2					ci.cu.	2			ci.cu.	3
2	28·52	28 56	25·0	22 0	22 0	37 0			S.	4	S.W.	3			st.	6			st.	6		
3	28·54	28 19	22·0	22 0	22 0	25 0			S.	4	C.	0					ci.cu.	3			ci.cu.	6
4	27·88	27 70	4·0	12 0	4 0	22·0			C.	0	C.	0			st.	6			st.	5		
5	28·71	28 08	4 0	5 0	6 0	4 0			S.	2	S.	3	·05		st.	6			st.	5		
6	27·91	27·90	6·0	30 0	30 0	10 0			C.	0	C.	0					ci.	6	st.	7		
7	28·19	28 03	2·0	13 0	30·0	15 0			C.	0	C.	0	·05		st.	6			st.	5		
8	28·66	27·95	1·0	3 0	3·0	14·0			C.	0	S.	3		·10	nb.	5			nb.	8		
9	28·11	28·24	9·0	1 0	10 0	1 0			N.	4	C.	0			nb.	8			nb.	8		
10	28·47	28 50	5·0	4 0	5 0	0 0			S.	3	C.	0		·01	nb.	10			nb.	10		
11	28·86	28 96	2·0	17 0	4 0	17 0			N.	10	C.	0	T.		nb.	8						
12	29·09	28 76	36 0	32 0	17 0	36 0			C.	0	C.	0					ci.	5			ci.	1
13	28·55	28 63	15 0	14 0	11 0	32 0			N.E.	5	N.	6		·05	nb.	10			nb.	10		
14	28·41	28 57	11·0	11 0	9 0	17 0			S.	4	S.E.	6					ci.	3			st.	6
15	28·53	28 35	14·0	14 0	11 0	21 0			S.	7	C.	0					ci.	5			ci.	3
16	28·02	28 16	10·0	6 0	6 0	17 0			S.	8	S.	6					ci.	6	st.	4		
17	28·13	28 22	18·0	22 0	6 0	22·0			S.	5	C.	0			st.	5			cu.	5		
18	28·32	28 30	25·0	25 0	22 0	27 0			S.	2	C.	0					ci.	1			ci.	1
19	28·40	28 42	16·0	15 0	14 0	27 0			E.	3	S.	3			nb.	8			nb.	8		
20	28·52	28 72	13 0	33 0	13 0	33 0			S.	2	C.	0			nb.	8					ci.	5
21	28·75	28 76	40·0	34 0	33 0	42 0			C.	0	C.	0		·05			ci.	4			ci.	4
22	28·71	28 79	40·0	34 0	34 0	42 0			C.	0	S.	3					ci.	3			ci.	3
23	28·72	28 49	27·0	15 0	8 0	34 0			S.	2	C.	0		·05			ci.	4			ci.	3
24	28·77	28 72	8·0	11 0	4 0	18 0			S.	3	C.	0			st.	5			st.	6		
25	28·32	28 17	1·0	7 0	7 0	11 0			C.	0	C.	0		·05			ci.	3	nb.	10		
26	28·61	28 76	8·5	6 0	11 0	6 0			S.	3	C.	0		·30					cu.	2	ci.	
27	28·97	29 18	3·0	6 0	0 0	7 0			C.	0	C.	0					ci.	4				
28	29 18	29 25	20 0	21 0	6 0	21 0			C.	0	C.	0										
29	29·24	29·16	10·0	18 0	7 0	22 0			S.	3	C.	0			nb.	8						
30	29·19	29 25	17·0	10 0	10 0	21 0			E.	3	C.	0			st.	6						
31	29·29	29 22	22 0	15 0	10 0	23 0			C.	0	S.	2					ci.	3			ci.	1

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—February, 1908.

Day.	Pressure. 33°		Air Temperature				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower		Upper.		Lower.		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°		°							in.	in.								
1	29·17	29·12	30·0	20·0	15·0	31·0			C.	0	C.	0			cu.	4					ci.cu.	5
2	29·18	29·30	24·0	33·0	20·0	33·0			N.	2	C.	0										
3	29·33	29·28	40·0	40·0	33·0	42·0			C.	0	C.	0			cu.	6						
4	29·23	29·18	40·0	36·0	36·0	44·0			C.	0	C.	0			cu.	3					ci.cu.	1
5	29·13	29·01	38·0	33·0	30·0	41·0			S.	2	C.	0			cu.	3			cu.	3		
6	28·81	28·68	36·0	32·0	29·0	38·0			C.	0	C.	0										
7	28·71	28·75	34·0	34·0	29·0	36·0			C.	0	C.	0										
8	28·79	28·73	35·0	30·0	30·0	37·0			S.	4	S.	5										
9	28·66	28·54	19·0	15·0	15·0	30·0			S.	3	S.	2			st.	6						
10	28·41	28·52	10·0	2·0	2·0	15·0			S.	3	C.	0		·25	cu.	10			cu.	10		
11	28·82	28·87	22·0	24·0	2·0	24·0			C.	0	N.	2			st.	6			st.	1		
12	28·59	28·41	20·0	0·0	0·0	30·0			C.	0	C.	0			st.	8			cu.	10		
13	28·58	28·50	4·0	2·0	6·0	2·0			S.	3	S.E.	2	·35		cu.	10			cu.	6		
14	28·74	28·95	0·0	1·0	5·0	2·0			S.	2	C.	0		·10	cu.	10			st.	5		
15	29·19	29·06	5·0	9·0	1·0	9·0			S.	4	C.	0	T.		cu.	10					ci.cu.	5
16	29·01	28·86	15·0	5·0	5·0	23·0			C.	0	C.	0			cu.	7			st.	8		
17	28·63	28·48	5·0	2·0	1·0	7·0			C.	0	C.	0			st.	8			st.	8		
18	28·58	28·79	7·0	8·0	2·0	8·0			C.	0	S.	2					ci.cu.	3	cu.	5		
19	28·66	28·36	14·0	3·0	23·0	15·0			C.	0	C.	0		·05	cu.	10			cu.	10		
20	28·97	29·18	33·0	20·0	35·0	3·0			E.	10	C.	0			cu.	8			cu.	1		
21	28·48	28·40	9·0	7·0	20·0	7·0			S.	3	S.	3			cu.	5						
22	28·31	28·31	21·0	16·0	35·0	7·0			S.E.	3	C.	0	·20		cu.	10			cu.	10		
23	28·39	28·46	12·0	12·0	18·0	9·0			E.	4	C.	0			nb.	10			nb.	10		
24	28·65	28·91	1·0	11·0	12·0	1·0			S.E.	2	C.	0					ci.	5	nb.	10		
25	29·04	28·78	5·0	4·0	11·0	7·0			N.	1	C.	0	T.				ci.st.	3	st.	6		
26	28·95	29·35	0·0	6·0	17·0	4·0			C.	0	C.	0			st.	5						
27	29·31	28·97	6·0	2·0	6·0	13·0			S.	2	C.	0			st.	6			st.	10		
28	28·93	29·02	12·0	1·0	11·0	12·0			C.	0	C.	0	·05				ci.	4				
29	29·17	29·25	22·5	21·0	1·0	25·0			S.E.	2	S.	3					ci.	4	cu.	6		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—March, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·35	29·28	31·0	20·0	15·0	33·0			C.	0	C.	0										
2	29·25	29·16	15·0	3·0	3·0	24·0			S.	3	C.	0			st.	8						
3	29·14	29·05	12·0	4·0	6·0	15·0			C.	0	C.	0			cu.	8			cu.	8		
4	28·88	28·83	5·0	11·0	11·0	6·0			C.	0	N.	3			st.	6			nb.	1		
5	28·77	28·72	12·0	20·0	20·0	10·0			S.	3	W.	10	T.	·01	cu.	9			nb.	1		
6	28·93	28·97	4·0	11·0	12·0	4·0			N.	8	C.	0					ci.	6	nb.	10		
7	28·95	28·87	9·0	16·0	19·0	8·0			N.E	3	E.	2		·10	nb.	10			nb.	10		
8	28·85	28·87	14·0	12·0	16·0	12·0			N.	3	N.	10		·35	nb.	10			nb.	10		
9	28·87	28·95	4·0	14·0	1·0	14·0			N.	15	C.	0			cu.	3						
10	29·01	28·95	27·0	10·0	2·0	27·0			N.	2	N.	3			cu.	5			cu.	5		
11	28·97	28·95	27·0	11·0	2·0	27·0			N.	2	C.	0					ci.	5				
12	29·00	28·90	30·0	19·0	11·0	37·0			C.	0	N.	5					ci.	3				
13	28·75	28·71	40·0	30·0	13·0	42·0			C.	0	C.	0					ci.	4				
14	28·90	28·86	34·0	17·0	10·0	4·0			C.	0	C.	0					ci.	3				
15	28·69	28·55	24·0	17·0	6·0	37·0			C.	0	C.	0					ci.	4				
16	28·63	28·62	11·0	0·0	4·0	28·0			N.	5	N.	6			cu.	5			cu.	8		
17	28·63	28·61	6·0	1·0	5·0	11·0			N.	5	N.	5			st.	6			st.	8		
18	28·61	28·51	5·0	4·0	7·0	8·0			N.	5	N.	5		·10	nb.	10			nb.	10		
19	28·25	28·22	6·0	14·0	21·0	6·0			S.	3	W.	25			st.	8			cu.	5		
20	28·52	28·29	1·0	11·0	14·0	1·0			N.	20	C.	0			nb.	9			st.	3		
21	27·99	28·26	8·0	26·0	35·0	8·0			S.	3	N.	15			st.	8						
22	28·64	28·87	8·0	9·0	26·0	7·0			N.	10	N.	8		·10	nb.	10			nb.	10		
23	29·25	29·21	10·0	5·0	11·0	12·0			S.	4	C.	0	·05				ci.	3				
24	29·12	28·96	4·0	10·0	12·0	10·0			C.	0	N.	3	T.	T.			ci.	4	nb.	4	nb.	
25	28·90	28·79	11·0	14·0	34·0	2·0			N.	3	C.	0			cu.	4			st.	6		
26	28·87	28·74	10·0	20·0	35·0	8·0			N.	4	C.	0									li	4
27	28·91	28·84	14·0	25·0	31·0	10·0			S.	3	N.E.	3			nb.	5			nb.	8		
28	28·80	28·74	11·0	23·0	32·0	6·0			C.	0	C.	0							lu.	8		
29	28·83	29·05	17·0	14·0	28·0	11·0			C.	0	C.	0			cu.	6			cu.	1		
30	29·11	28·93	5·0	20·0	22·0	5·0			S.	8	C.	0							cu.	1		
31	29·01	28·70	6·0	27·0	30·0	5·0			C.	0	C.	0			cu.	5			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—April, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	28·34	28·32	24·0	30·0	33·0	24·0			E.	3	S.	4	·05		nb.	10			nb.	10		
2	28·21	28·20	20 0	10·0	30 0	10 0			N.	10	N.	10			nb.	10			nb.	8		
3	28·25	28·40	1 0	0·0	10 0	1 0			N.	15	N.E.	10			nb.	10			nb.	10		
4	28·50	28·47	1 0	2·0	11 0	0 0			N.	10	W.	5			nb.	10						
5	28·54	28·55	9 0	14 0	18 0	3 0			N.	6	N.	3			nb.	8			cu.	7		
6	28·37	28·11	6 0	30·0	30 0	6 0			S.	3	C.	0			cu.	7			st.	10		
7	28·25	28·28	19 0	35·0	37 0	15 0			S.	5	C.	0			cu	6			st.	8		
8	28·55	28·57	25 0	14·0	32 0	12 0			E.	8	C.	0			cu	6					ci.cu.	1
9	28·54	28·46	15 0	32·0	37 0	3 0			C.	0	S.	3			cu.	5					ci.cu.	1
10	28·42	28·40	22 0	31·0	38 0	18 0			N.	4	C.	0			nb	8			nb.	10		
11	28·52	28·71	28 0	13·0	41 0	12 0			C.	0	C.	0									ci.cu	1
12	28·73	28·65	20 0	30·0	38 0	5 0			C.	0	N.	2					ci.cu.	1			ci.cu	1
13	28·75	28·70	11 0	12·4	39 0	7 0			N.	3	S.W.	2	·03		nb.	8					ci.cu.	1
14	28·71	28·48	23 0	35 0	42 0	8 0			C.	0	S.W.	10					ci.cu.	1			ci.cu.	5
15	28·45	28·33	37 0	38·0	44 0	21 0			S.	8	S.	6					ci.cu.	1	nb.	8		
16	28·28	28·31	35 0	34 0	43 0	29 0			S.E.	8	N.	3	·01	T.	nb.	9					ci.st.	5
17	28·30	28·27	30 0	37 0	41 0	22 0			N.W.	5	N.W.	8	·01		nb.	8			nb.	8		
18	28·39	28·46	33 0	40 5	52 0	31 5			N.W.	5	N.	5	·03		nb.	8			st.	4		
19	28·56	28·48	34 5	38 0	50 0	25 0			C.	0	I.	2					ci.cu.	1			ci.st.	3
20	28·54	28·53	27 0	35 5	48 0	22 0			C.	0	C.	0			cu.	2					ci.st.	3
21	28·58	28·50	25 0	36 0	48 0	17 0			C.	0	S.E.	16			cu.	2			cu.	3		
22	28·41	28·34	39 5	40 0	47 0	29 5			S.E.	10	N.E.	1			st.	4			st.	7		
23	28·43	28·40	36 0	36 0	53 0	27 0			C.	0	C.	0					ci.st	1	cu.	4		
24	28·49	28·39	43 0	43 0	55 0	33 0			C.	0	C.	0		T.	nb.	9			cu.	5		
25	28·95	28·91	35 0	35 0	49 0	33 5			C.	0	C.	0	·01		nb.	9					ci.st	2
26	28·68	28·58	34 0	40 0	45 0	29 0			C.	0	S.	16	·18		st.	8			nb.	9		
27	28·81	28·98	34 0	42 0	54 0	32 0			S.W.	2	W.	3									cr.	1
28	29·17	29·07	33 0	49 0	56 0	24 5			C.	0	S.E.	4					ci.	1			cr.	1
29	29·00	28·80	42 0	45 0	56 0	28 0			C.	0	C.	0									ci.st.	1
30	28·69	28·48	40 0	50 0	55 0	40 0			S.E.	6	S.E.	2			st.	8			st.	8		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—May, 1908.

Days.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in	in								
1	28·31	28·25	50·0	48·0	57·0	38·0			S.	15	S.	4			st.	8			lu.	7		
2	28·24	28·21	44·0	50·0	55·0	36·0			S.	5	C.	0					ci.	2			ci.st.	2
3	28·26	28·26	46·0	44·0	56·0	37·0			E.	10	N.	3					ci.	2			ci.st.	6
4	28·31	28·35	38·0	44·0	54·0	29·0			C.	0	W.	4				li.		2	nb.	10.		
5	28·47	28·53	40·0	40·0	43·0	37·5			S.E.	1	C.	0	·10	T.	nb.	10			nb.	10		
6	28·59	28·67	37·0	39·0	46·0	33·0			N.	5	C.	0		·13	nb.	10			nb.	10		
7	28·68	28·61	39·0	40·0	50·0	29·0			S.	2	W.	6		T.	cu.	6			st.	9		
8	28·58	28·54	37·0	45·0	46·0	34·0			C.	0	S.	6		21	nb.	10			nb.	10		
9	28·45	28·53	45·0	42·0	50·0	34·0			S.	15	N.	6		·09	nb.	9			nb.	10		
10	28·62	28·71	40·0	39·0	54·0	35·0			C.	0	S.E.	5		T.	cu.	6			st.	9		
11	28·84	28·82	37·0	44·0	53·5	27·0			N.	2	N.W.	7					ci.	2			ci.st.	3
12	28·86	28·77	39·5	50·0	61·0	27·0			C.	0	C.	0					ci.				ci.st.	
13	28·90	28·88	40·0	45·5	56·0	36·5			C.	0	N.	3	·05		nb.	10			st.	8		
14	28·92	28·74	46·0	52·0	60·0	37·0			N.	5	E.	6					ci.	2			ci.	3
15	28·61	28·62	39·0	50·0	65·0	29·0			C.	0	C.	0					ci.	4			ci.st.	3
16	28·61	28·60	45·0	55·0	67·5	31·0			N.	6	N.	6					ci.	1			ci.st.	2
17	28·66	28·70	45·0	50·0	60·0	41·0			N.W.	12	N.E.	7					ci.	1			ci.	1
18	28·83	28·72	41·0	55·0	69·0	36·0			W.	8	N.	5									ci.	3
19	28·66	28·67	50·0	60·0	77·5	41·0			N.	6	S.	8					ci.	4			ci.st.	5
20	28·62	28·49	51·0	64·0	75·0	38·0			N.E.	2	E.	8					ci.	1	cu.	7		
21	28·56	28·55	52·0	56·0	72·0	37·5			C.	0	W.	3		·23			ci.	7	cu.	6		
22	28·65	28·53	55·0	57·0	65·5	43·0			S.	6	C.	0					ci.	3			ci.st.	4
23	28·50	28·53	50·0	56·0	66·0	36·5			E.	8	C.	0		T			ci.	4	nb.	7		
24	28·58	28·79	49·0	50·0	67·0	38·0			W.	3	S.	3		·01	cu.	7			st.	6		
25	28·92	28·87	45·0	54·0	63·5	38·0			W.	5	W.	4		·01	st.	8			st.	8		
26	28·83	28·58	50·0	60·0	65·0	39·0			S.	5	N.E.	10			cu.	6			st.	7		
27	28·63	28·70	44·0	50·0	60·0	42·0			E.	6	N.	2		·26	nb.	10			st.	6		
28	28·67	28·67	43·0	49·0	55·0	39·0			S.	4	W.	4	·10		nb.	10			st.	8		
29	28·73	28·79	50·0	52·0	65·0	35·0			S.	4	N.	5		·04	cu.	6			nb.	10		
30	28·59	28·46	45·0	55·0	62·0	36·0			N.	5	E.	5			cu.	7			st.	8		
31	28·47	28·62	55·0	48·0	58·0	42·5			E.	8	N.	8		·04	cu.	8			nb.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—June, 1908.

Days.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	28·84	28·89	43·0	54·0	65·0	37·0			C.	0	W.	8	·05	....	cu.	6			nb.	9		..
2	28·94	28·72	49·5	61·0	71·5	34·0			E.	3	E.	6					ci.	1			ci.st.	5
3	28·66	28·56	64·0	67·0	77·0	43·0			N.E.	10	C.	0					ci.	....	cu.	7		
4	28·65	28·61	65·0	62·0	73·0	65·0			E.	8	C.	0					ci.	4	. .		ci.st.	6
5	28·67	28·83	65·0	60·0	74·0	65·0			S.	6	S.	4		T.			ci.	2	cu.	5		
6	28·82	28·72	54·0	56·0	66·0	54·0			S.E.	6	N.	6	T.		cu.	8	.	..	st.	7	.	
7	28·81	28·81	56·0	50·0	66·0	42·0			S.	2	W.	3		18	st.	6			st.	8	.	
8	28·96	28·99	49·5	46·0	49·5	43·0			N.	5	C.	0	T.	15	nb.	8			nb.	10	.	
9	29·06	29·03	52·0	57·0	59·5	40·0	.....	.....	W.	15	C.	0	·08		st.	8			st.	7		
10	29·05	29·01	53·0	57·0	64·0	44·0			C.	0	N.	4		.	nb.	9			st.	8		
11	29·02	28·95	53·0	57·0	66·0	44·0			N.E.	3	E.	8		·03	cu.	7			cu.	8		
12	28·73	28·67	55·0	60·0	60·0	47·0			E.	4	E.	5		·03	cu.	8			cu.	9		
13	28·64	28·65	53·0	56·0	60·0	44·0			N.	6	N.E.	8		·08	nb.	10			nb.	10		
14	28·65	28·62	50·0	57·0	64·5	48·0			E.	5	W.	3	·30	T.	nb.	9			cu.	8	..	
15	28·61	28·50	55·0	62·0	70·5	44·0			C.	0	C.	0		T.			cu.	4			ci.st.	6
16	28·53	28·46	58·0	60·0	72·5	40·0			C.	0	S.	4		T.			ci.	5	cu.	8		
17.....	28·55	28·59	55·0	58·0	61·5	50·0			S.	4	C.	0	T.	·03	nb.	7			cu.	7		
18	28·74	28·73	50·0	64·0	76·0	38·0			S.	4	C.	0					ci.	3	....		ci.st.	6
19.....	28·86	28·77	58·0	68·0	80·0	46·5			C.	0	C.	0			cu.	8			....		ci.st.	4
20	28·78	28·62	61·0	71·0	83·0	45·0			C.	0	C.	0					ci.	1	cu.	7		.
21	28·69	28·66	59·0	66·0	72·0	41·0			C.	0	C.	0					ci.	1			ci.st.	6
22	28·77	28·89	63·0	57·0	75·0	45·0			C.	0	C.	0									. .	
23....	28·98	28·99	60·0	63·0	72·0	43·0			C.	0	C.	0					ci.	3			ci.st.	5
24	29·02	28·89	57·0	60·0	76·0	43·0			C.	0	C.	0					ci.	1			ci.	2
25	28·96	28·71	60·0	62·0	79·0	37·0			N.E.	4	C.	0									ci.	4
26	28·78	28·63	62·0	69·0	80·0	42·0			N.	5	W.	6					ci.	3	cu.	8		
27	28·69	28·68	62·0	73·5	80·0	44·0			W.	6	N.W.	6					ci.	3	cu.	6		
28	28·76	28·65	62·5	57·0	84·0	42·5	.....	.....	C.	0	C.	0		·26			ci.	4	nb.	10		
29	28·70	28·67	56·0	60·0	72·0	53·0			C.	0	W.	8	·04		nb.	9			nb.	8		
30.....	28·74	28·65	57·0	71·0	78·0	48·0			C.	0	S.W.	8					ci.	1		.	ci.	1

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—July, 1908.

Days	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.			8 p.m.			8 a.m.				8 p.m.	
															Lower		Upper		Lower		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°		°								in.	in.								
1	28·58	28·46	68·0	75·0	75·0	55·0			W.	8	S.	8			c.u.	8					ci.st.	3
2	28·50	28·47	68·0	75·0	79·0	52·0			S.	4	W.	5			c.u.	4			c.u.	4		
3	28·53	28·64	56·0	55·0	75·0	46·0			W.	8	S.E.	10		·20	st.	8			n.b.	10		
4	28·84	28·85	55·0	65·0	70·5	50·0			E.	5	N.	2	·05		c.u.	8			c.u.	3		
5	28·70	28·65	59·0	59·0	73·0	50·0			N.	4	N.	8			c.u.	6			st.	9		
6	28·56	28·63	62·0	60·0	74·0	51·0			N.	15	C.	0		·10	c.u.	8			c.u.	8		
7	28·64	28·58	55·0	68·0	70·0	41·0			N.E.	4	C.	0					ci.st.	3	c.u.	4		
8	28·58	28·59	58·0	58·0	72·0	44·0			W.	10	C.	0			c.u.	3					ci.cu.	3
9	28·53	28·50	53·0	60·0	74·0	39·5			W.	8	C.	0		T.			ci.st.	4	n.b.	9		
10	28·63	28·68	55·0	60·0	72·0	49·0			C.	0	C.	0		T.	c.u.	7			st.	9		
11	28·99	29·01	57·0	59·0	73·0	51·0			E.	4	C.	0			st.	9			n.b.	9		
12	29·07	29·02	59·0	61·0	70·0	57·0			W.	4	C.	0		·12	c.u.	8					ci.cu.	4
13	29·01	28·83	55·0	64·0	76·0	47·0			S.	8	C.	0			c.u.	6					ci.cu.	6
14	28·84	28·70	61·0	72·0	84·0	48·5			C.	0	N.W.	6									ci.cu.	3
15	28·72	28·55	60·0	72·0	80·0	46·0			W.	4	N.	10					ci.st.	3	st.	9		
16	28·66	28·86	60·0	62·0	72·5	57·0			C.	0	E.	6		·05	c.u.	7			n.b.	9		
17	29·05	28·69	54·0	73·0	81·0	51·0			N.E.	4	C.	0									ci.cu.	4
18	28·59	28·61	59·0	53·0	73·0	48·0			C.	0	S.W.	6		·16	st.	8			n.b.	10		
19	28·78	28·73	55·0	62·0	73·0	50·0			C.	0	C.	0	·39	....	st.	8					ci.cu.	5
20	28·84	28·81	49·0	60·0	62·0	41·0			S.W.	10	N.E.	6	T		st.	7			c.u.	5		
21	28·91	28·69	51·0	65·0	74·0	42·0			C.	0	S.E.	8					ci.st.	2	st.			9
22	28·55	28·44	51·0	56·0	67·0	44·5			S.	7	C.	0		·11	c.u.	8			n.b.	10		
23	28·34	28·53	55·0	49·0	56·0	49·0			C.	0	C.	0		·93	W.	10			n.b.	10		
24	28·69	28·68	50·0	51·0	59·0	45·0			S.W.	8	C.	0	·18		n.b.	9			c.u.	8		
25	28·71	28·69	45·0	54·0	57·0	42·0			C.	0	C.	0	·03	·04	n.b.	10			n.b.	10	.....	*
26	28·84	28·84	52·0	52·0	62·0	49·0			C.	0	C.	0	·04	T	st.	8					ci.cu.	6
27	28·85	28·73	54·0	58·0	68·0	41·5			S.	4	C.	0		T.			ci.st.	3	st.	9		
28	28·79	28·92	50·0	51·5	59·0	42·5			S.W.	8	C.	0		·03	st.				n.b.	8		
29	28·97	29·05	51·0	55·0	65·0	41·0			C.	0	C.	0		T.	c.u.	7			st.	9		
30	29·10	29·03	51·0	66·0	73·5	41·0			S.	6	S.E.	4					ci.st.	4			ci.cu.	4
31	28·90	28·67	54·0	69·0	79·0	42·0			S.	5	C.	0							c.u.	6		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—August, 1908.

Date.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	28·74	28·73	55·0	56·0	69·0	42·0			N.	8	C.	0		T.	st.	8			st.	8		
2	28·79	28·79	51·0	51·0	61·5	45·0			C.	0	W.	8	·02		n.b.	10			st.	7		
3	28·87	29·04	49·0	56·0	67·0	34·5			C.	0	W.	6			c.u.	4						
4	28·84	28·68	45·0	61·0	72·0	32·0			C.	0	C.	0					ci.st.	1				
5	28·79	28·62	50·0	55·0	76·5	34·0			C.	0	C.	0										
6	28·73	28·62	47·0	60·0	77·0	36·0			S.E.	6	C.	0					ci.st.	1			ci.st.	3
7	28·65	28·57	54·0	71·0	75·0	40·0			C.	0	S.E.	15					ci.st.	2	st.	9		
8	28·70	28·95	61·0	65·0	71·0	51·0			E.	8	C.	0			st.	8			cu.	8		
9	28·95	28·99	56·0	65·0	65·0	45·0			N.	4	S.	5			c.u.	7			cu.	4		
10	29·00	28·93	65·0	60·0	69·0	40·0			C.	0	S.W.	5					ci.st.	5			ci.st.	5
11	28·89	28·83	60·0	70·0	70·0	40·0			C.	0	S.	3					ci.st.	3			ci.st.	3
12	28·75	28·63	58·0	61·0	79·0	37·0			C.	0	E.	3		T.			ci.st.	3	n.b.	10		
13	28·75	28·55	60·0	65·0	69·0	44·0			C.	0	C.	0			c.u.	6			n.b.	8		
14	28·56	28·67	56·0	59·0	65·0	49·0			S.	6	S.E.	6	·13		n.b.	10			n.b.	8		
15	28·87	28·77	52·5	55·0	64·0	49·0			S.	8	C.	0	·31		n.b.	10			n.b.	8		
16	28·85	28·89	58·0	60·0	66·0	46·0			C.	0	C.	0	·07		n.b.	9			cu.	8		
17	28·95	28·75	51·0	60·0	61·0	42·0			C.	0	S.	4			c.u.	5			n.b.	7		
18	28·78	28·82	56·0	56·0	60·0	46·0			C.	0	E.	3	·03		n.b.	8			n.b.	8		
19	28·88	29·06	50·0	55·0	58·0	41·0			C.	0	C.	0		·06	n.b.	6			cu.	6		
20	29·00	28·73	42·0	50·0	62·0	32·0			C.	0	C.	0			c.u.	8			n.b.	9		
21	28·72	28·96	54·0	53·0	56·0	48·0			N.	5	W.	5		·46	n.b.	10			n.b.	7		
22	29·05	29·09	53·0	56·0	63·0	41·0			N.	10	C.	0			c.u.	7						
23	29·03	28·76	48·0	54·0	66·0	32·0			C.	0	C.	0			c.u.	8					ci.st.	3
24	28·68	28·62	55·0	64·0	69·0	35·0			C.	0	S.	8			c.u.	7			st	8		
25	28·60	28·58	46·0	60·0	71·0	44·0			C.	0	N	5			c.u.	8			cu.	7		
26	28·61	28·73	50·0	59·0	70·0	36·0			S.	6	C.	0					ci.st.	3	cu.	6		
27	28·70	28·68	48·0	55·0	69·0	41·0			C.	0	C.	0			cu.	8			st.	6		
28	28·82	28·71	45·0	56·0	67·0	37·0			C.	0	C.	0			cu.	6					ci.cu.	6
29	28·75	28·76	47·0	54·0	65·0	34·5			C.	0	W.	4					ci.st.	4			ci.cu.	4
30	28·85	28·80	40·0	54·0	65·0	37·0			S.W.	5	N.	5					ci.cu.	5			ci.cu.	8
31	28·92	28·78	45·0	59·0	62·0	40·0			C.	0	N.	4			st.	8					ci.cu.	4

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—September, 1908

Days.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper		Lower		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in	in								
1	28·57	28·56	45·0	50·0	60·0	39·0			C.	0	C.	0		39	nb.	10			st.	8		
2	28·60	28·37	40·0	52·0	56·0	32·0			C.	0	E.	8	T.		cu.	8			nb.	9		
3	28·20	28·42	45·0	42·0	52·0	42·0			N.	5	N W	6		59	nb.	10			nb.	10		
4	28·57	28·62	41·0	42·0	50·0	30·5			C.	0	C	0	....	04	cu.	8			nb.	10		
5	28·68	28·62	34·0	41·0	49·0	30·5			C.	0	N.	6			cu.	8			cu.	8		
6	28·63	28·61	37·0	38·0	46·0	30·0			C.	0	N W	5	...	T.	cu.	7			st.	9		
7	28·60	28·56	36·0	36·0	43·0	32·0			S.	4	N.	4	T.	T.	st.	8			cu.	8		
8	28·56	28·53	34·0	36·0	46·0	28·5			S.	6	N.	4	T		cu.	6					ci.st	6
9	28·54	28·41	30·0	35·0	54·0	28·0			N	5	C	0					ci	4			ci	4
10	28·40	28·34	35·0	45·0	57·0	24·0			C.	0	S E	4					ci	1			ci.st.	6
11	28·44	28·44	34·0	50·0	60·0	29·0			S.	6	S E	8					ci.st.	5	st.	8		
12	28·15	27·97	44·0	46·0	54·0	40·0			S.W.	8	S.	5	·14		nb.	10			st.	8		
13	28·28	28·46	41·0	42·0	48·5	39·0			S.W.	6	S.E.	4	·06	....	nb.	10			nb.	9		
14	28·58	28·59	40·0	41·0	53·0	38·5			E.	8	S.W.	4			st.	8					ci.cu.	4
15	28·68	28·38	30·0	50·0	55·5	25·0			E.	8	C.	0					ci.st.	2			ci.cu.	6
16	28·27	28·27	44·0	45·0	51·0	29·0			E.	15	S.E.	5			nb.	9			nb.	8		..
17	28·17	27·84	45·0	50·0	61·0	40·0			E.	10	S.	30		·03	cu.	9			nb.	9		
18	28·16	28·27	42·0	45·0	50·0	36·0			C.	0	C	0					ci cu.	7	cu.	8		
19	28·50	28·44	47·0	40·0	47·0	40·0			S.	7	C	0			st.	7			nb.	8		
20	28·11	27·96	40·0	38·0	45·0	24·0			E.	10	N.E.	3			cu.	8			nb.	10		
21	28·16	28·28	38·0	36·0	38·0	34·0			N.	3	N.	8			nb.	10			nb.	10		
22	28·95	29·06	33·0	34·0	36·0	31·0			W.	10	W.	3			cu.	8					ci.st.	4
23	29·09	29·07	24·0	29·0	38·0	18·0			C.	0	N	5					ci st	6	cu.	8		
24	29·07	29·05	25·0	24·0	30·0	23·0			C.	0	C.	0			nb.	10			cu.	6		
25	29·11	29·09	28·0	30·0	34·0	23·0			N.E.	5	N.E.	5					ci.st.	4			ci st.	6
26	29·08	29·01	31·0	25·0	36·0	10·0			C.	0	N.E	3					ci.st.	3				
27	28·80	28·41	17·0	35·0	40·0	12·0			C.	0	C.	0		....					cu.	8		
28	28·37	28·53	33·0	33·0	43·0	30·0			C.	0	C.	0					ci.st	7	cu	8		
29	28·77	28·73	30·0	30·0	44·0	29·0			C.	0	C	0			cu.	8			cu.	8		
30	28·50	28·42	30·0	36·0	44·0	29·0			N.E.	5	C.	0			st.	8			st	5		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—October, 1908.

Days	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in	in	°	°	°	°							in	in								
1	28·77	28·84	34·0	39·0	40·0	30·0			C.	0	C.	0					ci.st.	6	st.	8		
2	28·58	28·46	42·0	32·0	52·0	30·0			S.	6	C.	0			st.	6			st.	3		
3	28·60	28·60	22·0	38·0	48·0	15·0			S.	4	C.	0					ci.cu.	1	st.	8		
4	28·82	28·80	30·0	32·0	48·5	28·0			S.	3	C.	0					ci.st.	1			ci.st.	1
5	28·72	28·56	18·0	33·0	43·0	16·0			C.	0	S.	8					ci.st.	3			ci.cu.	6
6	28·54	28·50	30·0	32·0	38·0	18·0			S.	4	C.	0			st.	8			cu.	3		
7	28·64	28·66	23·0	32·0	34·0	22·0			S.	1	C.	0		T.			ci cu.	4	nb.	10		
8	28·90	28·94	25·0	32·0	32·0	24·0			SE.	5	S.	6	T.		cu.	8			cu.	6		
9	28·96	28·74	26·0	32·0	41·0	24·0			S.	4	C.	0					ci cu.	5	nb.	9		
10	28·52	28·23	33·0	36·0	45·5	25·0			S.	5	C.	0			nb.	8			nb.	8		
11	28·19	28·33	32·5	30·0	46·0	30·0			S.W.	8	S.E	3	T.		cu.	8					ci.st.	4
12	28·23	28·05	22·0	29·0	37·0	21·2			N.	5	N.W.	2			st.	6					ci.cu.	2
13	28·15	28·25	22·0	32·0	34·0	19·2			S.	2	N.	5			cu.	6			st.	8		
14	28·35	28·47	20·2	29·0	34·0	19·4			N.	4	N.	3			cu	7					ci cu.	3
15	28·55	28·73	24·0	21·0	29·0	21·0			N.	6	C.	0		·05	cu.	7			cu.	4		
16	28·81	28·56	13·0	23·0	26·0	9·2			C.	0	N.	4					ci.st.	6			ci.st.	5
17	28·12	27·95	28·0	29·0	31·0	22·2			S.	10	S.E.	4	·05	·12	nb.	0			nb.	9		
18	28·25	28·54	30·0	26·0	33·8	25·8			C.	0	C.	0	·05		cu.	8			st.	9		
19	28·84	29·31	16·5	—1·5	26·0	—1·5			C.	0	C.	0					ci.st.	4			ci.st.	1
20	29·36	29·31	—2·0	11·0	12·2	—4·0			S.E.	2	C.	0			cu.	8			cu.	8		
21	29·20	29·01	10·0	11·5	15·7	9·7			C.	0	C.	0			cu.	10			cu.	8		
22	28·73	28·43	—5·0	11·0	11·7	—6·0			S.	2	N.	7			st.	8			nb.	10		
23	28·40	28·69	14·0	12·0	17·7	9·2			N.	5	N.E.	4		·06	nb.	10			nb.	10		
24	28·89	29·09	9·0	4·0	12·7	4·0			N.	3	N.	2	·05	·20	nb.	5			nb.	2		
25	29·10	29·18	0·0	—6·0	6·2	—6·0			N.W.	6	C.	0	·10		cu.	8					ci.st.	1
26	29·47	29·68	—14·5	—11·0	—2·2	—14·5			S.W.	2	C.	0									ci.st.	1
27	29·80	29·81	—20·0	—16·0	—8·0	—20·0			S.E.	4	C.	0					ci.st.	2			ci.st.	1
28	29·80	29·68	—21·5	—16·0	—10·0	—22·5			S.	5	C.	0					ci st.	1			ci.st.	1
29	29·57	29·31	—22·0	—17·0	—11·0	—22·5			C.	0	S.	2					ci st	1			ci.st.	1
30	29·06	29·09	—15·0	—8·5	—4·0	—19·0			C.	0	C.	0		·01	st	4					ci.st.	1
31	29·24	29·26	—18·0	—16·0	—8·0	—18·0			S.	6	C.	0									ci.st.	

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—November, 1908.

Days.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a m		8 p m				8 a.m.				8 p m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a. m.	8 p. m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a. m.	8 p. m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in	°	°	°	°							in	in.								
1	29·26	29·09	—23·0	—18·0	—14·0	—24·5			S.E.	2	C.	0			cu.	8		..			ci.	1
2	28·90	28·56	—18·0	—8·0	8·0	—18·0			S.	3	N.	6					ci.st.	2	nb.	8		
3	28·40	28·40	0·0	4·0	4·2	—8·0			N.	10	N.	8	10	10	nb.	10			nb.	10		
4	28·27	28·46	6·0	1·5	10·2	1·5			N.W.	6	C.	0	10	·02	nb.	10			st.	7		
5	28·47	28·16	—5·0	6·0	6·2	—6·0			S.	4	N.	25	·01	·20	nb.	10			nb.	10		
6	28·69	28·94	0·0	—16·0	6·2	—16·0			C.	0	C.	0	·10				ci	1			ci	1
7	29·18	29·16	—21·0	—16·0	—15·0	—25·0			E.	3	S.	1					ci.	1	st.	7		
8	29·02	29·00	—7·0	—2·0	0·0	—16·0			C.	0	C.	0			st.	4			st.	8		
9	29·03	29·00	6·0	5·0	10·2	—2·2			S.E.	8	C.	0			st.	8				1	ci	
10	28·96	28·86	8·5	4·5	9·2	2·7			S.E.	5	S.	1					ci.	4			ci.	2
11	28·80	28·74	5·0	9·5	12·2	4·5			C.	0	S.	5					ci.	2	st.	8		
12	28·75	28·76	10·0	23·0	23·0	9·5			S.E.	5	W.	2		·17	nb.	8			nb.	10		
13	29·13	29·07	14·0	14·0	25·0	11·2			S.E.	5	C.	0			cu.	5			nb.	10		
14	28·87	28·67	12·0	12·0	17·2	12·0			S.E.	4	C.	0			st.	8			st.	8		
15	28·57	28·31	1·0	5·5	12·2	—1·0			N.E.	4	C.	0					ci.	2	ci.	5	ci.	4
16	28·08	28·14	12·0	20·5	20·7	4·2			C.	0	S.	3	·01	T	st.	8			nb.	10		
17	28·12	28·16	24·0	22·0	28·0	19·2			S.	4	N.W.	12	10	·20	nb.	10			st.	4		
18	28·28	28·39	17·0	13·0	22·2	13·0			N.	8	N.	9		·10	nb.	9			st.	7		
19	28·37	28·41	—5·0	—18·0	13·2	—18·0			N.W.	12	N.	4					ci.	1			ci.	1
20	28·23	28·35	—10·0	5·0	—0·5	—20·0			N.	15	N.	12		·15	st.	8			nb.	10		
21	28·38	28·47	—2·0	0·0	0·0	—5·0			N.	20	N.	18			nb.	9			nb.	10		
22	28·48	28·62	1·0	2·0	3·0	—2·0			N.	8	N.W.	20	·05	·02			ci. st.	5	nb.	10		
23	28·63	28·73	0·0	4·0	2·2	—4·0			N.W.	4	W.	2		T.			ci.	3	cu.	1		
24	28·94	28·87	—12·0	—5·0	—4·0	—16·5			S.	5	S.	2	T.				ci.	4			ci.	3
25	28·74	28·73	2·0	—4·0	5·2	—7·0			S.	4	C.	0		T	st.	7					ci.	3
26	28·52	28·60	—4·0	9·5	9·7	—11·0			C.	0	C.	0		05	st.	5	ci.	5	nb.	10		
27	28·74	28·77	7·7	4·0	11·2	0·0			C.	0	C.	0					ci.	2			ci.	10
28	29·00	29·17	—4·0	—12·0	4·2	—12·0			C.	0	C.	0										
29	29·30	29·28	—8·0	—16·0	—5·0	—16·0			S.E.	4	S.E	4			st.	5			st.	3		
30	29·30	29·19	—17·0	—17·0	—15·0	—22·0			C.	0	S.E.	6			st.	3					ci.	2

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Dawson City, Y.T.—December, 1908.

Days	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·19	29·15	15·0	19·0	−13·0	−19·0			C.	0	S.E.	2					ci.	1			ci.	1
2	29·12	29·04	−24·0	−23·0	−19·0	−26·0			S.E.	3	S.W.	5					ci.	1			ci.	1
3	28·92	28·98	−15·0	−20·0	−12·0	−23·0			S.W.	1	C.	0	·05				ci.	1			ci.cu.	1
4	28·81	28·72	8·5	−8·0	−8·0	−21·0			S.W.	5	S.	4			st.	4			st.	7		
5	28·83	28·84	−8·2	−8·0	−6·0	−11·0			S.	2	S.E.	6					ci.	3			ci.	2
6	28·79	28·52	−8·0	8·0	8·2	−10·0			C.	0	C.	0			st.	8			st.	10		
7	28·43	28·67	14·0	18·0	19·4	7·2			C.	0	N.W.	2	·05	·11	n.b.	10			n.b.	10		
8	28·75	28·75	14·0	−3·5	18·2	−4·0			C.	0	S.E.	4	T.				ci.	2	st.	3	ci.	2
9	28·67	28·58	−8·0	−7·0	−20·0	−9·0			S.E.	3	S.E.	1					ci.	5	st.	4		
10	27·99	27·42	6·0	25·0	25·0	−7·0			S.E.	4	N.	5	·30		st.	8			st.	10		
11	27·91	28·25	15·0	9·0	25·0	9·0			N.	4	N.W.	4	·60	·10	n.b.	8					ci.	3
12	28·20	28·21	4·0	5·0	9·2	0·0			C.	0	W.	8	·01	·01	st.	9			st.	8		
13	28·41	28·53	−10·0	−8·0	5·2	−12·0			N.W.	2	C.	0			st.	10			n.b.	10		
14	28·45	28·66	−3·0	−3·0	−1·0	−9·0			E.	4	S.	1		·07	n.b.	10			n.b.	10		
15	28·86	28·93	−3·0	1·0	2·2	−3·0			N.	4	C.	0	·01		n.b.	10			st.	9		
16	28·84	28·60	−3·5	0·0	0·0	−5·5			S.E.	8	S.	4			st.	8			st.	10		
17	28·58	28·57	−4·0	−6·0	0·0	−10·0			S.	2	S.	4					ci.	4	st.	7		
18	28·56	28·37	−2·0	4·0	4·2	−6·0			S.	3	S.	6			n.b.	10			st.	10		
19	28·70	28·93	10·0	3·0	13·2	3·0			S.	8	S.	3		·06					st.	2	ci.	2
20	28·97	29·03	−5·0	−9·0	3·2	−12·0			N.W.	1	C.	0			st.	7					ci.	5
21	28·94	28·72	−7·0	−16·0	−6·0	−16·0			N.W.	4	N.	1	·10				ci.	2			ci.	3
22	28·33	28·14	−2·0	2·0	2·2	−16·0			S.E.	1	N.	4		·05	st.	7			n.b.	10		
23	28·07	28·17	3·0	2·0	8·2	1·0			N.W.	10	N.W.	16	·20	·02	st.	5			n.b.	10		
24	28·40	28·38	−2·0	−11·0	2·2	−13·0			N.W.	12	C.	0	·15	·05	n.b.	10					ci.	1
25	28·20	28·21	−19·0	−18·0	−11·0	−20·0			S.	4	C.	0					ci.	2			ci.	2
26	28·21	28·29	−25·0	−25·0	−18·0	−28·5			S.	6	C.	0					ci.	1			ci.	1
27	28·58	28·87	−12·0	−7·0	−3·5	−25·0			C.	0	N.W.	16		·02	n.b.	10			n.b.	10		
28	29·28	29·65	−29·0	−40·0	−7·0	−40·0			C.	0	C.	0					ci.	1			ci.	1
29	29·80	29·76	47·0	44·0	−40·0	−49·0			C.	0	S.	5										
30	29·60	29·50	−43·0	−32·0	−32·0	−46·0			S.	2	S.	2									ci.	4
31	29·27	29·11	−20·0	−16·5	−15·0	−32·0			S.	4	C.	0							n.b.	2	ci.	2

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—January, 1908

Days.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·77	29·64	39·5	44·7	44·9	35·9	98	86	N.	4	S.E.	24	·17	·03			10	n.			10	cu.n.
2	29·60	29·84	44·9	44·2	47·4	43·5	93	84	N.	2	W.	8	T.	·03	2	ci.cu.	10	cu.n.			4	cu.n.
3	29·80	29·66	43·0	47·0	48·9	39·4	83	77	E.	16	S.E.	16	T.				10	cu.n.			10	cu.n.
4	29·86	29·75	43·0	46·0	46·9	42·3	92	77	S.	8	S.E.	24	·03	T.			4	s.cu.			10	cu.n.
5	29·57	30·12	49·0	45·2	49·3	42·3	96	79	S.E.	20	S.W.	16	·04	·46			10	N.			1	cu.n.
6	29·97	30·10	43·1	47·0	49·1	40·2	83	71	E.	24	S.W.	8		·01			10	cu.n.			4	cu.n.
7	29·93	29·64	43·1	45·1	46·9	40·3	83	86	N.E.	6	N.E.	6		T.			10	cu.n.			10	cu.n.
8	29·53	29·49	46·0	46·7	48·0	43·8	92	72	S.W.	24	S.E.	24	·06	·09			10	N.			10	cu.n.
9	29·94	30·44	39·0	42·2	44·9	38·2	93	83	W.	16	S.W.	4	·16	·11			10	N.			5	cu.n.
10	30·35	29·98	41·2	42·0	46·3	40·9	72	98	E.	8	N.	2		·40			10	cu.n.			10	cu.n.
11	30·32	30·32	42·9	42·0	45·5	41·0	86	91	W.	6	N.	6	·06				4	cu.n.	4	ci.		
12	30·15	29·89	39·8	41·5	42·3	35·5	93	75	N.	4	N.	12	·01				6	cu.n.			10	cu.
13	29·70	29·65	41·0	42·0	42·4	40·0	91	94	N.	6	N.	10	·03	·16			10	cu.n.			10	N.
14	29·84	30·04	42·2	45·0	47·3	41·9	94	79	N.	6	N.	6	·07				10	cu.n.				
15	30·16	30·10	39·0	41·2	43·3	37·1	91	83	N.	6	N.	8					10	cu.n.			10	cu.n.
16	29·93	29·95	41·7	44·0	47·3	39·2	94	99	S.E.	20	N.	6	·20	·26			10	N.			10	N.
17	30·05	29·81	44·2	44·0	45·3	42·2	100	92	E.	6	N.	8	·08	·01			10	N.			10	cu.n.
18	29·65	29·55	42·3	45·2	48·3	42·0	91	94	N.	6	N.	6		·24			10	cu.n.			10	N.
19	29·65	29·15	42·7	46·0	48·2	42·2	84	84	E.	6	S.E.	24	·01	·03			10	N.			10	cu.n.
20	29·58	29·94	42·7	40·0	45·8	39·9	69	91	S.W.	32	W.	12	·03	R.			3	cu.n.			8	cu.n.
21	30·11	30·17	39·2	42·3	43·6	38·1	89	82	W.	6	S.E.	6	T.	·02			10	N.			6	cu.n.
22	30·10	29·79	39·0	43·0	45·1	36·3	83	75	E.	8	S.E.	24			4	ci.st.					10	cu.n.
23	29·77	29·83	41·6	45·0	47·2	40·1	88	84	N.E.	10	N.	10	T.				7	cu.n.	1	ci.		
24	29·87	29·88	38·2	43·3	44·8	35·4	98	89	N.	6	E.	4					4	cu.n.	1	ci.		
25	30·00	30·03	40·0	42·0	42·8	36·3	98	85	N.	4	N.	6					10	cu.n.			10	cu.n.
26	30·06	30·00	37·8	39·9	41·2	37·2	92	84	N.	6	N.	8					10	cu.n.			10	cu.
27	29·96	29·98	36·0	38·8	38·9	36·0	97	91	N.	6	N.	4					10	cu.n.			10	cu.n.
28	30·03	29·93	7·2	41·0	42·0	36·5	93	82	N.	2	S.E.	2					10	cu.n.			10	cu.n.
29	29·94	30·04	37·2	36·8	39·0	33·2	100	73	E.	5	N.	4	·34	·08			10	N.			1	cu.n.
30	30·25	30·28	27·0	36·0	37·8	26·2	99	61	N.	5	N.E.	14										
31	30·30	30·28	29·0	33·0	35·2	27·9	89	80	E.	10	E.	5										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—February, 1908.

Days	Pressure.		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Upper.		Clouds. 8 a.m. Lower.		Clouds. 8 p.m. Upper.		Clouds. 8 p.m. Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	30·23	30·04	25·0	34·9	35·3	24·0	95	89	N.	6	N.	4		..	..	.	.	.	.	.	.	.
2	29·97	29·76	25·3	35·2	37·0	23·7	96	88	N.	6	E.	4					..		4	ci.cu.		
3	29·62	29·42	36·0	39·0	40·0	31·0	98	82	E.	6	E.	16	....	T.		..	10	cu.n.			10	cu.n.
4	29·53	29·58	39·9	42·5	44·6	36·0	90	88	S.W.	16	E.	4	08	·01		.	5	cu.n.		. .	10	N.
5	29·68	29·49	41·7	42·8	44·6	39·0	94	94	W.	12	N.E.	4	·48	·52			10	cu.n.	..	.....	10	n.
6	29·53	29·77	39·0	41·5	44·7	38·0	93	76	W.	20	S.W.	16	·36	01	..	.	10	n.	.	....	6	cu.n.
7	29·89	29·86	32·2	42·9	44·6	30·6	98	65	W.	2	E.	12	.		1	ci.st.	.....	.	.	...	10	cu.n.
8	29·74	29·66	42·1	45·0	46·6	41·8	68	85	E.	16	S.	4	..	..		.....	10	cu.n.		.....	10	cu.n.
9	29·78	29·80	38·0	42·0	44·8	37·2	93	83	N.W.	4	S.W.	4	T.	....		..	10	cu.n.	4	ci. cu.	6	cu.n.
10	29·90	29·86	34·1	44·1	46·5	32·3	99	80	N.W.	2	S.E.	12		..			10	cu.n.	....	. . .	10	cu.n.
11	29·67	29·90	40·9	44·8	47·0	36·2	87	87	W.	16	N.	4	·15	·02			10	cu.n.		. .	8	cu.n.
12	30·16	30·22	35·2	43·0	44·3	34·2	90	75	N.	6	E.	4		.		.	4	s.cu.	...	...	8	cu.n.
13	30·18	30·10	38·1	45·0	46·0	38·0	98	76	E.	4	E.	12	T.	·01			10	cu.n.	10	cu.n.	.	. .
14	30·13	30·20	43·0	46·3	47·0	41·8	95	88	E.	12	S.	4	·22	·23			10	N.	....	. . .	10	N.
15	30·05	29·85	43·6	46·8	48·0	43·0	98	92	E.	8	N.	4	·45	·16	..		10	N.	...	. . .	10	N.
16	29·72	29·82	44·0	48·2	50·7	43·3	98	84	N.	8	N.W.	8	·03			.	6	cu.n.	..	. . .	10	cu.n.
17	30·08	30·20	40·3	46·0	48·8	40·2	95	53	N.	4	N.	8	T.				4	cu.n.		....	8	cu.
18	30·13	30·06	43·0	44·8	46·6	41·8	84	75	N.	6	N.E.	4					10	cu.n.	. .	....	10	st.
19	30·13	30·24	39·0	45·1	47·5	38·4	97	62	C.	0	E.	8	·04				10	cu.n.	.....	.....	.....	.....
20	30·34	30·28	31·8	46·0	47·7	31·4	98	72	N.	4	E.	8		.	4	ci.		..	2	ci.	....	.....
21	30·26	30·22	36·1	49·0	50·0	32·2	99	82	N.	6	E.	4						..	1	ci.	.....	.....
22	30·24	30·17	33·0	47·5	50·1	31·3	97	75	N.	4	N.W.	4							6	ci.	.....	.....
23	30·13	30·16	37·8	49·0	51·2	35·4	92	80	E.	2	W.	16		·03							1	cu.n.
24	30·25	30·22	41·2	45·0	45·4	35·2	96	92	W.	8	S.	8	T.	·01			10	cu.n.			10	N.
25	30·15	29·99	42·0	45·0	48·9	41·0	99	99	E.	8	S.	4	·34	0·68			10	N.			10	N.
26	29·65	29·52	44·3	42·1	46·2	40·2	99	83	E.	2	S.W.	24	01	·23			10	cu.n.	....		8	cu.n.
27	29·60	29·50	35·0	44·0	44·5	34·4	97	72	N.	6	E.	10	·23	·01			1	cu.n	.		10	cu.n.
28	29·36	29·33	38·0	42·3	44·0	37·8	90	85	N.	4	E.	12		·01			10	cu.n.			10	cu.n.
29	29·34	29·44	40·7	46·4	47·5	37·9	89	75	E.	12	S.E.	24		·01	....	. .	10	cu.n.		.	10	cu.n.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—March, 1908.

Days.	Pressure. 32°		Air Temperature.				Humidity		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·44	29·59	39·0	45·0	48·6	38·2	97	76	N.	4	W.	8	T.				10	cu.n.			9	cu.n.
2	29·67	29·74	36·0	46·0	48·0	34·9	95	74	N.W.	6	S.E.	4					10	cu.n.	1	cu.n.	4	cu.n.
3	29·84	29·88	41·0	44·3	45·7	36·4	86	66	E.	6	N.	8					9	cu.n.	4	ci.	2	cu.n.
4	29·94	29·91	36·9	46·0	46·4	33·0	71	47	E.	12	N.	12										
5	29·94	30·01	31·0	46·9	47·9	29·4	89	57	N.	6	S.E.	4										
6	30·20	30·23	28·0	47·0	48·8	27·2	96	62	N.	2	W.	16									9	cu.n.
7	30·29	30·36	37·3	46·0	49·4	35·4	89	69	N.	4	E.	4					6	cu.			10	cu.n.
8	30·35	30·31	39·0	49·5	50·5	39·0	93	54	N.	2	N.	8					10	cu.n.		ci.		
9	30·29	30·23	31·3	47·7	48·7	31·2	97	71	N.	4	E.	2							9	cu.n.		
10	30·15	30·10	43·8	47·7	52·6	41·4	85	87	N.	2	S.	12		·06			10	cu.n.			10	N.
11	29·97	30·06	45·7	51·0	53·0	44·9	94	72	E.	6	W.	16	·17	·25			10	cu.n.	8	cu.n.		
12	30·07	29·98	45·3	49·0	51·3	44·4	83	85	W.	16	C.	0	T.	·03			10	cu.n.			10	N.
13	29·64	29·68	47·0	48·1	53·0	43·9	95	77	S.	16	W.	26	1·27	·33			10	N.			10	cu.n.
14	29·87	29·81	45·0	43·3	46·8	44·3	92	94	S.W.	16	S.E.	4	·01	·16			10	cu.n.			10	N.
15	29·58	29·78	42·0	48·5	53·0	40·3	100	70	S.E.	4	W.	24	·33	·41			10	N.			10	cu.n.
16	30·01	29·83	40·0	48·2	49·7	38·8	82	66	W.	4	S.E.	8					4	S.			6	cu.n.
17	29·67	29·95	39·1	44·7	46·3	38·7	87	57	S.W.	28	W.	24	·18				1	cu.n.			4	cu.
18	30·18	30·30	33·3	43·6	49·3	32·4	89	90	N.W.	4	N.W.	4		·18							8	N.
19	30·38	30·15	31·3	47·4	49·2	31·0	97	58	N.W.	4	N.	8	·01				6	cu.n.	6	ci.		
20	29·97	30·17	41·5	49·8	51·2	41·0	96	72	S.W.	8	S.W.	24	·06				10	cu.n.			3	cu.
21	30·37	30·32	36·2	49·1	53·0	35·2	98	57	C.	0	S.W.	12							4	ci.	10	cu.n.
22	30·21	30·06	44·8	45·5	48·0	44·0	79	96	S.W.	12	S.E.	12		·27			10	cu.n.			10	N.
23	29·93	29·77	47·0	53·2	55·2	45·3	97	77	E.	8	W.	6	·18	·08			10	N.			4	cu.n.
24	29·34	29·37	45·2	46·0	49·0	40·0	98	75	C.	0	W.	20	·04	·06			10	N.	4	ci.	2	cu.n.
25	29·64	29·69	39·8	44·8	49·1	39·2	88	67	N.	6	S.E.	6	·02	·01			10	N.			10	cu.n.
26	29·62	29·71	35·8	44·0	47·0	35·2	99	77	N.	6	S.W.	8	·22	·04			10	N.			3	cu.
27	29·99	30·11	31·0	47·0	49·0	31·1	92	55	N.	6	S.E.	6					4	cu.s.	4	ci.		
28	30·21	30·24	35·0	48·0	50·0	32·2	90	70	W.	4	S.	8									9	cu.n.
29	29·85	29·70	42·1	47·5	50·3	42·0	98	72	S.	2	W.	30	·02	·15			10	cu.n.			2	cu.n.
30	29·67	29·74	41·0	47·3	48·0	40·2	89	80	W.	16	S.	2		·04			9	cu.n.			4	cu.n.
31	30·03	30·23	39·0	50·8	51·3	38·2	94	52	N.	4	N.	4	T.				10	cu.n.	2	ci.		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—April, 1908.

Days.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m		8 p.m				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m	8 p.m	8 a.m	8 p.m	Max	Min	8 a.m	8 p.m	Dir.	Vel.	Dir.	Vel.	8 a.m	8 p.m	Amt.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1	30·30	30·33	36·0	52·5	53·1	35·3	93	63	N.	4	S.	8					..			.....	7	ci.s.
2	30·23	29·92	42·8	54·0	56·6	41·2	93	56	N.	4	E.	4					10	cu.n.			10	s.cu.
3	29·63	29·90	46·8	44 9	47·8	41·6	65	71	S.E.	6	S.W.	16		T.			10	cu.n.			6	cu.n.
4	30·07	30·03	40·0	46·0	48·5	39·5	82	73	W.	6	S.W.	8	·03	·02			10	cu.n.			8	cu.n.
5	29·93	30·05	40·7	43·2	48·2	40·0	92	76	W.	8	S.W.	18	·08	·02			10	N.			9	cu.n.
6	30·11	30·27	37·2	49·0	49·9	36·1	95	67	W.	12	W.	16	·02	T.			1	S.			2	cu.n.
7	30·37	30·37	42·9	53·0	53·9	41·9	85	70	W.	6	S.W.	8					10	cu.n.	8	a.cu.		
8	30·33	30·23	42·0	52·0	55·1	40·2	93	73	C.	0	S.W.	24					10	S.	2	ci.cu.	6	cu.
9	30·20	30·26	45·5	52·0	53·2	45·4	96	69	N.W.	2	S.	16	T.	T.			10	N.			10	cu.n.
10	30·35	30·25	42·2	55·0	55·4	42·2	81	68	N.	6	S.	8					6	s.cu.	f.cu.	ci.		
11	30·12	29·98	46·2	56·0	58·9	45·3	97	75	S.W.	8	S.W.	16					4	S.	8	ci.s.		
12	29·97	29·93	45·2	52·0	56·1	44·2	90	79	S.W.	12	S.W.	12			5	a.cu.			6	ci.cu.		
13	29·91	30·02	48·8	53·8	56·5	46·8	82	63	S.W.	8	E.	8	T.				10	cu.n.			4	cu.
14	30·03	29·84	33·0	53·8	56·6	32·9	94	62	N.	4	S.	4							7	ci.s.		
15	29 80	29·78	36·3	50·0	55·0	36·3	95	65	C.	0	S.W.	20			9	ci.s.					10	cu.s.
16	29·85	29·66	42·6	54·0	57·2	40·1	70	59	E.	4	S.E.	20					9	S.			10	cu.n.
17	29·60	29·73	45·0	52·3	55·1	44·7	92	79	N.W.	6	S.W.	4	·03	·09			10	cu.n.			10	N.
18	29·91	30·05	46·2	58·0	58·8	45·7	89	66	S.W.	16	S.E.	6	·09				10	cu.n.	4	ci.		
19	29·82	29·65	47·2	50·0	57·1	47·2	91	93	N.	8	S.W.	10	T.	·03			10	cu.n.			10	N.
20	29·92	29·90	41·8	50·5	55·2	41·2	89	62	W.	8	S.W.	8	T.				1	cu.n.			1	cu.
21	29·75	29·68	36·0	50·0	53·0	36·0	97	81	N.W.	2	S.W.	15					10	S.			9	cu.n.
22	29·63	29·53	43·8	55·8	57·9	38·8	85	65	N.	2	S.W.	8					10	cu.n.			9	cu.n
23	29·59	29·55	46·0	52·0	56·1	45·8	87	76	S.	2	S.E.	12					10	cu.n.			10	cu.s.
24	29·68	30·15	44·0	49·0	50·5	43·0	77	59	W.	36	S.W.	24	·20	T.			2	cu.n.			4	cu.n.
25	30·29	30·30	38·2	55·0	55·6	35·7	95	59	W.	2	E.	5							3	ci.cu.	1	cu.
26	30·16	29·97	43·7	52·1	60·0	40·9	80	71	N.E.	4	S.W.	4			9	ci.s.			10	a.s.		
27	30 13	30·28	44·2	51·0	53·6	43·9	90	65	W.	12	S.W.	24	·01	·01			10	cu.n.			3	c.un.
28	30·36	30·19	36·0	55·5	59·9	35·4	98	75	N.W.	4	S.	6										
29	30·06	29·88	37·0	67·0	68·2	36·7	98	41	N.	2	N.E.	12							1	ci.		
30	29·73	29·56	54·0	66·4	73·2	48·2	55	47	N.	12	S.W.	12			10	ci.s.			8	ci.s.		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—May, 1908.

Days.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper		Lower.		Upper	Lower.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	29·57	29·41	53·5	58·9	60·0	51·2	70	60	N.W.	8	N.	8					10	cu.n.	7	ci.s.		
2	29·51	29·59	45·0	57·0	57·3	44·9	98	56	C.	0	N.	8	·21	·01			10	N.	6	a.cu.		
3	29·74	29·90	45·2	55·8	57·1	44·9	95	55	S.W.	12	W.	16			6	ci. cu.					10	s.cu.
4	29·89	29·96	45·5	55·0	57·6	45·0	94	76	N.	4	S.	4	·01	·01			10	cu.n.	4	ci.	3	cu.n.
5	29·89	29·89	45·7	60·1	63·8	45·0	99	65	N.	2	S.	8					10	fog.	4	ci	1	cu.
6	29·85	29·62	44·8	60·1	64·5	44·3	94	69	N.	2	W.	4					1	s.cu.	8	a.cu.		
7	29·67	30·00	49·4	53·0	55·9	44·0	75	73	N.W.	12	W.	20	·12				10	cu.n.			1	cu.n.
8	30·17	30·17	45·0	51·6	55·9	43·9	84	49	S.W.	6	S.W.	16		T.			9	cu.n.			10	cu.
9	30·17	30·02	43·0	59·0	59·3	42·3	82	48	W.	8	S.W.	16					3	cu.				
10	29·94	29·86	45·8	55·4	60·0	45·2	86	65	S.W.	8	S.W.	12					10	s.cu.			10	s.cu
11	29·87	29·90	48·1	55·9	58·1	47·7	90	57	W.	8	S.W.	20	T.				10	cu.n.			5	cu.
12	29·96	29·95	43·9	55·1	58·9	43·8	92	63	C.	0	S.W.	16	T.				4	cu.n.			6	cu
13	29·88	29·84	46·0	56·3	59·1	45·7	82	57	W.	4	S.	4					10	s.cu.			10	cu.n.
14	29·83	29·73	41·4	60·2	64·0	40·6	94	53	C.	0	W.	6			8	ci.s.			6	ci.		
15	29·66	29·73	51·2	53·2	65·5	47·0	89	85	E.	4	S.E.	16		T.	10	a.cu.					10	n.
16	29·84	29·97	48·0	52·2	54·8	47·4	94	78	E.	12	W	8	·37	·04	....		10	n			10	cu.n.
17	29·87	29·70	46·0	53·8	56·4	45·9	91	78	E.	8	E.	8			2	ci.s.	2	s.cu.			10	cu.n.
18	29·67	29·86	48·8	58·0	60·9	47·0	97	58	C.	0	S.W.	6	·08	·01			10	n.	2	ci.	4	cu.
19	29·9	30·03	45 6	57·0	61·4	45·6	82	65	E.	4	S.W.	12					10	cu.n.	3	a.cu.		
20	30·10	29·99	49·0	54·2	58·3	46·6	88	66	C.	0	S.W.	12					10	cu.			10	cu.n.
21	29·94	29·93	47·6	61·2	62·5	47·3	95	60	S.E.	4	S.	6	·03	·03			10	N.	3	ci.cu.		
22	30·04	30·12	49·5	61·0	63·5	49·0	85	60	S.W.	4	S.W.	8					4 5	s.cu. cu.	4	ci.		
23	30·12	29·99	43·0	60·3	66·2	42·3	94	67	N.	4	S.	4			3	ci.	1	s.cu.			10	s.cu.
24	29·95	30·02	48·0	55·9	57·4	47·7	93	59	S.W.	28	W.	24	·21				3	cu n.	1	a.cu.		
25	30·05	30·06	47·5	57·0	60·0	47·0	84	74	W.	8	N.W.	12		T.			9	cu.n.			9·	cu.
26	30·14	30·17	40·0	59·8	64·0	39·7	99	65	C.	0	S.W.	8					1	S.	3	a.cu.		
27	30·17	30·06	44·7	60·8	64·1	43·2	95	67	W.	4	S.	12					few.	S.	1	ci.		
28	29·94	29·97	48·0	53·6	57·9	47·7	92	83	S.	8	S.	6		·08	1	ci.s.	8	cu.			10	N.
29	29·99	30·00	44·8	54·7	56·0	44·6	86	58	S.W.	20	S.W.	14	·04	·02			3 5	cu.s. cu.			6	cu.n.
30	30·01	30·01	40·9	63·2	64·0	40·7	94	45	N.W.	4	W.	16			4 1	a.cu. ci.s.						
31	30·02	29·95	45·7	54·9	58·4	45·7	81	69	W.	12	S.W.	20					few.	s.cu.			8 2	cu. s.cu.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—June, 1908.

Days	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.											in.	in.								
1	29·88	29·79	49·4	55·5	58·0	49·1	83	54	W.	12	S.W.	20					9	cu.	....	.	7	cu.n.
2	29·78	29·80	48·1	60·0	60·7	48·0	90	91	S.W.	4	S.	12	T.				10	cu.n.	8	a.cu.		
3	29·81	29·85	47·6	61·2	65·2	47·.	94	65	W.	4	S.W.	12			5	a.cu.	4	s.cu.	9	a.s.		
4	29·92	29·92	49·2	62·0	67·4	49·1	82	61	W.	8	W.	4			9	a.cu.				.	10	cu.n.
5	29·97	29·90	48·1	65·0	66·2	46·8	95	59	W.	4	S.W.	20							2	ci. cu.		
6	29·92	29·84	46·2	65·9	67·7	46·0	94	62	W.	4	S.	12					few.	S.			few.	cu.
7	29·85	29·77	47·4	70·0	73·3	47·2	97	57	C.	0	S.	8					few.	S.			few	cu.
8	29·84	29·83	50·2	76·1	77·3	50·1	96	52	C.	0	S.	8		.	few.	ci.	few.	cu.		. . .	1	cu.
9	29·91	29·86	51·0	67·3	73·0	50·7	93	63	C.	0	S.	4	.	. .	few.	a.cu.				.	. .	. .
10	29·87	29·84	48·9	69·0	70·5	48·3	94	47	S.	4	S.	12			few.	.ci.			6	* ci .cu.	. .	
11	29·84	29·90	49·9	66·0	67·9	49·8	91	45	N.W.	8	S.W.	16					few.	cu.				
12	29·96	29·93	46·4	67·5	69·3	46·0	97	56	C.	0	S.	12							few.	ci.s.		
13	29·94	29·90	49·0	67·5	68·2	48·9	93	51	S.	4	W.	12			few.	ci.s.			few.	ci.cu.		
14	29·87	29·81	50·0	69·9	72·2	49·6	93	40	C.	0	W.	24							few.	ci.	few.	cu.
15	29·91	29·92	53·3	66·1	68·4	51·7	86	53	W.	24	W.	24		T.	1 2	ci. ci.cu.	2 2	cu. cu.s.	5	ci.s.	4	cu.n.
16	29·86	29·77	50·7	61·0	63·4	50·5	79	56	W.	12	W.	24					8 2	s.cu. s.	5	ci.cu.	. . . .	
17	28·77	29·78	51·0	59·0	70·1	50·6	89	68	S.	8	S.W.	12	T.				10	n			10	cu.
18	29·80	29·84	52·4	55·5	60·3	50·2	84	57	W.	16	W.	20	T.	·02			6 4	cu.n. cu.s.			10	cu.n.
19	29·87	29·82	47·4	60·2	62·7	46·7	92	59	S.	8	S.E.	8	.		A.5	a.cu.	5	s.cu.	.	. . .	9	cu.s. cu.
20	29·76	29·67	50·1	61·8	65·7	48·4	92	60	N.E.	8	S.W.	16	T.		.	. .	3 7	cu.s. cu.n.	2	ci.s.	4	cu.
21	29·84	30·00	52·6	63·7	65·5	50·7	86	58	W.	20	W.	28			6 3	ci. ci.s.	1	S.	3	ci.s.	3	cu.
22	30·06	30·04	51·5	64·8	65·9	51·3	80	55	S.W.	8	S.	7			.		5 5	s.cu. cu.n.		.	6	cu.
23	29·97	29·96	50·0	63·0	66·4	48·8	93	60	N.	4	W.	12			4 3	a.cu. ci.s.					10	s.
24	29·92	29·98	52·4	59·0	67·2	52·1	94	62	C.	0	W.	4	T.	·03	4 3	a.cu. ci.s.	....				10	n.
25	30·00	29·93	52·2	58·9	67·7	52·2	96	65	S.	4	S.W.	20	·01	·01			9	N.			6	cu.
26	29·89	30·00	51·3	60·0	63·0	51·0	91	57	W.	12	S.W.	20	·02	T.			10	N.		. . .	8	cu.
27	30·12	30·17	52·0	61·0	67·0	51·4	86	64	W.	12	S.W.	20		. .	2	ci. cu.	5	cu.		.	7	cu.
28	30·20	30·20	52·1	66·4	69·2	52·1	85	59	S.W.	8	S.	8					10	s.cu.	3	ci.s. ci. cu.		
29	30·15	30·02	49·3	77·5	79·2	48·9	96	41	W.	4	N.	4			few	ci.s.			few.	ci.	. .	. . .
30	29·96	29·87	52·8	78·4	79·4	52·4	89	46	N.	4	S.W.	8	.	. . .	. .	.	. .	. .	. .	. . . . .	. . .	. . . . .

*High fog.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—July, 1908.

Days	Pressure. 32°		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Upper		Clouds. 8 a.m. Lower		Clouds. 8 p.m. Upper		Clouds. 8 p.m. Lower	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·88	29·80	55·3	71·0	75·8	55·2	86	36	C.	0	S.W.	16			few.	ci.s.			10	ci. cu.		
2	29·91	29·92	59·7	66·1	69·9	58·2	85	45	S.W.	20	S.W.	20			5	ci. cu			7	ci. cu.		
3	29·95	30·01	52·4	65·9	66·9	51·9	95	55	E.	4	W.	24	·07	·06			10	N.				
4	30·08	30·06	50·3	63·4	65·4	50·2	85	55	W.	8	S.W.	16					1	s.cu.	3	ci.		
5	30·14	30·18	50·3	67·0	70·3	49·8	91	52	S.W.	4	S.W.	8			7	a.cu.			7	ci. cu.		
6	30·15	30·03	50·6	72·1	73·5	50·4	93	53	C.	0	S.W.	6										
7	29·98	29·85	52·3	76·0	77·5	50·5	94	49	C.	0	S.W.	4			few.	ci.s.						
8	29·84	29·86	57·3	64·3	74·4	56·4	78	61	S.W.	4	S.W.	20			2 3	a.cu ci.			8	ci.s.		
9	29·94	30·02	55·9	70·2	76·2	55·5	87	58	S.	1	S.W.	16	T.		3	ci. cu.						
10	30·10	30·07	52·0	70·0	71·1	52·0	91	53	S.W.	4	S.W.	12			1	a.cu.	4	cu.				9 cu.n.
11	30·03	29·87	54·2	75·0	82·2	53·4	92	54	N.E.	4	S.W.	4			2 3	ci. cu ci.			9	ci.s.		
12	29·81	29·70	59·3	80·0	83·2	59·1	87	44	C.	0	S.	8			3 1	ci. ci. cu.			3 2	ci. cu. ci		
13	29·70	29·73	56·2	66·3	72·4	54·9	86	62	S.E.	4	S.	16	T.		5	ci.s.			4	ci.s		
14	29·85	29·89	56·3	62·0	67·2	51·1	85	71	S.W.	16	S.W.	8	·01		few	ci. cu.						
15	29·94	29·98	51·3	67·0	70·4	50·7	91	55	W.	4	S.W.	12			few	ci. cu.	4 6	s.cu. cu.n.	7	ci. cu	1	cu
16	30·09	30·21	57·7	65·0	68·2	52·0	86	58	W.	16	S.W.	12					1	s.cu	1	ci.		
17	30·21	30·12	48·8	69·3	72·5	48·2	95	56	C.	0	S.W.	8			few	ci.s.	3 6	s.cu cu.n.				
18	30·11	30·01	51·2	75·2	78·1	51·0	93	44	C.	0	S.	8			1	ci.s.						
19	29·96	29·87	52·6	75·3	77·9	52·4	90	54	C.	0	S.	4			few.	ci.s.			10	ci.s.		
20	29·85	29·78	53·6	77·8	80·2	53·2	93	48	C.	0	S.	6										
21	29·83	29·83	55·0	76·0	81·1	54·2	89	49	C.	0	S.	8			few.	ci. cu.			few.	ci. cu.		
22	29·87	29·77	53·2	67·0	79·2	52·8	92	64	C.	0	S.	8			few	ci. cu.						
23	29·80	29·78	58·0	73·0	75·0	55·6	79	53	S.W.	8	S.W.	24			1	ci.						
24	29·78	29·88	57·8	54·5	62·5	56·3	83	84	S.	12	W.	2		·01							6	cu.
25	29·99	30·08	52·2	65·2	66·2	52·0	85	39	W.	12	S.W.	20	T.				10	cu.n.	3	ci. cu	10	n.
26	30·10	29·95	44·4	66·0	70·0	44·2	96	45	C.	0	S.W.	16					5	cu.				
27	29·88	29·91	53·2	63·9	67·2	52·5	67	52	S.W.	8	S.W.	20		T	few	ci	1	cu.				
28	30·03	30·14	53·9	70·5	72·2	52·2	80	40	S.W.	8	S.	6										7 cu.n.
29	30·13	30·08	44·2	68·5	75·0	44·2	92	51	W.	4	S.	4					3 5	cu. cu.n.	2	ci	few	cu
30	30·06	29·97	49·0	72·0	75·5	48·3	85	62	N.W.	4	S.W.	8			few.	ci.s.	few	cu.s	1	ci.		
31	30·01	29·93	51·0	70·0	70·5	50·2	91	32	S.W.	4	S.W.	20										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—August, 1908.

Days.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in.	in.								
1	29·97	30·07	53·0	69·0	71·2	52·5	82	47	S.W.	24	S.W.	12					few.	s.cu.				
2	30·12	30·00	48·1	69·8	72·2	47·4	93	53	C.	0	S.	4										
3	29·96	29·91	49·0	68·0	73·5	48·7	93	51	C.	0	S.W.	16										
4	29·94	29·90	54·3	71·0	72·0	54·1	93	49	C.	0	S.W.	16			few.	ci			few.	ci		
5	29·92	29·91	54·3	69·3	71·9	53·6	89	51	S.W.	8	S.W.	16			2	ci			few.	ci.cu.		
6	29·94	29·90	51·0	68·0	73·7	51·0	94	60	C.	0	S.W.	16					3 4	ci.cu ci				
7	30·00	30·00	52·2	69·5	74·1	51·7	93	63	S.W.	4	S.W.	16					1	s.cu.	few.	ci.cu		
8	30·01	29·92	52·4	73·8	75·6	52·4	93	48	C.	0	S.W.	16										
9	29·94	29·90	50·9	67·3	72·5	50·7	94	60	S.W.	4	S.	8										
10	29·89	29·86	49·0	65·0	72·6	48·8	95	48	C.	0	S.	16										
11	29·95	29·95	48·9	64·0	68·4	48·3	95	60	C.	0	S.W.	16										
12	29·94	29·87	52·0	59·9	61·2	51·6	87	77	S.	16	E	6		·22			10	cu.n.			10	cu.n.
13	29·89	29·83	48·4	67·2	70·9	48·2	98	61	W.	4	S.W.	8					5	cu.				
14	29·96	29·91	47·9	67·0	70·0	47·6	96	61	C.	0	S.	16					3	ccu.s.	few.	ci.s.		
15	29·94	29·96	50·2	71·0	71·7	50·0	96	58	S.	8	S.	4			few.	ci.s						
16	30·04	29·96	51·4	74·3	76·5	50·4	93	55	N.E.	4	S.	4										
17	29·95	29·82	52·0	78·0	79·8	52·0	93	44	N.	4	S.	4										
18	29·84	29·78	56·9	81·0	83·7	56·6	88	38	N.	4	S.W.	4										
19	29·83	29·74	55·9	67·0	76·7	55·6	86	69	C.	0	S.W.	12			4	ci cu.			8	ci.cu.		
20	29·78	29·73	61·0	69·9	72·0	56·7	77	59	N.E.	8	S.W.	8	T.	·09			10	N.				
21	29·82	29·74	55·7	67·0	73·4	55·2	89	64	S.E.	4	S.W.	8	T.				9	cu.n.				
22	29·78	29·75	53·8	61·9	67·3	53·4	93	75	S.	4	S.E.	12					2	cu.			5	cu.
23	29·90	29·93	53·0	63·9	65·3	52·5	93	45	S.W.	8	S.W.	20			9	cu.n.	few.	cis.				
24	29·95	29·99	52·4	57·3	61·9	51·9	84	68	S.W.	16	S.W.	20			4	ci.cu.	3	s.cu.			9	cu.n.
25	30·01	30·11	52·1	64·4	65·2	51·9	85	49	S.W.	16	S.W.	16	T.				2	cu.n.	2	ci.s.	3	cu.
26	30·06	29·92	50·0	62·0	57·9	48·4	91	58	S.W.	6	S.	4					5	s.cu.			10	cu.n.
27	29·79	29·79	51·8	63·2	65·0	51·6	94	63	N.W	3	S.W.	12	12	12	·18		10	N.		ci.cu.		
28	29·76	29·82	52·4	60·1	64·0	52·0	93	61	S.	8	S.W.	20	·06	T.	3	ci.cu.	5	cu.n.			4	cu.n.
29	29·89	29·98	51·7	60·0	65·0	50·9	90	56	S.W.	6	S.W.	16	T.				9	cu.n.			9	cu.
30	30·06	30·14	51·9	62·0	66·4	51·4	87	61	S.W.	12	S.	14					3	s.cu.	4	ci.cu.		
31	30·14	30·10	46·9	56·8	63·8	46·5	95	84	S.	2	C.	0		T.	1	ci s.	3	cu.			10	N.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—September, 1908.

Days.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.	°	°	°	°							in	in								
1	30·04	29·99	51·8	59·2	65·0	51·5	94	78	C.	0	S.E.	4	·03				10	cu.n.	8	ci.cu.		
2	29·94	29·93	53·3	64·0	68·0	53·2	93	68	C.	0	S.W.	16			5	ci s.	9	cu.n.	6	ci.cu.		
3	29·96	29·92	51·2	72·0	73·2	50·4	97	46	N.E.	6	N.	8			3	ci.s.	4	ci.	4	S.		
4	29·93	29·94	48·6	68·0	75·2	46·9	96	64	C.	0	S.	4										
5	29·96	29·90	47·4	66·2	71·2	46·4	97	59	S.W.	2	S.	4							4	ci.		
6	29·84	29·71	47·8	63·9	67·5	47·2	94	55	C.	0	S.W.	20			1	ci.cu.	1	ci.cu.	few.	ci.cu.		
7	29·76	29·77	53·0	57·9	60·4	52·6	93	58	S.E.	6	S.W.	30	T.	·03			10	N.				cu.
8	30·02	30·11	51·2	58·0	62·3	50·9	78	58	S.W.	16	S.W.	12	T.				2	cu.n.			10	cu.n.
9	30·04	30·05	50·9	60·0	64·2	50·4	91	71	E.	4	S.E.	2	·02	·02			10	N.			10	cu.n.
10	30·08	30·01	54·8	70·3	71·2	51·0	88	60	C.	0	S.	6					8	cu.n.			few.	cu.
11	30·04	30·02	48·5	66·0	70·1	48·2	97	69	C.	0	S.E.	6							2	ci.		
12	30·04	29·94	46·6	67·0	67·2	45·7	97	69	C.	0	S.	8							1	ci.		
13	29·87	29·72	52·0	63·3	67·6	51·0	86	64	S.	2	S.	12					10	cu.	1	ci.s.		
14	29·77	29·78	56·2	57·4	62·6	53·2	86	67	S.W.	4	S.W.	16	T.	·07			10	N.	3	ci.	3	cu.
15	29·82	29·84	50·0	57·0	64·2	49·7	87	69	S.W.	6	N.E.	6			6	ci.cu.			4	ci.cu.		
16	29·93	29·93	40·0	59·0	63·0	39·5	98	65	W.	2	S.E.	6							4	ci.		
17	29·96	29·92	43·0	54·9	63·2	42·2	95	75	N.W.	4	S.W.	12			2	ci.cu.			1	ci.		
18	29·88	29·82	40·9	61·0	63·3	39·6	94	50	S.W.	2	S.W.	16									few.	cu.
19	29·76	29·75	52·1	56·0	61·9	51·2	87	87	S.	4	S.	4		T.			10	cu.n.			10	N.
20	29·90	30·00	52·2	62·0	63·8	51·9	94	70	S.E.	2	S.W.	8	·02				10	cu.n.	1	ci.cu.		
21	30·05	30·09	52·1	61·0	63·2	50·8	85	60	S.W.	16	S.W.	20					6	cu.			1	cu.
22	30·23	30·22	48·9	57·0	59·4	43·9	85	62	W.	6	S.W.	4	T.				few.	S.			1	cu.
23	30·18	30·08	43·0	47·8	55·9	40·2	93	79	W.	6	S.W.	4		·42							4	cu.n.
24	30·13	30·08	37·7	52·8	56·1	36·2	97	67	N.W.	2	S.	6	·01						4	ci.cu.		
25	30·11	30·14	35·1	56·1	57·8	34·9	99	56	N.W.	4	S.E.	6							2	ci.cu.		
26	30·25	30·28	41·4	52·1	53·9	38·2	94	72	N.	2	S.	4									10	cu.n.
27	30·25	30·22	50·2	62·0	64·0	49·8	99	66	S.	6	W.	6			2	ci.cu.	10	cu.n.				
28	30·14	30·09	43·3	53·3	55·0	43·2	98	86	N.E.	2	S.W.	12		T.			10	cu.n.			10	cu.n.
29	30·11	30·06	48·8	64·0	65·2	48·2	95	64	N.	6	N.	4										
30	30·03	29·86	45·3	57·6	63·4	44·7	98	78	N.	2	S.W.	12							9	ci.cu.		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—October, 1908.

Days.	Pressure		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds.					
									8 a.m. to 8 p.m.		8 p.m. to 8 a.m.				8 a.m.				8 p.m.	
															Upper		Lower		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.
	in.	in.				°							in.	in.								
1	29·76	29·86	50·0	53·0	54·1	41·2	86	73	S.W.	24	S.W.	12	·21	T.			5	cu.n.			5	cu.
2	30·00	30·01	38·0	58·5	63·7	37·1	90	56	N.W.	2	W.	4										
3	30·04	29·96	41·0	62·1	63·2	39·4	94	44	N.W.	4	S.	6										
4	29·91	29·95	41·4	59·3	61·4	40·9	95	75	S.	4	S.W.	20		T.	2	ci.cu.	1	ci.s.			4	cu.
5	30·07	30·16	52·2	57·6	58·2	50·2	85	58	S.W.	12	S.W.	16			5	ci.cu.					5	cu.
6	30·19	30·16	49·2	58·5	60·0	48·7	91	64	S.	4	N.	4					2	cu.	1	ci.cu.	7	cu.
7	30·09	29·95	47·2	65·1	66·7	46·2	91	58	N.	4	N.E.	4			few.	ci.						
8	29·93	29·95	45·3	59·1	65·8	43·5	98	73	N.W.	4	S.	4					1	s.	9	a.s.		
9	30·08	30·05	44·1	58·1	59·3	44·1	99	73	C.	0	S.	4					2	s.cu.				
10	30·00	29·89	47·0	58·0	67·0	45·8	94	76	N.E.	4	C.	0			4	ci.s.			10	ci.cu.		
11	29·84	29·79	49·0	55·0	56·3	45·2	100	80	S.W.	4	S.W.	20			3 3	ci.cu. ci.			5	ci.cu.	5	cu.n.
12	29·84	29·64	50·6	54·5	55·6	50·1	90	90	S.	4	E.	6		·03			10	cu.n.			10	n.
13	29·77	29·74	51·8	50·0	55·2	50·0	78	59	S.W.	20	E.	8	·47	T.			9	cu.n.			10	n.
14	29·33	29·34	46·8	51·0	51·0	46·6	96	89	N.E.	4	S.	12	·22	·05			10	cu.n.	....		9	n.
15	29·38	29·75	46·0	50·0	51·2	41·6	84	82	S.W.	4	S.	8	T.	T.			8	cu.s.			8	cu.n.
16	29·72	29·93	46·3	46·8	51·3	46·0	82	94	S.W.	4	N.W.	4	·01	·31			10	cu.n.			10	n.
17	30·17	30·27	35·1	50·0	52·9	34·5	94	79	N.W.	2	S.E.	4	·05						2	ci.s.	1	cu.
18	30·18	29·92	42·0	46·5	49·9	41·2	98	92	C.	0	N.E.	2		·05			5	cu.			10	s.
19	29·54	29·76	43·7	48·0	50·1	43·3	94	73	E.	8	S.W.	24	·23	·03			10	cu.n.			10	cu.n.
20	29·91	30·04	42·4	47·2	50·5	36·8	81	68	W.	12	S.E.	8	T.								6	cu.
21	30·17	30·25	32·1	47·1	48·6	31·2	99	75	C.	0	E.	4									10	cu.s.
22	30·18	30·17	43·0	47·0	48·2	42·6	93	78	N.E.	4	N.	4	·11	·17			10	n.			10	cu.n.
23	30·20	30·19	43·6	49·0	52·9	42·8	93	89	N.	4	S.	4	T.	T.					2	ci.	7	cu.n.
24	30·20	30·22	48·5	52·4	54·6	47·2	96	86	S.E.	8	N.E.	6	·03	T.			10	n.	1	ci.cu.	8	cu.n.
25	30·21	30·14	42·8	52·3	54·5	41·0	97	81	N.	4	N.	8							6	ci.s.		
26	30·05	29·91	45·3	48·0	55·5	41·7	98	93	N.	8	C.	0										
27	29·89	29·82	39·0	45·1	46·0	38·2	100	99	C.	0	C.	0		T.			10	fog.			10	fog.
28	29·79	29·68	47·2	50·0	53·6	43·7	98	93	E.	6	E.	2	T.	·03			10	n.			10	n.
29	29·58	29·61	48·8	53·8	55·3	48·2	95	95	N.E.	4	N.	2	·05	·16			10	n.			10	n.
30	29·65	29·85	50·9	47·0	54·6	48·7	95	68	N.E.	4	S.W.	24	·02	·06			10	cu.n.			9	cu.n.
31	29·91	29·91	45·1	44·0	46·6	35·2	96	92	C.	0	N.E.	4		·04			8	cu.n.	..		10	n.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—November, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.	°	°	°	°							in.	in.								
1.....	29·81	29·65	44·1	43·6	56·3	43·2	95	89	N.	4	E.	4	·01	·13			10	cu.n			10	cu.n.
2 .	29·83	29·75	49 1	53·5	57·4	47·9	93	93	N.E.	10	N.	6	·23	·03			5	cu.n.			10	n.
3....	29·79	29·79	52·1	56·0	62·9	49·3	94	88	N.E.	6	E.	2	·08				5	cu.n.	2	ci.	7	cu.n.
4 . . .	29·78	29·85	50·6	55·0	60·9	49·5	96	93	N.E.	4	S.W.	2		·02			10	cu.n.			10	n.
5 . . .	29·88	30·01	53·6	52·3	57·1	51·6	96	96	N.	6	E.	4	·10	·26			10	n.			10	cu.n.
6.....	30·04	30·07	48·9	50·0	53·0	47·9	97	96	N.E.	4	S.	4		T.			10	fog.			10	fog.
7 .	30·17	30·18	49·8	52·0	54·8	48·7	93	90	S.W.	2	N.	4	T.				10	cu.n.	2	ci.cu.	1	cu.
8	30·18	30·09	43·7	48·4	52·9	39·7	98	86	C.	0	N.E.	8					7	cu.n.	4	ci.s.		
9....	30·01	29·90	43·7	45 5	48·2	41·3	94	90	N.E.	8	N.E.	8					10	cu.n.	few.	ci.s.		
10.....	29·85	29·86	40 0	46 3	51·3	37·1	100	91	N.E.	4	S.	2					3	fog.	3	ci.		
11....	29·97	30·06	41·0	47·1	46·8	36·2	96	84	N.	4	N.E.	2					10	cu.n.	.		10	cu.n.
12 .	30·14	30·21	45 0	48·1	48·8	43·0	92	77	N.	8	N.	4		·05			10	cu.n.	..		10	cu.n.
13.....	30·28	30·21	41·2	46·0	49·7	38·8	91	92	N.	6	N.E.	4			2	ci.s.	3	cu.n.	4	ci.		
14	30·17	30·04	42 0	43 8	46·8	41·3	91	89	N.	4	N.	6					10	cu.n.	1	ci.		
15	29·98	29·86	39 1	47·0	49·2	38·9	93	73	N.	6	N.	6		T.			few.	s.	..		10	cu.n.
16 . . .	29·74	29·70	48·2	53·2	55·3	45·6	96	95	N.	2	S.E.	4	·03	·24			10	cu.n.	...		10	n
17....	29·70	29·68	53·8	52·2	55·2	51·5	95	99	E.	6	S.	8	1·05	·60			10	n.	..	...	10	n
18....	29·74	29·80	50 9	50·9	56·9	49·4	93	89	S.	8	S.	6	·05				8	cu.n.	.	. . .	10	cu.n.
19 . . .	29·69	29·35	49·0	51·0	53·7	47·4	93	93	N.E.	8	E.	32		·01			10	cu.n.	.	. . .	10	n
20	29·51	29·62	47·8	48·2	52·6	46·9	92	91	E.	8	E.	2	·18	·19			10	cu.n.			8	cu.n.
21.....	29·61	29·35	44·0	49·0	50·7	43·4	98	85	N.	4	S.E.	28	·08				10	cu.n.			8	cu.n.
22 . .	29·48	29 65	47·5	47·5	50·3	45·7	96	89	S.	12	E.	8	·15	·02			8	cu.n.	5	ci.cu.	4	cu.n.
23	29·40	29·68	47·8	46·0	50·2	46·2	86	78	S.E.	28	S.W.	4	T.	·05			10	n.		.	8	cu.n.
24 . .	29·86	29·89	40·0	43·8	47·0	38·4	97	86	W.	4	E.	4	17	T.			8	cu.n.	4	ci.s.	2	s.
25..	30·02	30·16	35 4	43·2	47·0	35·0	97	84	N.	2	S.W.	4	.					.	2	ci.s.		.....
26 ..	30·27	30·31	32 0	42·0	44·8	31·9	89	85	N.	2	E.	4							..	....	10	cu.n.
27....	30·29	30·29	37·8	43·0	44·0	37·8	92	83	N.E.	4	N.E.	2				.	10	cu.n.	.....		10	cu.n.
28 . .	30·23	30·01	36·2	45·0	47 7	34 4	98	84	N.E.	4	N.E.	4							.		10	cu.n.
29.....	29·91	29·93	42 5	44·0	44·9	40·2	92	98	E.	6	N.	6	·18	·11			10	cu.n.		. .	10	cu.n.
30.....	30·00	30·03	36·1	41·0	42·5	35·0	90	46	N.	6	N.E.	10						.		..	1	cu.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Victoria, B.C.—December, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Upper.		Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind
	in.	in.											in.	in.								
1.	30·07	29·99	35·5	37·0	40·1	35·2	67	71	N.	8	N.	8									10	cu.
2	29·93	29·84	33·4	39·5	40·5	32·2	85	82	N.	6	N.	3							9	ci.cu.		
3	29·91	29·99	35·0	40·0	43·2	34·2	90	80	N.	4	N.	4										
4	30·03	30·00	28·6	40·3	42·4	28·3	84	89	N.	4	N.	4							10	ci.		
5	30·06	30·10	30·0	39·0	41·0	28·7	98	91	N.	6	N.	4							1	s.cu.		
6	30·16	30·14	35·6	38·1	39·2	34·7	94	90	N.	10	C.	0					10	cu.n.			10	cu.n.
7	30·04	29·85	40·2	42·5	45·0	38·2	98	100	N.E.	4	N.	12	·07	·24			10	n.			10	n.
8	29·64	29·80	45·0	47·4	49·2	42·5	92	96	N.E.	4	S.E.	4	·27	·07			10	cu.n.			9	cu.n.
9	29·93	30·03	41·3	42·5	45·1	38·4	96	95	N.	4	C.	0					9	cu.n.			10	cu.n.
10	30·18	30·30	33·0	43·0	44·0	31·2	91	91	N.	4	S.E.	2			2	ci.s.					10	s.
11	30·14	29·87	42·0	45·5	45·5	41·1	91	90	E.	12	E.	8	T.	·05			10	n.			10	cu.n.
12	29·48	29·50	46·3	48·1	50·5	44·2	98	73	S.E.	20	S.W.	16	·33	·34			10	n.			10	n.
13	29·59	29·71	43·2	41·0	45·0	42·4	82	91	S.W.	28	S.W.	12	·17	·27			10	cu.n.			10	n.
14	29·81	29·95	36·1	40·9	43·5	36·1	95	83	S.W.	2	W.	8	·01				5	cu.n.			3	s.cu.
15	29·80	29·74	37·9	40·9	43·0	33·5	91	85	E.	12	S.E.	20					10	cu.n.			10	cu.n.
16	29·93	30·10	38·5	40·2	43·2	36·4	95	82	E.	6	N.	4	·09	·02			10	n.			1	cu.
17	30·28	30·39	32·0	37·2	39·8	30·3	98	89	N.	6	N.	2			1	ci. cu.	1	cu.			1	cu.
18	30·46	30·41	36·0	38·9	40·0	33·3	92	81	N.	2	N.E.	4					2	cu.s.	2	ci. cu.		
19	30·37	30·27	32·7	37·5	39·9	31·1	95	84	N.	4	N.	6										
20	30·14	30·11	31·5	38·9	40·3	31·2	96	87	N.	8	E.	4									10	cu.n.
21	30·00	29·90	41·7	42·5	43·0	36·6	85	87	N.E.	4	N.	8					10	cu.n.			10	cu.n.
22	29·76	29·69	41·6	42·8	43·0	41·0	95	89	E.	8	E.	4	10				10	cu.n.			10	cu.n.
23	29·51	29·78	41·7	40·1	43·0	39·2	94	89	E.	4	S.W.	20		·08			6	cu.			8	n.
24	29·93	30·10	41·0	42·8	45·2	38·6	91	85	S.	16	S.E.	16	·22	·11			10	n.			10	cu.n.
25	29·54	29·77	45·0	45·0	52·0	41·8	96	76	S.E.	16	S.W.	24	15	·12	..		10	n.			10	cu.n.
26	29·89	29·80	42·5	48·5	48·9	39·7	96	100	E.	10	S.	12	·06	·50			10	n.			10	n.
27	29·80	29·78	45·5	45·5	47·4	43·0	92	96	S.	10	E.	4	·94	·12			10	cu.n.			10	cu.n.
28	29·63	29·95	43·0	38·0	43·1	38·9	83	95	S.W.	24	S.W.	20	·43	·07							10	n.
29	30·12	30·21	35·0	37·0	39·0	34·9	90	89	W.	8	N.	2	·05						5	ci.s.		
30	30·11	30·02	34·0	37·4	38·0	33·2	79	53	N.	8	N.E.	20									10	s.cu.
31	30·04	29·97	35·1	37·5	39·5	34·8	68	60	N.E.	12	N.	12					1	cu.n.	10	ci.cu.		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—January, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°										in.	in.								
1	29·34	29·37	−10·4	1·5	8·8	−12·3	81	100	C.	0	S.	4										
2	29·34	29·24	9·0	14·0	14·0	− 9·0	100	100	C.	0	S.	18			st.	1						
3	28·95	29·05	17·0	12·6	22·5	11·5	100	100	S.	6	W.	20			st.	5						
4	29·28	29·14	−5·0	11·2	12·0	− 5·0	100	96	N.W.	2	S.	16							st.	9		
5	28·90	28·81	17·0	28·0	31·3	15·0	100	100	S.W.	10	S.W.	2										
6	28·61	28·76	30·0	24·5	34·0	23·0	98	87	W.	18	W.	18		T.	st.	3						
7	28·72	29·06	11·3	5·5	24·8	4·0	100	87	W.	20	N.W.	8										
8	29·23	29·12	−11·0	7·0	8·0	−12·0	100	100	C.	0	S.	14									cl.	7
9	28·74	28·85	16·8	11·3	21·5	7·0	100	96	S.	16	N.W.	0										
10	29·18	29·33	7·2	16·5	23·0	3·0	95	100	N.W.	5	C.	0					cl.	5				
11	29·27	29·15	1·5	19·1	19·3	1·0	100	97	S.W.	2	S.E.	8									cl.	9
12	29·20	29·21	12·8	15·0	21·5	10·0	96	100	C.	0	C.	0										
13	29·20	29·26	14·5	16·0	20·4	3·0	100	90	N.W.	10	C.	0			st.	10			st.	10		
14	29·04	28·80	12·8	18·8	21·2	10·5	94	93	E.	10	E.	10		T.	st.	10			n.b.	10		
15	29·30	29·47	− 9·0	− 7·4	18·8	−12·8	100	100	N.E.	36	S.W.	18	·07		st.	2						
16	29·19	28·99	2·5	13·7	13·7	− 7·5	92	92	S.W.	6	S.W.	10			st.	4			st.	10		
17	29·22	29·19	− 3·0	17·0	17·5	− 4·5	100	96	N.W.	10	S.W.	18		T.								
18	29·12	29·00	20·6	28·7	31·2	15·4	95	97	W.	10	S.	10					cl.	5			cl.	4
19	28·73	28·73	24·3	38·1	42·2	24·0	100	78	S.	12	W.	14			st.	2					cl.	6
20	28·86	28·52	20·0	38·4	40·6	11·0	100	81	C.	0	S.	16			st.	1			st.	7		
21	28·78	29·11	27·0	12·0	38·4	11·0	88	95	N.W.	28	N.E.	3			st.	10						
22	29·36	29·78	5·0	−10·0	13·6	−11·0	100	89	N.	32	N.W.	8	T.		st.	10						
23	29·58	29·14	4·0	21·0	22·0	− 10·5	94	85	S.W.	18	S.	8			st.	1			st.	5		
24	28·80	28·93	14·3	18·0	24·5	13·0	100	100	W.	8	N.E.	3		T.	st.	5			n.b.	10		
25	28·99	28·92	0·0	− 1·0	18·0	− 1·0	100	100	C.	0	N.E.	10		·07	st.	10						
26	28·96	29·15	− 5·0	−15·5	2·8	−16·0	100	100	C.	0	N.W.	10	01		st.	10						
27	28·81	28·93	7·0	− 3·5	5·3	−20·0	100	100	S.E.	16	N.E.	8	06	·23	n.b.	10			st.	8		
28	29·40	29·55	28·0	−27·5	4·0	−30·0	100	100	N.	23	N.W.	10										
29	29·50	29·43	32·0	−15·0	11·0	−36·0	100	100	S.	4	S.	14										
30	29·48	29·58	22·0	4·5	− 2·0	−26·2	100	97	C.	0	C.	0										
31	29·56	29·48	−12·0	20·0	− 1·2	−20·0	100	100	N.	6	N.	14										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—February, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·35	29·27	24·0	7·0	6·8	25·4	100	94	W.	6	W.	4		.	....	..	..	..	....	.	....	....
2	29·10	29·17	10·5	7·5	9·8	16·0	92	100	S.	4	N.W.	12		T.	st.	10		.	st.	10	..	....
3	29·46	29·50	12·5	2·6	9·0	19·5	58	97	W.	5	S.	3			.						....	....
4	29·46	29·29	1·0	12·2	13·2	11·7	98	100	S.E.	6	E.	16	..	·01	st.	9			nb.	10	..	..
5	29·16	29·25	14·8	9·6	15·0	9·0	100	100	N.E.	15	N.	20	·05	0·26	nb.	10			st.	6	..	..
6	29·45	29·60	2·5	8·2	10·0	9·4	100	90	N.	16	N.	3			st.	3		.				....
7	29·76	29·76	17·2	1·2	11·0	19·0	79	95	N.E.	8	E.	14	.		.	.					....	.
8	29·71	29·63	8·5	15·0	16·0	5·0	100	100	S.E.	12	S.	21		.	st.	10			st.	10	.....	..
9	29·51	29·45	17·8	20·6	21·4	12·0	96	95	S.	15	S.	20			st.	10			st.	5	..	..
10	29·38	29·19	26·2	32·4	32·5	18·2	100	86	S.	10	S.	5			st.	10		.	st.	10	....	.
11	29·04	28·97	35·7	35·4	37·8	32·4	97	98	S.	18	S.	21	T.	·04	nb.	10			nb.	10	..	.
12	28·89	28·82	33·0	23·1	35·5	23·1	99	96	E.	4	N.E.	26	0·05	·50	nb.	10			nb.	10	....	..
13	29·17	29·25	19·4	14·0	23·2	13·0	98	95	N.	16	C.	0	....	.	st.	10					ci.	5
14	29·22	29·15	7·0	9·0	15·8	1·5	89	100	C.	0	C.	0		..	st.	10			..		ci.	4
15	29·11	29·15	1·0	6·0	10·3	0·0	100	81	N.W.	5	N.W.	22	.	..			ci.	5	.	.	.....	....
16	29·24	29·23	5·5	5·2	10·0	7·0	82	100	W.	8	N.W	15	..	.				.	..		....	....
17	29·27	29·35	10·0	12·0	16·0	10·8	100	100	C.	0	W.	5					ci.	6		.	ci.	6
18	29·53	29·55	5·0	6·2	13·0	3·0	95	100	N.W.	3	C.	0			st.	9		..			....	....
19	29·44	29·12	0·5	13·0	18·5	1·5	100	96	S.W.	14	S.	29					ci.	3	.		..	...
20	29·05	29·19	13·0	10·3	22·8	10·0	96	100	W.	18	N.W	22									ci.	8
21	29·41	29·20	11·0	7·2	11·0	11·5	100	95	N.W	5	S.	16							.		ci.	8
22	28·89	29·10	19·2	25·0	33·3	7·0	96	93	W.	12	N.W.	15			st.	9			st.	2	.	....
23	29·26	29·03	10·0	21·7	25·0	9·3	90	94	C.	0	S.E.	17		T.	st.	9	.		st.	10	.	..
24	28·58	28·71	33·7	34·0	38·0	21·0	91	90	S.	14	W.	4	·01		st.	10			st.	4	ci.	2
25	29·05	29·34	3·0	2·3	35·7	2·0	94	91	N.	16	N.E.	19					ci.	4		.		..
26	29·55	29·54	16·8	5·0	4·7	18·4	100	100	N.E.	14	C.	0			.						.	..
27	29·40	29·20	9·0	6·8	8·0	15·4	93	95	S.E.	8	S.E.	17		·04	st.	10			st.	10	.	....
28	29·03	29·34	11·0	10·5	17·0	6·0	93	89	S.E.	16	N.E.	10	·25		st.	10			.		ci.	8
29	29·30	29·28	6·8	16·5	20·0	12·8	94	100	C.	0	N.E.	6		·05			ci.	8	nb.	10	.....	....

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—March, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in	in.								
1.	29·23	29·25	18·0	20·8	20·8	15·6	100	100	N.E.	6	N.	10	·05	·05	nb.	10			n.b.	10		
2.	29·37	29·46	6·5	13·6	20·4	3·2	100	94	N.	3	C.	0	·03		st.	10			st.	10		
3.	29·41	29·46	17·5	21·2	28·0	10·0	99	98	S.E.	5	N.	3	·04	·25	nb.	10			st.	7		
4.	29·61	29·65	14·2	1·5	21·5	1·5	96	100	N.	14	C.	0	·02		nb.	10						
5.	29·55	29·26	12·0	10·0	15·0	18·0	88	95	C.	0	C.	0			st.	9					ci.	1
6.	29·07	29·08	0·5	14·0	20·0	1·4	100	100	N.W.	4	W.	8			st.	1						
7	29·12	29·60	4·8	6·0	13·8	6·2	100	100	N.W.	10	N.W.	12			st.	10						
8.	29·65	29·57	13·5	1·8	4·7	19·8	96	100	S.W.	8	S.	2							st.	2		
9.	29·65	29·55	17·4	11·0	12·5	18·0	96	93	C.	0	S.	16			st.	1			st.	10		
10	29·37	29·00	9·4	33·1	37·0	8·8	100	89	S.	5	S.E.	3			st.	10			st.	6		
11.	29·06	29·00	22·8	30·5	41·0	21·0	93	99	C.	0	N.	14			st.	10			st.	5		
12.	28·78	29·16	25·8	2·3	37·0	2·0	96	92	C.	0	N.	35	T.	T.	st.	10						
13.	29·21	28·95	5·0	1·0	3·0	8·1	89	100	C.	0	C.	0	T.	14	nb.	10			st.	10		
14	28·90	28·91	18·0	5·2	7·0	19·3	100	96	C.	0	N.W.	3		T.			ci.	5	nb.	10		
15.	29·07	29·25	6·0	2·5	9·5	6·7	100	100	N.W.	6	N.W.	15			st.	10						
16	29·28	29·03	13·0	4·0	5·2	19·3	99	100	C.	0	C.	0		·60	st.	10			nb.	10		
17.	29·21	29·16	16·7	0·0	9·0	22·5	79	100	C.	0	C.	0									ci.	5
18.	29·34	29·50	19·4	3·0	9·7	21·0	76	100	C.	0	N.W.	8			st.	3						
19	29·55	29·41	8·7	21·5	23·0	13·6	89	100	S.	4	S.	4		·02					nb.	10		
20	29·35	29·06	9·5	31·0	33·5	6·0	88	100	S.W.	5	S.	20					ci.	5			ci.	6
21	28·79	28·98	29·2	31·5	36·0	22·0	98	95	S.	10	C.	0			st.	10						
22	28·91	28·55	23·0	39·0	39·5	19·0	93	87	S.	14	S.	16					ci.	10	st.	1		
23	28·62	29·09	33·3	8·0	39·0	8·0	99	92	W.	24	N.	20	S.	·03	st.	10						
24	29·38	29·22	12·0	1·5	8·4	13·3	100	85	N.	5	C.	0										
25	28·70	28·85	10·0	9·2	17·0	0·0	100	100	E.	12	N.W.	26	0·50	0·10	nb.	10			st.	9		
26	29·30	29·40	5·5	9·2	14·0	7·7	97	100	N.W.	10	S.	4										
27	29·45	29·34	9·0	12·7	23·0	12·8	100	95	S.E.	6	N.	8					ci.	4				
28	29·29	29·21	6·0	26·0	29·5	8·6	88	100	E.	4	S.	8			st.	10					ci.	7
29	29·11	28·93	17·2	38·6	38·7	12·0	97	63	S.	18	S.	26					ci.	2	st.	10		
30	28·98	29·17	19·5	13·0	38·6	13·0	85	81	N.	26	N.E.	18			st.	10			st.	3		
31	29·40	29·35	0·8	16·2	17·0	2·0	88	93	N.E.	14	N.E.	20					ci.	7	st.	9		

DAILY WEATHER REPORTS FOR THE YEAR 1908

Winnipeg, Man.—April, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower		Upper		Lower.		Upper.	
	9 a.m.	3 p.m.	9 a.m.	3 p.m.	Max.	Min.	9 a.m.	3 p.m.	Dir.	Vel.	Dir.	Vel.	9 a.m.	3 p.m.	Kind.	Vint.	Kind.	Vint.	Kind.	Vint.	Kind.	Vint.
	in.	in.											in.	in.								
1....	29·16	29·24	9·5	12·5	17·8	8·5	100	90	N.	28	N.	21	·20		nb.	10					ci.	4
2....	29·29	29·21	7·2	23·8	26·0	2·2	95	99	W.	20	S.	8									ci.	10
3.....	29·13	29·06	17·5	34·2	37·5	11·8	96	89	S.	6	S.	10									ci.	4
4	28·74	28·80	39·1	42·0	48·8	32·0	79	75	S.E.	26	W.	24				....	ci.	2			ci.	1
5.....	28·94	28·93	35·4	42·0	46·0	32·5	71	53	S.W.	22	W.	28										
6	29·27	29·40	17·2	23·5	42·0	16·0	80	71	N.W.	14	N.E.	8			st.	1			st.	1		
7	29·53	29·38	15·0	30·6	34·7	12·8	86	78	C.	0	C.	0	..				ci.	9			ci.	10
8	29·15	28·97	32·4	51·1	51·3	28·0	96	58	S.	18	S.	8	S.		st.	10					ci.	5
9.....	28·87	28·63	43·4	52·0	60·0	40·8	81	78	S.W.	12	W.	14			st.	8		....	st.	2	ci.	3
10	28·96	29·21	35·0	35·7	52·0	27·3	62	54	N.W.	50	N.W.	48		..	st.	1			st.	2		
11	29·37	29·04	30·4	48·7	55·0	23·3	70	66	W.	3	S.E.	12			4	1	ci.	1	st.	9		
12....	28·93	29·09	38·0	56·1	59·3	36·1	89	56	N.W.	6	C.	0					ci.	8				
13.....	29·12	28·76	43·0	65·8	73·6	38·0	69	51	S.E.	13	S.	28			st.	4	ci.				ci.	2
14	28·72	29·45	40·0	27·0	65·8	26·0	82	71	W.	8	N.	31					ci.	5				
15.....	29·81	29·73	19·5	31·5	34·6	15·5	61	60	N.E.	10	N.	4					ci.	5	st.	9		
16....	29·55	29·20	31·6	49·4	54·2	22·2	84	64	S.E.	16	S.E.	13	.	.	R.	st.	10		nb.	9		
17.....	29·04	28·94	42·0	62·3	71·8	38·5	72	39	S.E.	14	S.	12							st.	1		
18 ...	28·85	29·05	50·1	61·4	72·5	42·8	71	54	S.W.	8	N.	14					ci.	6				
19	29·08	29·14	45·7	57·1	67·0	37·2	79	41	S.E.	14	N.	26										
20	29·25	29·15	42·7	53·0	59·0	30·7	57	55	N.E.	4	E.	12							st.	1		
21.....	28·88	28·95	55·7	57·0	69·8	38·0	61	50	S.E.	32	N.W.	28					ci.	4			ci.	2
22	29·21	29·05	42·4	51·4	61·1	29·7	63	52	N.W.	4	N.E.	10					ci.	2			ci.	5
23	28·90	28·73	47·8	61·0	69·0	41·8	63	38	E.	18	E.	30					ci.	7			ci.	3
24	28·62	28·36	45·0	46·8	61·0	41·7	63	97	E.	10	E.	12	·14	·47	st.	10			nb.	10		
25	28·23	28·61	41·0	39·0	46·8	39·0	100	100	N.E.	15	N.E.	22	·16	·30	st.	10			nb.	10		
26	28·88	29·07	29·0	30·3	38·6	28·0	99	94	N.E.	34	N.E.	26	·25	·08	nb.	10			nb.	10		
27	29·05	28·99	32·0	38·0	39·3	29·4	94	62	N.E.	20	N.E.	37	·05	·10	st.	10			st.	10		
28	29·10	29·18	33·1	32·4	38·8	31·0	78	67	N.	24	N.	24			st.	10			st.	9		
29.....	29·23	29·12	31·0	36·0	43·0	24·0	80	70	N.W.	14	W.	8			st.	10			st.	5		..
30	29·11	29·0	36·0	57·0	58·5	31·1	68	66	W.	8	N.	26			st.	10			st.	7		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—May, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·13	29·14	27·8	35·0	41·2	22·0	65	67	N.	30	N.	18			st.	9			st.	7		
2	29·19	29·17	31·5	39·0	44·0	27·0	79	48	N.	10	N.E.	10			st	10			st.	6		
3	29·21	29·19	38·0	46·0	48·2	28·3	63	45	N.W.	5	W.	11							st.	1		
4	29·32	29·35	41·7	48·0	53·5	24·0	64	55	C.	0	N.E.	11					ci	2	st.	1		
5	29·44	29·42	41·0	55·6	60·6	27·3	74	42	C.	0	N.E.	4					ci.	4				
6	29·46	29·36	44·0	62·3	66·1	33·0	68	45	C.	0	C.	0										
7	29·39	29·23	47·7	68·4	72·0	41·0	60	42	C.	0	C.	0										
8	29·29	29·21	55·0	70·0	77·5	41·6	48	52	C.	0	C.	0										
9	29·24	29·07	58 7	73·7	84·0	45·0	49	35	C.	0	C.	0					ci.	1				
10	29 04	28·88	55·1	75·0	83·0	46 2	55	14	C.	0	S.	12							st.	5	ci.	5
11	28·74	28·72	54·6	50·0	74·8	48 3	70	77	N.E.	6	N.E.	10		·19	st.	10			nb.	10		
12	28·95	29·11	45·0	55·0	58·8	42·0	61	52	N.E.	12	S.E.	15	·05	....	st.	9			st.	7		
13	29·30	29·27	48·0	61·8	67·0	39·0	61	35	E.	16	S.E.	16					ci.	5				
14	29·33	29·22	51·0	61·0	61·2	42·2	40	30	E.	17	S.E.	19					ci.	5			ci.	8
15	29 17	29·13	48·5	52·6	60·8	42 5	68	73	S.E.	4	E.	4			st	10					ci.	8
16	29·13	29·14	53·0	69 7	73·8	38·6	73	41	C.	0	S.	6										
17	29·10	28·92	58·0	71 6	77·6	49·0	73	63	E.	8	S.E.	8					ci.	7	st.	8		
18	28·87	28·75	56 0	69 6	74·6	53·0	87	41	W.	8	W.	28	·75		st.	5	ci	5			ci.	4
19	28·84	29·18	51·7	43 7	69·6	42·3	81	62	W.	22	N.E.	22		·03	st.	4			st.	7		
20	29·24	29·03	34·0	37·0	43·8	33·0	88	98	N.E.	16	N.E.	26		·43	st.	10			nb.	10		
21	28·88	28·74	42·7	41 0	47·8	33·8	97	96	N.E.	8	S.W.	20	·15	59	nb	10			nb.	10		
22	28·81	29·10	39 1	51 3	53·5	38·0	90	57	S.W.	20	W.	28	·04	·02	nb.	10			st.	8		
23	29·41	29·43	53·0	66·0	74·0	41·0	67	59	C.	0	C.	0										
24	29·39	29·21	61·0	67·8	75·2	48·0	59	45	S.	4	S.	14					ci.	4			ci.	8
25	28·95	28·75	50·4	53 0	67·8	50 0	94	94	N.E.	15	N.E.	10	·18	·42	nb.	10			st.	10		
26	28·68	28·78	52·8	55·0	58·0	50·6	96	98	N.	4	W.	12	·04	·02	st.	10			nb.	10		
27	28·89	28·96	49·0	50·8	55·0	47·5	97	92	N.	12	N.	10	·06	·04	nb.	10			st.	10		
28	29·08	29·13	48·0	62 0	62·4	42·1	89	54	N.E.	14	N.	8			st	10					ci.	4
29	29·19	29·14	52·4	64·7	68 8	40·0	74	46	C.	0	N.E	18					ci.	4			ci.	2
30	29·26	29·27	57·0	64·7	69·0	41·8	57	40	E.	8	N.E	16										
31	29·41	29·33	57·0	74·0	74·8	39 5	61	36	C.	0	S.E.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—June, 1908.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·39	29·24	60·0	70·0	76·8	42·0	65	48	C.	0	S.E.	12					ci.	....	2		ci.	9
2	29·24	29·20	60·7	63·6	73·1	47·0	89	72	S.E.	10	S.	12					ci.	7			ci.	9
3	29·23	29·08	62·0	77·0	79·9	54·0	73	48	C.	0	S.E.	4		R.			ci.	6			ci.	5
4	29·08	28·96	68·5	81·4	84·6	54·2	76	61	S.E.	10	S.E.	16					ci.	10			ci.	6
5	28·99	28·93	67·6	63·8	87·0	63·5	76	98	S.	15	S.	8		·22			ci.	4			ci.	8
6	28·82	28·80	67·5	78·3	82·5	58·5	87	64	S.	16	S.	16	·08				ci.	8	st.	5		
7	28·84	28·88	67·1	64·6	78·0	59·4	81	65	S.W.	5	N.W.	20							st.	1		
8	29·00	29·11	44·2	45·0	64·0	42·8	82	89	N.W.	26	N.	24			st.	10			nb.	10		
9	29·35	29·21	44·1	60·0	63·5	38·8	79	44	N.	20	N.W.	3			st.	10						
10	29·15	29·02	56·0	72·7	78·0	42·9	61	36	S.E.	8	S.	10					ci.	2			ci.	2
11	29·04	28·90	61·8	61·1	78·5	58·8	76	100	S.	14	E.	3		·61			ci.	4	st.	9		
12	28·79	28·81	63·0	68·1	76·6	59·1	83	56	S.	20	W.	16	·02	R.	st.	8					ci.	7
13	28·85	29·13	47·2	44·0	62·9	41·0	76	75	W.	24	N.W.	24		R.	st.	8			st.	3		
14	29·38	29·34	45·0	59·0	60·0	32·1	70	55	N.W.	15	N.E.	9					ci.	6				
15	29·32	29·20	49·0	61·9	65·7	43·0	71	63	E.	10	E.	4					ci.	9	st.	5		
16	29·12	28·94	53·7	72·7	75·0	47·0	93	66	E.	10	S.E.	25	·01	·07	nb.	10			st.	3		
17	28·93	28·84	64·0	60·0	72·8	58·0	86	100	S.E.	16	S.E.	6		·14			ci.	6	nb.	10		
18	28·67	28·29	60·0	64·0	64·4	58·0	98	100	E.	10	N.	10	·04	·66	st.	10			nb.	10		
19	28·44	28·75	52·7	56·6	64·0	52·0	100	87	W.	20	W.	16	·10	·02	nb.	10			st.	7		
20	28·98	28·84	53·6	68·6	72·8	42·0	80	75	C.	0	E.	4					ci.	4	nb.	10		
21	28·83	28·86	63·0	66·0	69·5	55·0	91	85	C.	0	N.W.	12	44		st.	5	ci.	5	st.	10		
22	29·10	29·06	59·3	65·0	74·2	53·8	68	79	W.	4	C.	0		·02	st.	9			nb.	10		
23	29·06	29·05	58·3	67·6	70·1	57·0	98	64	W.	4	W.	6	·06	·04	nb.	10			st.	6		
24	29·24	29·38	59·0	65·0	67·5	50·3	91	72	W.	15	N.W.	18	·24	02	st.	8					ci.	2
25	29·43	29·15	62·0	71·0	79·4	49·0	72	64	S.	10	S.	22										
26	28·93	28·87	69·7	81·0	88·0	61·8	79	74	S.	20	S.	14										
27	28·80	28·92	65·0	72·0	81·0	61·3	92	68	W.	14	N.W.	8	·14	R.			ci.	9			ci.	
28	28·91	28·94	61·8	59·7	72·0	54·5	63	68	W.	12	W.	16	R.	·06					st.	4		7
29	29·14	29·14	56·0	56·0	70·0	45·0	90	90	N.W.	14	E.	4	·02	·02					nb.	8		
30	29·17	29·22	56·0	58·4	62·5	48·0	71	69	N.	10	N.	8	·08						st.	4		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—July, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·35	29·35	54·0	67·8	68·7	38·0	80	41	C.	0	N.W.	5					ci.	4			ci.	1
2	29·34	29·25	61·0	72·0	79·1	47·8	77	65	C.	0	S.	6					ci.	4			ci.	3
3	29·22	29·04	67·0	75·0	85·0	56·4	72	64	S.	6	S.	12					ci.				ci.	
4	28·86	28·72	69·0	75·7	78·3	60·8	74	81	S.	34	S.	18										
5	28·86	29·17	63·7	57·0	70·2	53·8	68	63	S.W.	18	N.	20									ci.	3
6	29·44	29·38	56·0	64·0	68·0	37·0	69	73	C.	0	C.	0									ci.	4
7	29·34	29·07	60·0	79·0	81·0	45·5	71	82	S.	6	S.	6									ci.	4
8	29·09	29·01	69·5	85·0	88·7	57·0	73	62	S.	4	N.	4					ci.	3				
9	28·89	28·72	71·7	89·5	93·0	58·5	81	54	S.E.	18	S.W.	12					ci.	7			ci.	6
10	28·92	28·95	75·4	81·0	89·5	62·0	80	64	W.	12	N.W.	8										
11	29·09	29·13	66·0	71·7	81·0	57·0	78	68	W.	12	W.	8					ci.	1			ci.	5
12	29·22	29·20	64·0	74·0	76·0	51·0	88	52	W.	4	N.W.	18									ci.	1
13	29·26	29·22	64·6	75·0	78·8	51·0	78	47	W.	10	N.W.	26										
14	29·37	29·32	63·0	70·6	77·2	49·1	77	60	W.	6	N.W.	4									ci.	8
15	29·36	29·21	57·0	57·0	70·6	55·0	100	100	N.E.	6	N.E.	10	·12	1·22	nb.	10			nb.	10		
16	29·02	28·94	60·7	65·0	66·0	56·2	96	89	E.	6	N.	4	·06		st.	10			st.	10		
17	28·95	29·08	60·4	64·0	74·4	57·1	92	86	N.	6	C.	0	R.		st.	10					ci.	9
18	29·27	29·19	58·4	69·6	70·0	50·3	86	71	N.	4	C.	0					ci.	4				
19	29·05	28·93	65·8	82·4	83·5	54·8	76	49	S.	12	S.W.	14					ci.	2				
20	28·88	29·04	61·0	69·0	82·4	59·3	94	79	S.W.	22	N.W.	24	·10		st.	3	ci.	5	st.	4	ci.	1
21	29·19	29·28	62·0	69·3	76·8	49·0	83	86	S.W.	8	N.	12							st.	2		
22	29·32	29·30	54·6	72·8	73·8	51·0	89	53	N.W.	4	N.W.	5		R.	st.	10						
23	29·35	29·28	63·0	70·0	80·0	45·1	51	70	C.	0	S.E.	7									ci.	2
24	29·22	29·15	70·0	80·3	87·0	60·0	84	69	S.E.	12	S.E.	12					ci.	5			ci.	3
25	29·12	29·02	76·7	75·7	85·3	67·0	82	86	S.E.	16	S.E.	12	·03	·02			ci.	5			ci.	3
26	28·96	29·08	66·8	79·2	90·8	66·6	100	60	S.E.	14	W.	22	·01	·20	nb.	9					ci.	5
27	29·37	29·27	62·0	74·8	79·2	51·2	83	68	N.	12	N.E.	12										
28	29·20	29·08	66·0	78·0	86·6	55·0	84	91	S.E.	4	S.E.	12					ci.	5			ci.	4
29	29·04	29·17	78·2	77·0	84·0	71·6	91	61	S.	22	N.W.	32					ci.	5				
30	29·43	29·48	60·5	70·7	77·0	49·7	81	100	N.W.	20	N.W.	12										
31	29·39	29·16	63·6	81·0	90·0	52·8	91	74	S.E.	16	N.W.	14					ci.	4				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—August, 1908.

Day	Pressure at 32°		Air Temperature				Humidity.		Wind.				Precipitation		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper		Lower		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.												in.	in.								
	29·20	29·08	61·6	75·3	80·0	50·7	82	81	N.E.	12	E.	12			cu.	2			cu.	2		
2	28·77	28·79	69·5	77·0	80·2	59·0	90	46	N.E.	16	W.	24		·09			cu.	6				
3	28·80	28·86	66·8	75·0	79·8	57·6	64	72	S.W.	24	W.	32									cu.	3
4	28·93	28·97	60·4	66·0	75·3	58·5	91	78	S.W.	20	N.W.	16					cu.	7			cu.	2
5	29·07	29·11	61·0	62·8	70·0	51·5	81	94	N.W.	16	N.W.	6			st.	5			st.	8		
6	29·28	29·33	58·0	67·0	68·6	54·0	90	74	N.	12	N.	4			st.	6						
7	29·18	29·24	60·0	73·0	81·0	48·8	68	65	E.	0	S.E.	10									cu.	4
8	29·15	29·10	63·8	74·0	82·5	60·8	83	72	S.E.	6	N.	8					cu.	5	st.	5		
9	29·15	29·06	60·0	75·0	78·0	51·8	88	90	N.	0	S.E.	8									cu.	
10	29·01	28·80	60·0	78·3	85·6	53·6	88	54	S.E.	8	S.E.	16			cu.	3	cu.	3	st.	5		
11	29·07	29·08	63·0	67·6	74·0	52·5	82	64	N.W.	12	N.	12	·01						st.	4		
12	29·17	29·14	54·8	55·0	67·8	43·6	90	100	C.	0	N.	12					cu.	9	nb.	10		
13	29·26	29·31	49·0	60·5	66·3	42·0	97	72	N.W.	8	N.W.	12	·60				cu.	10	st.	2		
14	29·41	29·36	51·0	66·0	71·0	41·0	89	68	S.W.	4	C.	0					cu.	1			cu.	2
15	29·32	29·11	53·8	69·6	69·0	43·1	84	98	S.E.	5	S.	8		·03			cu.	1	nb.	10		
16	29·01	29·09	54·8	66·0	73·5	57·0	88	79	S.W.	12	N.W.	26	·01	·01			cu.	2			cu.	3
17	29·28	29·19	53·0	65·6	74·8	46·0	73	66	W.	17	S.W.	28										
18	29·30	29·24	63·0	60·2	66·0	57·8	67	91	W.	12	N.	16									cu.	4
19	29·49	29·43	49·0	67·6	70·0	38·3	80	54	N.W.	6	N.W.	9									ci.	3
20	29·02	28·76	59·0	90·8	91·0	48·6	70	76	S.	14	S.W.	14					cu.	1			ci.	1
21	29·22	29·22	51·2	55·5	60·8	50·1	91	79	N.W.	28	N.W.	20	·01		st.	7			st.	4		
22	29·32	29·32	53·3	57·6	61·4	47·8	80	100	N.W.	14	N.W.	10							st.	2		
23	29·42	29·38	49·0	62·3	71·2	43·4	100	94	W.	5	N.	14					cu.	8			cu.	3
24	29·44	29·31	56·4	65·0	71·8	44·2	71	60	N.E.	6	N.E.	12					cu.	5			cu.	8
25	29·20	29·14	59·4	66·6	72·0	54·8	85	79	S.E.	8	E.	14			st.	8						
26	28·91	28·91	61·4	67·0	68·6	56·0	100	79	S.E.	17	S.E.	12	·18	·04	st.	10						
27	28·97	28·99	60·8	66·4	68·0	54·0	72	70	S.	10	S.W.	8			cu.	1			cu.	2		
28	29·10	29·04	52·0	72·1	74·0	45·6	87	54	S.W.	4	S.	4										
29	29·04	29·00	57·0	70·2	78·6	51·0	94	81	E.	14	S.E.	4	·08		st.	10					cu.	4
30	28·96	28·96	64·0	69·6	69·8	56·0	92	89	N.E.	10	N.E.	10	·44	·12	st.	8			nb.	10		
31	28·94	29·05	51·4	64·6	68·0	51·4	100	91	W.	16	W.	16	·74		st.	10			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—September, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·29	29·41	50·0	55·0	66·0	48·0	79	70	N.W.	24	W.	12	·30	...	st.	7						
2	29·26	29·06	48·6	70·5	72·5	42·0	85	53	S.E.	8	S.E.	24										
3	28·71	28·79	59·0	67·8	73·0	55·8	71	57	S.E.	20	W.	20			st.	10					ci.	-
4	28·99	28·89	56·2	62·0	74·5	48·2	71	90	W.	14	S.W.	4										
5	28·78	29·05	54·8	58·0	72·0	49·0	89	100	S.W.	12	N.W.	19					ci.	8				
6	29·24	29·23	48·0	68·5	68·5	42·5	78	65	W.	10	N.W.	8										
7	29·11	28·86	55·0	73·2	82·5	49·0	86	81	S.E.	14	S.E.	16									ci.	5
8	28·79	28·93	66·6	77·1	88·0	60·0	82	53	S.E.	28	S.W.	10					ci.	3			ci.	2
9	29·31	29·29	54·6	69·0	77·2	53·6	86	61	W.	13	S.E.	10					ci.	5				
10	29·14	29·31	61·0	64·1	76·0	56·0	60	69	W.	16	N.W.	3										
11	29·34	29·21	53·0	74·5	87·0	48·0	71	95	S.	8	S.W.	5					ci.	1	st.	8		
12	29·38	29·23	49·4	68·3	78·0	47·5	63	98	W.	9	N.	10			cu.	3	ci.	2			ci.	3
13	29·34	29·26	42·0	74·7	81·5	38·5	84	78	E.	6	S.E.	9										
14	29·41	29·06	49·0	73·2	78·5	47·5	86	75	S.E.	9	S.E.	16		...					st.	8		
15	29·08	29·08	68·1	78·7	90·8	67·5	84	57	S.E.	22	S.E.	24										
16	29·10	28·91	66·0	78·7	87·0	65·0	93	67	S.E.	15	S.E.	16										
17	29·05	29·16	66·8	59·4	78·8	59·0	85	74	N.	18	N.	14			st.	10						
18	29·19	29·08	45·0	60·0	72·0	41·0	60	71	N.	11	N.	12										
19	29·10	28·88	58·0	73·7	75·5	51·0	94	82	N.	5	S.E.	8	·04				ci.	4	cu.	3	ci.	5
20	29·22	29·11	50·7	76·5	81·5	48·8	95	56	S.	5	S.W.	4										
21	29·10	28·79	55·0	64·8	81·3	49·0	87	64	N.E.	8	N.	10									ci.	6
22	28·81	28·94	59·0	61·0	83·7	54·2	49	79	S.E.	22	N.W.	28	·11									
23	29·21	29·25	38·4	53·0	60·5	36·5	59	56	S.W.	13	N.W.	6							st.	9		
24	29·27	29·07	47·5	47·0	53·0	40·5	73	8	N.E.	8	N.E.	26		·16	st.	6						
25	28·98	29·01	45·0	44·0	47·4	43·0	93	94	N.E.	23	N.E.	24	·30	·61	nb.	9			nb.			
26	29·08	29·12	39·3	36·1	47·1	35·5	97	97	N.	16	N.	22		·08	st.	8				10		
27	29·11	29·15	32·7	39·0	45·8	32·0	94	93	N.W.	16	N.W.	16	·01				ci.	1	cu.	1	ci.	1
28	29·24	29·21	31·2	35·0	41·2	27·0	94	70	N.W.	18	W.	9			st.	3	ci.	1	cu.	6		
29	28·96	28·86	33·0	36·1	38·0	31·5	85	97	S.	7	S.E.	10			st.	5			nb.	10		
30	29·22	29·32	31·0	38·5	44·0	30·6	80	76	N.W.	15	N.W.	8			st.	1	ci.	2	st.	8		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—October, 1908.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·36	29·13	35·2	45·0	52·0	33·5	90	78	S.E.	7	S.E.	16					ci.	4			ci.	5
2	28·90	29·00	38·7	56·2	65·1	37·0	82	86	S.E.	18	S.E.	2										
3	29·30	29·45	43·8	45·0	56·2	41·0	90	77	N.E.	21	N.E.	15			ci.	4	ci.	3	st.	6		
4	29·35	29·13	44·7	60·0	65·8	38·5	91	86	N.E.	12	S.E.	28		T.	st.	2	ci.	3	n.b.	10		
5	28·94	28·79	53·3	52·6	60·0	47·3	98	89	S.W.	10	S.	11	·50	·48	nb.	10			cu.	8		
6	29·09	29·25	40·1	40·2	52·8	39·8	94	87	W.	12	N.W.	17		T.			ci.	1	cu.	8		
7	29·46	29·46	30·2	40·3	49·1	27·5	87	90	N.W.	16	S.W.	0			st.	4	ci.	2	ci.	1		
8	29·40	29·17	34·0	59·0	62·1	33·0	92	62	S.E.	9	S.	16					ci.	2	st.	5		
9	29·12	28·92	40·2	54·0	69·3	38·5	94	87	W.	3	N.W.	24			st.	2			st.	5		
10	29·36	29·52	37·1	40·7	55·2	35·5	80	73	N.W.	28	N.W.	10			st.	6			st.	5		
11	29·50	29·30	30·0	46·1	51·1	24·0	88	54	S.	6	S.E.	16			st.	2	ci.	5				
12	29·13	28·96	34·6	56·1	60·8	33·6	79	62	S.E.	12	S.E.	10					ci.	1			ci.	2
13	28·83	28·74	44·8	61·6	69·0	43·8	85	66	S.E.	12	S.	12					ci.	2	st.	2		
14	28·80	28·58	46·0	63·0	67·0	45·0	72	50	S.W.	12	S.E.	15							st.	5		
15	28·50	28·78	53·1	49·0	63·0	48·0	75	80	S.W.	16	N.	10			st.	1	ci.	2	st.	5		
16	28·71	28·88	46·0	45·0	49·0	44·0	95	92	N.	14	N.	28		·43	st.	6			cu.	10		
17	29·11	29·43	36·5	37·0	46·0	35·4	89	74	N.	28	N.	12	·32	·02	nb.	10			cu.	8		
18	29·66	29·59	31·0	39·5	45·8	27·5	89	75	S.W.	4	S.	5			st.	8						
19	29·42	29·00	34·5	48·0	48·2	27·5	94	77	E.	10	E.	24		T.	st.	8			st.	2		
20	28·78	28·73	51·1	52·1	59·1	47·5	88	99	S.E.	28	S.E.	28	·02	·09	cu.	10			nb.	10		
21	28·81	28·97	40·5	42·7	52·2	39·0	71	69	S.E.	20	S.W.	24							cu.	3		
22	29·22	29·51	37·0	37·0	42·8	35·0	80	81	S.W.	14	N.W.	4		T.	st.	8						
23	29·60	29·49	34·0	37·0	38·8	33·2	90	78	N.	4	S.	5			st.	6			cu.	9		
24	29·35	29·23	34·7	40·1	43·8	34·0	87	75	E.	4	N.	10			cu.	9			st.	6		
25	29·13	29·16	37·6	29·0	42·8	36·3	90	88	N.W.	22	N.	28	·05	·24	nb.	10			nb.	10		
26	29·[illegible]	29·27	37·5	38·0	39·2	36·0	81	91	N.	20	N.	4	·06		cu.	10			st.	6		
27	29·16	29·06	35·1	41·1	46·8	34·5	95	92	S.	18	S.	4			st.	8						
28	29·21	29·33	27·0	27·3	41·9	25·5	78	86	S.	12	N.W.	8							st.	4		
29	29·44	29·52	28·3	28·2	29·0	26·4	79	89	N.W.	22	N.W.	20			st.	7			st.	6		
30	29·66	29·63	24·0	26·0	27·0	23·2	100	94	N.W.	14	E.	8			st.	9			st.	9		
31	29·58	29·43	26·6	35·1	37·0	24·0	100	65	S.E.	8	S.E.	12			st.	8			st.	7		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—November, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation		Clouds. 8 a.m. Lower.		Clouds. 8 a.m. Upper.		Clouds. 8 p.m. Lower.		Clouds. 8 p.m. Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·43	29·46	33·9	35·4	36·8	32·4	84	88	S.	8	N.	2	T.		st.	9			st.	9		
2	29·41	29·06	29·0	42·9	43·8	27·8	100	76	S.	9	S.E.	20							cu.	6		
3	29·31	29·49	30·8	23·6	42·9	21·8	87	88	N.W.	32	N.	12			st.	8						
4	29·50	29·33	21·0	30·2	35·0	16·0	87	68	S.E.	14	S.E.	12			st.	8			st.	3	ci.	2
5	29·03	29·01	28·8	33·9	48·0	27·5	98	82	S.E.	20	N.W.	16			st.	2					ci.	2
6	29·20	29·24	35·3	32·0	41·0	27·0	93	89	N.W.	16	W.	4			st.	10			st.	6		
7	29·03	28·88	32·9	36·9	37·6	27·0	90	85	S.	6	N.W.	12	·02	·04	nb.	10			cu.	6		
8	28·59	28·76	33·4	28·0	37·0	26·6	96	82	W.	12	N.W.	36	T.	·03	cu.	10			st.	9		
9	28·85	28·94	21·2	19·0	28·0	17·0	97	85	W.	12	W.	12	T.	·08	st.	9			st.	8		
10	29·05	29·08	16·8	27·0	27·0	12·1	100	92	S.W.	8	S.W.	10	T.	.05	st.	8			st.	10		
11	29·12	29·31	24·8	23·8	28·0	22·1	90	85	N.W.	14	N.	12	·02	·05	st.	8						
12	29·62	29·82	24·8	26·0	26·2	21·0	92	79	N.W.	24	N.W.	16	·03	·02	nb.	10			st.	7		
13	29·80	29·65	24·5	16·5	26·4	15·6	93	91	N.W.	16	N.W.	12			st.	9						
14	29·33	29·01	12·0	24·0	31·2	5·0	41	77	S.	6	S.W.	10			st.	8						
15	29·07	29·18	19·8	15·8	25·5	14·9	86	90	N.W.	24	N.W.	20	....	T.	st.	8			st.	4		
16	29·12	29·00	12·2	16·3	29·0	8·5	84	100	S.E.	12	C.	0			st.	8						
17	28·74	28·84	27·6	37·1	43·0	14·0	94	80	S.	6	W.	12			st.	8			st.	2		
18	28·81	28·75	33·0	39·2	45·5	26·2	89	85	S.E.	16	W.	20			st.	8			st.	7		
19	29·05	29·13	31·0	38·1	45·0	29·5	90	90	W.	9	S.	12							st.	2		
20	28·99	28·92	36·5	44·7	50·6	35·0	80	87	S.	16	S.	12			st.	2			st.	5		
21	28·94	28·87	32·0	40·0	48·0	31·0	83	80	S.	8	S.	6			st.	4			st.	9		
22	28·95	29·09	29·2	29·8	41·5	27·0	91	97	W.	12	N.W.	7			st.	2			cu.	9		
23	29·19	29·24	28·2	31·4	31·8	26·9	92	85	N.E.	12	N.E.	4	T.	T.	st.	9			st.	6		
24	29·06	28·93	27·2	30·7	32·0	26·2	86	72	N.E.	9	N.E.	16			st.	8			cu.	8		
25	28·85	28·77	25·7	24·0	30·8	23·2	91	95	N.	15	N.W.	20	·01	·04	s.	8			s.	10		
26	28·77	29·20	20·4	24·0	26·5	17·0	97	86	N.W.	22	N.W.	11	·02	·02	st.	10			st.	8		
27	29·34	29·31	23·2	23·0	28·0	20·1	98	79	S.	14	S.	15			st.	2						
28	29·26	29·13	28·5	29·8	35·2	22·4	83	90	W.	10	S.	19			st.	8			st.	2		
29	29·00	28·84	28·3	30·1	34·9	21·1	88	82	S.	2	E.	7			st.	8			st.	4		
30	28·63	29·12	8·0	—3·0	30·1	—5·5	92	32	N.W.	34	N.W.	44	·02	·10	st.	10			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Winnipeg, Man.—December, 1908.

Day.	Pressure.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a m		8 p m.				8 a m				8 p m	
															Lower.		Upper.		Lower	Upper.
	8 a m	8 p m	8 a m	8 p m	Max.	Min.	8 a m	8 p m	Dir.	Vel.	Dir.	Vel.	8 a m	8 p m	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	a.	m.											c.	in.								
1	29·47	29·48	11·2	5·0	1·3	17·0	100	100	N.W.	7	W	12	·03				ci.	2				
2	29·52	29·30	8·0	8·1	11·0	10·0	100	82	S.	7	S.	13										
3	29·35	29·39	1·4	5·0	8·8	5·2	95	100	N.	11	W.	11			st.	8						
4	29·40	29·37	13·4	10·0	7·5	16·3	100	100	W.	4	N.W.	12										
5	29·44	29·44	19·7	14·0	5·0	22·0	75	91	N.	2	N.	1										
6	29·55	29·42	20·7	8·0	4·5	22·0	80	97	N.W.	4	S.	2			st.	2					ci.	2
7	29·08	29·17	1·5	9·0	9·0	9·2	97	94	S.E.	13	N.W.	12	T.	·06	st.	10			st.	9		
8	29·17	29·23	7·5	13·5	14·0	5·1	81	93	N.	4	E.	5		·03	st.	8			st.	9		
9	29·26	29·12	19·6	20·0	23·7	13·1	91	96	S.E.	9	S.E.	16			st.	8			st.	9		
10	28·8[illegible]	29·02	[illegible]·8	21·0	28·6	19·2	97	93	S.W.	14	N.W.	10	·02		st.	8			st.	9		
11	28·96	28·75	11·3	18·0	21·5	2·4	85	94	S.W.	10	S.	5			st.	9			st.	6		
12	28·50	28·48	31·2	23·6	34·0	17·8	89	91	W.	20	W.	15		T.	st.	2						
13	28·63	28·53	18·0	24·0	31·0	14·8	94	95	S.E.	7	S.	6			st.	8						
14	28·65	28·98	20·3	14·8	25·3	10·0	92	89	W.	14	N.W.	12										
15	29·31	29·40	20·8	22·2	28·8	11·8	97	97	S.W.	3	S.	0		T.	st.	9			st.	9		
16	[illegible]·40	29·52	19·4	22·0	23·4	18·2	96	93	N.	3	S.E.	4			st.	9			st.	9		
17	29·46	29·37	16·0	16·0	22·0	12·8	88	97	N.E.	4	S.	1			st.	9			st.	9		
18	29·14	28·88	7·8	21·8	24·0	4·5	97	92	S.W.	8	W.	16			st.	9			st.	8		
19	29·18	29·07	1·0	0·5	22·8	— 3·5	95	93	N.W.	20	S.E.	10	T.						st.	7		
20	28·79	29·15	2·0	4·4	13·2	1·1	96	98	N.	11	N.W.	28	·03	·02	st.	5			st.	2		
21	[illegible]·0	29·25	6·0	17·0	17·0	0·5	97	98	S.W.	0	S.E.	12	·02	·01	n.b.	10			st.	9		
22	29·22	29·40	14·8	11·0	17·0	10·0	99	96	N.W.	8	N.W.	0		·04	st.	8			st.	10		
23	29·18	[illegible]·96	18·3	19·0	20·4	10·0	98	97	S.E.	6	S.E.	0	·02		st.	91			st.	8		
24	28·81	28·92	18·0	17·6	19·8	15·1	97	98	N.E.	6	N.W.	10	·06	. .	n.b.	10			st.	9		
25	29·13	29·15	19·4	17·5	22·4	8·6	99	96	W.	12	S.	8	T.		st.	9						
26	28·25	28·86	28·3	15·5	34·5	12·0	97	100	S.	16	N.W.	26	·15				ci.	6				
27	29·05	28·94	22·0	22·0	22·0	— 2·0	92	100	S.W.	4	S.E.	8		·05			ci.	1			ci.	7
28	29·08	29·10	5·0	10·5	22·0	0·0	95	88	C.	0	S.E.	11	T.				ci.	10	st.	5		
29	28·82	28·[illegible]	20·0	29·0	30·4	10·1	97	93	S.E.	16	N.E.	10	T.	·01	st.	5			n.b.	10		
30	29·08	29·60	29·0	29·0	29·8	2·0	100	100	N.W.	41	N.W.	26	·02	·08	st.	10			st.	10		
31	29·71	[illegible]·1	—17·2	— 6·8	— 6·2	—21·0	100	83	W.	8	S.W.	16			st.	2			st.	5		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—January, 1908.

Day.	Pressure 32°		Air Temperature				Humidity.		Wind.				Precipitation.		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·58	29·66	32·8	26·4	34·2	25·8	91	73	S.W.	8	N.W.	10			cu. st.	10			cu. st.	10		
2	29·82	29·83	26·8	27·2	34·0	25·0	72	82	N.W.	12	S.W.	12			cu. st.	10			cu. st.	10		
3	29·96	29·89	22·0	30·6	32·2	21·4	80	75	N.W.	14	S.W.	12										
4	29·39	29·26	34·8	34·0	38·0	28·2	94	71	S.W.	20	N.W.	28	·02	·11	nb.	10			nb.	10		
5	29·82	29·76	11·1	17·4	34·7	10·5	80	78	N.W.	16	S.W.	6	·01				ci.st.	6				
6	29·57	29·45	24·0	34·0	37·4	17·5	97	82	S.W.	12	S.W.	14			cu. st.	4						
7	29·26	29·01	31·2	32·8	35·8	31·0	95	89	S.W.	8	C.	0			cu. st.	3	ci.cu.	3	nb.	10		
8	29·00	29·25	24·3	29·6	35·7	24·0	96	85	N.W.	8	N.W.	16		·02	cu. st.	2	ci.cu.	4	cu. st.	10		
9	29·56	29·75	12·8	11·5	29·6	11·0	89	83	N.W.	12	N.W.	12			cu. st.	5						
10	29·80	29·82	12·4	30·7	31·0	9·1	98	70	N.	8	E.	10			cu. st.	10			cu. st.	10		
11	29·82	29·66	24·1	29·5	34·6	23·0	96	88	N.E.	10	N.E.	12									ci. st.	10
12	29·13	28·77	33·0	30·0	34·2	29·3	89	96	N.E.	22	N.E.	10	·22	·73	cu.	10				10		
13	29·01	29·27	25·7	22·3	30·7	22·2	89	89	N.	16	N.W.	12	·05		cu. st.	10			cu. st.	10		
14	29·48	29·68	23·1	24·5	24·7	10·6	89	87	N.W.	16	W.	6	·01	·1	cu. st.	10			cu. st.	8		
15	29·62	29·39	30·8	36·1	37·0	24·2	80	68	S.W.	22	S.W.	16			cu. st.	10			nb.	10		
16	29·47	29·80	23·0	15·1	36·1	13·0	84	82	N.W.	24	S.W.	6	·03	T.	nb.	10					ci.cu.	4
17	29·76	29·60	19·0	27·1	30·0	12·6	77	78	S.W.	12	S.W.	20		·02			ci.cu.	4	cu. st.	4		
18	29·76	29·68	27·0	29·8	31·0	25·3	78	78	S.W.	10	S.W.	10			cu. st.	10			cu. st.	10		
19	29·93	30·01	28·7	25·8	32·0	24·2	90	90	N.	10	E.	16			cu. st.	10			cu. st.	10		
20	29·72	29·71	33·6	34·5	39·3	25·6	89	85	S.W.	16	S.W.	10	T.		cu. st.	10					ci.	5
21	29·60	29·28	34·0	40·0	41·5	32·0	87	82	S.	10	S.W.	14		·02	cu. st.	8			cu. st.	10		
22	29·32	29·70	36·1	29·6	40·5	29·1	71	72	S.W.	16	S.W.	6	·01	T.			ci.	2				
23	29·56	29·83	28·4	8·6	33·3	8·2	98	98	N.E.	10	N.W.	26	·01	·38	nb.	10			nb.	10		
24	29·94	29·61	0·7	18·8	20·2	−1·7	90	82	N.W.	16	S.W.	14										
25	29·32	29·29	23·8	30·1	31·6	18·0	80	78	S.W.	12	S.W.	12		T.	cu. st.	10			nb.	10		
26	29·29	28·67	25·1	31·4	33·7	25·0	90	98	N.E.	8	N.E.	6	·04	·65	nb.	10			nb.	10		
27	29·03	29·45	10·8	10·8	32·1	10·4	88	84	N.W.	24	N.W.	10			st.	10			cu. st.	8		
28	29·38	29·30	13·8	25·8	30·6	9·0	90	75	W.	6	N.W.	20		·16	cu. st.	10			nb.	10		
29	29·81	30·11	−2·8	−5·0	26·3	5·9	98	93	N.W.	16	N.	10					ci.st.	10				
30	30·21	30·13	−13·7	−2·1	4·2	−13·8	74	78	N.	10	N.W.	4			cu. st.	10						
31	30·07	29·67	8·3	22·0	22·3	−2·3	89	75	W.	6	E.	24		·02	cu. st.	2			nb.	6		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—February, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	28·86	28·89	29·8	18·1	34·7	17·6	98	79	S.E.	16	N.W.	28	·96	·02	nb.	10			cu. st.	10		
2	29·44	29·60	8·0	12·0	19·0	7·3	80	90	N.W.	30	S.W.	20		·01	st.	4	cu. st.	4	nb.	10		
3	29·51	29·91	13·0	0·7	18·1	0·7	42	98	W.	10	N.	6		T.	cu. st.	10						
4	30·27	30·30	—17·4	— 8·4	1·3	—17·5	78	87	N.	8	N.	8										
5	30·06	29·33	11·1	21·3	21·6	— 9·3	94	95	E.	24	S.E.	22	·06	·54	nb.	10			nb.	10		
6	29·22	29·39	27·0	20·6	34·0	20·4	75	79	S.W.	20	W.	18	·25	·04	cu. st.	10			nb.	10		
7	29·80	30·04	7·5	11·1	22·7	7·2	90	83	N.W.	16	N.W.	16							cu. st.	10		
8	30·31	30·45	— 6·1	— 2·0	12·2	— 6·2	90	90	N.W.	14	N.W.	4	T.									
9	30·52	30·39	— 5·0	7·8	16·0	—11·2	89	96	N.	6	N.	6		T.								
10	30·21	30·13	10·4	23·6	31·7	4·7	96	82	N.E.	6	S.	6					ci. st.	4			ci. st.	3
11	30·14	30·13	16·0	28·6	37·2	11·8	79	83	N.	8	N.E.	4										
12	30·07	29·84	28·0	36·0	36·2	25·3	87	89	E.	20	E.	6		T.	cu. st.	10			nb.	10		
13	29·77	29·72	38·2	40·8	44·3	35·6	98	91	S.	8	W.	8	·04		nb.	10			cu. st.	8		
14	29·65	29·09	35·3	35·1	41·8	35·0	85	97	N.E.	4	N.E.	2		·33	nb.	10			nb.	10		
15	28·69	28·93	34·5	25·8	37·0	25·0	93	89	N.	14	N.W.	30	·68	·15	nb.	10			nb.	10		
16	29·26	29·34	22·5	22·1	30·3	21·3	83	75	N.W.	8	S.	8		·02	cu. st.	7					ci. st.	8
17	29·51	29·75	13·8	11·1	24·8	10·5	85	78	W.	10	N.W.	4			cu. st.	10						
18	29·87	29·79	14·5	25·6	27·2	7·5	95	65	N.E.	6	E.	6	T.		cu. st.	10			cu. st.	7		
19	29·49	29·42	25·2	17·0	27·7	16·5	93	87	E.	18	N.E.	24	·06	·04	nb.	10			nb.	10		
20	29·67	29·68	9·3	20·3	25·3	9·0	90	76	N.W.	18	S.W.	14	·12									
21	29·54	29·45	22·1	25·3	30·7	19·0	93	93	S.W.	16	N.W.	12		·04	cu. st.	7			cu. st.	10		
22	29·64	29·53	10·1	17·0	26·2	9·3	90	80	N.W.	16	S.	6			cu. st.	2			cu. st.	2	cu. st.	4
23	29·33	29·52	16·8	22·0	25·5	13·3	85	93	N.E.	8	S.	4	·05	·01	cu. st.	10			nb.	10		
24	29·89	29·83	3·5	21·8	23·0	2·4	91	76	N.	10	S.	8	·04									
25	29·63	29·39	30·5	34·1	37·2	22·0	79	84	S.	10	S.E.	16		·02	cu. st.	10			st.	10		
26	29·10	29·26	35·8	28·8	37·2	28·2	92	78	S.	12	S.W.	16	·28	01	nb.	10			nb.	10		
27	29·38	29·45	14·8	10·0	29·0	9·0	82	76	S.W.	10	W.	10		T.	cu. st.	3			nb.	10		
28	29·58	29·71	8·2	13·0	19·3	5·2	89	83	N.W.	16	N.W.	8			cu. st.	5						
29	29·90	29·99	7·7	14·8	21·3	5·0	78	78	N.W.	6	N.	4										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—March, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·84	29·49	22·4	24·7	26·3	10·0	92	99	E.	24	N.E.	20	.	·20	cu.st.	10			nb.	10		
2	29·44	29·62	22·8	28·1	29·4	21·0	95	82	N.	8	S.W.	16	·05	·01	nb.	10			cu.st.	10		
3	29·87	30·07	23·8	22·6	29·0	22·0	86	75	S.W.	10	N.W.	6	·01		cu.st.	10			cu.st.	9		
4	30·15	30·12	11·8	23·1	28·6	7·5	100	84	N.	2	S.E.	4					ci.	4				
5	30·05	29·87	21·0	29·2	32·8	16·7	86	81	N.	4	E.	15	.				ci st.		cu.st.	10		
6	29·41	29·03	32·3	42·8	43·8	29·0	95	79	E.	30	W.	16	·05	·35	nb.	10	.		.			
7	29·46	29·82	31·0	33·8	44·8	30·6	98	77	N.W.	24	N.W.	8			cu st.	10			cu.st.	10	. .	
8	29·84	29·84	34·2	36·1	39·2	32·2	90	80	S.	8	S.W.	8			cu.st.	10			cu.st.	10	. . .	
9	30·12	30·16	13·7	17·8	36·5	12·6	69	81	N.W.	22	E.	2	. . . .	·06	cu.st.	4	ci.st.	4	cu.st.	7		
10	30·24	30·05	15·1	26·7	27·2	12·4	95	77	N.W.	8	S.	4	·02				ci.cu	5	cu.st.	10		.
11	29·65	29·51	36·4	38·5	46·2	25·8	72	79	S.W.	12	S.W.	8	. . .		. .	.	ci.st.	10	.		ci.st.	6
12	29·49	29·57	36·8	34·8	44·0	34·0	80	85	N.W.	6	E.	14			.				cu.st.	10	. . . .	. .
13	29·29	29·40	37·6	31·8	46·1	31·8	92	84	S.	8	N.W.	4		T.	cu.st	8	.		cu.st.	5	.	.
14	29·52	29·27	29·1	38·1	39·6	25·6	88	87	S.W.	6	E.	4		·01			ci.st.	3	. . .	.	cu.st.	10
15	29·02	29·32	37·2	34·4	39·8	33·8	96	68	N.E.	2	N.W.	18	·03	·16	cu.st.	10			cu.st.	10	. .	.
16	29·27	29·71	33·5	16·5	35·6	16·2	98	77	S.	10	N.	6	T.	·04	nb.	10			. . .		. .	
17	29·49	29·54	22·2	28·2	29·2	13·6	92	96	E.	16	E.	4	·02	·06	nb.	10			cu.st.	10		
18	29·63	29·48	24·2	27·8	29·5	18·4	95	88	N.E.	2	N.	10	T.	·02	cu.st.	10	.		nb.	10	.	
19	29·60	29·92	26·7	23·8	31·1	23·5	87	87	N.W.	16	N.W.	14	. . . .	T.	cu.st	10					ci.cu.	2
20	30·02	29·90	18·1	26·5	31·3	14·1	84	73	N.W.	8	W.	8	. .		. .							
21	29·88	29·80	28·0	35·8	43·1	26·4	78	80	S.W.	8	S.W.	6		. .	cu.st.	8					. .	
22	29·58	29·50	35·7	41·5	46·0	32·4	78	75	S.W.	20	S.W.	6	. .	.	.		ci.cu.	8			cu.st.	10
23	29·36	29·15	38·4	37·4	43·6	37·1	90	87	S.W.	8	S.W.	6	T.	·02	cu.st.	10			. . .			
24	29·19	29·61	37·8	22·8	38·5	22·2	80	89	S.W.	12	N.W.	14	·04	T.	cu.st.	10			cu.st.	10	. .	
25	29·92	29·69	15·8	27·8	28·1	14·7	65	83	N.	8	E.	24		T.	. . .	.					.	
26	29·43	29·51	44·5	45·2	63·8	27·8	73	83	S.W.	20	S.W.	14	. . . .	T.	. .	.	ci.st.	4	. .	. .	cu.st.	10
27	29·88	29·67	35·6	30·8	46·0	31·0	77	98	N.W.	14	E.	16	. .	·14	cu.st.	10			.	.	. . .	. .
28	29·32	29·65	33·8	35·0	52·7	30·7	100	72	N.E.	2	N.	8	·36	. . .	cu.st.	10			cu.st.	10	.	. . .
29	29·68	29·79	30·2	33·2	39·2	29·3	81	70	N.	8	N.W.	12	T.	T.	cu.st.	10			cu.st.	7	. .	
30	30·01	29·86	36·0	38·8	49·0	29·2	62	66	W.	9	S.W.	12	.		. . . .						. . .	
31	29·59	29·60	34·7	40·3	49·0	29·3	73	87	S.E.	4	N.	10	·02	·01	. . . . .						. . .	. .

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—April, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·83	29·20	27·0	32·5	40·8	24·0	61	78	E.	22	E.	30		·08			ci.st.	2	nb.	10		
2	29·25	29·40	32·3	28·8	38·2	28·0	79	77	W.	37	N.W.	26	·09	T.	cu.st.	7						
3	29·64	29·63	24·1	25·8	33·0	20·2	96	75	N.W.	14	N.W.	16	·01	T.			ci.cu.	5				
4	29·86	29·93	25·0	29·0	35·3	17·5	92	94	N.W.	10	N.W.	9										
5	29·83	29·44	34·0	39·2	40·8	25·2	71	91	S.E.	10	E.	4		·16					cu.st.	10		
6	29·68	29·59	41·3	52·8	57·0	33·0	97	56	S.W.	10	W.	20	·01						cu.	10		
7	29·80	29·88	40·4	38·4	53·3	38·1	71	75	N.W.	8	E.	16	·08		cu.st.	8					ci.st.	1
8	29·43	29·42	32·3	33·0	39·0	31·8	95	89	E.	38	N.	18	·18	·16	nb.	10						
9	29·89	29·82	31·8	38·8	44·5	29·0	81	79	W.	12	S.W.	24	·01		cu.st.	10						
10	29·59	29·28	39·0	45·8	49·8	30·3	73	94	E.	8	S.W.	18			cu.st.	6			cu. st.	7		
11	29·22	29·59	42·0	34·8	48·0	34·0	71	63	W.	13	N.W.	29	·02		cu.st.	7						
12	29·84	29·64	35·8	36·0	45·6	29·7	61	86	N.W.	14	S.W.	12		·01					cu.st.	10		
13	29·61	29·93	43·6	38·2	52·3	35·6	63	57	N.W.	30	N.	12			cu. st.	1						
14	30·02	29·62	40·8	45·3	53·8	29·0	60	66	S.E.	9	E.	2			cu. st.	2					ci. st.	8
15	29·48	29·84	52·1	35·3	54·6	35·0	94	75	S.W.	22	N.	14		·11	nb.	10						
16	30·22	30·16	28·6	30·5	38·2	24·0	44	77	N.E.	16	S.	4										
17	30·10	29·84	34·8	36·8	46·2	26·0	66	50	E.	8	E.	8			cu.	4	ci.cu.	3			ci.st.	8
18	29·55	29·29	41·1	39·8	41·8	35·0	53	91	E.	12	E.	6		·24	cu.st.	8			nb.	10		
19	29·13	29·40	45·1	39·1	48·7	38·3	95	59	S.W.	2	N.	10	·20		cu. st.	10						
20	29·19	29·42	33·1	34·8	47·0	29·5	92	64	S.W.	1	N.	22	·26	·06	nb.	10						
21	29·61	29·62	36·6	41·5	50·3	30·5	58	59	N.W.	20	N.W.	14					ci. cu.	1				
22	29·51	29·38	42·0	63·4	75·3	36·4	74	67	S.W.	16	W.	10	·05		cu. st.	10					ci. st.	6
23	29·45	29·47	56·6	49·0	67·8	44·0	48	68	E.	5	E.	6										
24	29·51	29·29	54·0	53·0	58·2	45·8	37	52	E.	14	E.	20		T.			ci. cu.	4	nb.	10		
25	29·11	28·96	51·0	54·0	65·0	47·8	92	83	S.E.	6	S.W.	20	·05	·23	nb.	10						
26	29·27	29·37	58·0	59·8	70·0	48·5	62	68	S.W.	6	W.	2					ci. st.	2	cu. st.	10		
27	29·13	29·25	52·0	53·4	61·4	46·8	77	59	E.	20	W.	10	T.	·04	cu. st.	6			cu. st.	10		
28	29·25	29·30	46·6	45·6	53·6	43·8	68	75	S.W.	12	S.W.	16	T.	T.	cu. st.	9			cu. st.	10		
29	29·46	29·51	43·0	43·2	49·3	38·0	77	71	S.W.	13	W.	8	·02		cu. st.	10			cu. st.	10		
30	29·54	29·29	37·8	33·8	43·4	30·1	72	94	N.W.	6	N.	16		·23	cu. st.	10			nb.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—May, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.
	in.	in	°	°	°	°							in	in								
1	29·16	29·25	40·5	40·5	45·4	32·7	64	61	N.W.	28	W.	12	·03		cu. st.	4	ci. st.		3		ci.st.	2
2	29·19	29·31	41·0	39·0	49·5	32·5	89	76	S.	10	W.	15		·03	n.b.	10						
3	29·52	29·62	41·1	42 8	52·0	33·3	64	62	N.W.	14	N.	6							cu. st.	10		
4	29·69	29·72	45·1	44·4	54·3	29·4	49	52	E.	4	E.	4			cu. st.	1	ci.st.	1	cu.st.	7		
5	29·82	29·73	51·0	48 0	55·1	36·3	39	41	E.	14	E.	6							cu. st.	10		
6	29·64	29·53	44·6	43·7	50·5	42·1	78	93	E.	24	E.	10	T.	·38	nb.	10			nb.	10		
7	29·36	29·27	41·4	40·8	43·7	40·1	90	100	E.	37	E.	30	·15	·65	nb.	10			nb.	10		
8	29·19	29·30	40·8	45·8	55·2	39·7	100	87	E.	17	C.	0	·09	T.	nb.	10			nb.	10		
9	29·19	29·23	43·6	46·7	62·4	38·8	79	58	N.	22	N.	14	·05	·03	cu. st.	6			cu. st.	2	ci.st.	4
10	29·45	29·44	43·5	54·7	63·0	36·1	58	59	N.	29	W.	8					ci.st.	1				
11	29·42	29·37	62·7	58·7	80·0	43·4	64	82	S.W.	7	S.W.	6		·02					cu. st.	10		
12	29·18	29·40	55·8	62·8	76 1	53·0	89	79	S.W.	20	N.	16	·07	T.							ci.	2
13	29·76	29·78	52·3	47·5	62·4	46·4	74	85	N.E.	9	E.	14		·05	cu. st.	7			cu. st.	10		
14	29·82	29·81	46·0	50·2	57·2	44·6	93	60	E.	24	E.	14	44	·01	cu. st.	10			cu. st.	10		
15	29·77	29·74	47·0	46·8	52·0	46·3	78	94	E.	27	E.	20	·07	·03	nb.	10			nb.	10		
16	29·72	29·61	47·0	61 5	66·7	44·8	94	92	E.	12	S.W.	19	05	·14	st.	10			cu. st.	8		
17	29·74	29·70	57·8	60·5	70·3	45·2	70	67	W.	7	C.	0							st.	2	ci.st.	2
18	29·74	29·48	64·3	61·1	70·8	50·3	64	62	C.	0	E.	24									ci.st.	2
19	29·38	29·41	58·3	56·4	66·8	52·7	86	96	E.	17	E.	5	·02	·21	cu. st.	10			st.	10		
20	29·51	29·57	60·0	60 8	69·8	55·2	86	88	N.E.	6	E.	2	·02		cu. st.	10			cu. st.	10		
21	29·71	29·68	62·1	62 2	68·4	58·2	95	98	E.	20	E.	18	·04	·04	nb.	10			nb.	10		
22	29·73	29·68	59·2	64 2	76·2	55·8	93	100	E.	21	E.	10			cu. st.	8					a.st.	2
23	29·78	29·84	69·0	66 5	82·5	55·2	70	62	N.W.	9	N.W.	11					ci.st.	4			ci.st.	3
24	29·92	29·89	65·5	62·2	71·5	54·5	54	70	N.	4	C.	0					ci.st.	2			ci. cu.	4
25	29·85	29·63	67·0	61·3	72·3	53·0	54	68	E.	18	E.	9										
26	29·53	29·36	65·8	64 5	74·2	56·0	73	95	E.	4	N.W.	2		·18	cu. st.	10			cu. st.	10		
27	29·42	29·49	70·0	68 8	80 6	56·2	79	77	W.	6	S.W.	4	·01									
28	29·53	29·43	66·3	70 8	80·6	54·5	70	93	E.	7	E.	8					a.st.	2	cu. st.	5		
29	29·49	29·49	72·0	68 5	84·0	58·2	66	80	W.	8	W.	6		·32	nb.	2	a.st.	1			ci. cu.	9
30	29·45	29·28	57·1	62·5	68·5	54·1	95	96	E.	4	N.W.	10	·01	·32	nb.	10			nb.	10		
31	29·31	29·45	65·0	57·6	70·4	55·2	84	97	W.	8	N.W.	9	·01	1·10	cu. st.	7			cu.st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—June, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·67	29·67	58·3	63·8	71·5	50·5	64	63	N.	20	W.	8	·16		ci.							
2	29·73	29·71	58·3	57·1	72·1	54·1	67	51	E.	4	N.	12			cu. st.	10					ci. cu.	2
3	29·76	29·66	61·2	62·0	75·7	42·7	46	75	W.	6	S.W.	15					ci.st.	4			ci. st.	3
4	29·67	29·70	68·0	65·0	80·0	54·0	66	59	W.	7	S.E.	6										
5	29·81	29·83	67·4	62·6	73·6	54·1	57	44	E.	14	E.	12										
6	29·88	29·80	64·2	66·2	78·7	52·5	64	75	E.	11	E.	10									ci.st.	
7	29·84	29·65	69·0	72·6	82·8	55·2	70	63	C.	0	W.	6									ci.cu.	1
8	29·61	29·47	72·8	73·0	86·8	59·3	72	71	W.	2	S.W.	13									ci. cu.	9
9	29·41	29·42	74·3	64·2	83·8	63·8	74	64	W.	8	N.W.	24					ci. cu.	2	cu. st.	2		
10	29·53	29·58	57·0	56·8	67·3	52·3	65	69	N.W.	16	N.	14			cu. st	3			cu. st.	8		
11	29·67	29·68	57·8	56·5	64·7	48·3	64	77	E.	8	S.E.	2			cu. st.	10						
12	29·79	29·76	62·5	58·2	68·0	47·8	64	67	N.E.	6	E.	8										
13	29·72	29·54	63·2	67·7	76·3	52·2	75	67	E.	15	E.	13					ci.st.	6			ci.st.	3
14	29·48	29·46	67·5	64·7	78·4	61·5	86	89	C.	0	N.	15	T.	15	cu. st.	10			cu.st.	10		
15	29·56	29·66	53·8	53·3	65·0	46·5	77	66	N.W.	13	N.	23	.05		cu. st.	8					ci.st.	3
16	29·81	29·78	58·0	60·0	66·5	44·3	53	56	N.	12	N.E.	1							st.	1	ci.st.	3
17	29·91	29·86	60·0	56·8	68·0	48·4	57	63	E.	10	E.	12					ci.cu.	4			ci.st.	2
18	29·81	29·67	64·8	63·8	74·2	50·0	71	69	E.	14	E.	14					ci.st.	2				
19	29·61	29·49	71·8	68·5	86·8	58·2	76	94	E.	8	S.W.	2		·32			ci.st.	2	nb.	10		
20	29·54	29·55	72·2	76·0	84·5	61·0	71	59	W.	12	S.W.	8	·02	8								
21	29·55	29·54	73·7	72·0	88·2	65·0	64	83	S.W.	6	S.W.	8		·26			ci.cu.	4			ci.st.	6
22	29·61	29·59	73·0	68·0	81·8	62·2	71	69	E.	14	E.	16							ci.st.	7		
23	29·63	29·56	69·0	66·6	79·6	63·0	81	99	S.	6	E.	4	·17	1·49	ci.st.	8			nb.	10		
24	29·49	29·61	74·4	66·7	84·5	64·1	85	71	S.W.	10	N.W.	13	.01		cu. st.	7						
25	29·69	29·82	68·0	63·5	75·8	57·2	67	61	N.	12	N.	14										
26	29·92	29·82	69·1	66·5	78·0	57·2	59	61	S.	8	S.W.	3										
27	29·85	29·75	69·6	67·0	82·3	53·8	56	66	W.	4	S.	5										
28	29·76	29·62	68·3	72·4	81·2	55·0	71	61	E.	5	S.W.	11					ci.st.	3			ci. st.	3
29	29·59	29·59	73·0	63·0	86·0	65·1	71	81	N.W.	11	N.	18		·20								
30	29·70	29·70	61·0	67·4	77·0	55·8	82	72	W.	8	S.W.	12	·24		cu. st.	8					ci.	4

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—July, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·71	29·79	70·5	70·0	83·2	57·8	71	61	E.	6	N.W.	12					ci.cu.	4			ci.st.	2
2	29·90	29·83	64·7	65·0	72·9	54·3	75	72	N.E.	5	E.	8		·01	cu.st.	8			cu.st.	8		
3	29·82	29·74	69·0	68·5	75·4	60·8	74	78	E.	14	E.	7			cu.st.	6	ci. st.	2			ci. st.	3
4	29·70	29·59	67·4	73·5	79·7	65·1	88	76	E.	11	S.W.	11		·13	cu.st.	10			cu.st.	4	ci. st.	3
5	29·68	29·70	71·0	74·6	86·0	62·2	82	73	S.W.	8	S.W.	13	·02						cu.st.	1		
6	29·75	29·68	73·8	78·8	90·7	62·0	72	68	S.W.	4	S.E.	12							cu.st.	1		
7	29·60	29·52	77·0	64·0	83·6	64·0	82	82	S.W.	9	N.W.	26		·50	st.	2	ci.cu.	1				
8	29·76	29·75	60·1	67·0	75·4	54·2	63	60	N.W.	22	N.W.	13										
9	29·79	29·71	66·8	66·8	80·0	51·7	66	68	W.	6	S.	14										
10	29·71	29·50	71·0	70·0	81·0	54·2	58	68	S.E.	5	S.	5										
11	29·53	29·47	72·0	78·0	89·5	57·1	66	81	W.	3	W.	11			ci. st.	5						
12	29·53	29·60	80·0	89·6	92·2	68·7	56	44	S.W.	2	N.W.	16			cu.st.	4					ci.st.	5
13	29·66	29·53	64·0	70·0	85·5	62·0	82	84	W.	12	N.	21	·06	·01	cu.st.	10			cu	10		
14	29·54	29·52	70·0	69·0	81·2	61·0	56	46	N.	12	N.W.	18	09				ci.st.	3				
15	29·61	29·69	63·6	64·3	75·2	52·5	71	53	N.W.	13	N.W.	18			cu.st.	3	ci.st	3			ci.st	4
16	29·82	29·71	66·6	67·0	77·7	54·8	60	62	N.	8	S.	5			cu.	1	ci.st				ci.st	8
17	29·48	29·17	60·7	70·0	71·0	59·4	98	94	E.	15	N.W.	13	·31	77	nb.	10			st.	2	ci.st.	1
18	29·21	29·35	66·3	69·7	82·7	62·5	98	82	S.W.	5	N.	12	.74	T.	cu.st.	3	ci.st	3	cu.st.	9		
19	29·52	29·65	67·6	66·3	72·8	63·3	76	80	N.E.	4	W.	6	T.	T.	cu.st	9						
20	29·78	29·75	67·5	66·0	76·8	54·0	62	78	W.	5	S.E.	7							cu.st.	8		
21	29·69	29·64	63·3	64·3	72·4	61·7	98	96	E.	8	C.	0	·12	·17	nb.	5	ci.st.	5				
22	29·69	29·72	64·2	70·3	85·0	57·0	98	77	S.	2	N.	15					cu.	4				
23	29·83	29·84	70·3	68·8	79·8	58·5	82	78	N.E.	6	C.	0					ci.st.	3			ci.st.	6
24	29·92	29·82	71·6	69·4	78·0	62·6	69	72	E.	14	E.	12					ci.st.	2				
25	29·86	29·84	72·6	68·3	79·8	62·7	53	88	N.E	6	E.	8										
26	29·87	29·76	72·0	70·1	82·0	61·0	75	57	N.E.	9	E.	7										
27	29·77	29·68	76·0	69·0	85·6	57·5	57	76	N.E.	1	S.	6									ci.st.	4
28	29·73	29·70	75·0	74·0	86·0	59·5	67	70	N.E.	3	S.	1					cu.	8				
29	29·79	29·74	72·0	76·0	90·3	62·5	64	72	C.	0	S.W.	3										
30	29·76	29·63	79·0	77·0	92·0	65·3	66	71	W.	5	S.W.	7										
31	29·63	29·63	73·0	68·0	87·6	64·8	70	62	N.W.	7	N.	17					ci.st.	9				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—August, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·73	29·57	67·0	68·0	77·5	55·0	49	66	N.E.	6	W.	7									ci.	4
2	29·63	29·63	70·0	67·5	79·5	59·0	70	76	N.E.	10	S.W.	2									ci. st.	2
3	29·68	29·56	71·0	70·8	82·8	58·5	69	79	E.	5	E.	5			cu. st.	9			cu. st.	10		
4	29·52	29·40	76·1	77·8	92·0	65·4	71	71	S.W.	10	S.	12	·02	T.	cu. st.	8			cu. st.	10		
5	29·35	29·38	69·0	69·0	85·0	65·6	94	73	S.W.	6	N.	6	1·16		cu. st.	10						
6	29·42	29·43	71·3	71·7	83·4	59·6	82	67	S.W.	3	N.W.	7					ci.	6	cu. st.	8		
7	29·49	29·51	68·0	67·2	78·1	62·2	73	73	N.	12	N.	12					ci. st.	1				
8	29·53	29·54	66·2	66·1	75·0	59·0	79	71	N.	15	N.	14										
9	28·58	29·57	68·8	67·2	74·8	55·5	76	82	N.	5	S.	5					ci. st.	6				
10	29·56	29·52	68·1	68·6	81·0	59·6	78	77	N.	4	W.	6		T.			ci.	2	nb.	10		
11	29·69	29·67	68·0	67·2	78·3	60·0	74	87	N.	6	S.E.	3					ci.	7	cu. st.	0		
12	29·63	29·44	67·0	68·0	76·0	60·2	99	97	S.E.	6	S.W.	20	T.	·47	nb.	10			nb.	8		
13	29·59	29·66	66·0	64·0	72·2	63·5	98	94	S.W.	9	N.	6	·14	·27	nb.	10						
14	29·77	29·72	67·0	70·2	84·6	59·2	97	70	C.	0	N.W.	14									ci.	6
15	29·91	29·87	68·5	61·2	76·2	60·0	70	90	N.E.	9	S.E.	5									ci. st.	7
16	29·84	29·67	67·5	67·0	71·8	57·3	76	88	E.	12	E.	8		T.			ci. cu.	6	nb.	10		
17	29·56	29·50	71·8	73·2	84·0	66·1	98	80	W.	2	N.W.	12	·67	T.	cu. st.	10					ci.	1
18	29·67	29·54	63·1	64·0	76·8	52·1	75	77	N.W.	16	W.	10										
19	29·43	29·53	63·0	59·2	74·0	55·0	76	75	W.	15	N.	19		·10	nb.	10			cu. st.	3	ci. cu.	2
20	29·66	29·65	58·6	62·0	72·2	46·1	60	61	N.	11	N.W.	14										
21	29·73	29·54	60·4	58·8	76·2	47·0	70	82	W.	6	S.W.	1										
22	29·46	29·63	66·1	59·8	81·2	53·3	81	60	C.	0	N.W.	9					ci.	5				
23	29·82	29·80	55·8	58·2	70·0	45·0	69	73	C.	0	C.	0									ci. st.	2
24	29·80	29·85	55·3	57·3	71·7	47·5	77	68	N.W.	8	N.	14	T.		nb.	10						
25	29·95	29·87	61·0	58·8	71·2	49·5	61	69	E.	11	E.	9					ci. st.	2			ci. st.	5
26	29·88	29·89	61·5	57·2	72·7	52·2	62	87	E.	6	E.	5										
27	29·95	29·87	62·0	61·3	71·2	52·0	67	57	E.	11	E.	11										
28	29·83	29·74	62·0	61·1	76·2	50·7	78	87	E.	7	E.	11										
29	29·77	29·74	60·6	63·0	77·6	51·1	90	92	E.	2	S.E.	3					ci. st.	7				
30	29·87	29·87	67·0	66·8	84·3	55·0	83	80	C.	0	S.W.	0							cu. st.	4	ci. st.	3
31	29·92	29·78	68·2	70·0	86·9	58·6	83	83	C.	0	E.	6					ci. cu.	2				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—September, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind	Amt.	Kind.	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·66	29·50	68·4	70·6	84·7	56·6	79	89	C.	0	W.	13		·06					nb.	10		
2	29·54	29·63	59·0	55·3	71·8	54·5	83	66	N.	5	N.W.	16	.	T.	cu.st.	10			nb.	10		
3	29·80	29·75	56·2	57·0	72·2	46·3	67	69	N.W.	12	C.	0.			.		.					
4	29·76	29·62	56·8	57·3	77·6	42·3	82	80	N.E.	3	S.W.	5	.		.		ci.st.	6				
5	29·61	29·44	64·0	70·8	84·0	49·0	80	61	S.W.	6	S.W.	13	..		..							
6	29·32	29·51	65·4	62·0	78·3	61·6	89	61	S.W.	12	N.W.	16	T.		cu.st.	10						
7	29·74	29·79	60·4	60·0	72·2	50·1	64	68	N.	7	N.	8			.	..						
8	29·96	29·92	57·0	58·6	72·0	46·2	73	85	N.W.	1	S.W.	4										
9	29·92	29·79	59·0	65·0	84·0	46·8	81	62	C.	0	S.W.	11										
10	29·85	29·73	62·5	69·8	89·6	57·5	74	67	S.W.	7	W.	11			fog.	5	fog.	5			ci.st.	2
11	29·76	29·74	68·0	72·2	82·0	58·5	74	77	S.W.	4	N.	10							fog.	2		
12	29·78	29·67	63·2	60·7	74·0	59·2	75	95	N.E.	9	C.	0			fog.	8						
13	29·67	29·62	61·2	70·3	81·2	50·8	43	54	N.E.	4	C.	0			fog.	5	fog.	5	fog.	5	fog.	5
14	29·85	29·90	61·4	53·2	70·8	52·2	53	87	N.E.	11	S.E.	7										
15	30·00	29·97	58·0	59 1	69 3	49·5	74	73	E.	15	E.	10										
16	29·98	29·82	56·4	52·2	69 8	49·7	62	97	N.E.	8	E.	3										
17	29·77	29·60	55·0	57·2	74·2	43·8	81	79	C.	0	S.	1										
18	29·60	29·51	55·0	65·5	81·2	48·3	86	84	W.	3	N.E.	6									ci.st.	4
19	29·67	29·82	62·7	53·3	66·2	52·7	92	84	N.W.	9	E.	10	T.		st.	10						
20	29·88	29·82	57·0	56·0	69·8	49·0	63	91	N.E.	8	E.	8										
21	29·76	29·69	58·0	66·0	78·0	51·4	92	94	N.E.	3	S.E.	4										
22	29·73	29·64	61·8	62·2	72·0	57·8	96	96	N.E.	4	E.	3									fog.	10
23	29·65	29·63	60·0	69·0	84·8	55·5	98	91	E.	2	E.	4					ci.st.	4	fog.	10		
24	29·77	29·80	70·0	67·6	81·0	62·4	84	96	N.	2	S.E.	6			.		ci.cu	6			ci.st.	6
25	29·85	29·80	65·7	63·5	76·5	62·0	94	97	E.	10	E.	3			fog.	3	fog.	2	fog.	2		
26	29·74	29·67	60·2	65·2	77·8	56·5	98	88	N.E.	3	E.	8										
27	29·66	29·57	61·6	68·9	76·8	57·1	96	84	E.	4	S.E.	7		.							ci.st.	6
28	29·39	29·37	65·3	53·3	71·2	53·2	93	71	E.	14	W.	21	·06	1·14	cu.st	4	ci.cu	4	cu.st.	4		
29	29·62	29·74	50·0	46·8	57·4	43·5	63	62	N.W	20	N.	14							cu.st.	8		
30	29·72	29·49	49·8	53·8	62·2	36·7	63	87	S.	13	S.W.	3		·03	cu.st	10			cu.st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—October, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·60	29·59	48·8	45·7	58·7	43·2	78	73	W.	14	N.W.	12	·01						cu.st	10		
2	29·85	29·94	42·2	43·0	55·0	37·6	71	63	N.	13	N.	16	·01		cu.st.							
3	30·05	29·93	43·1	52·5	59·6	31·0	73	76	N.W.	2	S.W.	11										
4	30·00	30·03	51·0	50·3	67·3	42·7	76	93	W.	2	E.	8				3 2	ci cu ci.st.	5				
5	30·04	29·90	49·0	49·0	60·0	48·2	82	90	E.	12	E.	6			nb.	10						
6	29·83	29·74	48·0	52·0	61·1	43·3	99	94	N.E.	12	E.	10									ci.st.	4
7	29·71	29·63	49·4	55·4	69·7	44·4	98	91	E.	11	N.	6		T.	fog		ci.st.	8	cu.st.	3	ci.st.	2
8	29·70	29·76	53·2	50·8	56·2	50·2	97	76	N.	1	N.W.	12	·12	T.	cu.st.	10			cu.st.	10		
9	29·86	29·87	44·2	45·6	58·0	39·7	79	68	N.E.	9	N.	6										
10	29·89	29·58	47·3	52·3	58·7	34·7	66	92	N.	6	N.E.	12		·01					cu.st.	10		
11	29·48	29·84	52·2	42·5	63·8	41·8	94	75	N.W.	6	N.W.	13	·06	T.	cu.st.	10			cu.st.	10		
12	30·13	30·12	37·0	46·3	51·4	27·6	67	77	N.	7	N.W.	16										
13	30·10	29·88	39·5	48·2	63·3	31·2	79	66	N.W.	4	S.	11			fog							
14	29·75	29·58	41·0	51·2	69·5	34·5	89	78	S.W.	3	S.W.	5					ci.st.	2				
15	29·62	29·58	51·4	58·7	76·8	45·2	96	79	S.W.	2	S.W.	4										
16	29·73	29·70	51·2	52·5	76·0	45·1	95	86	W.	4	W.	6					ci.st.	1				
17	29·80	29·76	51·3	54·0	74·8	44·0	86	79	N.	6	W.	9					ci.st.	3				
18	29·83	29·78	49·7	66·7	77·8	43·3	88	74	C.	0	C.	0					ci.cu.	4	cu.st.	10		
19	29·92	29·97	50·7	47·3	66·7	46·8	80	55	N.	14	N.E.	7			fog		fog					
20	30·02	30·00	43·8	48·3	50·0	40·8	71	56	E.	22	E.	30					ci.st.	8				
21	30·05	30·00	40·4	50·7	56·0	35·8	91	66	S.	7	S.E.	25										
22	30·04	29·94	48·2	49·6	57·7	42·2	78	87	S.	17	E.	14			fog				fog			
23	29·94	29·84	46·2	54·0	59·6	41·8	77	82	E.	3	E.	15			cu.st.	10			nb.	10		
24	29·69	29·56	57·0	60·3	61·2	53·1	87	92	E.	32	E.	22	T.	·32	nb.	10			nb.	10		
25	29·53	29·54	57·2	58·2	68·7	56·0	99	94	E.	4	E.	8			cu.st.	7			cu.st.	5		
26	29·48	29·54	55·8	50·0	60·3	49·0	84	93	N.E.	8	C.	0	T.	T.	st.	10						
27	29·57	29·58	45·0	51·3	58·7	44·0	99	85	N.	4	W.	2							cu.st.	10		
28	29·60	29·57	49·3	47·5	51·7	47·4	77	91	N.	8	N.W.	8	T.	·49	st.	10			cu.st.	10		
29	29·58	29·49	43·2	49·2	60·0	37·5	88	77	N.	7	N.W.	13							cu.st.	4		
30	29·58	29·65	38·6	38·4	49·1	36·1	61	60	N.W.	16	N.W.	14	T.	T.	cu.st.	4					ci.	4
31	29·79	29·90	33·2	33·6	38·7	30·4	86	66	N.	12	N.W.	21	T.		cu.st.	8			cu.st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—November, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	30·02	30·03	29·8	32·3	43·0	26·7	91	90	N.	8	N.W.	14										
2	30·01	29·85	35·0	43·5	49·4	26·1	78	72	N.W.	12	W.	18			cu.st.	10			cu.st.	10		
3	29·66	29·15	40·8	55·3	59·7	35·0	88	56	W.	15	S.W.	24					ci.st.	5			ci.st.	5
4	29·45	29·54	29·0	25·0	53·8	23·0	67	82	N.	24	N.W.	16		T.	cu.st.	8			cu.st.	1		
5	29·53	29·54	31·0	33·8	42·0	24·1	98	80	N.W.	18	N.W.	12	T.	T.			ci.	2				
6	29·34	29·22	34·2	40·1	40·7	29·5	99	92	W.	21	W.	12	·04	T.	cu.st.	10			cu.st.	10		
7	29·26	29·17	38·4	40·8	45·2	36·8	83	72	W.	17	W.	12	·02		cu.st.	10			nb.	10		
8	29·09	29·29	40·2	43·0	49·0	39·2	87	73	N.	13	S.W.	14	·06		cu. st.	9			cu.st.	4		
9	29·23	29·55	42·5	35·4	53·0	35·0	97	82	S.	5	N.W.	11	·02									
10	29·63	29·64	39·0	40·2	43·4	29·2	82	87	E.	14	E.	16		T	cu.st.	10			nb.	10		
11	29·58	29·68	38·8	35·4	43·2	34·2	93	68	N.	14	W.	12	·20	·07	nb.	10			cu.st.	10		
12	29·77	29·76	26·5	30·0	37·6	25·4	93	82	N.	17	W.	20	T.	·02	cu.st.	2						
13	29·83	29·87	33·0	36·2	42·2	28·2	86	84	W.	13	W.	17			cu.st.	10			cu.st.	10		
14	29·82	29·52	30·4	33·6	37·5	28·8	80	94	W.	8	S.	15		·17	cu.st.	10			nb.	10		
15	29·56	29·57	24·5	30·5	34·7	23·6	90	77	N.W.	24	W.	28	·05						cu.st.	10		
16	29·39	29·45	31·0	30·0	35·0	28·0	85	76	W.	16	W.	20		·08	cu.st.	10						
17	29·57	29·40	26·3	35·1	35·2	22·4	94	77	N.W.	12	S.W.	16	T.		nb.	8			cu.st	10		
18	29·11	29·48	36·2	38·2	41·7	34·6	100	84	W.	8	N.W.	6	·01	T.	cu.st.	6			cu.st.	10		
19	29·37	29·42	42·8	47·2	51·4	37·5	79	71	S.W.	18	N.W.	17			cu.st	10			cu.st.	10		
20	29·81	29·90	30·8	36·5	46·3	30·2	89	89	N.	5	S.	2					ci.	2				
21	29·94	29·91	28·5	36·0	50·7	27·3	97	95	N.	2	E.	8										
22	29·87	29·80	33·0	39·0	46·0	29·6	87	79	E.	6	E.	4										
23	29·76	29·65	39·6	46·1	54·0	36·0	96	91	E.	4	E.	7			cu.st.	10			cu.st.	10		
24	29·67	29·63	48·0	49·2	55·3	44·5	86	93	E.	9	E.	22	·01	·15	cu.st.	10			nb.	10		
25	29·65	29·59	45·0	53·4	58·0	44·2	100	84	E.	10	E.	16	·42						cu.st.	10		
26	29·45	29·59	54·7	47·7	64·0	46·8	79	46	S.W.	8	S.W.	26		T.	cu.st.	10			cu.st.	10		
27	29·80	29·95	40·5	38·1	48·0	37·2	66	72	W.	16	W.	26			cu.st.	10			cu.st.	10		
28	29·92	29·72	34·0	41·0	47·0	32·2	79	54	W.	16	W.	8			cu.st.	2						
29	29·76	29·64	33·0	42·8	48·7	29·0	80	77	W.	10	S.W.	9							cu.st.	10		
30	29·44	29·13	41·3	56·6	57·4	40·6	99	72	S.E.	15	S.W.	30	·17	·12	cu.st.	10						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Toronto, Ont.—December, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in	in	°	°	°	°							in	in								
1	29·42	29·72	38·0	25·0	57·0	24·2	65	82	W.	36	N.W.	30		T.	cu. st.	2			cu. st.	9		
2	29·87	29·98	18·6	20·1	25·1	18·1	76	78	N.W.	24	W.	18	T.	T.							ci.	1
3	30·05	29·83	20·0	31·5	31·8	18·8	85	67	S.W.	10	S.W.	14	T.	T.	cu.	3			cu. st.	10		
4	29·39	29·47	35·2	31·0	36·8	30·0	85	81	S.W.	12	W.	14	T.	·06	nb.	10			cu. st.	10		
5	29·76	29·93	16·6	14·8	31·8	14·0	95	82	N.E.	8	N.E.	12		T.	nb.	10			cu. st.	7		
6	29·96	29·61	26·2	33·0	33·3	14·6	75	71	S.E.	12	S.E.	22	T.	·14	cu. st.	10			cu. st.	10		
7	29·20	29·53	35·8	28·6	36·2	27·8	92	88	W.	14	N.W.	32	·40		nb.	10			cu. st.	1		
8	29·66	29·68	20·0	23·1	29·2	18·1	78	82	W.	20	W.	24		T.					cu. st.	10		
9	29·70	29·95	23·4	15·8	28·0	15·3	83	85	W.	12	N.W.	10	·01	T.	cu. st.	10					ci.	2
10	30·07	29·84	10·0	26·8	26·8	6·2	92	86	N.	10	S.	24			cu. st	10			nb.	10		
11	29·31	29·23	37·5	33·8	38·0	26·3	95	74	S.W.	16	W.	12	·20	·01	nb.	10			cu. st.	10		
12	29·18	29·19	27·6	25·1	34·4	24·7	93	96	W.	20	W.	17	·01	·01	cu. st.	3			cu. st.	6		
13	29·02	29·29	32·8	23·8	34·0	23·8	89	87	N.	20	N.	4	·20	T.	nb.	10			cu. st.	9		
14	29·45	29·44	26·0	38·8	39·0	19·8	91	75	W.	7	S.W.	3	01		cu. st.	10			cu. st	10		
15	29·60	29·77	35·6	34·1	42·4	33·6	92	83	N.W.	10	W.	11	·04				ci.st.	1				
16	29·86	29·87	34·8	33·0	37·6	30·2	74	88	W.	12	N.	6			cu. st.	10			cu. st.	10		
17	29·81	29·59	26·0	23·0	33·1	20·4	98	97	E.	12	E.	32		08	cu. st.	10			nb.	10		
18	29·16	29·54	22·1	28·5	29·0	20·4	96	84	N.	20	N.W.	12	·30	·03	nb.	10			cu. st.	9		
19	29·51	29·41	31·8	33·0	34·3	27·2	85	89	S.W.	21	W.	28			cu. st.	10			nb.	10		
20	29·55	29·48	28·0	28·8	33·8	26·3	84	88	W.	21	W.	14		T.	cu. st.	10			nb.	10		
21	29·43	29·90	33·8	26·0	34·7	25·6	95	86	W.	25	W.	19	·05	·01	cu. st.	9			cu. st.	6		
22	30·05	30·03	16·0	19·0	26·8	15·8	87	88	N.	11	N.	18		01			ci.st.	2	nb.	10		
23	30·05	29·90	16·6	21·5	28·2	13·0	78	90	N.	10	S.	6		T.	cu. st.	10						
24	29·59	29·29	36·0	39·8	40·0	20·5	71	81	S.	46	S.W.	8	T.		cu. st.	10			nb.	10		
25	29·16	29·15	37·3	35·0	40·0	33·8	93	80	S.W.	17	W.	19	·08		nb.	10			nb.	10		
26	29·34	29·43	28·6	29·0	35·0	27·8	70	83	N.W.	20	W.	16	·01	T.	cu. st.	8			cu. st.	10		
27	29·21	29·50	35·2	32·1	38·0	27·2	82	86	S.W.	22	W.	30	02	T.			ci.st	5	cu. st.	10		
28	29·89	29·75	28·8	36·0	36·0	28·4	91	76	W.	12	S.W.	16			cu. st.	10			cu. st.	10		
29	29·93	29·98	26·7	32·0	40·0	26·2	78	80	N.W.	9	E.	15										
30	29·54	29·43	36·8	38·6	43·3	31·7	98	62	S.	14	S.W.	18	23	·14	cu. st	10						
31	29·36	29·80	25·8	25·8	39·2	24·3	81	81	W.	32	W.	24										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—January, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·55	29·53	9·5	11·8	16·0	6·5	86	88	W.	11	S.W.	10	T.		nb.	10						
2	29·68	29·79	13·6	9·0	14·0	8·0	70	70	W.	17	S.W.	8					ci.st.	7			ci.st.	10
3	29·89	29·90	3·0	12·5	14·0	0·8	73	83	W.	14	W.	10					ci. st.	1	st.	10		
4	29·60	29·03	14 0	25·4	25·6	9·5	85	95	W.	3	E.	8		·08	st.	10			nb.	10		
5	29·30	29·64	5·0	0·2	27·0	0·2	63	70	N.W.	25	S.W.	14	·16	·01	nb.	10						
6	29·54	29·51	1·0	17·0	17·0	—4·0	85	90	W.	11	W.	6	·08	·20	nb.	10			st.	10		
7	29·46	29·30	25·5	32·4	33·6	17·0	94	94	W.	2	N.E.	19	·01		st.	10					ci.st.	10
8	28·45	29·13	32·4	32·0	33·8	28·6	98	86	N.E.	28	S.W.	21	·39	·12	nb.	10			st.	10		
9	29·35	29·54	23·0	15·0	32·0	15·0	89	97	W.	10	W.	20		·01			ci.st.	10	nb.	10		
10	29·84	30·06	2·0	—1·2	15·0	—1·2	78	75	W.	19	W.	14	·01		st.	1			st.	1		
11	30·06	29·92	2·8	14·8	15·6	4·0	73	64	S.W.	5	S.W.	3					ci. cu.	10			ci.st.	10
12	29·71	29·08	19 0	23·8	25·0	13·0	84	92	N.W.	10	N.E.	52		·50			ci.st.	10	nb.	10		
13	28·90	29·09	23 0	21·0	25·0	21·0	86	86	N.E.	37	E.	2	·25	T.			ci. st.	10	st.	10		
14	29·13	29·51	10 0	0·0	21·0	0·0	79	55	S.W.	21	N.W.	23			st.	10			st.	2		
15	29·87	29·77	—13·0	0·0	0·0	—14·5	47	55	W.	13	W.	7					ci.st.	1			ci.st.	10
16	29·28	29·59	12·0	3·4	21·0	—1·6	80	68	N.E.	18	W.	16	·15	·38	nb.	10					ci.st.	10
17	29·73	29·57	—1 2	11·8	12·0	—4·8	75	88	W.	9	W.	4	·02	·08	nb.	10			nb.	10		
18	29·62	29·34	7 0	18·5	20·0	7·0	82	95	W.	14	S.W.	22	·10	·21					st.	10		
19	29·89	30 19	—5 0	—6·8	18·5	—6·5	44	41	W.	10	W.	24										
20	30·04	29 61	—2·0	15·5	16·0	—10·6	67	83	N.E.	6	S.W.	8		·01			ci.st.	10	cu.st.	10		
21	29·69	29·39	22·0	30·2	20·8	14·8	86	92	S.W.	5	S.E.	3			cu. st.	10			st.	10		
22	28·96	29·41	38 0	15·8	38·8	15·8	95	86	S.W.	14	W.	32	·45	09	nb.	10			st.	5		
23	29·91	30·00	8 0	—3·0	15·8	—9·8	49	66	S.W.	12	S.	2										
24	29·92	29·66	—1·0	5·0	13·0	—8·4	75	95	N.W.	4	E.	2					ci.st.	10				
25	29·35	29·21	—3 0	12·0	12·0	—6·8	73	88	S.W.	1	S.W.	9		·02			ci. cu.	10	st.	10		
26	29·47	29·39	6·4	10·8	13·0	6·0	81	84	S.W.	14	N.E.	52	·02	·25			ci.st.	5	nb.	10		
27	28·63	29·01	22·5	5·2	29·0	5·2	93	90	N.E.	53	S.W.	32	·50	·14	nb.	10			nb.	10		
28	29·50	29·61	—5·6	3·0	5·2	—7·2	69	73	W.	22	N.W	11		·01					nb.	10		
29	29·59	29·86	16 0	2·0	17·0	2·0	93	78	S.W.	18	W.	20	·25		st.	5	ci.	5				
30	29·95	29·98	—12 0	—12·0	2·0	12 6	50	50	W.	15	S.W.	18										
31	30·06	30·07	—18·5	—7·4	—3·0	—21·6	53	59	W.	16	W.	11										

Quebec, Que.—February, 1908.

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·72	28·79	5·0	9·0	9·0	—11·5	75	78	N.E.	35	N.E.	59	.04	1·15	nb.	10	...	...	nb.	10	.	....
2	28·77	29·28	9·5	0·5	12·5	0·5	90	67	S.W.	20	W.	18	·40		...	.	ci. cu.	10	st.	2	..	...
3	29·52	29·70	—13·0	—8·0	0·5	—14·8	47	41	S.W.	16	W.	13	...	....	..				.	.	ci.st	5
4	29·99	30·22	—18·2	—10·4	—6·5	—20·5	33	54	W.	24	W.	21	.		.		ci.st		.	..	....	.
5	30·40	30·15	—21·0	—7·2	—6·5	—24·2	53	59	S.W.	6	E.	4			.	.	..		st.	10	...	.
6	29·78	29·52	8·0	15·0	15·0	—8·0	78	91	N.E.	36	N.E.	35	·35	·70	nb.	10	....		nb.	10	....	....
7	29·38	29·54	12·0	9·6	19·0	9·6	85	74	E.	2	W.	26	·25	·02	nb.	10			st.	1	...	....
8	29·79	30·06	—6·2	—4·6	9·6	—8·0	46	56	S.W.	18	N.W.	16			..		ci.st.	10	.	..	.	....
9	30·31	30·41	—7·8	0·0	5·2	—11·0	58	67	S.W.	19	S.W.	19			st.	1	..	.	.	.	....	....
10	30·34	30·14	0·2	8·8	8·8	—4·8	64	82	S.W.	7	W.	10		·11		.	ci.st.	10	st.	10	...	...
11	30·12	30·26	11·6	17·0	25·0	7·0	88	83	W.	13	N.W.	10			st.	10				.	....	..
12	30·42	30·27	—3·4	16·5	20·0	—6·0	79	83	S.	1	N.E.	1								.	ci.st.	10
13	29·98	29·71	21·8	31·0	31·0	14·5	82	98	N.E.	7	N.E.	1	T.	·04			ci. cu.	10	fog.	10	..	..
14	29·71	29·43	34·0	37·0	40·2	29·5	98	71	S.W.	10	N.E.	10	·03			..	ci.st.	9	st.	5	ci.st.	5
15	28·94	28·49	32·8	32·8	37·0	32·8	94	98	N.E.	24	N.E.	34	·49	·85	nb.	10	.	.	nb.	10	.....	..
16	28·91	29·36	20·8	18·8	35·0	18·8	88	81	S.W.	28	W.	7	·10		st.	10	.		st.	10	..	..
17	29·52	29·59	7·0	16·8	19·2	5·2	77	87	N.W.	7	E.	9		·01			...		nb.	10	...	..
18	29·79	30·01	3·0	6·8	16·8	2·0	73	68	S.W.	11	W.	15	·03		st.	1			...	.	ci.st.	5
19	30·02	29·71	3·4	14·8	14·0	—1·2	73	92	S.E.	5	N.E.	26		·08			ci.st.	10	nb.	10	.....	....
20	29·42	29·49	18·0	16·8	23·0	12·5	76	77	N.E.	23	S.W.	21	·08		st.	1	ci.st.	1	st.	2	...	...
21	29·53	29·45	10·0	23·0	23·0	6·8	79	98	W.	7	S.W.	5	T.	·29	nb.	10	.	..	nb.	10	..	....
22	29·33	29·53	23·5	2·8	24·2	2·8	93	73	S.W.	15	W.	17	·40		cu.st.	10	..	.	.	.	..	..
23	29·53	29·56	—9·8	7·0	9·0	—13·0	73	70	W.	3	W.	8	.				.	.	....	.	ci.st.	10
24	29·83	30·02	—1·0	7·8	14·5	—4·0	75	73	W.	4	W.	13	T.	..	st.		.	.	...	.	.	.
25	30·05	29·86	4·0	27·5	29·0	—3·5	74	94	W.	2	W.	18	.				ci.st.	1	0.....		ci.st.	10
26	29·74	29·55	26·0	30·8	31·0	23·2	88	89	N.E.	15	N.E.	25		·26			ci.st.	10	st.	10		....
27	29·43	29·25	27·5	28·2	31·6	26·6	94	98	N.E.	22	E.	2	·28	·06	nb.	10			nb.	10	...	....
28	29·10	29·49	26·0	18·0	30·5	18·0	95	90	S.W.	33	S.W.	13	.08	·12	nb.	10		.	st.	5	ci.st.	5
29	29·61	29·76	8·4	14·0	18·0	8·0	78	78	W.	13	S.W.	20		.	st.	8	.	...	...	..	.	....

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—March, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	5 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	30·02	30·00	2·8	14·4	17·5	1·2	73	75	W.	18	W.	4					ci.st.	5				
2	29·92	29·73	13·4	15·5	15·5	12·0	81	92	N.E.	43	N.E.	41	·12	·70	nb.	10			nb.	10		
3	29·75	29·99	17·0	17·0	22·0	14·5	92	83	N.E.	33	N.E.	17	·36	·10	nb.	10			st.	10		
4	30·13	30·09	17·4	18·2	25·0	14·6	90	80	E.	1	W.	2	T.		nb.	10			st.	10		
5	30·06	30·00	6·6	22·4	27·0	2·2	81	81	W.	7	S.W.	12			st.	1						
6	29·99	29·56	7·2	24·4	28·0	4·0	96	95	W.	2	S.E.	26		·05			ci.st.	1	nb.	10		
7	29·15	29·57	29·0	32·0	35·8	23·2	96	85	N.E.	17	W.	12	·40	·08	nb.	10			st.	5		
8	29·88	29·81	27·5	32·8	36·4	23·0	88	72	W.	10	S.W.	11			st.	10			st.	10		
9	29·70	30·02	23·8	7·0	32·8	7·0	76	66	S.W.	25	W.	16	·04				ci.st.	1			ci.st.	1
10	30·13	29·97	— 1·4	10·0	14·5	— 7·0	62	58	S.W.	17	W.	9										
11	29·75	29·42	5·5	19·0	20·0	1·0	83	91	W.	11	S.W.	8		·25			ci.st.	10	st.	10		
12	29·52	29·77	21·2	20·0	27·0	17·0	71	70	N.W.	10	N.	7					ci.st.	1				
13	29·68	29·30	13·2	27·5	28·5	1·2	85	94	N.E.	26	N.W.	2		·03			ci.st.	10	nb.	10		
14	29·44	29·49	33·0	35·4	39·5	27·0	70	76	W.	6	S.W.	7	·21		st.	1	ci	1			ci.st.	10
15	29·31	28·81	30·4	37·8	37·8	29·8	96	92	N.E.	21	N.E.	16	·12	1·03	nb.	10			nb.	10		
16	29·19	29·54	29·0	12·2	38·8	12·2	94	81	S.W.	21	W.	18	·20				ci.st.	10				
17	29·79	29·73	0·5	10·8	14·8	— 4·8	70	76	W.	4	N.E.	8		T.			ci.st.	2	nb.	10		
18	29·85	29·75	10·0	21·5	25·0	6·2	79	82	N.	9	N.E.	25	T.				ci.st.	10			ci.st.	10
19	29·51	29·65	24·8	23·0	28·8	20·0	80	86	N.E.	19	W.	11	·12	·34	nb.	10			st.	10		
20	29·84	29·84	12·0	15·6	23·0	10·0	72	83	W.	12	S.W.	13										
21	29·88	29·79	6·2	27·8	30·2	2·0	72	81	W.	6	S.W.	10					ci.	1	st.	10		
22	29·66	29·45	25·0	34·6	39·4	21·4	87	92	W.	1	S.W.	15	T.	·10			ci.st.	10	st.	10		
23	29·52	29·18	34·8	37·4	40·2	32·0	90	94	S.W.	1	S.W.	1	·01	·12	st.	10			nb.	10		
24	28·97	29·33	34·8	20·6	37·8	20·6	94	62	S.W.	14	W.	23	·12	·14	nb.	10						
25	29·96	30·07	5·0	6·8	20·6	7·5	63	58	W.	13	W.	12									ci.	2
26	29·59	29·46	19·8	39·0	40·0	5·0	85	98	N.E.	10	S.W.	16	·08	·36			ci.st.	10	nb.	10		
27	29·99	30·06	24·0	25·5	39·0	23·2	87	81	W.	6	N.E.	15	·17				ci.st.	1			ci.st.	10
28	29·52	29·56	24·0	26·0	27·5	21·2	94	95	N.E.	42	N.E.	10	·08	·14	nb.	10			nb.	10		
29	29·71	29·62	23·0	25·2	26·4	21·2	92	95	N.E.	24	N.E.	17	·01	T.	st.	10			nb.	10		
30	29·76	29·88	26·0	31·0	34·8	21·0	88	81	S.W.	13	S.W.	14	·02		st.	2						
31	29·73	29·47	29·5	36·6	44·0	23·0	78	98	C.	0	S.W.	15		·02			ci.	10	nb.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—April, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1.	29·85	29·70	15·0	25·0	28·5	11·4	82	81	W.	8	E.	9	·07								ci.st.	1
2.	29·02	28·91	26·2	29·8	36·5	23·4	95	82	E.	15	W.	13	·08	·35	nb.	10						
3.	29·15	29·34	25·0	16·5	29·8	16·5	87	83	N.W.	17	W.	19					ci.st.	10	st.	5		
4.	29·48	29·72	3·6	17·5	21·5	1·2	54	63	W.	22	W.	15			st.	1						
5.	29·91	29·63	13·6	30·5	33·6	7·0	74	63	S.W.	15	W.	3							st.	10		
6	29·43	29·49	32·5	42·0	43·8	29·4	90	54	S.W.	8	S.W.	23	·11		st.	10			cu.st.	8		
7.	29·67	30·01	36·8	27·0	42·0	27·0	56	88	W.	16	N.E.	15			cu.st.	5						
8	30·07	29·56	21·8	23·0	27·0	16·0	75	93	N.E.	15	N.E	39		·22			ci.st.	10	nb.	10		
9.	29·44	29·70	26·5	29·6	36·0	21·4	94	82	N.W.	11	S.W.	11	·26	·02	nb.	10						
10.	29·68	29·28	30·6	39·8	43·8	24·0	87	71	C.	0	N.W.	1					ci.st.	10			ci.st.	10
11.	28·89	28·88	38·0	35·8	40·0	35·0	98	87	S.W.	4	S.W.	21	·06	·15							ci.st.	10
12	29·27	29·49	23·2	29·8	35·8	22·0	84	53	N.W.	32	W.	16			cu.st	1	ci.	5				
13.	29·54	29·77	23·8	28·8	35·5	18·6	89	58	W.	9	N.W.	14			cu.st.	5						
14.	30·12	29·76	20·0	33·8	35·2	14·6	85	54	W.	13	N.E	12					ci.	5			ci.st.	10
15	29·43	29·64	37·5	28·8	50·5	28·8	82	60	S.W.	2	N.W.	19	·10	·02	st.	4	ci.st.	6	cu.st.	1		
16	30·06	30·03	10·0	23·0	28·8	8·5	58	47	N.W.	22	W.	16			st.	1						
17.	30·07	29·81	22·0	33·0	38·4	16·2	86	76	S.W.	15	S.W.	10					ci.st.	1				
18.	29·57	29·28	32·0	37·0	40·8	23·0	90	79	S.W.	9	S.W.	11		T.			ci.st.	10	st.	10		
19.	29·06	29·22	36·0	26·0	44·4	26·0	92	42	S.W.	8	N.W.	24	·03	T.	nb.	10						
20	29·22	29·20	22·2	19·8	34·0	15·0	86	55	S.W.	11	N.W	18		·20			ci.	5	st.	1		
21	29·21	29·35	17·2	28·4	30·0	10·0	78	66	N.W.	19	W.	17		T.	st.	1	ci.	1	st.	2		
22.	29·46	29·34	30·0	36·2	41·2	22·0	89	85	S.W.	13	S.W.	5					ci.cu.	10	st.	10		
23.	29·32	29·53	38·0	42·0	49·0	32·0	89	50	S.W.	15	W.	4			cu.st.	1	ci.st.	1				
24	29·67	29·69	35·2	42·5	50·0	28·0	68	54	N.W.	1	S.W.	2									ci.st.	2
25	29·45	29·20	40·0	40·0	44·2	35·2	64	82	N.E	7	N.E.	21	T.	·01	nb.	10					ci.cu.	10
26.	29·19	29·34	45·0	48·6	57·8	36·0	96	85	C.	0	S.W.	12	·13	·01	st.	10			st.	10		
27	29·57	29·45	44·0	40·8	48·6	40·0	84	58	N.E.	14	N.E.	44					ci.cu.	10			ci.st.	10
28	29·44	29·39	40·5	38·4	41·0	35·2	95	96	N.E.	29	N.E.	19	·52	·02	nb.	10			nb.	10		
29	29·43	29·50	39·0	44·2	50·8	35·0	96	82	N.E.	1	S.W.	8	·09	T.	st.	10			st.	10		
30	29·57	29·50	42·8	45·5	51·5	39·0	82	69	S.W.	11	N.E.	18	·01		st.	10					ci.st.	10

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—May, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in	°	°	°	°							in	in								
1	28·96	29·08	43·5	39·0	48·0	39·0	92	87	N.E.	48	S.W.	18	·12	·55	st.	10			st.	10		
2	29·33	29·35	42·0	47·0	54·5	36·0	66	57	S.W.	15	N.E.	13			cu.st.	4	ci.	4			ci.cu.	8
3	29·33	29·51	36·0	43·0	47·0	34·0	90	60	N.E.	29	N.E.	19					ci.	8			ci.cu.	10
4	29·59	29·59	41·0	49·0	58·2	31·6	81	61	S.W.	6	W.	10									ci.cu.	2
5	29·73	29·87	48·5	47·0	53·0	39·0	60	68	N.W.	9	N.E.	21					ci.	1			ci.	1
6	29·95	29·90	47·8	44·0	56·4	38·0	72	80	N.E.	15	N.E.	29					ci.	5			ci.cu.	10
7	29·93	29·79	42·0	44·8	52·6	39·8	81	78	N.E.	23	N.E.	27					ci.cu.	10			ci.st.	10
8	29·51	29·32	38·8	39·0	44·8	38·2	91	98	N.E.	36	N.E.	29	·16	·02	nb.	10			nb.	10		
9	29·02	29·04	38·0	37·8	42·0	37·4	95	92	N.E.	25	N.E.	16	47	·03	nb.	10			st.	10		
10	29·11	29·23	44·4	46·4	53·5	34·0	76	65	W.	10	W.	6		T.			ci.st.	10	st.	1		
11	29·26	29·40	48·0	53·0	64·0	38·0	56	48	S.W.	10	N.W.	8			st.	1					ci.st.	2
12	29·36	29·30	45·2	41·4	53·0	41·0	59	97	N.E.	25	N.E.	18	T.	·38			ci.st.	10	nb.	10		
13	29·71	29·85	44·4	49·8	59·6	39·2	65	50	N.E.	6	N.W.	9	01				ci.	1			ci.	2
14	29·92	29·93	44·0	49·5	60·6	34·8	60	64	E.	4	N.E.	8					ci.	1				
15	29·99	29·81	46·5	60·0	69·8	36·4	72	49	S.	5	W.	8					ci.	1			ci.st.	1
16	29·88	29·64	53·5	54·2	69·0	40·2	58	47	E.	10	N.E.	15									ci.st.	1
17	29·55	29·62	46·2	53·5	60·5	44·0	98	93	N.E.	13	N.E.	5	·42	·08	nb.	10					ci.cu.	10
18	29·75	29·67	56·0	59·0	77·0	46·0	75	94	S.	3	N.E.	11										
19	29·70	29·52	55·0	64·8	78·0	45·2	76	79	N.E.	8	N.	3									ci.st.	10
20	29·63	29·73	61·0	58·0	64·8	54·5	72	94	N.	5	S.	4	T.	·03	nb.	10			nb.	10		
21	29·98	30·01	52·0	53·5	59·5	51·2	69	49	N.E.	32	N.E.	33	T.				ci.st.	10			ci.st.	2
22	30·07	29·92	50·0	57·5	66·0	48·0	72	81	N.E.	21	N.E.	22					ci.cu.	10			ci.st.	2
23	29·81	29·62	64·0	72·2	79·2	55·5	86	89	S.E.	1	S.W.	16	·01		st.	10		...	cu.st.	2	ci.st.	2
24	29·88	29·91	58·2	62·0	73·5	55·0	57	46	N.W.	10	N.W.	10					ci.	1			ci.st.	1
25	29·99	29·73	53·2	62·5	69·5	44·0	71	51	N.W.	2	S.W.	9					ci.cu.	10			ci.cu.	10
26	29·60	29·34	60·0	55·0	65·0	53·5	68	92	N.W.	2	N.E.	26		·01			ci.cu.	10			ci.st.	10
27	29·35	29·55	48·5	45·0	55·0	45·0	92	96	N.E.	28	N.E.	28	06	·18			ci.st.	10	nb.	10		
28	29·70	29·60	47·0	54·0	55·2	43·8	96	90	N.E.	23	N.E.	20	·10	·11	nb.	10		...	cu.st.	8		
29	29·48	29·56	60·0	65·5	76·0	52·0	93	76	N.	5	N.W.	6	·12	T.			ci.cu.	10	ci.st.	8		
30	29·70	29·54	60·0	55·0	65·5	53·0	60	71	N.E.	22	N.E.	37		·01			ci.	2			ci.st.	10
31	29·23	29·51	50·0	43·0	55·0	43·0	99	87	N.E.	26	N.E.	35	75	·16	nb.	10			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—June, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·61	29·52	44·0	49·8	58·8	41·8	84	87	N.E.	19	N.E.	8		·02	st.	10			cu.st.	10		
2	29·57	29·65	45·5	45·0	52·8	39·2	61	72	N.W.	12	W.	5	·15	T.	cu.st.	2			st.	1		
3	29·71	29·60	47·5	52·5	63·8	36·0	71	57	S.W.	9	N.E.	13					ci.st.	10			ci.st.	5
4	29·71	29·74	50·5	56·5	70·0	39·4	75	58	S.	2	N.E.	17					ci.st.	1			cu.st.	1
5	29·97	29·90	53·8	62·0	75·8	46·6	75	56	N.E.	14	S.W.	2					ci.	2			ci.	5
6	29·94	29·74	59·0	71·5	80·6	47·0	75	64	S.W.	14	S.W.	17					ci.st.	2			ci.	5
7	29·75	29·57	65·0	75·0	82·5	56·0	80	71	S.W.	15	S.W.	20					ci.	7			ci.	6
8	29·56	29·42	68·5	76·6	87·2	62·0	79	69	S.W.	9	S.W.	14					ci.st.	10			ci.st.	6
9	29·40	29·27	70·0	75·8	85·0	56·0	80	74	N.E.	2	S.W.	17		·17			ci.cu.	10			ci.st.	5
10	29·35	29·46	71·0	63·0	75·8	63·0	75	82	S.W.	19	S.W.	23			cu.	2			st.	8		
11	29·62	29·67	59·0	62·4	73·8	50·0	70	72	W.	9	S.W.	9					ci.	10			ci.st.	1
12	29·82	29·78	58·0	69·8	82·0	46·8	82	47	S.W.	4	S.W.	10			cu.							
13	29·86	29·71	63·5	75·8	88·5	53·0	81	54	S.	6	W.	12			st.	2			st.	1		
14	29·69	29·47	63·0	66·0	80·0	57·6	75	73	E.	14	N.E.	13					ci.	5			ci.cu.	10
15	29·45	29·45	67·5	62·0	73·6	62·0	97	97	S.W.	12	S.W.	8	·37	·43	nb.	10			nb.	10		
16	29·54	29·62	52·0	56·0	62·0	51·0	90	72	N.W.	10	N.W.	6	·42	·12	st.	10			cu.st.	10		
17	29·85	29·86	52·0	59·0	67·0	41·0	69	67	S.W.	17	S.W.	16			cu.st.	2					ci.st.	
18	29·90	29·70	57·0	67·8	76·0	47·0	75	65	S.W.	15	S.W.	10					ci.	7			ci.st.	8
19	29·63	29·30	63·5	74·0	82·6	55·0	86	73	S.	6	S.W.	21		T.			ci.	6	nb.	10		
20	29·31	29·30	70·6	64·0	82·2	64·0	84	92	S.W.	21	S.W.	8	·07	·25	cu.st.	7	cu.st.		10			10
21	29·39	29·51	60·6	64·0	73·6	58·8	79	55	W.	14	W.	15	·01		cu.st.	10					ci.st.	1
22	29·68	29·63	55·0	65·5	79·0	45·2	2	60	W.	8	S.W.	18					ci.cu.	10	st.	1		
23	29·79	29·71	59·2	62·5	71·0	46·0	63	74	N.E.	7	N.E.	12					ci.	2			ci.cu.	10
24	29·55	29·32	57·8	63·0	69·2	56·0	96	97	N.E.	15	N.E.	5	·20	·19	st.	10			st.	6	ci.cu.	2
25	29·54	29·62	57·5	64·2	73·5	57·0	66	61	W.	20	W.	7			cu.st.	1			st.	1		
26	29·79	29·69	60·5	72·0	80·0	50·0	75	58	S.W.	11	S.W.	18					i.	1	cu.st	1		
27	29·77	29·72	64·0	75·0	83·6	57·0	83	64	S.W.	14	W.	9										
28	29·77	29·65	66·2	75·5	85·6	58·6	82	62	S.W.	11	S.W.	9			cu.st.	1					ci. st.	1
29	29·60	29·55	68·0	69·8	85·2	62·0	79	86	S.W.	4	S.W.	9					ci. st.	5	cu.st.	10		
30	29·52	29·68	73·0	70·2	78·0	65·0	81	79	S.W.	2	S.W.	7		·07	st.	10			ci.	4		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—July, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·85	29·78	66·0	73·2	84·8	56·0	87	66	S.W.	3	S.W.	10					ci. st.	10			ci. st.	2
2	29·83	29·79	69·0	73·0	82·0	59·0	80	81	S.W.	12	W.	12					ci. st.	1	st.	8		
3	29·91	29·83	69·0	72·5	84·8	63·0	70	58	N.E.	4	S.W.	12					ci. st.	10				
4	29·87	29·70	68·0	78·8	87·0	56·8	71	70	N.E.	6	E.	5										
5	29·66	29·64	73·0	69·0	82·0	69·0	90	86	S.W.	8	W.	21	·32	·16	st.	10			cu. st.	10		
6	29·73	29·66	70·4	73·0	80·2	64·2	87	88	S.W.	12	S.W	5	·01	·03	ci	6			st.	10		
7	29·67	29·45	74·0	79·6	86·8	67·5	86	72	S.W.	5	N.E.	9		·25	cu.	1					st.	10
8	29·40	29·59	62·4	61·0	79·6	61·0	86	81	S.W.	28	W.	8	·23		cu. st	10						
9	29·75	29·68	60·0	71·0	79·6	51·0	88	73	S.W.	11	S.W.	13			cu.	1					ci. st.	1
10	29·75	29·58	68·0	76·8	85·8	60·0	76	66	S.W.	7	W.	12										
11	29·50	29·33	71·0	71·5	86·0	64·0	81	88	S.W.	7	W.	6		·07	cu. st	5			nb.	10		
12	29·40	29·45	71·8	73·5	82·4	65·0	88	74	S.W.	7	W.	6	·77		cu.	1			cu. st.	10		
13	29·52	29·40	67·2	63·8	79·2	61·0	83	92	N.W.	3	W.	17		·06	cu. st.	1	ci.	1	cu. st.	10		
14	29·47	29·38	61·0	63·0	74·2	54·8	94	89	S.W.	9	S.W.	5	·19	·02	st.	10			st.	1		
15	29·44	29·45	60·0	59·0	69·2	54·8	82	82	W.	8	W.			·01			ci st	10	cu. st.	1	ci.	1
16	29·54	29·63	56·2	62·0	71·2	50·4	84	71	W.	16	W.	8			cu. st.	8			cu. t.	1		
17	29·64	29·43	57·6	60·5	74·8	46·0	86	95	S.W.	9	S.W.	8		·02			ci. st.	10	nb.	10		
18	29·25	29·39	60·0	64·0	70·0	57·0	97	97	N.E.	5	N.E.	8	·14	·08	st.	10			st.	10		
19	29·55	29·64	65·0	65·0	70·2	60·0	88	78	N.E.	24	N.E.	20					ci. cu.	10	cu. st.	5		
20	29·80	29·83	59·0	64·0	76·4	59·5	83	82	N.E.	13	N.E.	8					ci. cu.	10				
21	29·88	29·72	60·0	67·8	81·8	55·0	76	84	N.	2	S.	7					ci cu	10			ci. st.	10
22	29·67	29·67	66·4	69·0	78·6	61·0	99	85	S.W.	9	N.W.	10	·73	·04	n.b.	10			cu. st.	10		
23	29·84	29·87	64·0	65·0	76·2	60·0	89	82	S.W.	4	N.E.	17	·10				ci cu	10			ci. cu.	10
24	30·02	29·96	61·5	62·0	76·2	57·8	81	76	N.E.	6	N.E.	8	·01		cu.	1					ci.	8
25	29·94	29·84	64·0	68·0	78·2	60·0	84	91	N.E.	12	S.	11					ci.	10			ci st.	6
26	29·84	29·66	65·0	75·0	83·8	59·8	89	77	S.W.	11	W.	14					ci.	5			ci. st.	2
27	29·66	29·70	64·8	60·0	75·0	59·8	90	82	N.E	4	N.E.	22		·04			ci. cu.	10	cu. st.	4	ci. st.	4
28	29·80	29·74	62·5	73·0	82·0	57·0	83	81	N.E.	13	N.E.	4					ci. st	5	cu. st.	1	ci. st.	1
29	29·79	29·73	70·8	76·6	89·0	58·0	86	88	S.W.	4	S.W.	9		T.			ci. st	6			ci. s	2
30	29·73	29·59	71·8	80·0	89·6	65·0	93	82	S.W.	8	W.	8							cu.	3	c . st.	2
31	29·48	29·40	76·6	76·2	88·8	72·8	86	81	S.W.	17	W.	15					ci. st.	1	cu. st.	2	ci st	1

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—August, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·63	29·49	61·0	67·8	78·4	54·0	86	82	S.W.	9	W.	8										
2	29·57	29·56	62·8	65·0	73·6	54·6	68	63	N.E.	9	N.E.	7					ci.st.	1	cu. st.	10		
3	29·74	29·69	57·5	68·2	75·2	49·0	64	55	W.	9	S.W.	11									ci.st.	10
4	29·65	29·57	60·0	64·0	72·0	58·0	95	81	N.E.	9	N.E.	19	·09				ci. cu.	10	st.	10		
5	29·53	29·41	64·0	67·0	71·4	62·0	98	98	N.E.	15	S.	7	·45	79	nb.	10			st.	10		
6	29·45	29·48	71·8	74·0	81·6	65·2	91	76	S.W.	10	S.W.	6	·10		cu.	5	ci.	5			ci.st.	10
7	29·51	29·46	63·0	63·0	74·0	61·4	93	93	E.	12	N.E.	15		01	st.	10			cu.nb.	10		
8	29·43	29·41	61·8	61·6	75·6	59·2	87	91	W.	7	W.	9	·01	22			ci.st.	10			ci.st.	10
9	29·48	29·50	64·8	67·5	74·8	56·2	84	72	S.W.	13	W.	8			cu.st.	1	ci.	1	st.			
10	29·57	29·57	61·0	70·6	78·2	52·0	83	58	S.W.	5	S.W.	9					ci. cu.	10			ci. cu.	8
11	29·66	29·67	65·6	69·2	78·2	58·0	73	83	S.	3	S.	4		T.	cu.st.	1	ci.st.	4	st.	4	ci.st.	4
12	29·75	29·63	64·2	74·0	80·2	64·0	93	74	S.	4	W.	2					ci.st.	1			ci.	10
13	29·51	29·48	66·8	70·0	78·0	63·0	97	90	S.W.	5	S.W.	14	1·09	·02	cu. st.	10			cu. st.	10		
14	29·59	29·64	68·2	66·8	77·2	64·2	92	74	S.W.	15	W.	2			st.	10					ci.st.	10
15	29·74	29·89	62·0	64·5	72·5	57·8	67	76	W.	9	N.W.	6	·17		cu. st.	2			cu. st.	1	ci.st.	1
16	30·00	29·84	57·2	67·0	76·6	48·8	86	65	S.W.	2	N.E.	9									ci.st.	2
17	29·69	29·42	56·0	61·0	67·0	55·6	95	97	E.	8	E.	11	·27	·81	nb.	10			nb.	10		
18	28·38	29·50	64·0	60·6	70·0	59·2	78	84	S.W.	10	W.	8	·70	24					nb.	10		
19	29·31	29·25	56·0	57·0	66·0	52·0	95	79	S.W.	4	W.	16	·08	·28			ci.cu.	10	cu. st.	5		
20	29·43	29·52	51·2	57·4	63·4	45·6	78	71	S.W.	13	W.	12							st.	5		
21	29·62	29·53	55·0	67·0	72·4	48·5	88	60	S.W.	7	S.W.	20		·01	st.	10						
22	29·46	29·40	60·0	61·5	76·2	54·2	88	97	S.W.	3	S.W.	8		35	ci.st.	1			nb.	10		
23	29·61	29·63	55·0	60·0	66·0	48·2	87	68	S.W.	8	W.	11	03				ci. cu.	10	cu. st.	10		
24	29·72	29·75	55·0	57·8	64·5	48·8	82	68	S.W.	7	S.W.	12		T.	cu. st.	1			st.	1		
25	29·95	29·97	53·0	56·6	66·8	47·0	80	73	S.W.	8	W.	10			cu. st.	1			st.	1		
26	30·01	29·98	53·0	60·2	65·8	46·4	92	72	N.	1	N.E.	12					ci.st.	10	st.	8		
27	30·08	29·99	57·0	59·0	65·6	51·0	79	65	N.E.	18	N.E.	22					ci.st.	1				
28	30·00	29·82	54·0	60·2	68·8	47·2	91	76	N.E.	4	E.	2					ci. cu.	2				
29	29·85	29·76	56·0	66·8	72·0	49·5	87	67	S.	6	W.	11		T.			ci. cu.	10	st.	10		
30	29·84	29·94	63·2	63·2	73·6	57·0	83	79	W.	8	N.	7							cu. st.	1		
31	30·05	29·86	57·0	66·2	71·8	49·0	85	75	N.E.	6	S.W.	7					ci.	5			ci.st.	1

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—September, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in	°	°	°	°							in.	in.								
1	29·72	29·46	61·0	74·6	81 8	53·0	82	65	S.W.	5	S.W.	15										
2	29·39	29·41	66·5	61·6	74·6	61·6	92	68	S.W.	18	W.	12	·01		st.	10						
3	29·54	29·66	53 0	56 2	63·8	50·0	80	85	W.	12	W.	7	·08	T.	st.	10					ci.st.	1
4	29·82	29·70	51·0	60·2	68·5	45·0	93	85	S.W.	8	S.W.	3					ci.	10			ci.st.	2
5	29·66	29·54	57·0	65·0	72 8	53·5	89	86	S.W.	3	W.	2	T.	T.	cu. st.	10						
6	29·47	29·30	60·0	61 2	75 6	55·8	92	98	S.W.	1	S.W.	6		·07	cu. st.	4	ci.st.	3	st.	10		
7	29·57	29·70	52 8	54 0	61·8	50·5	81	85	S.W.	12	S.W.	10	·45	T.	cu. st.	2					ci. cu.	2
8	29·89	29·88	48·2	57 4	62·6	43·0	88	74	W.	8	W.	9			cu. st.	1					ci. cu.	2
9	29·82	29·68	54·6	70 0	72·6	50·2	93	69	S.W.	7	S.W.	14	·05				ci.st.	10	st.	5		
10	29·78	29·64	64 0	68 0	75 2	59·8	82	88	S.W.	9	S.	2			st.	5						
11	29·69	29·80	66·4	61 0	74·0	61·0	89	77	S.W.	6	N.W.	8	·02									
12	29·85	29·68	52 0	62 0	70 5	46·0	93	73	S.E.	3	W.	10									ci. cu.	2
13	29·66	29·59	55 0	63 0	73 2	50·0	90	75	S.W.	8	N.W.	9									ci.	1
14	29·84	30·00	53·0	51·8	63·0	46·0	75	82	N.E.	12	N.W.	8			cu. st.	2						
15	30·15	30·07	46·8	55 6	63·2	38·2	88	88	S.	6	N.E.	8										
16	30·04	29·79	47 8	62 4	70·0	41·0	92	65	S.	7	W.	7										
17	29·69	29·54	51·4	58·5	69·2	46·8	92	87	S.	3	N.E.	3					ci.st.	10				
18	29·44	29·35	53·2	59 2	68·0	49·6	97	95	S.W.	12	S.W.	13		·04								
19	29·70	29·88	49·0	50 0	59 2	45·4	64	65	N.W.	12	N.	11	·01		cu. st.	1						
20	30·04	29·88	40·8	52·0	59·2	35·8	91	66	S.E.	4	W.	10									ci.st.	10
21	29·74	29·70	49·5	62·6	66·2	46·2	93	84	S.W.	5	W.	6	·09	·01	st.	10						
22	29·80	29·69	56 0	68·0	74·2	51·2	97	74	S.W.	6	W.	6										
23	29·70	29·63	55 5	67 0	74 2	52·8	97	75	S.	4	W.	4										
24	29·73	29·85	64·0	67·0	75·5	60·5	95	74	S.W.	8	W.	10										
25	29·97	29·82	55·5	63 4	71·6	50·8	84	95	N.	8	S.W.	4			st.	10						
26	29·81	29·72	61·2	66·6	74 0	58·5	99	94	W.	7	S.W.	3										
27	29·78	29·75	61·2	66·6	75·0	60·4	93	92	W.	6	W.	2										
28	29·82	29·58	49 2	49·2	66·6	48·0	98	98	N.E.	23	N.E.	36										
29	29·56	29·67	53 0	50 0	59 0	48·0	86	74	S.W.	19	S.W.	22	·65		st.	19						
30	29·91	29·78	42 2	49 8	55 5	37·6	97	78	S.W.	5	N.E.	14					ci.	10				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—October, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·70	29·61	51·5	54·5	61·4	47·0	83	75	E.	12	W.	2					ci.st.	10	st.	10		
2	29·40	29·62	48·6	42·8	54·5	42·8	98	70	N.W.	10	N.W.	17	·51	·51	nb.	10			st.	10		
3	29·81	29·86	38·2	48·0	50·4	35·2	61	78	W.	25	S.W.	12							st.	10		
4	30·07	30·03	42·8	44·0	50·4	42·0	77	79	N.E.	16	W.	14			cu.st.	10						
5	30·00	29·96	38·0	47·0	55·2	33·6	95	83	W.	12	S.W.	9										
6	30·00	29·87	37·8	49·5	60·0	32·0	94	85	S.	5	S.W.	2					ci.	1				
7	29·84	29·71	43·8	54·5	65·0	36·0	90	84	S.W.	4	W.	6									ci.cu.	6
8	29·69	29·73	46·0	54·0	58·8	43·0	92	90	W.	3	W.	6					cu.st.	7	st.	10		
9	29·77	29·77	51·6	47·0	54·0	47·0	97	92	S.	1	N.E.	4	·06	·05	..				st.	10		
10	30·01	29·81	37·2	46·0	53·8	33·8	86	84	W.	5	S.W.	3									..	
11	29·50	29·46	45·5	47·0	50·0	41·4	99	85	N.E.	11	W.	13	·23	·09	nb.	10			st.	10	..	
12	29·94	30·07	36·5	36·0	47·0	34·0	76	88	N.W.	15	S.W.	13			cu.st.	10						
13	30·04	29·80	33·0	50·2	53·4	29·8	89	77	W.	11	S.W.	19			st.	10					ci.st.	1
14	29·77	29·61	44·6	54·0	59·0	42·8	84	74	W.	9	W.	8										
15	29·63	29·60	45·5	54·0	64·2	43·4	84	84	W.	9	W.	1										
16	29·70	29·70	48·0	54·0	59·5	46·5	97	93	S.W.	6	W.	5										
17	29·82	29·75	49·0	55·0	65·4	45·0	93	90	W.	7	S.W.	3										
18	29·78	29·70	47·2	54·0	61·0	45·8	97	91	W.	6	S.W.	6										
19	29·88	30·04	45·0	41·4	53·0	41·4	76	79	N.W.	12	N.	14			cu.st.	2						
20	30·20	30·17	34·0	39·0	44·4	30·4	89	83	N.W.	3	N.E.	7										
21	30·24	30·19	31·0	43·8	50·0	27·2	94	69	S.	4	W.	7							ci.st.	2		
22	30·23	30·11	35·0	46·4	56·5	30·6	80	65	W.	3	W.	5					ci.st.	1				
23	30·07	29·97	38·0	47·2	54·5	33·5	90	74	W.	6	W.	5										
24	29·96	29·90	39·6	48·5	53·5	38·0	93	83	S.W.	5	N.E.	27			st.	5						
25	29·88	29·82	45·0	43·4	48·5	43·4	84	95	N.E.	30	N.E.	35		·01					nb.	5		
26	29·80	29·73	46·8	54·0	57·0	42·0	97	80	N.E.	18	E.	13	·03	·01			ci.st.	10	st.	10		
27	29·60	29·58	52·0	51·4	54·0	49·5	96	99	N.E.	11	S.W.	6	·41	·02	nb.	10						
28	29·65	29·61	44·0	46·0	51·4	41·4	98	95	S.W.	6	W.	6	·02									
29	29·60	29·48	42·0	46·5	53·5	37·0	98	91	W.	3	N.E.	10					ci.cu.	10			ci.st.	10
30	29·26	29·26	44·8	37·5	46·5	32·5	95	85	N.E.	11	W.	20	·01	·22	nb.	10			st.	10		
31	29·28	29·41	30·0	31·0	34·5	27·2	89	79	W.	21	W.	23			cu.st.	5	ci.	1	cu.st.	2		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—November, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower		Upper		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1.	29·53	29·63	28·5	31·2	34·2	26·0	89	87	N.W.	24	W.	24					ci.st.	10	st.	10		
2.	29·78	29·64	23·2	34·8	36·6	21·8	71	70	S.W.	18	S.W.	14					ci.st.	4			ci.st.	10
3.	29·50	29·35	33·8	33·2	37·8	30·6	78	87	S.W.	17	S.E.	9	T.	·01	st.	5	ci.st.	5	nb.	10		
4.	28·85	29·07	32·8	24·0	33·5	24·0	91	87	N.E.	18	W.	16	·10	·02	n.b.	10					ci.st.	5
5.	29·10	29·07	23·8	27·0	32·0	19·0	89	82	S.W.	16	S.W.	17					ci.cu	5			ci.cu.	10
6.	29·10	29·04	25·2	28·5	30·5	24·5	72	72	W.	22	S.W.	21		T.	st.	10					ci.cu.	10
7.	29·10	29·14	23·0	31·4	31·4	19·8	80	75	S.W.	6	S.W.	14		T.	st.	10		..	st.	10		
8.	29·24	29·32	35·0	37·0	39·4	30·0	78	88	S.E.	4	N.E.	13		·02	st.	10			nb.	10		
9.	29·48	29·49	36·0	37·0	37·8	35·0	98	94	N.E.	6	N.E.	19	10	·02			ci.cu	10		.	ci.cu.	10
10.	29·76	29·85	33·6	35·5	37·0	33·5	94	95	S.W.	9	N.E.	13	T.								st.	10
11.	29·76	29·44	36·4	35·8	37·2	34·5	94	94	N.E.	20	N.E.	24	·03	·45	nb.	10			nb.	10		
12.	29·34	29·28	33·8	30·5	36·0	30·5	89	82	S.W.	24	S.W.	21	11	T.	nb.	10			st.	10	..	
13.	29·41	29·58	31·2	33·5	37·0	27·8	87	61	W.	13	W.	26			cu.st.	5	ci.cu	5	st.	10		
14.	29·80	29·68	25·8	29·6	33·5	24·2	78	73	W.	14	S.W.	6			st.	1			st.	10		
15.	29·28	29·40	29·8	29·8	32·8	27·0	91	82	N.E.	10	S.W.	19	·30	·14	n.b.	10			st.	10		
16.	29·48	29·36	32·0	31·8	34·2	26·8	90	88	W.	15	S.W.	8	...	T.	st.	10			st.	10		
17.	29·31	29·40	27·8	20·0	31·8	20·0	79	70	S.W.	13	S.W.	13	·12	....	st.	8			st.	10		
18.	29·38	29·50	12·5	19·0	22·0	8·5	90	81	W.	3	N.E.	7	...	T.	..		ci.st.	10			ci.cu	5
19.	29·67	29·49	12·5	24·0	24·0	8·8	90	87	S.	2	N.E.	20	...	·03	st.	10			n.b.	10		
20.	29·69	29·94	26·0	23·6	30·0	22·0	86	79	S.W.	3	S.W.	13	·01	....			ci.cu	10	st.	10		
21.	29·97	29·98	26·8	33·0	33·0	22·2	90	89	S.W.	17	W.	5			st.	10			st.	10		
22.	30·01	29·91	25·0	32·5	37·0	23·8	93	81	S.W.	5	W.	7					ci.	8				
23.	29·88	29·75	28·5	37·0	38·0	21·6	94	94	S.W.	4	S.W.	5	..	·03			ci.cu.	10	st.	10		
24.	29·73	29·93	36·6	37·0	40·0	36·0	94	86	S.W.	3	N.E.	19	05	·04	nb.	10			st.	10		
25.	30·05	30·00	32·0	32·0	37·0	32·0	98	98	N.E.	29	N.E.	25	01	26	nb.	10			nb.	10		
26.	29·84	29·39	33·8	43·8	48·0	31·0	96	93	N.E.	21	S.	12	02	13					nb.	10		
27.	29·39	29·55	42·0	40·0	50·8	40·0	66	64	S.W.	39	S.W.	14	T		cu.st.	10			st.	10		
28.	29·78	29·42	28·0	34·0	40·0	27·0	71	94	W.	16	S.W.	17		09	cu.st.	1			nb.	10		
29.	29·59	29·48	31·8	37·5	38·0	30·6	61	67	S.W.	15	S.W.	23	·02				ci.st.	10	st.	10		
30.	29·74	29·29	28·0	26·0	28·2	21·0	65	90	N.E.	26	N.E.	32		04			ci.st.	10	nb.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Quebec, Que.—December, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·17	29·19	32·0	34·0	44·0	24·8	79	57	S.W.	5	S.W.	46	·45				ci. cu.	10	cu. st.	1		
2	29·51	29·74	15·0	10·5	34·0	10·5	65	69	W.	22	W.	18	T.				ci.st.	5	st.	1		
3	29·98	29·94	—2·5	7·2	10·5	—4·0	66	54	W.	19	W.	6			st.	1					ci.st.	10
4	29·65	29·32	18·0	26·0	27·4	5·0	92	94	N.W.	2	S.W.	6	·14	·32	nb.	10			nb.	10		
5	29·58	29·94	8·5	—2·8	28·0	—2·8	78	59	S.W.	20	W.	13										
6	30·22	30·18	—9·0	5·0	5·0	—10·8	56	70	W.	11	W.	4									ci.st.	10
7	29·68	29·05	16·4	19·6	21·0	3·2	93	91	N.E.	33	E.	10	·16	·74	nb.	10			nb.	10		
8	29·46	29·64	11·2	9·2	22·4	9·2	76	78	S.W.	31	S.W.	12	·04		cu. st.	10			st.	10		
9	29·74	29·84	—0·2	2·8	9·2	—3·0	76	67	W.	10	N.W.	14					ci. cu.	10				
10	30·04	30·05	—8·0	—0·8	4·4	—10·0	58	62	N.W.	14	S.W.	13			st.	1						
11	29·84	29·42	—4·0	10·0	10·0	—9·5	79	92	S.E.	2	N.E.	28		·28			ci. st.	10	nb.	10		
12	29·21	29·01	15·4	19·0	20·0	8·6	86	91	N.E.	30	S.W.	10	·08	·08	st.	10			nb.	10		
13	29·29	29·31	13·5	21·4	21·4	10·2	87	80	W.	10	N.E.	14	T.				ci.st.	10			cu.	10
14	29·39	29·60	21·0	16·8	23·8	16·8	93	87	N.E.	11	S.W.	13	·03	·01	nb.	10						
15	29·63	29·61	22·0	22·6	23·0	13·2	86	92	N.E.	16	S.W.	7	·01	·10	nb.	10			st.	10		
16	29·73	29·78	13·0	12·2	23·8	11·8	81	84	W.	14	W.	11			st.	1						
17	29·82	29·79	9·4	6·8	16·0	6·8	79	77	W.	27	S.W.	9										
18	29·63	29·42	3·2	13·8	14·0	—3·0	89	89	S.	2	N.E.	23		·18	st.	10			nb.	10		
19	29·62	29·40	6·6	18·4	18·4	5·2	86	87	S.W.	10	N.	5	·04	·06	nb.	10			st.	10		
20	29·19	29·58	27·2	8·5	28·8	8·5	95	67	W.	23	W.	11	·10		st.	10						
21	29·57	29·59	5·2	12·0	12·5	—3·5	90	96	N.E.	12	S.W.	9		·26			ci.st.	10	nb.	10		
22	30·15	30·26	— 6·0	— 3·6	12·0	— 7·5	69	65	W.	12	W.	13	·02									
23	30·18	29·99	—11·5	6·0	7·6	—14·0	56	86	S.	1	W.	9			st.	1			st.	2		
24	29·88	29·60	4·8	14·2	14·2	3·2	80	78	S.W.	8	N.W.	2		T.			ci. cu.	8			ci.st.	10
25	29·38	29·20	23·2	24·2	25·4	13·0	86	90	N.E.	16	N.E.	34		·19			ci.st.	10	st.	10		
26	29·17	29·31	23·0	21·0	25·0	21·0	92	88	N.E.	22	E.	1	·01	·01			ci.st.	10	nb.	10		
27	29·47	29·30	18·8	22·8	22·8	17·5	88	97	S.W.	15	N.E.	20	·01	·18	nb.	10			nb.	10		
28	29·49	29·91	19·8	9·5	25·2	9·5	88	68	W.	27	W.	13	·30		st.	5					ci.st.	1
29	29·94	30·16	6·6	8·6	15·8	6·6	86	87	W.	1	S.W.	4					ci.st.	10				
30	30·20	29·61	4·0	19·8	19·8	— 0·8	85	91	N.E.	3	N.E.	23		·28					nb.	10		
31	29·28	29·39	27·0	23·4	31·8	18·5	93	81	W.	8	S.W.	13	·12	·02	nb.	10			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—January, 1908.

Day.	Pressure 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·81	29·76	24·2	29·2	35·4	23·6	93	95	N.W	6	N.	4	T.	·27			ci. cu.	5	cu.	6		
2	29·85	29·97	21·7	23·0	30·3	16·5	87	74	N.W	10	N.	9							cu.	8		
3	30·08	30·11	12·0	13·2	23·4	10·7	94	48	N.	7	N.W	6			cu. st.	4	ci.st.	4				
4	30·05	29·74	18·1	33·4	33·8	8·7	83	79	N.W.	9	W.	15							st.	10		
5	29·07	29·28	38·0	19·0	39·3	19·0	96	86	S.W.	20	N.	32	·55	·11	nb.	10			cu.	6		
6	29·73	29·84	13·6	26·2	26·5	11·5	85	82	N.	18	W.	12	T.		cu. st.	6			st.	10		
7	29·99	29·88	23·0	38·8	39·3	20·7	88	91	S.W.	4	S.	16							cu. st.	10		
8	29·19	29·51	50·2	38·6	50·6	38·6	99	81	S.W.	36	N.W	23	·97	·04	nb.	10			cu.	1		
9	29·58	29·56	36·2	34·2	39·0	31·6	97	96	S.W.	6	N.W	9		·18	nb.	10			st.	10		
10	29·89	30·12	29·7	28·2	34·8	28·2	81	80	N.	6	N.	5			cu.	9						
11	30·32	30·29	20·8	22·0	30·8	20·8	88	96	N.W	6	W.	5			cu.	9						
12	30·09	29·28	32·3	41·6	42·6	21·5	94	94	S.W.	9	S.E.	40		·88	cu.	10			nb.	10		
13	29·07	29·20	42·3	32·2	46·5	32·2	95	80	S.W.	27	N.	11	·39		cu.	10			cu.	7		
14	29·16	29·31	28·0	23·0	33·0	23·0	96	85	N.	4	N.	15	·08	·02	cu.	10			cu.	6		
15	29·84	30·07	5·4	10·0	23·4	5·4	95	85	N.W	18	N.W	10	·01		cu.	4						
16	29·96	29·46	19·8	36·8	40·3	9·7	95	92	S.	8	W.	20		·07	cu. st.	10			cu.nb.	10		
17	29·96	30·06	13·0	15·5	37·2	12·7	89	98	N.W	15	W.	7	·02								ci. cu.	9
18	29·78	29·65	34·3	25·2	35·3	15·5	79	81	W.	17	W.	5	T.		cu.nb.	10			cu.	9		
19	29·55	29·99	21·4	2·6	29·7	1·5	80	97	N.	24	N.	28	·02		cu.	9			cu.	8		
20	30·31	30·14	3·7	20·0	20·1	1·6	97	76	N.	16	W.	3			cu.	1			cu. st.	10		
21	29·89	29·92	33·7	23·5	35·3	20·0	79	96	N.	11	W.	1	·18		cu.nb.	10			cu. st.	1		
22	29·63	29·46	37·7	38·0	43·2	23·4	91	95	S.W.	19	W.	17			cu.nb.	10						
23	29·89	30·20	23·1	14·1	39·0	14·1	61	85	N.W	22	N.	8										
24	30·04	29·58	14·2	21·5	21·7	12·1	91	84	N.E.	9	N.E.	16	T.	·54	nb.	10			nb.	10		
25	29·23	29·44	24·0	19·0	26·8	18·8	95	95	N.E.	17	N.W.	12	·18		nb.	10						
26	29·82	29·96	26·8	35·0	38·8	19·5	91	89	N.W	5	S.	11			cu.	10			cu.	10		
27	29·62	29·27	43·0	44·0	47·4	35·0	98	98	S.W.	23	S.W.	29	·15	·71	cu.nb.	10			nb.	10		
28	29·60	30·05	24·6	18·0	44·6	18·0	73	94	W.	20	N.W.	3	13		cu.	1						
29	30·14	29·92	30·3	35·6	38·4	17·6	80	91	S.W.	12	S.E.	13			cu. st.	8			st.	10		
30	29·40	29·56	32·8	14·8	35·8	14·6	96	95	N.E.	6	N.	20	·15	·52	nb.	10			cu.	6		
31	29·91	30·20	0·0	1·8	14·8	— 2·4	100	95	N.W.	18	N.	16										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—February, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	30·36	29·70	3·3	30·2	30·5	7·3	100	98	W.	2	S.E.	47		·28			ci. st.	5				
2	29·16	29·29	35·1	25·4	39·8	25·4	78	78	S.W.	25	W	22	·75		nb. cu.	7 9			cu. st.	3		
3	29·64	29·82	10·2	6·8	25·8	6·8	96	93	N.W.	10	W.	10	T.		nb.	10						
4	30·05	30·21	1·0	3·7	7·3	3·7	100	96	N.W.	10	N.E.	14			cu.	6						
5	30·31	30·36	3·0	0·0	6·0	6·0	100	100	N.	18	N.	9										
6	30·38	30·11	4·8	24·8	24·8	1·0	95	95	N.	5	S.E.	33		·12	cu. st.	10			nb.	10		
7	29·58	29·63	34·6	27·1	39·4	24·8	96	94	W.	20	W.	6	·43	T.	cu.	10			cu.nb.	10		
8	29·76	29·91	19·2	11·2	27·6	11·0	95	90	N.W.	16	N.W.	10	·10	T.	cu. nb.	10			nb.	10		
9	30·17	30·40	0·5	1·8	11·7	1·2	85	89	N.	13	N.	12	T.		cu.	10			cu. st.	2		
10	30·57	30·44	2·5	16·4	19·0	2·0	86	80	N.	10	N.W.	5									ci. st.	
11	30·24	30·25	24·0	20·5	29·0	16·4	86	93	N.	9	N.	10	·10	·09	cu. st.	10			cu.nb.	10		
12	30·45	30·52	12·7	12·8	21·8	11·5	87	83	N.	16	N.	11	·01									
13	30·46	30·26	12·3	26·7	31·2	3·4	90	72	N.	5	W.	8			cu. st.	8			cu.	10		
14	30·06	29·88	32·0	32·8	36·1	26·7	93	98	W.	11	S.W.	4		·08	st.	10			nb.	10		
15	29·50	29·42	39·0	46·7	47·2	32·8	99	100	W.	18	S.W.	2	40	·17	nb.	10			cu.nb.	10		
16	29·27	29·56	42·0	31·5	48·6	31·5	99	90	W.	29	W.	9	·31		nb.	10						
17	29·71	29·87	32·6	28·0	41·8	28·0	81	86	N.W.	4	N.W.	2					ci. cu.	8	cu. st.	1		
18	29·91	30·01	30·0	24·2	39·6	22·8	98	81	N.W.	4	N.	11					ci. cu.	6				
19	30·28	30·23	20·2	24·2	29·8	17·5	79	86	N.	8	S.W.	10			cu.	3			cu. st.	6		
20	29·43	29·40	43·3	28·0	43·8	24·6	98	89	S.W.	28	N.	21	1·34	·38	nb.	10			cu.nb.	8		
21	29·89	29·86	24·8	27·1	31·8	22·5	85	86	W.	3	W.	9			cu. st.	10			cu st.	4		
22	29·76	29·45	34·0	31·4	38·7	27·1	88	99	S.W.	12	N.	9		·42	cu.nb.	2	ci. cu.	6	nb.	10		
23	29·55	29·85	23·3	12·8	32·0	12·7	90	96	N.	13	N.	13	·04		cu.nb.	7	ci. cu	2				
24	29·93	30·15	22·7	18·0	33·2	8·3	85	95	N.	3	N.	15		·03	cu.	10						
25	30·41	30·34	15·0	26·7	33·4	9·5	88	89	N.E.	11	S.E.	7							cu.	9		
26	30·16	29·90	27·8	34·1	34·8	25·3	96	96	E.	6	S.E.	7		·08	st.	10			nb.	10		
27	29·69	29·46	39·6	39·1	41·1	34·5	100	99	S.	14	S.	15	19	T.	fog	10			fog.	10		
28	29·50	29·50	36·2	35·2	45·1	35·2	99	86	S.W.	10	N.	8	·81		nb.	10			cu. st	6		
29	29·50	29·72	31·0	28·0	35·7	28·0	73	69	N.W.	9	N.W	20			cu. st.	10			st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—March, 1908.

Day.	Pressure. 32°		Air Temperature				Humidity.		Wind.				Precipitation.		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower		Upper		Lower		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in	in											in.	in.								
1	29·98	30·20	19·0	24·0	31·8	18·2	68	60	N.	20	N.W.	10			cu.	5						
2	30·27	30·05	23·7	23·7	27·0	22·6	69	96	S.E.	6	S.E.	20	T	·03	cu.st	10			st.	10		
3	29·88	30·01	25·8	22·1	30·7	22·1	92	93	S.E.	12	N.	21	·02	·02	cu.	10			cu.st.	10		
4	30·26	30·28	16·7	16·6	22·7	12·8	85	84	N.	16	N.E.	9	·01	T	cu.	6			cu.st.	10		
5	30·15	30·10	18·3	20·0	24·1	15·8	92	84	N.	10	N.	19	·02	·01	cu.nb.	10			cu.st.	9		
6	30·22	30·22	19·8	22·3	31·3	13·5	68	85	N.	10	W.	10										
7	29·79	29·47	30·8	37·4	37·8	21·6	82	99	S.	26	N.	15	30	·33	nb.	10			st.	10		
8	29·92	30·14	31·0	29·8	38·0	29·8	68	85	N.	18	N.	6			cu.nb	10					ci.st.	4
9	30·05	29·83	31·7	33·0	35·8	26·2	97	79	W.	6	W.	14	·02	·06	nb.	10			cu.st.	8		
10	30·08	30·10	8·7	11·7	33·6	7·5	74	71	N.	24	N.W.	13			cu.	4						
11	30·11	29·68	16·8	28·6	31·1	8·8	53	91	N.	12	N.W.	7		·04					nb.	10		
12	29·67	29·78	32·3	30·0	38·7	26·3	84	67	N.	7	N.	14			cu.st. cu	7 8						
13	30·14	30·08	20·7	29·3	36·4	15·0	70	81	N.	0	S.W.	14							cu.st	10		
14	29·72	29·64	43·4	40·2	43·7	29·3	86	98	S.W.	34	N.	15	·55		nb.	10			nb.	10		
15	29·91	29·78	35·0	34·0	41·4	30·8	94	96	S.	2	S.W.	14			cu.	8			st.	10		
16	29·40	29·50	40·6	36·8	50·7	33·8	97	71	W.	13	N.W.	6	·06		cu.nb.	10			cu.	6		
17	29·87	29·99	28·0	29·7	37·3	28·0	86	76	N.	17	W.	8			cu.nb.	10			st.	10		
18	30·04	30·12	25·0	26·4	37·0	22·6	86	79	N.	9	N.E.	6	01		cu.	8			cu.st	6		
19	29·91	29·53	26·7	28·—	33·0	25·1	87	95	S.E.	8	N.E.	14		14	cu.nb.	10			nb.	10		
20	29·90	30·00	22·1	21·7	29·0	19·0	79	85	N.E.	11	N.	8	·04	·01	st. cu.nb.	10						
21	30·08	30·10	23·2	23·6	30·0	18·0	69	69	N	8	N.	10										
22	30·17	29·94	33·6	34·7	42·0	20·1	67	75	N.W.	12	W.	28							cu.	5		
23	29·91	29·80	38·2	37·1	51·6	34·1	88	94	W.	6	S.W.	10			cu.	10			cu.st	10		
24	29·21	29·43	45·1	40·3	51·4	36·6	99	82	W.	15	W.	15	1	24	cu.	10			cu.st	1		
25	29·77	30·32	33·8	20·2	41·0	20·2	63	77	N.	19	N.E.	7			cu.nb.	10						
26	30·44	30·05	29·7	39·1	39·4	15·7	66	86	S.	23	W.	26		1	cu.	5			cu.	6		
27	29·98	30·27	44·1	34·4	46·3	34·4	89	80	W.	7	E.	1		·01	cu.	10			st.	10		
28	30·16	29·74	33·0	45·2	48·3	31·5	85	97	S.E.	19	W.	35		02	cu.nb.	10			cu.nb.	10		
29	29·92	29·70	39·0	42·6	47·0	32·0	91	96	N.E.	8	E.	13	07	·14	cu.nb.	10			nb.	10		
30	29·75	30·08	25·0	30·6	32·3	24·5	85	77	N.	24	N.	13	01	1	cu.nb.	10						
31	30·19	29·95	35·2	35·0	45·3	24·5	69	88	W.	7	S.W.	15							cu.	6		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—April, 1908.

Day.	Pressure. 32°		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·59	29·87	33·7	22·0	35·3	22·0	96	76	C.	0	N.	22	·28	·04	nb.	10						
2	29·80	29·01	22·7	26·7	28·3	19·2	85	98	N.	2	S.E.	15	...	·30	cu.nb.	10			nb.	10		
3	29·14	29·23	26·8	26·3	34·4	20·7	85	82	N.	9	N.	11	·04	·02	cu.nb.	10						
4	29·36	29·56	22·8	23·7	29·8	21·0	79	63	N.W.	21	N.	18			cu.	6			cu. st.	6		
5	29·90	30·06	23·8	26·3	35·4	18·1	53	74	N.	20	N.W.	6										
6	29·90	29·88	33·8	36·5	40·8	26·3	86	88	S.W.	17	N.W.	9	·03	·24	nb.	10						
7	29·97	29·98	43·0	41·7	50·2	32·2	79	80	W.	18	N.W.	15					ci. cu.	6			ci. cu.	5
8	30·30	30·06	31·6	32·0	42·8	26·8	56	78	N.	11	S.W.	17							st.	10		
9	29·09	29·60	42·1	26·2	44·1	25·4	98	82	S.W.	11	N.	27	1·05	·11	nb.	10			cu.	6		
10	29·84	29·86	35·1	37·8	46·6	26·0	48	76	N.	19	W.	10							cu.	8		
11	29·42	28·93	42·0	41·3	45·4	35·7	99	95	S.W.	27	N.W.	15	·72	·25	nb.	10			cu.	10		
12	29·01	29·39	33·8	32·2	41·6	32·2	91	84	N.	22	N.W.	29	·06	·02	nb.	10			cu.	10		
13	29·62	29·70	33·0	31·0	43·3	27·5	47	83	N.W.	22	N.	4									ci. cu.	7
14	30·08	30·26	29·2	28·7	37·8	26·4	67	74	N.	22	N.	3			cu.	9						
15	30·16	29·66	34·2	42·4	42·6	28·4	79	93	S.W.	16	W.	25	T.	·02	cu.	10			nb.	10		
16	29·80	30·05	29·0	21·1	45·3	21·1	74	59	N.	21	N.	23	·44	T.			ci. cu.	5			ci. cu.	4
17	30·14	30·03	27·2	28·1	35·2	17·0	41	62	N.W.	21	N.W.	7					ci. cu.	1				
18	29·92	29·68	43·2	38·7	50·4	27·8	18	86	N.W.	17	W.	12					ci.st.	6	nb.	10		
19	29·35	29·10	43·0	36·6	45·7	36·4	99	89	S.W.	10	N.	16	·67	1·01	nb.	10						
20	29·37	29·45	35·0	32·8	43·6	32·8	64	63	N.	20	N.W.	14			cu.	4			cu. st.	2		
21	29·30	29·46	28·3	25·1	36·2	25·1	88	76	N.	19	N.W.	17	·05	T.	cu.nb.	10			cu. st.	1		
22	29·66	29·63	34·8	37·8	45·7	23·4	57	77	N.W.	18	N.W.	11					ci.st. ci.cu.	2 5				
23	29·60	29·61	51·4	49·0	64·4	36·0	59	87	N.W.	6	N.W.	18					ci.st.	1			ci.st.	3
24	29·90	29·91	46·3	35·8	53·7	31·4	42	87	N.	7	W.	7	....				ci. cu.	2				
25	29·92	29·84	42·2	37·0	45·6	28·8	83	96	S.	11	S.W.	9			cu. st.	8			st.	10		
26	29·68	29·59	44·0	46·8	52·1	35·0	99	95	S.W.	10	W.	1	·20	T.	nb.	10			fog.	10		
27	29·66	29·87	58·7	41·7	63·7	38·5	70	85	N.	21	N.	10					ci. cu.	2				
28	29·94	29·87	39·0	37·0	42·1	35·6	92	98	S.E.	11	S.E.	21		T.	cu.nb.	10			nb.	10		
29	29·69	29·73	41·0	39·7	46·0	37·2	99	100	S.E.	12	S.W.	3	·83		nb.	10			fog.	10		
30	29·86	29·92	50·8	44·0	65·7	34·6	93	90	W.	4	S.W.	5			cu. st.	1						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S. – May, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·76	29·54	45·3	40·6	47·2	38·5	78	98	S.E.	31	S.E.	16		1·52								
2	29·68	29·77	46·8	42·6	56·7	36·1	80	78	N.W.	11	W.	11	T.		cu.	4			cu.	4		
3	29·57	29·38	40·8	40·2	43·0	38·1	95	99	S.	18	N.	5	·10	74	nb.	10			fog	10		
4	29·67	29·69	39·8	47·1	50·8	36·4	80	74	N.	20	N.	7			cu.	8			cu.nb.	10		
5	29·75	30·01	43·0	37·6	50·5	37·6	76	86	N.	16	N.E.	18			cu.	8			st.	10		
6	30·17	30·26	44·8	40·3	51·1	33·8	54	64	N.E.	13	N.	6			cu.	5					ci. cu	8
7	30·27	30·29	41·6	36·8	49·6	31·1	66	91	N.E.	1	S.	7			cu. st.	3	ci.st.	3				
8	30·02	29·64	36·6	43·6	43·8	35·6	97	100	S.E.	21	S.	5	·01	·90	nb. fog.	10			nb.	10		
9	29·32	29·34	47·0	43·1	59·5	43·1	98	95	S.W.	5	S.W.	12	·42		nb.	10			cu.	7		
10	29·35	29·34	44·0	43·5	59·3	38·8	96	89	S.W.	8	N.W.	3			st.	10			cu.	2		
11	29·39	29·58	50·6	51·0	61·0	40·7	68	62	N.	12	N.W.	12			cu. st.	10						
12	29·80	29·63	55·0	51·0	57·7	39·8	59	72	N.	1	W.	33					ci.st.	8			ci. cu	5
13	29·69	29·94	55·0	45·0	58·6	45·0	83	83	N.W.	5	N.	6			cu.	8					ci.st.	5
14	30·00	30·00	53·0	51·8	61·6	37·3	42	53	N.	10	N.W.	8			cu. st.	3	ci.	3	cu.	10		
15	30·08	30·02	55·0	50·8	67·3	36·6	39	78	N.W.	9	N.W.	5										
16	30·15	30·15	55·2	44·0	65·8	33·6	39	65	S.W.	4	W.	8							cu. st.	1		
17	30·11	29·98	59·0	50·2	65·4	36·8	51	98	W.	15	S.W.	13		·33			ci.st.	6	nb.	10		
18	29·84	29·87	51·8	47·7	55·0	47·7	89	85	N.W.	4	N.E.	18	·09		cu.				cu.			
19	29·98	29·96	54·0	51·0	70·8	44·6	66	79	N.E.	15	S.E.	3										
20	29·95	30·04	59·0	47·6	66·3	34·2	46	86	N.	1	S.	5									ci.st.	6
21	30·13	30·33	66·6	59·2	75·3	39·0	54	76	N.	7	N.	7					ci. cu.	6	cu.	4		
22	30·44	30·45	58·0	43·6	59·7	43·6	55	94	N.E.	2	S.E.	12							st.	10		
23	30·36	30·14	42·4	43·7	60·5	39·5	93	91	S.	8	S.W.	10			cu.nb.	10			cu. st.	9		
24	29·96	30·01	54·0	63·4	76·7	43·6	91	54	W.	4	N.E.	5			cu.nb.	10			cu. st.	3	cu. st.	3
25	30·18	30·03	61·0	51·4	69·4	43·5	48	79	N.W.	6	N.W.	11					ci.sc.	6			ci. cu.	6
26	29·87	29·71	56·1	59·0	77·4	50·8	72	84	N.W.	10	S.W.	1		T.	cu. st.	10			cu.	10		
27	29·65	29·81	44·0	44·3	59·2	43·2	96	95	S.E.	14	S.E.	14	·19	·96	nb.	10			nb.	10		
28	30·10	30·20	47·1	41·6	49·7	41·5	77	86	S.E.	14	S.E.	14			cu.	3	ci. cu.	2	cu.	5		
29	30·09	29·92	44·9	50·4	53·0	41·2	99	97	S.	11	S.W.	14	·01	·01	nb.	10			nb.	10		
30	29·95	29·95	54·0	49·4	59·5	49·4	98	99	C.	0	S.	4	·01	·08	nb.	10			nb.	10		
31	29·64	29·64	57·5	52·5	60·8	47·0	100	94	S.	18	S.W.	7	·81	·06	nb.	10					ci. cu.	5

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—June, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1.....	29·73	29·71	47·7	45·8	55·6	45·7	83	89	N.E.	5	N.E.	5	.	.	cu.	10			cu.	10		
2.....	29·72	29·70	42·2	46·3	59·3	40·7	83	92	N.	8	N.W.	5			cu.	10						
3.....	29·86	29·89	48·8	48·8	59·4	40·6	65	78	N.	13	N.W.	3			cu.	5			cu.	6		
4.....	29·98	30·01	53·3	48·7	58·8	36·6	76	90	S.	6	S.W.	8			cu.	6			cu.nb.	10		
5	30·11	30·31	50·1	41·8	55·3	41·8	85	98	N.	13	S.	4	26	....	cu.	10						
6	30·31	30·10	50·0	47·0	64·8	38·7	85	91	W.	7	W.	10	T.		cu.	9					cu.st.	6
7	30·01	29·89	65·3	60·0	82·6	45·7	65	70	W.	5	W.	17									ci.st.	3
8	29·83	29·79	68·0	60·3	82·3	52·5	66	79	N.W.	10	W.	15					ci.st. ci.	2			ci.st.	4
9	29·77	29·79	69·6	57·6	84·3	53·5	71	84	N.W.	6	W.	11					ci.st.	2				
10	29·83	29·81	62·4	61·0	75·8	52·5	88	96	W.	11	W.	7		T.	cu.st.	10			nb.	10		
11	29·77	29·79	59·5	64·1	74·2	52·5	98	96	S.E.	3	N.W.	6	·15		nb.	10			cu.nb.	10		
12	29·96	29·96	60·2	55·0	64·3	55·0	98	99	S.	2	E.	12	T.	1·72	cu.	10			nb.	10		
13	29·93	29·90	53·8	54·3	56·7	53·2	96	97	N.E.	13	N.	9	·73	·37	nb.	10			nb.	10		
14	29·92	29·95	52·7	52·9	57·8	52·0	95	96	S.	3	S.	7	·05	·01	nb.	10			nb.	10		
15.....	29·98	29·98	53·0	53·6	60·5	49·8	97	94	S.	11	S.	4	T.		fog	10					ci.cu.	9
16.....	29·91	29·86	67·6	59·0	68·7	51·7	78	99	S.	12	S.W.	21		·59			ci.st.	4	nb.	10		
17.....	29·92	30·12	59·0	52·5	66·6	49·8	75	74	N.W.	13	N.W.	8	·01		cu.	3						
18.....	30·17	30·07	64·0	53·3	74·5	45·2	56	78	N.W.	10	W.	12					ci.st.	6			ci.st.	4
19	29·93	29·73	62·2	60·8	79·0	49·2	68	80	W.	9	W.	13					ci.st.	5	cu.st.	3	c-.st.	2
20.....	29·62	29·59	70·0	59·7	80·3	57·0	76	86	W.	3	S.	3					ci.sr.	7			ci.st.	6
21.....	29·57	29·61	67·2	66·0	85·5	54·5	80	87	W.	4	N.W.	7			cu.	3					cu.	5
22.....	29·66	29·79	68·7	57·8	75·6	57·8	54	80	N.	9	N.	6			cu.	4			cu.	4	ci.cu.	4
23	29·90	30·07	61·5	51·3	65·8	48·1	52	81	N.	20	S.W.	5										
24	30·03	29·90	63·7	54·3	72·8	43·6	65	92	W.	8	S.	6	....	·03	cu.st.	10			nb.	10		
25	29·62	29·68	54·7	68·0	80·8	52·6	100	77	S.E.	4	N.W.	7	·35	·05	nb.	10					ci.cu.	5
26.....	29·94	30·05	60·8	57·0	69·8	50·8	66	74	N.	13	N.W.	5					ci.st.	8			ci.st.	6
27.....	30·09	30·06	63·7	53·7	77·8	48·8	73	85	S.	6	W.	4					ci.st.	8	cu.st.	1		
28	30·03	30·04	66·0	62·0	81·6	47·2	69	72	S.E.	1	W.	9					ci.st.	4			ci.cu.	6
29	29·99	29·91	68·1	58·6	79·3	53·6	72	94	S.	5	S.W.	13			cu.	8			cu.	10		
30	29·88	29·89	63·0	63·7	78·0	54·8	85	89	S.	12	N.	1			cu.	5					ci.st.	4

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—July, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Lower.		Clouds. 8 a.m. Upper.		Clouds. 8 p.m. Lower.		Clouds. 8 p.m. Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°								in.	in.								
1	29·99	30·06	71·9	70·9	85·9	55·6	81	94	N.	8	N.E.	4			fog	3					cu.	2
2	30·12	30·07	77·3	65·0	89·8	60·5	67	88	N.W.	2	W.	9			cu.st.	1					cu.	4
3	30·05	30·09	68·8	68·4	83·4	62·1	90	91	W.	3	N.	1			cu.	9					ci.cu.	8
4	30·16	30·14	71·2	59·8	78·8	59·4	71	94	S.	7	S.	6			cu	1			cu	6		
5	30·14	29·99	63·7	61·6	65·8	59·2	92	98	S.	6	W.	10		1·25	cu. fog	10			fog	10		
6	29·88	29·84	70·0	70·0	85·4	59·5	96	90	N.	4	N.W.	4					cu.	4				
7	29·85	29·82	78·2	69·1	89·2	62·7	69	87	N.	4	S.	4									cu.	2
8	29·82	29·76	70·9	65·7	74·4	60·9	80	96	S.	7	S.W.	10							fog	10		
9	29·91	29·98	68·9	64·7	81·0	61·6	64	70	N.	17	N.W.	11					cu.	1			cu	1
10	30·05	30·04	70·6	60·0	81·2	60·0	71	94	S.	4	W.	5									ci.st. cu.	4
11	29·98	29·84	68·4	61·0	75·7	55·6	76	86	S.	6	W.	14			cu.	10					cu.	1
12	29·72	29·69	70·2	61·9	84·6	57·8	84	92	W.	16	W.	10									cu.	2
13	29·72	29·67	66·7	60·0	71·8	56·5	84	97	S.	4	S.	4					ci.cu. cu.	8	fog	10		
14	29·66	29·67	73·6	65·9	86·7	54·4	72	83	N.	11	W.	4	....				cu.	8			ci.cu.	8
15	29·54	29·50	61·7	61·0	72·7	60·2	98	96	S.	4	N.	12	1·11	·58	cu	10			nb.	10		
16	29·64	29·77	61·9	59·2	72·6	53·7	72	76	N.	12	N.	7	·06				cu.	1			cu.	1
17	29·92	29·92	66·0	56·9	76·8	50·0	65	86	N.W.	5	N.W.	12								....	ci.cu.	8
18	29·84	29·65	56·9	59·6	61·8	54·0	92	100	S.W.	9	W.	6	·03	1·02	nb.	10			fog	10	.....	
19	29·74	29·85	55·4	60·0	66·2	53·6	99	98	S.	5	S.E.	3	·02	06	fog	10			fog	10		
20	29·85	29·99	59·2	60·4	70·7	57·6	99	90	S.E.	10	N.E.	9	·04	05	nb. fog	10			nb.	10		
21	30·14	30·16	65·1	57·9	77·2	52·9	77	86	N.	9	W.	10					ci.st. cu.	5			...ci.cu.	5
22	30·17	30·05	61·8	57·3	68·9	50·3	89	100	W.	8	S.	9		21			cu	7	nb.	10		
23	30·03	30·10	67·0	67·8	84·9	57·2	98	95	N.	5	N.W.	3	1·20		cu.	10					cu.	1
24	30·14	30·24	64·1	63·5	74·9	61·2	96	82	S.	4	N.E.	7			cu.	10			cu.	10		
25	30·25	30·14	60·7	57·6	68·4	52·2	80	95	S.E.	5	W.	3					ci.st.	6	cu.st.	10		
26	30·02	29·92	62·9	60·8	80·6	56·2	89	94	N.	4	N.W.	6	·03				ci.cu.	6	cu.st.	2		
27	29·82	29·91	73·4	61·8	85·9	58·7	76	88	N.W.	5	N.E.	5		03			ci.cu	3	cu.nb.	10		
28	29·99	30·05	61·4	58·7	74·8	53·3	71	83	N.E.	8	N.W.	4							cu.	5		
29	30·11	30·09	65·6	59·3	79·6	46·9	66	78	N.	5	N.W.	7					ci.st	5				
30	30·07	29·99	63·9	61·6	75·7	53·1	80	86	N.W.	16	W.	18			cu.	10			cu.	4		
31	29·89	29·78	69·9	63·0	78·9	58·2	76	97	W.	10	S.W.	12				..			cu.st.	4		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—August, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·73	29·72	64·9	65·7	74·3	62·5	94	97	W.	6	N.	6		·03	nb.	10			nb.	10		
2	29·55	29·34	62·1	56·8	66·3	55·7	99	96	N.E.	7	N.E.	37	·49	·94	fog	10			nb.	10		
3	29·85	29·99	62·8	56·7	74·7	51·6	73	97	N.W.	11	C.	0	·13		fog		ci.st.	1				
4	30·08	30·12	60·0	55·8	72·2	46·6	93	94	S.	2	S.	8			cu. st.	3						
5	30·14	30·08	61·3	56·0	67·2	50·5	83	94	S.	13	S.	14							cu.	10		
6	30·00	29·96	61·4	59·9	69·7	54·6	90	94	S.	14	S.	14			st.	8			fog	10		
7	29·89	29·88	65·3	60·3	72·6	60·0	96	99	S.W.	17	S.	4	·01									
8	29·76	29·67	61·8	60·9	64·2	59·9	100	100	S.	9	S.	6	2·25	·47	fog	10			fog	10		
9	29·72	29·75	65·3	63·1	80·2	60·9	98	97	W.	3	N.W.	7	·01		cu.	8					ci. cu.	6
10	29·78	29·80	60·8	64·2	71·8	57·2	96	93	S.	6	N.	5	·01	T.	fog	10						
11	29·92	29·98	69·8	65·3	79·8	54·7	75	86	N.	4	N.	7									ci. cu.	6
12	30·03	30·04	69·4	62·8	79·7	55·7	79	89	N.	3	W.	4									ci. cu.	6
13	30·05	29·96	66·9	64·0	71·1	57·2	90	95	S.W.	5	S.W.	12		·01	cu. st.	10			st.	10		
14	29·84	29·85	65·7	64·8	80·8	63·6	96	92	W.	4	N.	5			st.	10					ci.st.	5
15	29·85	30·02	67·1	55·2	67·9	55·0	88	83	N.	7	N.E.	10		·30	cu.	10						
16	30·16	30·20	59·7	54·8	70·2	50·2	85	92	N.	6	N.	4					cu.	6				
17	30·17	30·07	59·3	56·0	67·8	45·0	82	94	N.E.	2	S.W.	5					cu.	5				
18	29·79	29·54	59·6	60·5	62·3	56·3	93	98	S.W.	19	N.	7	·02	1·08	nb.	10					ci.st	5
19	29·61	29·56	63·1	58·6	74·8	54·2	82	88	N.	10	S.W.	15									cu. st.	4
20	29·53	29·69	64·0	58·6	73·7	56·8	75	88	N.W.	10	N.	8	·03		cu.	3						
21	29·86	29·96	61·0	57·9	73·3	49·4	69	81	N.	12	W.	12										
22	29·99	29·94	63·9	61·8	72·8	52·6	84	90	W.	11	S.W.	14							cu.nb.	10		
23	29·71	29·85	66·9	60·9	78·8	61·0	100	79	W.	11	N.	11	·21		cu.nb.	8					cu	1
24	29·96	29·96	64·7	58·1	75·2	48·9	71	91	N.W.	7	N.W.	6							cu. st.	10		
25	30·06	30·18	64·7	55·4	76·6	53·6	73	97	N.	6	N.	4			haze	1						
26	30·25	30·23	58·7	53·8	59·9	50·2	82	98	E.	3	S.E.	6		·53	cu.	10			nb.	10		
27	30·21	30·10	57·5	55·8	62·9	51·6	88	88	E.	9	E.	9	·14		cu.	10			cu.nb.	9		
28	30·11	30·09	58·7	52·6	71·2	52·6	71	100	N.E.	14	N.W.	2					ci. cu.	9				
29	30·11	30·07	56·8	50·1	67·7	44·0	74	100	E.	5	W.	3			cu.	1						
30	30·01	30·03	58·7	58·7	75·3	42·0	88	97	N.	2	N.	7					ci. cu	2				
31	30·15	30·18	58·3	48·4	64·8	48·4	68	94	N.E.	19	N.	2			cu.	6						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—September, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind	Amt	Kind	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	30·08	29·96	58·8	55·0	75·3	41·6	78	98	N.W.	9	W.	6					ci.st.	6				
2	29·87	29·72	62·3	60·9	71·6	50·3	87	96	S.W.	12	S.	7			cu.	9			cu.nb.	8		
3	29·66	29·79	64·1	37·7	70·3	57·7	93	97	N.W.	12	N.	7	·39		cu.	5						
4	29·95	30·06	60·8	52·7	69·9	50·0	79	98	N.W.	9	N.W.	5										
5	30·12	30·07	58·9	54·1	70·5	44·4	90	94	S.	3	W.	14					ci.st.	6				
6	30·05	29·90	59·7	59·0	67·0	47·6	94	99	S.W.	7	S.	12		·30	cu.	9			nb.	10		
7	29·70	29·80	59·7	59·0	69·1	58·8	97	99	S.	3	N.W.	7	·19		cu.	9						
8	29·99	30·09	59·2	52·3	69·0	46·2	75	85	N.	7	N.	8										
9	30·17	30·05	55·3	55·1	69·7	43·6	76	87	N.W.	5	W.	7					ci.st. ci.cu.	5	st.	8		
10	30·01	29·99	60·0	61·7	77·3	53·5	94	95	N.W.	2	W.	2				4			cu.st	5		
11	29·87	29·89	63·6	62·1	77·4	57·2	89	99	W.	8	N.	4					ci.st.	6			ci.st.	1
12	30·03	29·98	62·2	52·1	72·0	52·1	81	100	N.	7	S.	2										
13	29·92	29·80	57·6	56·0	72·0	47·4	97	98	W.	3	N.W.	4		·10	st.	10			cu.st.	1		
14	29·74	30·01	57·3	50·0	60·8	46·2	89	83	N.	5	N.	20					ci.st.	6				
15	30·21	30·27	53·3	44·3	64·4	44·3	69	98	N.	17	N.	1										
16	30·24	30·01	55·0	52·6	68·6	39·4	72	93	N.W.	3	S.E.	6		·28	cu.	3	ci.st.	3	cu.st.	8		
17	29·72	29·47	59·8	59·0	63·8	51·6	87	96	S.E.	24	N.E.	12	·02		cu.nb.	10			nb.	10		
18	29·38	29·53	62·0	58·0	68·8	56·6	95	91	N.	20	N.W.	8			cu.nb.	9					ci.st.	1
19	29·60	29·96	60·2	44·6	65·7	44·6	88	93	N.	13	N.	6			cu.	10						
20	30·17	30·21	50·0	41·0	58·7	39·8	68	93	N.	11	N.	5										
21	30·18	29·99	51·2	54·7	63·7	34·3	78	87	W.	6	W.	10		T.					cu.st.	10		
22	29·97	29·95	57·0	54·8	71·0	51·0	91	96	N.W.	1	N.W.	6					ci.cu.	10				
23	29·97	29·96	58·2	57·7	77·3	45·3	99	94	N.W.	1	N.W.	3			fog.	4						
24	29·98	29·98	59·0	61·7	75·6	46·6	98	89	W.	4	N.W.	3				3						
25	30·14	30·12	62·9	55·2	74·0	54·2	75	84	N.	9	W.	9										
26	30·04	29·98	61·7	65·3	79·2	53·6	80	74	N.W.	5	N.	8										
27	29·99	30·03	65·3	65·2	79·7	60·4	83	91	N.W.	10	N.W.	6					ci.st.	5	st.	5		
28	30·14	30·10	58·6	59·0	66·0	53·3	96	99	N.	2	S.	6		·01	fog.	10			nb.	10		
29	30·04	29·94	60·0	62·8	62·8	58·8	99	96	S.	9	S.W.	12	·02	T.	nb.	10			nb.	10		
30	30·11	30·13	55·1	50·0	64·3	50·0	81	98	N.	9	S.	3	·11		cu.st	10						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—October, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	30·11	30·00	60·0	61·4	70·2	50·4	97	97	S.E.	5	S.	9			fog	10			fog	10		
2	29·77	29·59	62·7	51·7	65·2	51·7	93	87	S.	18	W.	19	T.	·30	cu.nb.	10			cu.nb.	6		
3	29·81	30·01	46·1	44·6	56·2	44·6	74	77	N.W.	17	N.	12			cu.	6						
4	30·15	30·21	45·7	35·0	50·2	35·0	67	97	N.	14	N.	2			cu.	4			cu.st.	1		
5	30·12	30·16	46·0	40·4	57·0	30·2	66	95	N.W.	9	N.	3										
6	30·26	30·26	45·2	42·6	58·5	33·2	87	92	N.	3	W.	8			fog	2						
7	30·24	30·10	50·3	47·9	65·8	36·8	85	94	N.W.	5	S.W.	6										
8	30·00	29·97	50·0	50·3	67·4	43·1	98	96	N.	1	N.	5			fog	4						
9	30·04	29·87	56·5	55·7	67·7	49·0	93	97	N.W.	4	N.W.	3		·08	st.	10			nb.	10		
10	30·09	30·27	54·0	43·8	57·2	43·8	86	67	N.	18	S.W.	2	·19		cu.	6			cu	8		
11	30·04	29·69	57·0	61·6	63·5	44·2	89	98	S.W.	15	W.	26		·18	cu.	10			nb.	10		
12	29·73	30·24	57·2	34·1	61·8	34·1	96	86	N.	8	N.	7	08		cu.nb.	9						....
13	30·37	30·13	40·3	45·2	53·7	27·6	58	81	W.	8	N.W.	14										
14	30·04	29·96	51·0	49·0	63·8	43·6	75	71	N.W.	16	N.W.	6										
15	29·94	29·88	46·0	47·0	64·8	39·6	93	95	N.W.	3	S.W.	4							cu.	1		
16	29·94	29·94	50·1	51·4	71·6	38·4	95	74	N.	4	W.	4			fog	3						
17	29·99	29·98	46·8	47·3	61·7	41·4	98	97	N.	3	N.	8			st.	10			fog		ci. st.	10
18	29·98	29·89	48·0	50·7	64·6	39·0	99	94	N.	5	N.	6			fog	2			cu.st.	1		
19	29·77	29·99	49·5	42·8	61·7	42·8	97	75	N.	6	N.E.	20			st.	10						
20	30·22	30·27	40·7	39·2	46·7	37·1	55	90	N.E.	17	N.E.	8			cu.	8						
21	30·25	30·34	39·7	41·3	53·7	27·4	71	73	N.W.	6	N.	7										
22	30·42	30·40	45·0	48·0	59·8	30·6	71	79	N.	1	N.W.	10										
23	30·32	30·20	49·8	50·2	68·1	37·1	52	66	N.W.	6	N.W.	11										
24	30·18	30·14	47·3	50·6	64·8	36·5	75	87	N.W.	6	N.	9										
25	30·17	30·24	44·7	42·2	53·3	42·2	92	93	N.	5	N.E.	4			fog	8			st. fog	4		
26	30·26	30·17	44·0	50·2	57·1	38·2	94	74	S.E.	2	S.	12			cu.	3			cu.st.	4		
27	29·98	29·70	53·3	54·8	58·7	49·2	100	98	S.E.	10	W.	14	·07	·02	cu.nb.	10			st.	10		
28	29·83	29·87	54·0	50·5	62·6	47·7	89	78	N.W.	7	N.W.	6	T.				ci.st.	5	cu.st	4		
29	29·78	29·73	50·2	49·1	59·0	46·6	93	87	W.	6	N.E.	8			cu.	10			cu.st.	2		
30	29·32	28·85	49·0	49·8	60·2	44·3	95	91	S.E.	31	N.W.	19	·30	2·16	nb.	10			st.	10		
31	29·32	29·54	36·5	33·0	49·6	32·6	73	70	N.W.	31	N.W.	15	·01	·01	cu.	8						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.— November, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity		Wind.				Precipitation		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.	Upper.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·63	29·68	34·2	34·0	39·2	30·8	62	74	N.W.	22	N.E.	18		T.	cu.nb.	8			cu.st.	8		
2	29·76	29·80	34·8	31·0	39·2	31·0	86	97	N.	19	N.W.	7	....								ci.st.	4
3	29·73	29·68	33·1	33·2	42·2	27·2	99	92	W.	5	N.	1	T.	T.	cu.nb.	10			cu.	10		
4	29·49	29·29	50·8	55·0	55·3	32·6	86	89	S.W.	19	S.W.	28		·06	cu.	10			cu.	10		
5	29·32	29·25	34·1	31·7	55·2	31·7	75	68	N.W.	11	N.W.	8	·06		cu	10					ci.cu.	9
6	29·27	29·33	34·3	33·0	39·7	28·8	75	75	N.W.	21	W.	8		T.	cu	9					ci.cu.	6
7	29·37	29·45	36·6	37·1	43·2	33·0	77	85	S.E.	3	N.	7			cu.	9			cu.	10		
8	29·71	29·71	33·7	40·3	45·8	24·6	74	92	S.	3	S.E.	10		·03			ci.cu.	10	cu.st.	6		
9	29·83	29·88	45·0	47·0	47·1	40·6	89	88	S.	7	S.	13	10	·01	cu.	10			nb.	10		
10	29·94	30·09	44·0	36·6	53·7	36·6	93	96	N.	5	N.	6										
11	30·13	29·82	40·2	45·0	45·0	36·4	83	92	N.E.	7	S.E.	16		·06	cu.st.	10			nb.	10		
12	29·36	29·37	49·0	35·0	49·2	34·8	98	71	W.	6	N.W.	14	·38	·19	nb.	10			cu.	5		
13	29·48	29·67	34·8	30·4	36·3	30·4	64	84	N.W.	11	N.	10		T.		2	cu.st.	6				
14	29·90	30·03	35·7	26·5	40·2	26·5	66	91	N.	8	C.	0	T		cu	10			cu.st.	1		
15	29·82	29·61	41·9	36·8	52·7	36·8	97	68	S.	14	N.W.	25	·12	·79	nb.	10			cu.st.	1		
16	29·95	29·80	32·1	42·3	43·4	27·8	97	91	W.	8	W.	11		·01	cu.	1			cu.st.	3		
17	29·50	29·47	42·9	33·9	46·6	33·3	97	86	N.W.	6	N.	9	·12	T.	cu.	8			nb.	10		
18	29·68	29·59	27·8	39·8	39·8	26·1	67	97	N.W.	11	S.	17	T	·17	cu.st.	3	ci.st.	2	nb.	10		
19	29·54	29·82	33·4	30·6	45·3	30·6	84	78	N.E.	25	N.	11	·89		cu.	8			st.	10		
20	29·93	30·04	29·5	32·1	32·7	26·6	92	86	S.	3	N.E.	5	·02	T.	cu.st.	10			st.	10		
21	30·22	30·21	30·1	30·8	40·5	25·5	88	91	N.	5	N.W.	5	·01									
22	30·28	30·26	34·0	32·3	44·2	28·3	75	87	N.	4	W.	8										
23	30·27	30·16	36·3	45·6	46·7	30·5	99	95	W.	7	W.	9	·03		fog cu.st.	10			st.	10	....	....
24	30·10	30·07	48·3	47·2	53·7	44·5	94	92	S.W.	10	N.W.	9			st.	10			cu.st.	1		
25	30·32	30·40	38·0	36·4	47·5	36·4	84	79	N.E.	4	E.	5	·02						st.	2		
26	30·40	30·11	37·0	45·0	45·8	33·6	92	99	N.	2	S.	16		·03	cu.nb.	10			nb.	10		
27	29·61	29·64	52·0	44·7	55·6	43·1	97	68	N.W.	17	N.	10	·17		cu.	8			st.	10		
28	29·77	29·81	39·4	30·0	45·2	30·0	57	84	N.	18	N.W.	6					cu.	1				
29	29·64	29·81	38·1	31·7	44·7	29·7	88	78	N.W.	14	N.W.	8	·02		cu.	5			cu.st.	1		
30	29·89	30·04	36·9	29·1	43·2	29·1	82	62	N.W.	9	S.E.	8					ci.cu.	5	st.	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

Halifax, N.S.—December, 1908.

Day	Pressure 32°.		Air Temperature				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Mean	Mon.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·56	29·48	45·0	46·3	53·8	29·1	100	94	S.	1	N.W.	15	20	....	fog	10						
2	29·53	29·72	32·8	25·6	46·3	25·6	73	88	N.W.	17	N.	18			cu.	7			cu.nb.	9		
3	29·89	30·10	16·9	15·1	25·9	15·1	69	74	N.	20	N.W.	20			cu.	7						
4	30·28	29·92	18·8	40·3	40·6	13·0	86	84	N.	3	S.W.	24		T.			ci.-st.	6	nb.	10		
5	29·75	29·71	40·0	33·4	47·4	33·4	98	87	N.W.	7	N.	13	65	·07	cu.nb.	10					ci.-s.	1
6	30·35	30·55	8·9	10·9	33·6	8·9	85	86	N.	19	N.	3			cu.	3	ci.-st.	3				
7	30·37	30·44	29·0	47·3	47·3	10·6	77	97	S.	8	S.	37		79	cu.	10			nb.	10		
8	29·55	29·79	35·4	29·2	51·9	29·1	75	63	N.W.	13	N.W.	12	34	....	cu.	1						
9	29·96	29·94	23·0	27·7	30·8	19·6	85	82	N.W.	2	N.E.	7	..	T.	cu.	4	ci. cu.	2	nb.	10		
10	29·98	30·06	14·8	12·6	27·9	12·6	89	85	N.E.	15	N.	12	17	....	cu.	1			cu. nb.	10		
11	30·19	30·05	8·8	20·0	20·2	7·0	83	94	N.	10	S.	12	..	T.	cu.	4			nb.	10		
12	29·56	28·77	40·6	46·8	49·7	20·1	97	99	S.	15	W.	25	66	1·62	nb.	10	....	....	cu.nb.	2		
13	29·56	29·60	31·8	35·2	46·9	29·6	89	95	W.	6	S.E.	3		1.			....	....	cu. st.	4		
14	29·38	29·78	32·3	27·9	36·3	27·2	97	94	N.	8	N.W.	13	16	·10	nb.	10	....	....	cu.nb.	10		
15	30·04	29·78	25·7	39·7	40·3	20·5	92	98	W.	5	W.	9		42	cu.	10	....	....	nb.	10		
16	29·69	29·69	34·8	23·4	40·3	23·4	91	79	N.	10	N.	18	T.		cu.	10	....	....	cu. st.	8		
17	29·65	29·80	19·3	23·2	24·3	18·6	85	91	N.	16	N.	19			cu.	6			cu. st.	10		
18	29·85	29·59	16·9	20·9	23·6	17·1	88	97	N.	7	N.E.	3		03	cu.	10	....	....	nb.	10		
19	29·75	29·88	20·0	14·7	26·2	14·5	87	88	N.	14	N.W.	4	09				.. cl. cu.	8	cu. st.	4		
20	29·62	29·66	34·6	30·8	36·2	15·6	70	93	S.W.	17	N.W.	8	T.	T.	nb.	10	....	....	st.	10		
21	29·90	29·81	20·5	27·3	31·8	20·5	84	92	N.E.	7	S.E.	5		04	cu. st.	3	cl.-st.	2	nb.	10		
22	30·07	30·47	15·8	7·4	31·4	7·4	90	89	N.	20	N.	9	02		cu.	1						
23	30·39	30·18	6·3	10·0	16·2	4·6	86	94	N.	6	N.E.	7		...	cu. st.	10						
24	30·19	30·12	10·0	20·7	26·7	8·3	94	91	N.	6	N.W.	3		...	cu. st.	1	....	....	cu. st.	10		
25	29·92	29·46	35·2	12·4	12·8	20·8	74	96	S.W.	15	S.W.	10	17	·26	cu.nb.	10	....	....	nb.	10		
26	29·17	29·40	18·8	31·2	45·6	31·2	100	96	N.	9	N.	15	25	19	nb.	10	....	....	cu. st.	10		
27	29·73	29·86	27·9	28·0	33·7	26·7	92	89	N.W.	7	W.	5	T		cu.	5	cl. cu.	3	cu. st.	6		
28	29·62	29·91	36·6	31·1	38·8	28·3	94	90	N.W.	15	N.W.	20			cu. st.	1	....	....	cu.	9		
29	30·14	30·24	21·0	18·9	31·5	18·9	84	86	N.	8	N.	7			cu.	10	....	..	cl.	1	cl. cu.	1
30	30·45	30·35	9·2	6·9	19·7	6·2	87	77	N.	11	S.E.	4					cl.-st.	1	cu. st.	10	....	....
31	29·70	29·50	38·0	32·9	46·2	17·0	96	96	S.W.	32	N.W.	9	26	1·07	cu.	10						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—January, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper		Lower	Upper
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.						
1	29·83	29·76	25·0	26·8	30·5	18·5	79	80	N.W.	12	W.	4		T.	cu. st.	5			st.	5
2	29·88	30·02	22·0	19·2	26·8	19·0	72	82	W.	14	W.	8		T.	cu. st.	5				
3	30·13	30·13	12·5	18·8	21·4	9·0	73	83	N.	4	N.W.	4			cu. st.	5				
4	30·02	29·58	18·0	37·5	37·5	14·0	83	92	W.	6	S.W.	40		·01					nb.	10
5	29·09	29·46	35·3	7·0	40·5	7·0	70	61	N.W.	8	N.W.	28	·26	.	nb.	10	.	.	nb.	10
6	29·78	29·83	10·5	22·5	23·2	4·8	75	83	N.W.	10	N.W.	16	....		st.	10	.....		cu. st.	4
7	29·92	29·76	22·8	38·5	42·2	19·3	84	83	C.	0	S.E.	14	.						nb.	10
8	29·01	29·44	47·7	39·5	49·8	38·5	85	74	S.W.	24	S.W.	16	1·14	T.	nb.	10				
9	29·56	29·61	33·2	31·8	39·5	31·3	84	88	N.	4	N.W.	16	T	T	st.	10			nb.	10
10	29·92	30·21	25·0	18·0	31·8	18·0	81	80	N.	6	N.W.	12			cu. st.	9				
11	30·33	30·24	10·5	25·5	28·3	9·0	73	84	N.	4	C.	0							cu. st.	5
12	30·07	29·27	29·7	36·5	39·1	24·8	94	94	N.E.	2	N.	16		·71	st.	10			nb.	10
13	28·94	29·24	43·6	27·3	45·0	27·3	95	82	S.W.	20	N.W.	4	·22	·18	nb.	10			st.	10
14	29·23	29·47	21·7	11·3	27·3	11·3	90	72	N.W.	12	N.W.	36	·03		nb.	10		....	cu. st.	3
15	29·96	30·13	—2·0	5·0	11·3	—4·0	80	65	N.W.	36	N.W.	10								
16	29·77	29·44	33·7	36·5	44·3	3·0	92	92	S.	40	S.W.	20	·03	·24	nb.	10			cu. st.	9
17	30·07	30·00	7·0	25·0	36·5	5·0	79	71	N.W.	16	W.	12							cu. st.	10
18	29·84	29·66	25·0	26·8	28·7	23·3	83	83	N.W.	12	S.W.	4	·03						st.	10
19	29·70	30·20	4·5	0·0	30·0	—2·0	62	77	N.W.	40	N.W.	28		....	.....			...		
20	30·39	29·98	0·0	33·0	33·0	1·5	74	88	N.E.	6	S.W.	30		·03					nb.	10
21	29·96	29·89	32·5	36·0	43·0	31·8	82	83	N.W.	10	S.	12	·04		cu. st.	6				
22	29·49	29·41	41·5	38·3	44·0	36·0	85	79	S.	18	S.W.	20		·01	st.	10				
23	30·02	30·23	9·0	9·6	38·3	6·7	72	75	N.W.	28	N.	14								
24	30·14	29·76	6·5	15·2	15·2	4·8	91	88	N.E.	14	N.E.	20	....	T.	st.	10			nb.	10
25	29·44	29·41	15·0	20·7	23·5	12·5	86	78	N.	16	W.	12	·15		nb.	10				
26	29·77	29·83	28·5	36·5	38·0	13·0	83	87	S.W.	16	S.E.	18	.....	.....	st.	5		...	st.	5
27	29·34	29·17	46·2	41·2	46·8	36·5	94	89	S.E.	36	S.	20	·10	·46	nb.	10			nb.	10
28	29·69	29·99	7·0	19·0	41·2	7·0	75	77	N.W.	30	N.W.	4								
29	29·98	29·86	34·5	35·7	37·0	16·7	79	93	S.	34	S.	12	T.	·11	nb.	10			nb.	10
30	29·63	29·75	10·0	—0·5	35·7	0·5	83	85	N.W.	24	N.W.	10	·60	·08	nb.	10			st.	5
31	30·03	30·27	8·7	2·3	3·5	9·4	59	72	N.W.	46	N.W.	12	.....			....				

DAILY WEATHER REPORTS FOR THE YEAR 1908

St. John, N.B.—February, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	30·33	29·28	2·0	28·0	28·0	5·6	87	93	N.	6	S.E.	44		·15	st.	8			nb.	10		
2	29·04	29·35	34·7	14·2	40·2	14·2	88	60	S.W.	31	N.W.	22	·33	T.	st.	10						
3	29·69	29·85	0·5	2·8	14·2	−1·7	79	70	N.W.	16	N.W.	12										..
4	30·15	30·29	9·2	4·0	2·8	−11·0	65	76	N.W.	10	N.W.	14										
5	30·44	30·41	9·8	3·0	6·5	−13·2	73	76	N.W.	8	C.	0										
6	30·33	29·89	6·0	23·0	23·0	4·0	86	85	N.E.	7	S.E.	28		·15	st.	10						
7	29·55	29·64	25·7	23·0	37·0	23·0	70	77	S.W.	28	W.	12	·12									
8	29·82	30·01	6·0	0·0	23·0	0·0	66	85	N.W.	18	N.W.	20										
9	30·31	30·44	6·8	5·5	6·3	−7·6	77	68	N.W.	20	N.W.	12										
10	30·61	30·42	1·0	20·3	20·3	−2·0	82	69	N.	4	S.W.	12									ci.st.	10
11	30·31	30·34	20·3	20·0	26·5	18·5	71	73	N.W.	12	N.	16	·01		cu.st	9						
12	30·58	30·54	10·0	19·5	22·7	6·5	75	80	N.	10	C.	0										
13	30·43	30·18	15·8	35·0	35·0	8·7	91	80	C.	0	S.E.	20		·20	fog.	10						
14	30·01	29·85	38·2	38·0	40·5	34·3	97	95	S.W.	14	S.E.	4			fog.	10			nb.	10		
15	29·37	29·19	42·0	47·7	47·7	35·5	95	95	S.W.	14	S.	40	·35	23	fog.	10			nb.	10		
16	29·15	29·52	43·4	32·9	50·0	32·9	91	71	S.W.	25	N.W.	6	·31		cu.st.	9						
17	29·79	29·84	30·2	27·5	32·9	18·5	70	72	N.W.	8	C.	0							cu.st	7		
18	29·95	30·10	22·8	19·3	27·5	19·3	64	80	N.W.	12	N.W.	12	·40	....	cu.st.	3						
19	30·31	30·12	11·7	21·9	21·9	9·2	71	76	N.W.	6	S.E.	10	.....	....	cu.st	7			st.	10	..	
20	29·31	29·56	35·0	24·2	41·2	23·0	96	84	N.W.	16	N.W.	12	·53	T.	fog.	10			st.	10	.	
21	29·92	29·78	18·3	32·5	33·7	14·0	80	78	W.	7	S.W.	14	...	....	cu.st.	6						
22	29·67	29·53	27·0	30·5	33·3	23·0	90	92	N.	4	N.W.	8	T.	·01	st.	10			nb.	10		
23	29·65	29·84	4·4	16·9	30·5	3·2	69	85	C.	0	N.W.	4							nb.	10		
24	29·96	30·25	13·6	15·8	21·8	11·3	87	74	N.	15	N.	8	·20		nb.	10						
25	30·47	30·37	8·2	24·2	30·0	3·0	67	93	N.W.	3	E.	4										
26	30·18	29·91	25·3	30·3	34·2	19·7	90	89	S.E.	8	N.E.	10			st.	10			st.	10		
27	29·65	29·32	31·4	45·0	45·0	27·6	96	97	N.E.	9	S.E.	22	·02	06	st.	10			nb.	10		
28	29·41	29·39	36·5	34·7	48·2	34·2	89	77	S.E.	14	N.	4	·42		nb.	10			cu.	5		
29	29·60	29·76	20·3	20·3	34·2	20·0	72	75	N.W.	32	N.W.	24					ci.st.	5	st.	10		. ..

DAILY WEATHER REPORTS FOR THE YEAR 1908

St. John, N.B.—March, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.	Upper.
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1.....	30·11	30·23	14·7	23·0	25·3	12·0	75	91	N.W.	29	N.W.	12							st.	10
2	30·27	30·04	22·5	20·0	25·5	18·8	69	93	N.E.	8	N.E.	12	.	·40	st.	10			nb.	10
3.	29·96	30·15	17·3	14·6	21·5	14·6	93	89	N.	16	N.	12	·03	T.	st	10				
4	30·35	30·32	10·0	19·3	22·8	6·6	79	80	N.	5	N.E.	6		.						
5.....	30·26	30·20	11·0	19·0	21·8	6·5	84	81	N.W.	8	N.W.	6	T.		st	9				
6.....	30·27	30·13	13·4	26·3	30·5	9·5	57	78	N.	4	S.E.	6	·10	·23	...				st.	10
7	29·56	29·61	31·5	32·3	35·6	25·0	95	87	S.E.	20	N.W.	12			nb.	10			st.	10
8	30·06	30·13	29·4	33·5	37·7	28·0	76	84	N.W.	20	W.	8			cu.st	5				ci. 2
9	29·97	29·98	35·0	23·5	41·0	23·5	92	64	S.W.	4	N.W.	32			st.	10	....			
10	30·23	30·17	2·0	14·5	23·5	— 1·0	63	67	N.W.	36	W.	16								
11.....	30·12	29·64	14·3	32·6	32·6	7·0	60	94	S.W.	22	S.W.	12		·15					st.	10
12	29·68	29·85	30·5	29·2	35·3	28·3	73	82	N.	4	N.	12			st.	10				
13	30·16	29·93	16·2	35·1	35·1	10·7	46	79	N.E.	3	S.	28							cu.st	10
14.....	29·64	29·73	41·3	39·2	46·5	35·1	95	89	S.W.	16	C.	0	·68	·02	nb.	10				
15	29·86	29·59	34·3	38·0	44·0	32·0	76	89	S.E.	12	S.E.	20			st.	4				
16	29·39	29·51	40·6	36·8	45·0	36·3	61	59	W.	17	N.	8	·31		cu.st.	5			cu.st.	5
17	29·97	30·02	16·3	21·1	36·8	14·7	51	87	N.W.	18	W.	4	T.	T.					nb.	10
18	30·08	30·13	22·5	28·5	36·2	19·5	76	85	N.E.	8	E.	12	·01		cu.st	3			cu.st.	7
19	29·84	29·67	27·7	24·6	29·4	24·6	89	86	E.	14	N.	12	T.	·23	nb.	10			nb.	10
20	29·96	30·02	21·6	22·5	28·7	12·0	82	84	N.W.	8	N.W.	8	·02		st.	10				
21	30·14	30·07	17·8	28·3	32·0	14·7	81	86	N.W.	10	S.W.	12								
22	30·10	29·85	33·3	38·0	39·5	24·6	82	80	S.W.	12	S.W.	28							st.	10
23	29·89	29·72	38·0	38·4	42·7	35·7	76	90	S.W.	2	S.	12		. . .	cu.st	2			nb.	10 .
24	29·24	29·42	41·3	43·3	48·4	37·5	92	83	N.W.	14	W.	16	1·05	·01	cu.st	3				
25	29·96	30·36	18·0	17·5	43·3	11·7	51	70	N.W.	24	N.	4								
26	30·25	29·94	26·7	40·4	40·4	15·3	73	88	S.	48	S.W.	24	T.	T.	nb.	10			nb.	10
27.....	30·00	30·28	41·1	34·6	44·5	34·6	95	84	S.W.	2	E.	8	·16	·08	nb.	10				ci.st. 2
28	30·03	29·73	33·3	40·6	43·0	31·8	91	95	S.E.	16	S.W.	6	·03	·11	cu.st	10			fog.	10
29	29·96	29·79	32·0	25·8	40·6	25·8	88	90	N.E.	15	N.	20	·02	01	st.	10			nb.	10
30.....	29·90	30·15	23·5	31·5	36·0	20·7	83	84	N.W.	14	C.	0	·09	T.	cu.st	5				
31	30·16	29·85	34·5	38·0	39·5	25·0	76	89	S.W.	10	S.W.	16							nb.	10

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—April, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.					Precipitation.		Clouds.					
									8 a.m.		8 p.m.					8 a.m.				8 p.m.	
																Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.		8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.												in.	in.								
1	29·74	29·94	28·0	30·8	38·0	28·0	66	84	N.W.	24	N.	14		·11		nb.	10						
2	29·73	29·17	27·2	25·8	30·8	19·3	79	93	S.E.	16	N.	8		T	·21	nb.	10			nb	10		
3	29·18	29·30	24·5	26·5	31·3	21·0	89	70	N.W.	9	N.W.	32		T.		cu.st.	5						
4	29·44	29·66	14·3	21·5	26·5	12·0	59	69	N.W.	28	N.W.	32								st.	9		
5	30·02	30·03	15·2	34·2	38·5	13·0	62	77	N.W.	26	S.W.	16											
6	29·77	29·87	35·5	44·3	47·5	32·2	95	58	S.W.	24	S.W.	12		·27	·02	nb.	10						
7	29·90	30·04	40·2	41·5	53·0	36·0	88	72	S.W.	10	N.W.	16		....	T.	cu.st.	10						
8	30·35	29·98	26·8	30·8	41·5	23·0	52	93	N.	6	S.E.	16			·18					nb.	10		
9	29·21	29·78	30·0	27·0	34·0	27·1	90	77	N.	24	N.W.	24		59	·05	nb.	10						
10	29·96	29·80	32·0	37·6	42·5	25·0	67	88	W.	16	S.W.	12										cu.cu	5
11	29·33	28·96	38·0	40·6	43·0	35·7	98	72	S.	14	W.	16		·03	·02	fog	10			cu.st.	5		
12	29·11	29·51	33·7	32·6	40·6	32·6	58	74	N.W.	35	N.W.	32				cu.st	5						
13	29·70	29·81	29·6	33·0	40·6	26·5	28	60	N.W.	24	N.W.	16											
14	30·21	30·24	25·8	37·0	41·2	23·0	40	75	N.W.	16	S.W.	8								nb.	10		
15	30·00	29·53	37·7	43·0	46·0	33·2	81	93	S.	28	S.W.	24		T.	·05	st.	8			nb.	10		
16	29·97	30·21	22·4	20·0	43·2	20·0	46	59	N.W.	30	N.W.	20		·04									
17	30·22	30·04	24·0	35·5	39·0	17·7	46	37	N.W.	18	W.	8											
18	29·89	29·60	37·6	37·2	43·3	30·5	52	83	S.W.	7	S.	16			T			ci.	5	st.	10		
19	29·31	29·11	35·5	41·2	46·5	33·0	95	92	N.E.	8	C.	0		20	·22	nb	10			nb.	10		
20	29·47	29·39	24·4	32·5	41·2	21·7	87	88	N.W.	16	S.W.	24								nb.	10		
21	29·42	29·50	22·4	26·2	32·5	19·0	79	83	N.W.	20	N.W.	16		16	T.								
22	29·63	29·57	31·2	39·3	48·5	24·3	50	57	W.	22	W.	10											
23	29·59	29·69	46·2	51·5	57·2	37·3	71	57	S.W.	10	N.	12				cu.	4			cu.	5		
24	29·93	29·86	41·0	43·2	51·5	35·5	87	73	N.E.	8	S.W.	4											
25	29·89	29·76	42·0	40·6	55·2	37·7	77	95	S.	9	S.W.	16			T			cu.cu	4	fog.	10		
26	29·60	29·61	41·6	40·0	45·3	40·0	93	97	S.	10	S.	12		18	·02	fog.	10			fog	10		
27	29·73	29·85	57·5	44·2	63·6	39·0	61	73	N.	12	E.	8								cu.st	7		
28	29·89	29·78	42·8	44·8	52·7	36·3	71	91	E.	12	S.E.	12			·73	nb. cu.	5			nb.	10		
29	29·65	29·71	46·0	47·3	55·2	43·0	92	75	S.E.	8	C.	0		15		st.	10			cu.st.	5		
30	29·87	29·87	41·7	45·0	52·6	41·3	82	82	S.E.	5	S.	4								cu.st	5	....	

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B. May, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·48	29·48	48·0	42·0	48·7	42·0	85	91	S.E.	36	S.	16	17	·14	nb.	10			cu.st	5		
2	29·68	29·74	44·0	41·5	49·2	36·8	76	90	W.	3	S.E.	4							cu.st	5		
3	29·43	29·56	42·7	36·7	45·2	36·7	91	95	S.E.	32	N.	18	·50	·21	nb.	10			nb.	10		
4	29·72	29·72	41·0	45·0	54·0	34·2	82	80	N.W.	14	C.	0					ci.st.	2	st.	7		
5	29·85	30·12	43·5	42·0	48·3	38·7	84	83	N.	14	N.	12		T.	cu.st	10			nb.	10		
6	30·26	30·26	41·7	42·5	49·5	35·5	77	75	N.E	12	E.	8			cu.st	9					ci.st	2
7	30·28	30·21	43·7	43·2	56·5	36·1	67	78	S.	6	S.E.	12					cu.st.	6	st.	9		
8	29·88	29·56	39·0	47·4	47·4	37·0	93	95	N.E.	16	E.	10	·16	·20	nb.	10			nb.	10		
9	29·25	29·25	49·3	41·5	49·6	41·5	90	97	S.E.	12	S.W.	12	·15	T.	nb.	10			fog	10		
10	29·30	29·36	43·3	48·0	51·1	40·7	95	88	S.	7	C.	0			fog.	10			st.	10		
11	29·44	29·55	49·0	48·3	57·4	43·2	62	76	N.W.	16	C.	0										
12	29·80	29·52	50·7	46·3	62·0	42·3	61	93	E.	6	S.	26		17	cu.st	10			nb.	10		
13	29·81	29·98	46·0	46·0	57·7	43·7	94	88	N.	12	C.	0	·10	...	nb.	10						
14	30·08	30·02	47·7	57·0	60·8	39·7	57	48	N.W.	12	N.	4							cu.	5		
15	30·16	30·04	51·2	51·0	63·3	42·0	51	77	W.	8	E.	4										
16	30·16	30·10	50·3	47·8	61·7	41·0	61	89	S.	6	S.	4										
17	30·01	29·80	47·2	46·5	51·5	43·7	68	98	S.	6	S.W.	3		37	cu.	3			fog	10		
18	29·91	29·95	51·7	52·2	66·3	45·0	87	85	N.	6	S.	2			cu.st.	10						
19	30·05	29·97	49·0	57·0	61·7	42·3	85	66	S.	3	C.	0										
20	29·98	30·00	52·8	52·5	57·6	44·0	79	73	S.	5	S.	4					ci.st.	5	cu.st	8		
21	30·19	30·39	52·8	58·7	61·6	47·5	83	76	S.	3	E.	4			cu.st	9			cu.st	10		
22	30·45	30·38	56·0	57·0	70·2	52·8	60	69	E.	4	C.	0			cu.st	10			cu.st.	1		
23	30·31	30·08	47·0	47·2	60·0	44·4	90	98	S.W.	11	S.W.	20			cu.st	10			fog nb.	10		
24	29·97	30·05	48·0	66·0	74·2	45·7	92	33	S.	6	N.W.	16	·01		fog	10			st.	10		
25	30·22	30·04	59·4	54·6	66·2	50·0	42	70	N.E.	8	S.	6					cu.st	5	st.	10		
26	29·87	29·71	51·5	50·3	56·6	47·7	83	98	S.W.	5	S.	6		·04	cu.st.	8			nb.	10		
27	29·60	29·79	54·3	48·5	55·7	48·5	95	92	N.E	6	E.	12	·73	·29	st.	10			nb.	10		
28	30·09	30·11	48·0	50·0	56·0	44·8	82	74	E.	13	S.E.	18	·04	T	nb. cu.st.	10			st.	10		
29	30·02	29·89	45·4	47·6	55·6	43·8	98	98	S.W.	16	S.W.	10	T	1	fog	10			fog	10		
30	29·94	29·88	52·0	58·5	64·8	44·5	97	89	S.	2	E.	16	·09	·02	st.	10			nb	10		
31	29·45	29·60	52·4	55·0	64·3	51·0	95	90	S.	35	C.	0	·49		fog	10			cu.nb.	8		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—June, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·79	29·80	43·5	40·0	56·8	40·0	86	93	N.E.	13	N.E.	12	·07	·16	nb.	10	.....		nb.	10		
2	29·76	29·75	40·0	46·7	49·8	35·0	91	91	S.W.	6	W.	6	T.	T.	n.b.	10			cu.nb.	10		
3	29·92	29·88	45·9	47·3	52·7	38·5	71	83	N.W.	12	S.W.	6	·17	T.	cu.	2	ci.	2	cu.st.	5		
4	29·95	29·97	50·0	54·0	63·3	41·8	77	75	S.E.	3	S.	4		T.	cu.st.	10			cu.st.	7		
5	30·19	30·27	50·0	52·2	59·8	42·0	72	76	N.	14	C.	0			cu.	1	.....					
6	30·28	30·09	49·3	49·2	52·2	46·6	87	85	S.W.	20	S.W.	14					ci.	2	st.	5		
7	30·00	29·88	52·7	52·5	58·3	46·0	61	85	S.	16	S.	14										
8	29·84	29·77	54·7	53·7	60·2	49·3	84	88	S.	9	S.	12					ci.	3	st.	2		
9	29·77	29·73	54·8	52·5	60·0	51·3	87	93	S.	12	S.	12									ci.	3
10	29·77	29·74	54·2	56·3	61·4	51·0	95	98	S.W.	15	S.W.	12			st.	10			fog	10		
11	29·76	29·82	57·7	67·2	75·3	52·4	91	61	S.	4	N.	6	01						ci.cu	5		
12	29·98	30·02	60·2	60·0	70·0	57·3	78	78	N.E.	5	N.	4	04		nb.	10						
13	30·04	30·00	56·0	56·7	70·6	48·7	86	86	N.E.	10	N.	3							ci.cu	5		
14	29·96	29·91	56·5	56·7	67·5	53·5	79	90	N.	11	S.	3	·11		cu.st	10						
15	29·89	29·89	57·2	56·7	62·2	53·5	91	89	S.	12	S.W.	20			st.	10			cu. fog	6		
16	29·74	29·66	63·0	56·2	63·5	55·0	93	88	S.E.	24	N.W.	32	04	44	nb.	10			nb. cu.st.	7		
17	29·96	30·13	55·0	58·8	60·8	49·0	59	59	N.W.	25	W.	12			cu.	1						
18	30·17	30·05	62·0	54·5	67·8	52·3	64	71	S.	6	S.W.	24					ci.	6			ci.	2
19	29·92	29·69	54·0	54·8	62·6	48·8	87	90	S.	10	S.	12					ci.	8	st.	10		
20	29·62	29·54	55·5	60·0	65·3	53·6	95	86	S.	11	S.	8	·08	·16	nb.	10			cu.	3		
21	29·56	29·63	60·8	69·0	75·0	55·0	79	70	S.E.	8	N.W.	14			cu nb. cu st	8			cu.st.	7		
22	29·75	29·81	58·5	65·0	70·7	56·0	63	49	N.W.	20	N.	7										
23	30·00	30·04	60·0	58·3	73·2	51·5	48	80	N.	18	S.	3									ci. ci.st.	3
24	30·02	29·81	56·2	55·2	60·3	53·0	80	92	S.W.	10	S.E.	12	T	13	nb	10			st.	10		
25	29·65	29·74	56·3	68·0	78·7	54·2	97	57	S.	7	N.	12	·02		fog	10						
26	30·02	30·01	60·0	58·5	68·0	55·3	52	88	N.	14	S.	8					ci.	6				
27	30·07	30·12	58·6	57·7	66·8	53·0	84	85	S.	7	S.	7			cu.st.	4					ci.	2
28	30·05	30·03	58·3	58·3	64·0	53·7	77	92	S.	7	S.	6			cu.st ci.cu	5			ci.cu cu.st.	7		
29	29·98	29·80	58	55·3	69·6	53·3	85	95	S.	9	S.	4							fog	10		
30	29·87	29·80	59·0	58·5	64·0	54·2	92	96	S.	2	S.	S							fog	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—July, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	30·05	30·07	72·0	65·2	82·8	55·8	62	74	N.	14	S.	3					cl.	2			cl.	3
2	30·13	30·07	61·3	58·0	65·2	57·0	84	98	S.	9	S.	10							cu.st.	10		
3.	30·19	30·10	61·2	67·2	76·9	54·5	92	83	S.	4	C.	0			cu.s.	7			cu.st.	10		
4.	30·15	30·10	65·4	61·6	78·6	58·0	80	98	S.	5	S.	8							cu.st.	10		
5.	30·05	29·96	62·6	58·5	65·4	58·5	97	99	S.	5	S.	6	·01	32	fog	5	fog	5	fog	5	fog	5
6.	29·90	29·86	62·5	79·0	84·5	56·0	91	60	S.	5	N.W.	4										
7.	29·88	29·82	69·8	70·0	79·0	68·5	80	85	S.	5	S.E.	6										
8.	29·77	29·71	72·5	62·0	72·5	62·0	78	97	S.	12	S.W.	4			cu.st.	4			fog	5	fog	5
9	29·96	29·98	68·4	62·7	74·8	59·5	55	68	N.W.	9	S.	8										
10.	30·04	30·00	61·8	63·3	76·9	59·8	81	82	S.	7	S.W.	5							st.	7		
11.....	29·96	29·80	57·3	58·8	67·5	54·5	96	96	S.W.	9	S.	10			fog	5			fog	5	fog	5
12	29·68	29·68	57·3	61·0	62·2	55·7	95	91	S.	13	S.	2		...	fog	5	fog	5	cu.st	5		
13	29·71	29·67	71·5	62·9	73·0	57·3	71	91	N.	2	S.	2		...	cu.st	5			cu.st.	5		
14	29·69	29·65	70·0	61·5	75·2	57·2	65	84	N.	16	S.	4					cu.	4	st	10		
15	29·53	29·56	62·0	61·0	75·7	58·0	93	81	E.	2	N.W.	16		·05					nb.	10		
16	29·69	29·78	60·0	62·8	67·7	49·8	67	68	N.	12	N.W.	16	·01	T.					cu.st	3		
17.	29·93	29·88	58·8	57·7	65·7	53·0	77	86	S.	5	S.W.	16			cu	1			cu.st.	10		
18.	29·63	29·62	58·0	56·8	63·3	54·0	97	97	S.E.	24	S.	4	·31	·49	nb.	10			nb.	10		
19.	29·71	29·85	59·0	61·6	64·9	55·7	98	91	N.E.	5	N.E.	6	·35	·02	st.	10			ci.st.	5		
20.	29·92	30·05	59·7	62·7	65·3	57·3	92	76	N.E.	16	N.	4	·95	...	ci.st.	10						
21.	30·16	30·13	61·3	64·8	73·3	55·7	85	65	S.E.	7	S.W.	4		40			cl.	2	cu.	2	cl.	2
22	30·12	29·98	59·0	61·8	64·8	55·0	79	98	S.	6	S.E.	4	·02		st.	10			st.	10		
23	30·06	30·12	60·5	59·5	64·4	59·0	98	97	S.W.	2	W.	2			fog	5	fog	5	st	10		
24	30·16	30·25	65·0	64·5	72·3	58·0	94	83	N.	12	E.	4			st.	10						
25	30·26	30·14	64·7	60·4	69·8	53·5	78	80	S	2	S.	6					ci.st.	6			ci.st.	6
26	30·03	29·97	59·5	60·5	70·2	57·5	77	93	N.W.	17	S.	8										
27.	29·84	29·93	65·0	62·5	72·6	56·0	80	86	S.E.	4	N.E.	10		1					nb.	10		
28	30·05	30·07	60·0	61·2	67·6	49·5	72	65	N.E.	8	S.	4										
29	30·11	30·10	59·5	57·7	67·4	51·4	81	92	S.	7	S.W.	9					cl.	1	cu.	8		
30.	30·04	29·97	59·4	58·5	63·5	55·4	91	96	S.	12	S.	7			nb.	10			nb.	10		
31.	29·85	29·71	57·3	59·1	60·5	56·2	98	96	S.	10	S.	10			fog	10			fog	10		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B. August, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1.....	29·75	29·73	63·4	60·5	72·3	55·8	71	81	N.	6	C.	0	·01	T.	cu. st.	10			cu. st.	10		
2	29·67	29·63	59·5	58·7	60·7	57·5	93	94	N.E.	6	N.	14	·03	·49	nb.	10			nb.	10		
3	29·89	29·98	63·6	58·7	72·4	53·7	62	85	N.W.	12	S.	6										
4....	30·05	30·06	60·3	60·0	70·9	54·4	79	90	S.	6	S.	4			cu.	2½			cu.	5		
5....	30·05	29·98	63·0	61·3	71·2	58·8	75	74	S.E.	17	S.E.	18							cu. st.	10		
6....	29·89	29·84	62·0	60·5	65·3	57·3	81	99	S.E.	14	S.W.	2		1·00	cu. st.	10			cu. st.	10		
7	29·82	29·80	60·0	64·0	64·0	57·5	98	96	S.E.	9	S.	4	·62		fog	10			nb.	10		
8	29·67	29·74	60·6	58·2	66·8	58·2	99	99	S.	6	S.	4	·84	·02	fog	10			fog	5	fog	5
9	29·72	29·74	59·0	57·9	68·3	54·5	97	97	S.	8	S.	6	·01		fog	10			fog	3	cu.	2
10	29·77	29·83	59·8	64·7	74·1	54·3	96	87	C.	0	C.	0	01		cu.	5			cu.	1		
11	29·94	29·98	65·4	62·5	73·0	58·5	86	91	C.	0	S.E.	1			cu. st.	9			cu. st.	5		
12	30·05	30·03	58·5	59·8	63·7	57·0	91	98	S.	4	S.	4	·03	·02	fog	10			fog	10		
13	29·98	29·88	58·3	58·0	60·6	58·0	99	99	S.	12	S.	14	·11	·03	fog	10			fog	10		
14	29·83	29·84	57·2	64·0	76·2	56·0	98	93	S.	8	S.	6	·12	....	fog	10			cu.	5		
15	29·85	30·06	61·8	60·0	67·5	60·0	95	86	S.	6	C.	0	37	·27	cu. st.	9			cu.st.	10		
16..	30·21	30·23	60·5	60·2	67·7	54·0	61	78	N.	3	C.	0										
17.	30·16	30·02	60·3	57·5	64·4	52·3	78	83	S.	2	S.W.	16		·02	ci cu. st	4	ci cu.	3	nb.	10		
18	29·68	29·60	56·8	61·3	62·7	55·5	99	85	S.E.	20	N.W.	10	·46	·57	nb.	10						
19	29·63	29·48	58·0	58·8	63·4	55·0	88	96	S.W.	7	S.W.	16		T.					nb.	10		
20	29·56	29·72	57·3	59·4	65·3	53·7	71	74	N.W.	19	N.W.	10							cu.	7		
21	29·89	29·91	60·0	60·0	68·3	51·5	70	79	N.W.	6	S.W.	22										
22	29·92	29·83	59·5	59·3	62·4	56·7	94	95	S.W.	16	S.W.	24			st.	10			st.	10		
23	29·73	29·88	62·8	62·3	69·2	58·0	66	75	N.W.	15	C.	0	18		cu.	2						
24	29·91	29·96	59·4	59·4	67·6	54·0	85	81	W.	2	S.W.	2			cu.	3						
25	30·11	30·19	60·5	59·5	68·3	54·4	71	79	N.W.	8	W.	2										
26	30·24	30·24	58·0	57·7	66·5	53·0	79	81	N.E.	4	C.	0			st.	8			cu. st.	10		
27	30·25	30·20	57·0	55·0	66·5	52·0	86	68	N.E.	10	N.	10			cu.	8			cu. st.	10		
28	30·22	30·10	55·8	54·9	67·0	47·2	74	86	N.E.	16	S.	2										
29....	30·13	30·06	55·0	58·0	65·0	48·7	95	81	N.W.	3	S.W.	4										
30	30·03	30·06	58·7	66·2	68·8	52·3	76	76	S.W.	4	N.	8										
31.....	30·22	30·21	57·0	55·2	67·5	55·2	69	81	N.E.	16	S.W.	6										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—September, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind. 8 a.m.		Wind. 8 p.m.		Precipitation.		Clouds. 8 a.m. Lower		Clouds. 8 a.m. Upper		Clouds. 8 p.m. Lower.		Clouds. 8 p.m. Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1...	30·06	29·93	60·3	58·3	64·3	52·7	89	87	S.	10	S.W.	12					ci.	4				
2	29·79	29·66	59·0	58·7	62·5	56·0	94	99	S.	12	S.E.	8		·06	st.	10			nb.	10		
3...	29·66	29·83	60·0	57·5	60·7	52·7	96	86	S.W.	10	W.	8	·47	T.	st.	10			cu. st.	5		
4...	29·99	30·06	57·5	56·2	68·6	52·0	75	89	N.W.	16	S.	4										
5...	30·08	30·03	57·3	57·5	61·0	53·0	96	94	S.	12	S.	14			st.	10						
6...	29·97	29·82	57·7	60·0	64·3	55·7	86	92	S.	17	S.	10			st.	10			cu. st.	10		
7...	29·69	29·82	60·0	59·0	67·7	58·2	99	71	S.W.	16	N.W.	8	·27		fog	10						
8...	30·03	30·11	56·2	57·8	63·2	50·3	72	68	N.W.	8	N.W.	4										
9...	30·15	29·99	55·3	58·2	64·9	48·0	77	89	S.W.	5	S.	12					ci.	2			ci.	5
10...	30·00	29·98	59·6	61·0	66·6	55·4	88	85	S.	3	S.	4								5		
11...	29·88	29·91	58·4	63·5	77·0	51·3	93	86	S	4	C.	0				10				5		
12...	30·06	29·96	60·8	59·0	67·3	54·5	71	81	N.E.	8	C.	0										
13...	29·90	29·80	59·3	55·0	63·7	52·3	72	96	S.	9	S.	4					cu. st.	5	fog	10		
14...	29·83	30·13	54·5	52·2	62·6	52·2	89	75	N.E.	16	N.E.	4	·03	T.	nb. cu. st.	8			cu. st.	7		
15...	30·31	30·30	49·0	54·0	65·0	42·0	71	67	N.	6	S.W.	5										
16...	30·26	30·01	53·2	60·3	64·6	46·2	82	66	W.	2	N.E.	4					ci.	6	.....	5		
17...	29·76	29·60	62·1	62·5	75·4	54·8	73	72	N.E.	12	N.E.	18					ci. cu.	7	cu. st.	1		
18	29·58	29·53	57·0	63·5	73·3	55·0	79	83	N.	8	S.W.	4								10		
19	29·71	30·04	57·4	51·1	64·6	50·0	71	53	N.W.	18	N.W.	12			cu.	3	ci. cu.	3				
20	30·10	30·21	50·0	50·8	58·0	39·2	51	78	N.E.	4	W.	8										
21	30·11	29·96	56·0	56·0	56·5	46·0	81	89	S.W.	20	W.	12		T.	cu. st.	3			nb.	10		
22	29·99	29·95	56·4	58·4	69·4	52·5	95	93	C.	0	S	6										
23	29·97	29·92	57·0	58·8	58·4	52·0	96	92	C.	0	S.	4										
24.....	29·97	30·01	57·5	57·8	62·1	55·0	94	94	S.	8	E.	4							cu. st.	5		
25.....	30·22	30·13	60·7	62·0	72·5	56·0	81	63	N.E.	4	S.	3										
26.....	30·08	30·00	55·5	57·0	62·0	52·5	97	96	S.	5	S.	8			fog	10			st.	7		
27.....	30·04	30·05	54·5	54·4	57·0	53·5	98	99	S.	8	S.	6			fog	10			fog	10		
28.....	30·14	30·08	54·3	55·0	57·2	54·6	99	97	C.	0	S.	8	·02		fog	10			fog	10		
29	29·95	29·87	60·6	59·3	61·8	52·3	98	99	S.E.	20	N.W.	24	·01	·34	f	10			nb.	10		
30	30·16	30·13	50·5	52·3	62·0	45·0	70	80	N.E.	10	C.	0										

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John, N.B.—October, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	30·08	29·91	55·0	60·7	60·7	42·5	90	98	E.	8	S.	12		·36	st.	10			fog.	10		
2	29·56	29·56	63·3	48·0	63·3	48·0	94	81	S.E.	28	N.W.	30	·37	·32	nb.	10			nb.	10		
3	29·88	30·07	43·0	50·4	54·3	39·0	57	62	N.W.	40	N.W.	4										
4	30·21	30·23	43·0	44·6	56·4	40·5	54	74	N.	12	N.W.	8										
5	30·18	30·16	44·3	50·5	57·1	38·5	66	79	N.W.	22	C.	0										
6	30·27	30·24	47·3	52·0	59·0	38·3	79	97	N.	2	S.W.	3										
7	30·20	30·09	53·3	53·3	56·4	45·5	83	94	S.W.	14	S.W.	8	·01		cu.st.	3			st.	10		
8	29·99	29·99	50·5	52·7	57·4	47·7	91	96	W.	8	S.W.	12			st.	10			st.	10		
9	30·00	29·88	55·3	54·5	56·6	51·5	98	99	S.W.	5	S.W.	4	·01	·05			fog.	10			fog.	10
10	30·19	30·23	51·0	51·4	59·7	47·0	79	81	N.E.	12	S.E.	3			cu.st	4			st.	10		
11	29·87	29·64	54·2	57·3	58·8	50·0	94	98	S.E.	17	S.W.	3		·52	nb.	10			fog.	10		
12	29·92	30·28	42·0	41·0	57·3	41·0	69	61	N.W.	28	N.W.	8	·02		cu.st.	5						
13	30·38	30·12	43·2	48·0	51·0	34·4	69	70	W.	14	S.W.	18										
14	30·05	29·94	50·4	53·7	64·2	42·4	65	71	S.W.	6	S.W.	4										
15	29·90	29·86	52·7	53·0	56·4	48·0	95	96	S.W.	6	S.	2			st.	10						
16	29·95	29·92	49·0	56·0	62·4	45·0	98	89	C.	0	C.	0	·01		fog.	10			nb.	10		
17	30·02	29·98	53·0	57·3	68·2	49·0	90	90	C.	0	C.	0							fog.	4		
18	29·98	29·91	54·8	58·0	64·5	48·0	70	85	C.	0	C.	0							n.b.	10		
19	29·83	30·10	59·5	45·0	59·5	45·0	66	68	N.	9	N.	12				10						
20	30·35	30·36	37·7	40·7	45·7	34·0	53	78	N.E.	14	C.	0										
21	30·41	30·38	36·7	49·5	56·0	32·0	79	51	N.	4	N.	6					ci.	4				
22	30·47	30·42	45·5	50·5	60·7	38·7	70	70	N.	3	C.	0										
23	30·34	30·23	48·0	51·0	57·5	43·7	74	89	S.W.	8	W.	6										
24	30·20	30·11	45·8	47·5	54·3	43·0	88	99	C.	0	C.	0			cu.st. fog.	5			fog.	10		
25	30·18	30·21	42·7	51·7	52·8	39·0	81	83	N.E.	12	E.	8				10				10		
26	30·23	30·14	52·0	54·8	56·6	48·3	82	83	S.	4	S.E.	12			cu.sr	8			cu.st	10		
27	29·84	29·73	51·3	51·4	58·0	50·0	88	94	E.	24	N.W.	12		·33	st.	10			nb.	10		
28	29·88	29·88	51·3	52·0	59·4	48·5	82	88	N.W.	8	S.W.	4					ci.	2	nb.	10		
29	29·80	29·74	50·3	50·0	58·5	48·5	87	80	N.	4	E.	12			cu.st	4			cu.st	5		
30	29·39	29·11	41·0	39·0	50·0	35·5	96	89	N.E.	20	N.W.	30	·65	·93	nb.	10			nb.	10		
31	29·35	29·56	32·0	34·0	39·5	30·0	79	81	N.W.	32	W.	24			cu.st	5						

DAILY WEATHER REPORTS FOR THE YEAR 1908

St. John, N.B.—November, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower		Upper		Lower.		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1.....	29·64	29·74	31·5	33·4	35·5	29·0	84	79	N.W.	30	N.W.	24		..	cu.st	5						
2	29·86	29·83	30·7	35·5	37·7	28·0	71	85	N.W.	24	N.W.	16										
3	29·73	29·67	35·0	38·0	42·0	33·0	89	67	W.	10	N.	5			st.	10			nb.	10		
4	29·31	29·23	52·0	39·0	54·5	36·0	89	83	S.W.	28	N.W.	24	·01	T	st.	10			st.	10		.
5	29·37	29·27	27·5	34·3	39·0	24·8	74	81	W.	12	W.	18	.						cu.st.	10	.	
6	29·29	29·31	33·0	34·0	36·4	29·0	80	78	W.	30	W.	14									ci.cu.	5
7	29·35	29·49	35·0	34·0	40·7	30·0	70	69	N.W.	16	N.W.	8			cu.	2						
8	29·66	29·67	41·5	42·4	45·3	31·0	66	91	C.	0	S.	12		·04	cu.st.	10			nb.	10	.....	....
9	29·78	29·84	45·0	45·0	49·4	41·0	94	90	L.	10	W.	6	·18	T	nb.	10			st.	10		.
10	29·99	30·09	42·5	42·0	51·0	40·0	91	79	N.W.	7	N.E.	14			cu.st	2	cu.st	1	st.	10		
11	30·10	29·82	40·0	42·5	44·5	38·0	91	92	N.E.	8	E.	16	·02	·06	nb.	10			nb.	10		
12	29·47	29·42	38·0	34·2	43·0	34·2	95	57	N.W.	14	W.	28	·34	·02	nb.	10						
13.....	29·55	29·72	33·0	33·0	36·3	31·0	67	83	N.W.	22	N.W.	12	.		cu.st	7						
14	29·96	30·00	34·5	35·0	40·7	31·0	72	77	N.W.	16	W.	4			cu.st.	3			cu.st.	4		.
15	29·53	29·65	44·5	36·0	52·0	34·0	92	66	S.E.	24	N.W.	32	·07	·68	nb.	10						
16	29·90	29·73	35·0	38·3	43·3	32·0	71	69	S.W.	16	W.	12							nb.	10		
17.....	29·52	29·52	36·5	33·0	40·4	33·0	83	68	N.W.	6	N.W.	18							cu.n.b	5		.
18.....	29·69	29·62	24·5	27·2	33·0	21·5	78	92	N.W.	14	N.E.	16		·07	cu.st	6			nb.	10		
19	29·78	29·86	24·3	29·0	30·5	22·0	80	86	N.	11	N.E.	8	·03						nb.	10		
20	29·86	30·08	36·7	31·2	38·0	27·0	92	87	S.E.	15	N.	16	·05	T	nb.	10			nb.	10		
21	30·26	30·21	28·8	35·8	37·9	27·5	87	72	N.W.	5	S.W.	8			st.	10						
22	30·28	30·23	34·5	43·3	45·5	30·0	73	93	N.W.	3	S.	4							st.	10		
23	30·20	30·12	46·2	45·8	47·5	39·8	83	72	S.W.	12	S.W.	10			st.	10			st.	8		
24	30·04	30·10	47·5	46·3	49·8	44·5	94	94	S.W.	12	W.	6		·01	st.	10			st.	10	.....	....
25.....	30·35	30·39	35·0	39·0	46·3	32·2	83	90	N.E.	11	E.	6	·04	T.	.		ci.cu.	3	st.	10	.....	....
26	30·35	29·94	43·5	50·0	50·0	39·0	86	97	S.E.	15	S.	28	·02	·06	st.	3			nb.	10	.....	....
27	29·69	29·67	48·0	45·0	51·7	45·0	61	63	N.W.	16	N.W.	22	·14						st.	10	.....	....
28.....	29·85	29·79	36·0	36·0	45·0	36·0	60	66	N.W.	26	N.W.	8				....			nb.	10		
29	29·70	29·79	35·8	36·8	41·0	33·0	75	60	W.	12	W.	8			cu.st.	6						..
30	29·98	29·92	39·5	35·0	40·0	35·0	69	78	N.W.	11	S.E.	16	....	T	cu.st	5			nb.	10		....

DAILY WEATHER REPORTS FOR THE YEAR 1908

St. John, N.B.—December, 1908.

Day	Pressure 32°.		Air Temperature				Humidity.		Wind				Precipitation		Clouds					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower		Upper		Upper		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·53	29·42	49·8	48·0	50·0	33·5	98	85	S.W.	9	W.	16	·12		fog.	10						
2	29·61	29·82	25·3	22·0	48·0	22·0	75	72	N.W.	38	N.W.	30			cu	3						
3	30·01	30·21	11·0	12·5	22·0	10·0	64	75	N.W.	28	N.W.	28										
4	30·19	29·74	19·0	43·3	44·0	10·0	88	96	C.	0	S.W.	40	T.	·25	nb.	10			nb.	10		
5	29·76	29·95	33·3	15·7	44·3	16·0	91	79	W.	10	N.W.	24	·09		st.	10						
6	30·11	30·53	0·0	10·3	15·7	1·0	100	75	N.W.	14	N.	4									cu.st.	10
7	30·26	29·22	30·0	30·2	30·2	8·0	86	97	S.E.	24	S.W.	36		1·13	cu.st	10			nb.	10		
8	29·59	29·85	30·0	25·1	30·2	23·7	78	87	N.W.	24	W.	16	·03									
9	29·98	29·97	16·5	24·2	25·1	15·0	83	81	N.	9	N.	4			cu.st	4			st.	10		
10	30·13	30·20	4·6	5·3	23·2	3·0	65	73	N.W.	20	N.W.	18			cu.st	2						
11	30·22	29·87	3·0	28·0	28·0	0·9	73	93	N.W.	12	S.E.	28		·08					nb.	10		
12	29·63	28·92	43·0	34·0	43·7	26·5	97	89	S.	18	N.W.	20	·20	·96	nb.	10			nb.	10		
13	29·60	29·57	31·5	32·7	34·5	30·5	84	83	N.W.	6	N.E.	10							nb.	10		
14	29·75	29·80	25·0	29·0	32·7	23·3	91	81	N.	14	N.W.	18	·07	·02	nb.	10			cu.st	5		
15	29·99	29·79	24·5	30·0	34·6	23·3	87	91	N.E.	9	N.W.	6		·15	st.	10			nb.	10		
16	29·81	29·79	23·0	20·3	30·0	20·3	84	73	N.W.	14	N.W.	16	·01		cu.st	5			nb.	10		
17	29·82	29·89	15·0	15·8	20·3	13·0	77	78	N.W.	16	N.W.	18										
18	29·86	29·59	8·5	15·7	16·2	8·5	74	84	N.	8	N.E.	10		·03	cu.st	5			nb.	10		
19	29·85	29·84	11·6	21·5	23·5	9·5	78	79	N.	6	W.	7										
20	29·59	29·74	30·0	25·0	34·7	20·0	89	72	W.	12	N.W.	20	·07		st.	10						
21	29·92	29·75	14·3	25·0	25·0	11·5	82	83	N.	5	C.	0		·06					nb.	10		
22	30·25	30·32	10·0	4·0	28·0	4·0	69	77	N.W.	24	N.	12										
23	30·15	30·25	—1·5	2·8	7·3	—4·3	68	70	N.E.	16	N.E.	10			st.	10			cu.st.	5		
24	30·20	30·01	5·0	33·2	33·2	—0·5	75	91	N.	2	S.W.	16		·01	st.	3			nb.	10		
25	29·75	29·41	40·2	42·2	43·5	33·2	95	94	S.	32	S.W.	4	·15	·28	nb.	10			nb.	10		
26	29·57	29·48	32·7	26·7	42·2	26·7	92	87	N.	10	N.	8			st.	10			st.	10		
27	29·75	29·76	25·5	36·5	36·5	24·5	90	64	N.W.	8	S.	28	T.	T.	nb.	10			nb.	10		
28	29·67	30·02	33·3	23·0	36·5	23·0	86	65	N.W.	22	N.W.	20	·21		cu.st	5						
29	30·20	30·32	15·0	18·5	23·3	13·5	63	69	N.W.	7	N.	4									cu.	5
30	30·52	30·23	7·5	28·0	28·0	7·0	77	69	N.	10	S.	18							st.	10		
31	29·59	29·57	44·5	33·0	45·0	26·0	97	95	S.W.	17	N.W.	18		·12	nl.	10						

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld. January, 1908.

Day	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation		Clouds							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper		Lower		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Vel.	Kind	Vel.	Kind	Vel.	Kind	Vel.
	in.	in.											in.	in.								
1	29·46	29·68	26·5	25·0	36·5	23·5	100	100	N.W.	14	W.	14	T.									
2	29·62	29·62	22·0	26·0	30·0	20·0	72	87	N.	6	N.W.	8										
3	29·81	29·86	14·0	16·0	26·0	13·0	63	65	N.W.	8	N.	4			st.	3						
4	29·86	29·81	15·0	17·0	18·0	12·0	64	83	N.W.	4	S.E.	10										
5	29·74	29·30	26·5	33·0	33·0	15·0	87	89	S.W.	5	S.E.	25			st.	8						
6	29·12	29·53	32·0	25·0	36·0	25·0	78	87	S.W.	12	N.W.	13										
7	29·82	30·12	29·0	28·0	32·0	22·0	88	77	S.W.	8	S.W.	2										
8	30·07	29·58	33·0	46·0	46·0	26·0	89	76	S.W.	4	S.W.	12	.	·04								
9	29·73	29·53	37·0	36·0	46·0	34·0	80	100	S.	7	S.	1					ci.cu	4	.			
10	29·51	29·73	38·0	32·0	38·0	32·0	90	89	S.	13	N.W.	6	·04				ci.cu	4	st		5 ci.cu.	4
11	29·89	30·01	28·5	23·0	32·0	23·0	88	86	N.W.	12	N.W.	8					ci.st.	4			ci.cu.	4
12	30·00	29·92	27·5	30·0	33·0	20·0	88	89	S.W.	10	S.W.	3			st.	1	ci.	2				
13	29·27	28·92	32·5	41·0	42·0	30·0	100	73	S.E.	16	S.W.	15	·30	·12							ci.cu	5
14	29·03	28·94	32·0	30·0	41·0	30·0	49	89	S.W.	7	S.W.	12										
15	28·94	29·23	23·0	23·0	30·0	18·0	86	73	N.W.	20	N.W.	17	·20								ci	2
16	29·75	29·71	23·0	26·0	28·0	21·0	73	75	N.W.	14	S.W.	5					ci.	4				
17	29·15	29·71	36·0	14·5	39·0	14·5	80	81	S.W.	16	N.W.	11	·70		st.	1	ci	1				.
18	29·88	29·46	22·0	32·0	33·0	13·0	72	86	S.W.	5	S.W.	0	.									
19	29·23	29·00	24·0	20·0	26·0	20·0	61	70	N.W.	8	N.W.	12	·35	..	ci	2						
20	29·22	29·77	10·5	6·0	20·5	5·0	100	100	N.E.	26	N.W.	19	·30	.								
21	29·84	29·85	5·0	16·0	16·0	4·0	75	66	S.W.	5	S.W.	2									ci.cu	5
22	29·72	29·54	30·5	34·0	34·0	16·0	89	89	S.W.	9	S.W.	13							st.	6		
23	29·39	29·90	37·0	23·0	40·0	23·0	80	86	S.W.	10	N.W.	14	·64									
24	30·15	29·72	13·0	23·0	23·0	11·0	62	86	N.	0	N.E.	14					ci.st	4				
25	29·28	28·82	29·0	40·0	41·0	22·0	77	57	N.E.	14	S.W.	9	40									
26	29·62	30·12	28·0	33·0	33·0	28·0	76	80	S.W.	15	S.W.	8	·02				cu	2				.
27	30·25	30·03	33·0	39·0	42·0	33·0	90	81	S.E.	6	S.E.	8	·01	·68								
28	29·58	30·09	37·0	33·0	44·0	33·0	51	89	S.W.	9	S.W.	10	·49	·20							.	
29	30·21	30·04	26·0	31·0	33·0	26·0	75	100	S.W.	1	N.E.	5					ci.cu	4				
30	29·72	29·39	36·0	41·0	43·0	31·0	80	100	S.	2	S.	10	·56	·19								
31	29·50	29·63	30·0	23·0	41·0	23·0	90	73	S.W.	17	S.W.	10	20	·02	st.	5						

DAILY WEATHER REPORTS FOR THE YEAR 1908

St. John's Nfld.—February, 1908.

Day	Pressure 32°.		Air Temperature				Humidity.		Wind				Precipitation		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower		Upper	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.											in.	in.								
1	29·92	30·12	13·0	14·0	23·0	12·0	81	63	N.W.	10	N.W.	1										
2	29·92	29·40	25·0	35·0	35·0	9·0	74	89	S.E.	16	S.E.	17	·12									
3	29·34	29·67	33·0	23·5	35·0	23·5	100	86	S.W.	1	S.W.	11	62									
4	29·93	29·82	23·0	29·0	29·0	21·0	73	89	S.W.	3	N.E.	13	05									
5	29·50	29·72	30·0	17·0	30·0	17·0	89	83	N.	5	N.W.	8	70									
6	29·94	30·24	18·0	19·5	21·0	14·5	84	84	N.W.	6	N.	11	·40									
7	30·18	29·84	20·0	29·5	29·5	17·0	70	88	E.	6	S.	14										
8	29·66	29·79	28·5	26·0	34·0	26·0	76	75	S.W.	8	S.W.	1	30						st.	4	cu.	3
9	29·89	29·93	25·0	19·0	29·0	19·0	62	69	S.W.	1	N.W.	1	10				cu.	2			cu.	2
10	30·05	30·14	15·0	13·0	19·0	12·0	64	62	N.	13	N.W.	6										
11	30·07	30·02	6·5	9·5	13·0	3·0	92	56	N.W.	7	N.W.	0					cu.	5				
12	30·05	30·12	18·0	13·0	20·0	6·0	68	62	N.E.	8	N.	12										
13	30·14	30·15	10·0	10·5	16·0	8·0	37	58	N.	8	N.	1										
14	30·00	29·83	4·5	28·0	28·0	1·0	48	65	N.	1	W.	4										
15	29·80	29·59	31·0	36·0	36·0	28·0	68	90	W.	1	S.W.	9		·03								
16	29·71	29·69	47·5	49·0	50·0	36·0	84	92	S.W.	10	S.W.	12		·03			cu.	4		8		
17	29·73	29·73	46·0	44·0	49·0	39·0	92	100	S.W.	8	S.W.	3	17	56								
18	29·73	29·68	37·0	30·0	44·0	30·0	71	89	S.W.	5	N.W.	11	04	02				6				
19	29·48	30·05	28·0	22·0	30·0	22·0	76	72	N.W.	12	N.W.	9	10									
20	30·08	29·36	22·0	42·0	42·0	16·0	59	82	W.	0	S.E.	12		·64								
21	29·21	29·78	37·0	28·0	42·0	28·0	90	76	W.	10	W.	0	60		st.	3	cu.	3				
22	29·89	29·86	28·0	31·0	31·0	26·0	76	68	W.	4	S.	8										
23	29·22	29·80	37·0	29·0	43·0	29·0	90	77	S.	16	S.W.	11	20	10	st.	4	cu.	4				
24	30·11	29·89	31·0	30·5	33·0	24·0	78	100	S.	8	S.E.	5		05								
25	30·21	30·39	26·0	25·0	30·5	23·0	63	62	N.	14	N.E.	9					cu.	4		6		
26	30·23	30·14	31·0	33·5	33·5	23·0	78	89	E.	6	E.	0		·26								
27	30·17	30·10	36·0	35·0	37·0	33·5	90	89	E.	0	E.	1	01									
28	29·96	29·82	39·0	39·0	43·0	34·0	81	100	E.	6	S.E.	9	07	13								
29	29·52	29·67	41·0	35·0	47·0	35·0	100	100	S.	28	S.W.	10	13	·10								

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—March, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m				8 a m				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min.	8 a.m.	8 p.m.	Dir	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·73	29·78	32·5	26·0	34·0	26·0	79	88	S.W.	8	S.W.	11	·07		cu.	4			st.	2		
2	30·01	30·07	21·0	23·5	27·0	20·0	71	73	S.W.	12	W.	7			cu.	3						
3	30·05	29·93	23·5	26·0	26·0	21·0	86	87	W.	3	W.	11										
4	29·78	29·99	30·0	25·0	30·0	25·0	78	74	S.W.	5	S.W.	10	·80									
5	29·98	29·61	26·0	27·0	27·5	25·0	77	67	S.	9	S.	17										
6	29·69	30·03	25·0	16·0	27·0	16·0	74	82	S.	13	S.	1	·90									
7	30·08	30·00	12·0	28·0	28·0	8·0	41	76	W.	0	S.	12										
8	29·32	29·37	33·5	32·0	34·0	28·0	89	89	S.	6	S.	9	·12									
9	29·54	29·51	33·0	30·0	36·0	30·0	80	78	N.W.	14	N.W.	10			cu.	4						
10	29·30	29·36	24·0	10·0	30·0	10·0	86	58	N.W.	12	N.W.	13					cu.	2				
11	29·56	29·56	12·0	13·0	17·0	7·0	80	62	N.W.	10	N.W.	11			cu.	2						
12	29·46	29·50	24·0	23·0	33·0	10·0	86	73	S.	3	S.	3							cu.	3		
13	29·70	30·02	15·0	20·0	24·0	10·0	47	70	N.	9	N.	7			cu.	5						
14	30·05	29·86	28·5	37·0	40·0	18·0	76	80	S.	10	S.	12			cu.st.	5						
15	29·69	29·94	41·0	31·5	42·0	31·5	91	100	S.W.	9	S.W.	3	·42									
16	29·63	29·49	36·0	40·0	43·0	27·0	80	100	S.E.	5	S.W.	7		·03								
17	29·42	29·97	39·0	29·5	40·0	29·5	100	88	W.	10	N.W.	0	1·00									
18	30·02	29·84	30·0	25·0	32·5	25·0	89	73	N.W.	4	E.	4										
19	29·94	29·55	23·0	23·0	26·0	20·0	73	86	N.W.	4	E.	4										
20	29·14	29·69	20·0	15·0	23·0	15·0	100	64	N.	12	N.W.	6	·40	·10							ci.	2
21	29·83	29·77	16·0	17·0	24·0	9·0	49	67	N.W.	8	W.	4					ci.	4				
22	28·86	29·85	18·0	28·0	28·0	14·0	68	76	N.W.	6	S.W.	4										
23	29·65	29·93	34·5	31·0	38·0	28·0	79	89	S.W.	13	S.W.	13										
24	29·71	29·06	31·0	39·0	46·0	25·0	89	100	S.W.	5	S.W.	11		·74								
25	29·47	29·89	40·0	23·0	45·0	23·0	82	100	S.W.	11	N.	13										
26	30·33	29·96	13·0	29·0	29·0	8·0	43	88	N.W.	8	W.	11	·10									
27	29·79	29·96	41·0	30·0	41·0	29·0	82	89	S.W.	16	N.W.	6	·05	·18								
28	30·18	29·85	26·0	29·0	30·0	22·0	75	88	N.W.	6	E.	6										
29	29·68	29·87	31·5	25·0	31·5	25·0	100	74	N.	11	N.E.	7	·29									
30	29·48	29·33	24·0	20·0	25·0	20·0	73	70	E.	13	N.	17	·10									
31	29·67	29·88	23·0	23·0	27·0	17·0	59	73	N.E.	20	W.	3	·30				ci. st.	4				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—April, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1.	29·73	29·61	28·0	31·0	33·0	20·0	65	89	S.W.	6	S.	5	...	...	...	...	ci.st.	5	...	...	...	...
2.	29·48	29·02	32·0	35·0	35·0	29·0	79	100	N.E.	12	S.	5	...	1·50	...	...	...	...	...	...	...	...
3.	28·61	28·83	31·5	26·0	35·0	26·0	100	87	S.	10	S.W.	12	·12	...	...	...	...	...	...	...	...	...
4	28·99	29·28	30·0	27·0	32·0	26·0	67	76	S.W.	17	S.W.	9			...	...	ci.	5	...	...	...	...
5	29·48	29·69	28·0	25·0	30·0	24·0	65	74	W.	9	W.	8			...	...	...	...	...	...	ci.st.	5
6	29·91	29·84	27·0	32·0	35·0	20·0	76	79	W.	6	S.W.	9			...	...	...	...	...	...	...	...
7	29·86	29·89	37·0	36·0	44·0	32·0	71	89	W.	10	S.W.	11			...	...	...	...	...	...	...	...
8	29·73	30·06	45·0	26·0	45·0	26·0	84	75	W.	12	N.W.	12			...	...	ci.	4	...	...	ci.	7
9.	29·99	28·98	28·0	44·0	44·0	24·0	88	91	S.	7	S.W.	16		·65	...	...	...	...	...	...	...	...
10	28·86	29·42	29·0	31·0	44·0	28·5	77	89	N.W.	20	N.W.	10	·02	...	...	...	...	...	...	...	...	...
11	29·73	29·33	35·0	35·0	35·5	26·0	79	100	W.	10	S.	25	·05	·14	...	...	ci.	4	...	...	...	...
12	28·80	28·82	41·0	31·0	42·0	31·0	82	89	S.W.	12	W.	13	·84	...	...	...	...	...	...	...	...	...
13	29·09	29·42	32·0	29·0	34·0	29·0	89	88	N.W.	14	W.	11	...	...	...	...	...	...	...	...	...	...
14.	29·65	29·84	31·0	25·5	34·0	25·0	89	87	N.W.	2	N.	13	...	...	...	...	ci.	5	...	...	...	...
15	29·97	29·88	27·0	26·0	34·0	22·0	76	87	N.W.	11	W.	6	...	...	...	...	ci.	3	...	...	ci. cu.	2
16	29·44	29·45	32·0	27·0	46·0	26·0	79	76	S.	9	W.	9	...	...	...	...	...	...	...	...	ci.	4
17.	29·60	29·74	21·0	18·0	27·0	13·0	85	68	N.W.	10	N.W.	11		...	...	...	ci.	3	...	...	...	...
18	29·80	29·89	23·0	27·0	32·5	15·0	86	76	W.	6	W.	2	T.	...	...	...	ci.	2	...	...	...	...
19	29·79	29·59	37·0	38·0	41·0	25·0	90	90	S.W.	15	S.	20	·24	·15	...	...	...	...	...	...	...	...
20	29·15	29·42	41·5	34·0	42·5	34·0	91	100	S.	12	W.	8	·95	·39	...	...	...	...	...	...	...	...
21.	29·55	29·28	34·0	40·0	40·0	32·0	89	100	S.	4	S.	10	·08	·49	...	...	...	...	...	...	...	...
22.	29·54	29·63	32·0	31·5	40·0	25·0	89	89	S.	8	S.W.	5	·29	...	...	...	ci.	3	...	...	...	...
23.	29·70	29·53	36·5	35·5	43·0	28·0	80	100	S.W.	7	S.	6	...	...	st.	3	ci.	2	...	...	...	...
24.	29·57	29·66	40·0	33·0	44·5	33·0	73	89	W.	9	N.W.	7	...	...	...	...	...	...	...	...	...	...
25.	29·79	29·71	36·5	35·0	49·0	28·0	70	79	W.	8	W.	12	...	...	...	...	...	...	...	...	...	...
26.	29·77	29·73	38·0	32·0	38·0	32·0	81	100	N.W.	5	S.	0	...	·05	...	...	...	...	...	...	...	...
27.	29·59	29·77	32·0	31·5	33·0	30·0	89	100	S.	9	N.	0	·08	·10	...	...	...	...	...	...	...	...
28	29·95	30·06	34·0	31·0	36·0	31·0	89	100	N.	8	N.	4	·06	...	...	...	...	...	...	...	...	...
29.	30·01	29·86	37·0	32·0	38·0	29·0	80	89	N.	8	N.	2	...	...	...	...	...	...	...	...	...	...
30	29·78	29·84	33·0	35·0	38·0	31·5	100	89	N.	6	N.	2	...	...	...	...	...	...	...	...	...	...

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—May, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·89	29·93	37·5	35·5	42·0	34·0	80	100	N.	7	N.	1										
2	29·82	29·67	36·5	36·0	42·0	31·0	100	100	N.	8	N.	0										
3	29·58	29·59	40·0	36·5	47·0	34·0	91	100	N.W	1	S.	2	·17									
4	29·42	29·29	33·0	33·0	36·5	32·0	100	100	S.E.	3	N.	8	·03	·48								
5	29·36	29·46	33·0	34·0	34·0	33·0	100	100	S.E.	7	N.	21	·13	·30					nb.	10		
6	29·65	29·89	35·0	33·0	35·0	33·0	100	89	N.E.	24	N.	18	·03	·02	nb.	10			st.	10		
7	30·06	30·19	34·0	30·5	40 0	30·0	100	100	N.	11	E.	0			nb.	10						
8	30·13	29·99	41·0	37·0	47·0	28·5	65	80	W.	3	W.	9					cu.	1				
9	29·80	29·44	34·0	43·0	43·0	33·0	100	100	S.	13	S.	1	·20	·26	st.	10						
10	29·43	29·42	58·5	47·0	66·0	43·0	61	92	W.	2	W.	8	·01				cu.	3				
11	29·14	29·29	52·0	43·5	64 0	42·0	86	100	S.W.	6	S.W.	12			st.	3	cu.	3			cu.	2
12	29·50	29·75	53·0	44·0	58·0	40·0	60	75	W.	15	W.	12					cu.	2	st.	4	cu.	2
13	29·48	29·56	53·0	43·0	53·0	39·0	86	83	W.	10	N.W.	8							st.	5	cu.	3
14	29·49	29·54	43·0	34·5	48·0	33·0	66	100	W.	6	W.	4		·05			ci.	2				
15	29·54	29·64	46·0	37·0	52·0	34·5	61	90	W.	8	W.	8			nb.	1	ci.st.	1			cu.	7
16	29·83	29·99	38·0	30·0	42·0	30·0	62	100	W.	14	W.	12	T.				ci.	5			cu	3
17	29·92	29·91	49·0	45·0	57·0	29·0	43	60	W.	16	W.	4					ci st.	6	st.	6		
18	29·94	29·90	55·0	47·0	57·0	43·0	68	84	W.	5	S.	7		·07	st.	4						
19	29·86	29·87	43·0	40·0	47·0	39·0	100	91	S.E.	1	E.	1	·20	·07								
20	29·97	29·98	46·0	43·5	54·0	40·0	92	100	W.	2	S.	1	·02									
21	30·00	30·19	59·0	38·0	69·0	42·0	87	100	S.W.	3	N.E.	13					cu.	3				
22	30·35	30·35	40·0	33·5	42·0	33·0	73	100	N.E.	10	E.	0					ci.st.	5				
23	30·22	29·99	52·5	41·5	67·0	31·0	47	100	S.W.	9	S.W.	13					ci.	2				
24	29·71	29·60	58·5	43·0	59·0	41·0	100	91	S.W.	16	S.W.	8		·09	cu.	6						
25	29·76	29·77	48·0	36·5	49·0	36·5	56	90	N.W.	12	W.	2					ci. cu.	4	st.	3		
26	29·59	29·64	53·0	37·5	56·0	36·5	60	100	W.	6	N.	2		·03			ci. cu.	5				
27	29·81	29·92	35·0	32·5	41·0	32·5	89	89	N.E.	6	N.E.	8							st.	3		
28	30·07	30·22	36·5	32·0	38·0	29·0	70	89	N.E.	10	N.E.	4					ci. cu.	5				
29	30·18	29·97	40·5	38·0	42·0	26·0	55	90	S.W.	6	S.W.	3		·04			ci. cu.	2				
30	29·73	29·93	48·6	45·0	62·0	38·0	92	84	S.W.	8	E.	2	·15									
31	30·00	29·65	49·5	40·5	51·0	38·5	71	100	E.	4	N.E.	9		·04			ci. cu.	5				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—June, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·52	29·73	53·0	36·5	54·0	36·5	79	100	W.	11	N.E.	8	·40									
2	29·63	29·43	38·0	40·0	40·0	36·0	100	100	N.E.	6	N.E.	0	·04	·27								
3	29·47	29·69	52·0	38·0	55·0	38·0	72	90	W.	10	W.	13	·04									
4	29·92	30·06	47·0	41·0	52·0	37·0	69	82	W.	7	W.	4										
5	30·11	30·17	48·0	41·0	49·0	38·0	63	91	S.E.	7	C.	0										
6	30·12	29·92	58·0	44·0	64·0	38·0	92	83	W.	5	C.	0										
7	29·80	29·82	50·0	45·0	54·0	43·0	78	91	W.	5	S.	9	·04									
8	29·58	29·87	57·0	37·0	61·0	42·0	87	90	W.	12	N.	9		·01								
9	29·81	29·76	38·0	40·0	42·0	37·0	100	91	S.E.	7	C.	0	·16	·01								
10	29·71	29·82	58·0	57·0	80·0	39·5	75	93	C.	0	S.W.	11										
11	29·85	29·85	68·0	65·0	79·0	56·0	84	89	S.W.	6	S.W.	2										
12	29·73	29·99	53·0	43·0	68·0	53·0	100	91	S.	2	N.W.	6	·05									
13	30·05	30·11	47·0	45·5	49·0	41·0	54	91	E.	3	C.	0										
14	30·15	30·09	45·5	47·0	48·0	42·5	63	92	E.	7	S.	2		T.								
15	30·09	30·02	52·0	51·0	60·5	45·0	86	92	S.E.	6	C.	0										
16	29·98	29·94	60·0	64·0	70·0	50·0	88	94	S.E.	10	C.	0										
17	29·80	29·77	64·0	50·0	68·0	50·0	83	71	S.	2	S.	4	·02									
18	29·87	29·73	62·0	56·0	67·0	42·0	56	62	W.	14	W.	8										
19	29·72	29·53	57·0	51·0	62·5	49·0	69	85	W.	6	W.	10		·08								
20	29·56	29·77	52·0	39·5	56·0	39·0	93	90	N.W.	3	E.	2	·22									
21	29·68	29·52	42·0	55·0	55·0	38·0	91	93	S.	5	S.	8										
22	29·46	29·45	56·0	57·0	76·0	52·0	87	93	E.	4	E.	6										
23	29·42	29·57	52·0	42·0	57·0	42·0	93	100	N.W.	6	W.	4	·16	·12								
24	29·59	29·73	44·0	45·0	53·0	40·0	80	83	W.	10	W.	8	·35	·02								
25	29·77	29·68	64·0	57·0	70·0	40·0	57	92	W.	9	W.	14										
26	29·53	29·76	60·0	51·0	67·0	47·0	54	85	W.	10	W.	10	·04									
27	29·84	29·84	63·0	64·0	75·0	46·0	93	100	W.	12	W.	8										
28	29·88	30·01	72·0	48·0	72·5	48·0	66	77	S.W.	4	E.	4										
29	29·95	29·86	58·0	61·0	78·0	48·0	69	88	E.	1	W.	4										
30	29·82	29·87	74·0	57·5	79·0	58·0	76	93	W.	2	C.	0		·04								

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—July, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.						
1	29·93	29·93	56·0	52·0	61·0	48·0	80	93	S.E.	4	S.E.	4								
2	29·99	29·89	63·0	66·0	83·0	48·0	72	89	S.	1	S.	1					ci.st.	4		
3	29·86	29·83	76·0	63·0	80·0	56·0	94	88	W.	1	N.W.	1					ci.st.	4	st.	4
4	29·96	30·02	58·0	51·5	66·0	37·5	81	92	N.	6	W.	1							st.	8
5	29·98	30·02	74·0	62·0	82·0	51·0	94	88	W.	10	W.	7					cu.	3		
6	29·98	29·74	68·0	54·0	72·0	54·0	70	100	W.	7	W.	8		·34	st.	5			nb.	10
7	29·63	29·78	57·0	51·0	68·0	51·0	93	100	S.E.	1	N.E.	1			nb.	10			nb.	10
8	29·88	29·95	51·0	49·0	52·0	47·0	92	100	N.E.	5	E.	3	·03	·11	nb.	10			nb.	10
9	29·87	29·89	52·0	59·0	64·0	48·0	100	93	S.	4	S.W.	2	·07		nb.	10			nb.	10
10	29·96	29·97	68·0	54·0	70·0	54·0	79	100	W.	5	W.	1					ci.cu.	2		
11	29·94	29·81	78·0	64·0	78·0	52·0	94	100	W.	1	W.	5					ci.	1		
12	29·68	29·62	76·0	63·0	80·0	61·0	77	94	S.W.	11	S.W.	12					cu.	4		
13	29·58	29·69	69·0	66·0	80·0	62·0	80	83	S.W.	10	S.W.	1					cu.	2		
14	29·59	29·55	64·0	61·5	76·0	61·5	94	88	S.W.	6	S.W.	10	·81							
15	29·61	29·32	64·0	62·0	64·0	55·0	83	94	S.W.	1	S.W.	10		·25	nb.	10			nb.	10
16	29·33	29·54	61·0	55·0	71·0	55·0	94	86	S.E.	1	W.	6	·01		st.	7				
17	29·67	29·80	65·0	56·0	76·0	53·0	68	87	W.	7	W.	12								
18	29·91	29·90	69·0	61·0	74·0	52·0	51	88	W.	10	S.W.	5							nb.	10
19	29·70	29·81	60·0	60·0	68·0	58·0	94	100	S.W.	14	W.	1	·05	·14	nb.	10			nb.	10
20	29·97	30·03	53·0	51·0	70·0	51·0	93	92	N.E.	7	E.	8	·06	·05	nb.	10			nb.	10
21	29·77	29·77	66·0	52·5	70·0	51·0	94	86	S.W.	6	N.W.	10	·65				cu.	6		
22	29·92	30·05	55·0	54·0	65·0	49·0	80	93	N.W.	12	E.	1			st.	4	ci.	1		
23	30·00	29·92	65·0	59·0	72·0	53·0	83	100	W.	9	S.	1		·11			ci.st.	5	nb.	10
24	30·07	30·16	53·0	47·5	59·0	47·5	86	92	N.	11	N.	1	·01		nb.	10			st.	6
25	30·15	29·97	60·0	52·0	66·0	37·0	65	100	S.E.	5	S.W.	0					cu.	3	nb.	10
26	29·77	29·76	67·0	49·0	72·0	49·0	74	100	S.W.	17	N.E.	3		·01			cu.	2	st.	5
27	29·71	29·87	58·0	51·0	60·0	44·0	75	85	N.W.	8	S.	1								
28	29·91	29·95	59·0	48·0	60·0	40·0	64	100	S.E.	4	W.	1								
29	29·95	29·95	58·0	51·0	62·0	39·0	100	92	S.E.	1	S.W.	3					ci.	2		
30	29·85	29·79	62·0	59·0	74·0	50·0	71	93	S.W.	6	S.W.	4					cu.	2		
31	29·74	29·70	68·0	63·0	79·0	57·0	74	88	S.W.	6	S.W.	8					ci.	4		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—August, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·68	29·66	70·0	68·0	79·0	61·0	79	94	S.W.	12	S.W.	16										
2	29·74	29·80	67·5	67·0	78·0	64·0	100	100	S.W.	10	S.W.	10	·18	·04	nb.	10			nb.	10		
3	29·61	29·89	66·0	56·0	70·0	61·0	94	93	S.W.	10	C.	0										
4	30·09	30·12	55·0	46·0	56·0	46·0	80	92	N.E.	3	C.	0					cu.	4				
5	30·12	30·11	49·0	50·5	51·0	45·0	92	100	N.E.	10	N.	10		·02	nb.	10			nb.	10		
6	30·08	30·03	54·0	56·0	61·0	50·5	100	93	E.	10	E.	10	·02		nb.	10			nb.	10		
7	30·00	29·97	63·0	67·0	75·0	56·0	94	89	S.E.	5	S.W.	6										
8	30·00	29·90	70·0	66·0	76·0	63·0	89	94	S.E.	5	S.W.	6					cu.	5	st.	6		
9	29·86	29·77	63·0	62·0	65·0	58·0	92	88	S.	4	S.W.	6					cu.	4			cu.	6
10	29·67	29·75	68·0	65·0	88·0	60·0	89	89	W.	4	W.	2	·23									
11	29·82	29·81	73·0	65·0	79·0	59·0	62	83	S.E.	3	C.	0					cu.	5			ci.st.	4
12	29·87	30·00	73·0	62·0	75·0	59·0	76	88	N.W.	1	C.	0									ci. cu.	4
13	29·99	30·02	59·0	60·0	68·0	56·0	93	88	E.	2	S.W.	2	·01				ci.	10				
14	29·97	29·81	70·0	65·0	70·0	57·0	61	89	W.	6	S.W.	11					ci. cu.	10				
15	29·75	29·70	68·0	67·0	78·0	63·0	94	89	W.	7	N.W.	2	·70		st.	2	cu.	2				
16	29·85	29·99	52·0	45·0	52·0	45·0	86	76	N.E.	17	N.	3	·04	·06	nb.	10						
17	30·04	29·97	56·0	50·5	60·0	42·0	62	92	N.	7	C.	0										
18	29·86	29·70	54·5	50·5	57·0	43·0	74	92	N.E.	5	C.	0					ci.st.	5	st.	2		
19	29·55	29·50	56·0	55·0	61·0	49·0	87	93	S.E.	9	N.W.	4	T.	·20								
20	29·56	29·52	60·0	60·0	68·0	54·0	88	100	W.	6	W.	3	·18						st.	5		
21	29·52	29·61	63·00	55·5	67·0	53·0	72	65	N.W.	5	W.	6		T.			cu.	2	st.	1		
22	29·88	29·86	62·0	60·0	72·0	51·0	71	82	W.	9	W.	13					ci.st.	2				
23	29·85	29·61	64·0	64·0	71·5	60·0	83	100	W.	10	W.	8		·09	nb.	10			nb.	10		
24	29·70	29·70	62·0	56·5	68·0	56·5	77	81	W.	6	W.	8					ci.	6			ci.st.	1
25	29·89	29·92	59·0	55·0	69·0	54·5	70	86	W.	6	W.	6			st.	8						
26	30·00	30·02	60·0	57·0	66·5	51·5	76	70	N.W.	10	W.	7			cu.	7						
27	30·10	30·20	57·0	46·0	62·0	46·0	69	100	N.W.	3	C.	0					ci. cu.	6				
28	30·18	30·01	54·0	50·5	55·0	42·5	80	85	S.E.	6	S.E.	14		·10	nb.	10			nb.	10		
29	29·88	29·96	54·0	45·0	59·0	45·0	86	100	N.E.	10	C.	0	·14		nb.	10						
30	29·93	29·87	59·0	54·0	67·0	45·0	81	100	S.	1	C.	0					ci. cu.	6	st.	2		
31	29·77	29·79	59·0	53·0	64·0	52·0	81	93	N.	6	N.E.	12			st.	2	ci. cu.	2				

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—September, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.	°	°	°	°							in	in								
1	29·82	29·76	53·0	56·0	60·0	50·0	79	87	N.	12	S.W.	1	T.		nb.	10			nb.	10		
2	29·68	29·69	67·0	60 0	77·0	54·0	74	88	S.	16	S.W.	11	T.				ci.st.	5				
3	29·75	29·73	68·0	62·0	78 0	54 0	79	94	S.W.	12	S.W.	10					ci. cu.	2				
4	29·76	29·77	64·0	58·0	75·0	58·0	88	81	C.	0	W.	6							st.	2	ci. cu.	2
5	29·97	30·04	55·0	53·0	59·0	51·0	80	93	N.W.	5	C.	0	T.								ci. cu.	10
6	30·08	30·13	58·0	52·0	68·0	51·5	81	86	S.W.	3	S.W.	3									ci. cu.	3
7	30·12	29·87	58·0	56·0	59·0	46·0	81	93	S.	12	S.	15			st.	7						
8	29·74	29·81	62·0	56·0	71·0	55·0	88	87	S.	6	W.	3	·17		nb.	10			nb.	10		
9	29·87	29·90	56·0	52·0	63·0	51 0	80	93	N.W.	7	W.	6					ci. cu.	2				
10	29·92	29·86	60·0	57·0	66 0	44·0	65	93	S.W.	5	S.W.	15					ci. cu.	5				
11	29·82	29·60	62 0	60·0	74·0	56·0	82	93	N.W.	1	S.W.	11					ci.	3				
12	29·78	29·83	60·0	62·0	67·0	52 0	70	93	N.W.	12	W.	8					ci. cu.	1				
13	29·87	29·81	60·0	53·0	71·0	45 0	59	93	S.W.	8	C.	0					ci. cu.	3	st.	2		
14	29·65	29·66	58·0	53·0	62 0	52 5	93	100	C.	0	N.	3			cu. st.	6						
15	29·76	29·96	48·0	41·0	53·0	41 0	92	91	N.E.	20	S.W.	10	·04	·08	nb.	10						
16	29·90	29·86	56·0	58·0	68·0	41 0	80	87	N.W.	12	W.	11					ci. cu.	2				
17	29·88	29·78	60 0	52·5	64·0	52·5	82	100	W.	2	C.	0					ci.st.	4				
18	29·64	29·10	59·0	60·0	62·0	52·0	100	100	S.E.	10	E.	3	·11	·52	nb.	10			nb.	10		
19	29·34	29·49	61·0	44·0	64·0	44·0	94	100	N.W.	8	N.E.	18	·06	·31					nb.	10		
20	29·68	29·89	47·0	38·0	49·0	38 0	83	82	N.	15	N.	2	·02	·07	st.	3	cu.	3				
21	29·91	29·90	47·0	51·0	59·0	36·0	69	85	N.W.	15	W.	8	T.						st.	8		
22	29·77	29·71	54·0	53·0	62·0	50·5	86	85	S.W.	9	W.	5							st.	3		
23	29·74	29·80	56 0	57·0	66 0	51 0	87	93	N.W.	5	S.W.	5					cu.	2				
24	29·77	29·71	60·5	58·0	74·0	55·0	88	71	W.	16	W.	13					ci.	4				
25	29·78	29·67	58·0	49 0	64·0	49 0	81	71	N.	7	N.W.	5					ci.	3				
26	29·76	29·80	50·0	48 0	55·0	47·0	46	70	N.W.	8	N.W.	9					ci.	2				
27	29·76	29·85	48·0	43·0	51 0	43 0	77	91	N.	8	N.	5			st.	3	ci. cu.	2				
28	29·94	29·98	45·0	41·0	53 0	40 0	76	91	N.	12	C.	0					ci. cu.	2				
29	30·00	29·93	49·0	53·0	64 0	37 0	71	86	W.	1	S.W.	7										
30	29·92	30·01	56·0	60·0	68·0	50 0	87	100	S.W.	3	S.W.	9							st.	2		

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—October, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind	Amt.
	in.	in.											in.	in.								
1	30·14	30·15	59·0	47·0	61·0	47·0	81	100	N.E.	1	C.	0		..		.	.	..	..	.	...	....
2	30·13	29·93	61·0	54·0	63·0	45·0	94	100	S.	1	S.W.	6						..	..		..	....
3	29·69	29·56	45·0	49·0	59·0	43·0	100	85	S.	16	S.W.	12	·02	·17					st.	5	....	...
4	29·75	29·84	45·0	41·0	49·0	41·0	76	91	N.W.	12	C.	0	·01	T.			ci.	3	. .		..	..
5	29·76	29·78	41·0	36·0	46·0	36·0	73	100	N.W.	8	N.	3	·02	08				..	st.	4	.	...
6	29·90	30·01	41·0	34·0	46·5	34·0	82	100	N.W.	9	N.W.	6		·04		.	ci.	3	.	..	...	..
7	29·95	29·90	48·0	50·0	60·0	34·0	70	85	W.	12	S.W.	5				.	ci.	1	.	..	.....	....
8	29·90	29·86	53·0	50·0	62·0	47·0	86	92	S.W.	9	S.W.	7	T.	.		.	ci.st.	5	..	....	ci.st.	8
9	29·85	29·84	52·0	47·0	67·0	44·0	66	92	W.	6	N.E.	2						..	..	..	..	....
10	29·67	30·04	47·0	36·0	47·0	36·0	100	90	S.E.	2	C.	0	·17	·21					..	..	..	...
11	30·18	29·79	41·0	52·0	59·0	34·0	82	86	W.	3	S.W.	13			st.	1	ci.	4	.	..	.	....
12	29·43	29·59	60·0	41·0	61·0	41·0	94	91	W.	12	W.	14	·29	·18					.	.	....	....
13	29·99	29·74	39·0	44·0	48·0	34·0	72	83	N.W.	14	S.W.	13	·05				ci.	3	st.	2	ci.cu.	1
14	29·69	29·85	49·0	44·0	54·0	44·0	85	91	S.W.	15	E.	4					ci.	4	st.	7	.	....
15	29·90	29·73	46·0	48·5	59·0	33·0	84	92	S.W.	8	W.	8				.	cu. st.	5	..	.	...	...
16	29·73	29·73	50·0	53·0	64·5	46·0	85	79	W.	4	S.W.	4						.	st.	3	. .	....
17	29·85	29·92	52·0	40·0	54·0	49·0	86	100	N.W.	4	C.	0						..	st.	2	....	....
18	29·77	29·65	48·0	51·0	59·0	39·0	92	67	S.W.	3	S.W.	9	.						..	.	..	....
19	29·61	29·50	63·0	41·0	61·0	41·0	86	100	C.	0	N.	12	. .					..	...	.	....	....
20	29·60	29·87	38·0	35·0	40·0	35·0	90	89	N.	16	N.W.	15	·26	·05				..	.....	.	.	...
21	29·88	29·96	37·0	35·0	40·0	33·0	80	89	N.W.	12	N.W.	5	·01	·02	st.	4	ci.	3	st.	2	..	..
22	30·04	30·09	36·0	31·0	40·0	31·0	90	100	N.W.	7	C.	0	·12				ci.	4	...		.	....
23	29·93	29·79	44·0	49·0	58·0	31·0	75	78	W.	9	W.	9					ci.	2	..	..	..	....
24	29·90	29·91	44·0	44·0	55·0	41·0	83	91	S.W.	2	C.	0			st.	4	.	.	st.	8	..	....
25	29·98	30·12	39·0	34·0	40·0	33·0	72	79	N.	12	N.	6					ci. cu.	3	....	..	..	....
26	30·19	30·19	35·0	37·0	40·0	31·0	79	90	N.	6	C.	0					cu. st.	5	.		.	.....
27	30·15	29·98	38·0	41·0	41·0	36·0	91	91	W.	2	C.	0			cu. st.	10			cu. st.	10	..	....
28	29·75	29·40	47·0	48·0	51·0	41·0	92	100	S.	7	W.	10	·01	·30	n.b.	10			n.b.	10	.	...
29	29·46	29·56	49·0	40·0	52·0	40·0	85	82	N.W.	10	W.	11	08	·02	cu. st.	10			cu. st.	10	..	..
30	29·70	29·41	41·0	44·0	44·0	40·0	100	91	N.E.	15	S.E.	16	·05	·04	n.b.	10	.	.	n.b.	10	....	....
31	29·09	29·37	53·0	42·0	55·0	42·0	100	91	S.W.	8	S.W.	8	·96		cu. st.	10					.....	...

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—November, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.							
									8 a.m.		8 p.m.				8 a.m.				8 p.m.			
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind	Amt.	Kind	Amt.	Kind	Amt.	Kind.	Amt.
	in.	in.	°	°	°	°							in.	in.								
1	29·46	29·47	42·0	34·5	45·0	34·5	82	100	S.W.	9	S.W.	3	.	·01	. .	. .	ci.	2	. . .	. .	. .	. . . .
2	29·39	29·36	35·0	35·0	41·0	31·0	79	79	S.W.	8	N.W.	7	·01	·01	st.	2	ci.	2	. . .	.	ci.	3
3	29·41	29·42	35·0	34·0	45·0	32·0	79	89	N.	9	C.	0			st.	1	. .	.	cu. st.	10	. . . .	. . . .
4	29·68	29·83	36·0	41·0	41·0	29·0	89	82	N.W.	7	S.	2			. .	.	. .	.	st.	5	. . . .	. . . .
5	29·66	29·28	47·0	52·0	53·5	41·0	92	93	S.	14	S.	28	·03	·61	nb.	10	. .	.	cu. st.	10	. . . .	. .
6	29·11	29·30	40·5	34·5	42·0	34·5	91	100	S.W.	12	S.	4	·93		cu. st.	10	. .	.	. .	.	ci.	7
7	29·45	29·47	36·0	41·0	46·0	33·0	90	91	S.W.	2	C.	0	·05	·08	. .	2	. . .	.	nb.	10	. . . .	. . . .
8	29·39	29·55	41·5	38·5	42·5	38·5	100	100	W.	2	N.W.	7	·15	·57	nb.	10	. . .	.	cu. st.	10	. . . .	. . . .
9	29·68	29·78	40·0	37·0	42·0	37·0	91	100	N.E.	9	N.	1	·05		cu. st.	10	. . .	.	. . . .	.	. . .	. . .
10	29·85	29·85	34·0	35·0	41·5	31·0	100	89	W.	6	C.	0	T.		. .	.	ci.	5	. .	.	ci.	8
11	29·87	29·86	34·0	33·5	40·0	32·0	89	100	N.W.	6	S.W.	3			. .	.	ci.st.	3	st.	5	. .	. . . .
12	29·62	29·68	34·0	52·0	52·0	31·0	89	93	S.W.	1	S.W.	15	T.	·31	cu. st.	10	. .	.	nb.	10	. .	. . .
13	29·95	29·18	36·0	32·0	52·0	0 3	2·90	100	W.	8	S.W.	8	·05		st.	4	. .	.	cu. st.	10	. .	. . .
14	29·41	29·83	29·0	32·0	32·0	28·0	88	81	N.W.	10	N.W.	2	·05	.	cu.	4	. .	.	. .	.	ci.	3
15	29·97	29·69	35·0	42·0	42·0	28·0	89	91	S.W.	2	S.	19	. .		cu. st.	4	. .	.	cu. st.	10	. .	. .
16	29·63	29·82	38·0	35·0	42·0	35·0	90	89	S.W.	17	S.W.	5	·43	. .	. . .	. .	ci.	3	. .	.	. . .	. .
17	29·84	29·20	34·0	39·0	43·0	32·0	89	90	S.E.	1	S.E.	7		·18			ci.st.	6	nb.	10	.	. . .
18	29·31	29·73	38·0	35·0	40·0	35·0	90	89	S.W.	16	S.W.	10	·06	·02	cu. st.	10	. .	.	cu. st.	10	. . .	. . . .
19	29·88	29·48	40·0	48·0	48·0	33·0	82	100	S.	20	S.	12		·02			cu.	4			. .	. . . .
20	29·43	29·87	39·0	33·0	52·0	33·0	90	89	N.W.	8	C.	0	·47	·01	cu. st.	10	. .	.	cu. st.	10	. . .	. . . .
21	29·98	30·07	31·0	30·5	36·0	30·0	89	100	C.	0	S.	1		.	cu. st.	5	. .	.	cu. st.	10	. . .	. . .
22	30·02	30·04	31·0	35·0	36·0	30·0	89	89	N.	6	N.	5	. .	. . .	. .	.	ci.	5	. .	.	. . .	. . .
23	30·18	30·12	34·0	35·0	36·0	32·0	79	79	C.	0	S.W.	2	.		cu. st.	5	. .	.	cu. st.	10	. .	. . .
24	30·00	29·77	42·0	45·0	47·0	34·0	82	92	S.W.	12	S.W.	12			cu. st.	10	. .	.	cu. st.	10	. . .	. . .
25	29·92	30·11	40·0	31·0	40·0	31·0	91	100	N.E.	14	N.W.	4	. .		cu. st.	10	. .	.	cu. st.	10	. .	. . .
26	30·28	30·17	30·0	27·0	33·0	26·0	89	87	N.	9	S.W.	3			cu. st.	10	. .	.	cu. st.	10	. . .	. . .
27	29·75	29·20	41·0	43·0	54·0	26·0	82	91	S.	10	S.W.	13		·10	cu. st.	10	. .	.	st.	2	.	. .
28	29·26	29·38	39·0	32·0	43·0	32·0	90	100	N.W.	13	N.W.	8			cu. st.	3	ci.	2	. .	.	. . .	. .
29	29·46	29·43	31·0	29·0	36·0	29·0	89	100	W.	3	S.W.	2			st.	5	. .	.	. .	.	. .	. .
30	29·50	29·67	29·0	19·0	32·5	19·0	88	100	N.W.	2	N.W.	15			cu. st.	10	. .	.	st.	7	. . .	. . .

DAILY WEATHER REPORTS FOR THE YEAR 1908.

St. John's, Nfld.—December, 1908.

Day.	Pressure 32°.		Air Temperature.				Humidity.		Wind.				Precipitation.		Clouds.					
									8 a.m.		8 p.m.				8 a.m.				8 p.m.	
															Lower.		Upper.		Lower.		Upper.	
	8 a.m.	8 p.m.	8 a.m.	8 p.m.	Max.	Min.	8 a.m.	8 p.m.	Dir.	Vel.	Dir.	Vel.	8 a.m.	8 p.m.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.	Kind.	Amt.
	in	in	°	°	°	°							in	in								
1.	29·85	29·59	19·0	28·5	28·5	18·0	84	88	N.W.	3	S.	10	·10		cu.st.	5			cu.st.	10		
2.	29·20	29·08	37·0	30·5	42·0	28·5	90	89	S.W.	3	N.W.	19	·16		cu.st.	10					ci.	5
3.	29·17	29·41	23·5	25·0	30·5	22·0	100	87	N.W.	24	N.W.	17	·20		nb.	10					ci.	5
4.	29·73	30·15	26·0	25·5	29·0	24·0	87	100	N.W.	15	W.	4			cu.st.	3			cu.st.	10		
5.	30·00	29·48	37·0	50·0	50·0	25·0	90	92	S.W.	12	S.W.	17	·21		nb.	10			cu.st.	10		
6.	29·68	30·23	34·0	16·0	54·0	16·0	89	82	N.W.	11	N.W.	11	·47				ci.	4				
7.	30·40	30·24	21·0	28·0	28·0	16·0	30	88	N.W.	6	S.W.	5			st.	1	ci.	2	cu.st.	10		
8.	29·42	29·34	43·0	36·0	50·8	28·0	91	89	S.W.	12	S.W.	18	·55	·07	nb.	10			st.	2	ci.	3
9.	29·56	29·75	32·0	36·0	36·0	30·5	89	75	N.W.	20	N.W.	2					cu.st.	5			ci.	2
10.	29·81	29·54	27·0	24·0	36·0	22·0	72	86	C.	0	N.W.	8			cu.st.				nb.	10		
11.	29·61	29·82	20·0	18·0	24·0	18·0	100	68	W.	16	N.	11	·20				cu.st.	3			ci.	2
12.	30·03	29·74	18·0	34·5	37·5	17·0	84	100	S.W.	4	S.E.	22					ci.	1	nb.	10		
13.	29·34	29·60	43·0	33·0	48·0	34·5	83	89	S.W.	22	S.W.	11	·96				ci.	2				
14.	29·55	29·17	37·0	36·0	50·0	35·0	90	89	S.	6	S.W.	30	·20	·41	nb.	10			st.	3		
15.	29·45	29·77	33·0	30·0	36·0	30·0	89	89	N.W.	26	W.	8			st.	5						
16.	29·80	29·07	31·0	33·0	33·0	28·0	78	100	S.E.	5	S.E.	16			cu.st.	10			nb.	10		
17.	28·92	28·93	32·0	30·0	34·0	30·0	89	89	S.W.	19	S.W.	9	·70				ci.nb.	4	nb.	10		
18.	29·16	29·48	28·5	22·0	30·0	22·0	88	72	N.W.	20	N.W.	5	·20				cu.st.	5	st.	2		
19.	29·48	29·59	12·0	21·0	24·5	10·0	61	71	S.W.	1	N.	2					ci.st.	5	cu.st.	10		
20.	29·73	29·56	17·0	24·0	28·0	16·0	67	88	S.W.	3	S.	4					ci.cu.	4	nb.	10		
21.	29·49	29·63	30·0	20·0	32·0	20·0	89	85	S.W.	8	N.W.	9			st.	5						
22.	29·73	29·88	12·0	12·0	20·0	11·0	61	61	S.W.	3	N.W.	6					ci.	3				
23.	30·14	30·07	7·0	5·0	12·0	5·0	53	75	N.W.	8	W.	8			st.	1	ci.	2				
24.	29·89	29·94	8·0	11·5	15·0	4·0	55	100	N.	8	S.W.	5			st.	2						
25.	30·06	29·91	23·0	33·0	33·0	11·5	73	89	S.W.	6	S.	8	·05		cu.st.	10			nb.	10		
26.	29·38	29·05	42·0	45·0	52·0	33·0	82	100	S.W.	18	S.W.	10	1·06	·34	nb.	10						
27.	29·31	29·70	32·0	30·0	30·0	30·0	89	100	N.	6	N.	1			cu.st.	10			nb.	10		
28.	29·89	29·30	30·0	33·5	36·0	28·0	89	100	S.W.	2	S.W.	16	·10	·48	cu.st.	10			st.	4		
29.	29·51	29·79	24·5	20·0	34·5	20·0	86	70	N.W.	24	N.W.	5					cu.st.	4				
30.	29·85	30·14	16·0	19·0	24·0	15·0	82	69	N.W.	12	N.	6			cu.st.	10			nb.	10		
31.	30·13	29·38	18·0	33·0	33·0	14·0	68	89	S.W.	16	S.W.	25			st.	5			nb.	10		

PART VII.

Magnetic Results at Agincourt Observatory; the Year 1908.

Latitude 43° 47′ N.; Longitude 79° 16′ W.

AGINCOURT MAGNETIC OBSERVATIONS.

Absolute measures of horizontal force have been made once a month by the method of vibration and deflection with Elliott magnetometer No. 98.

Constants, coefficients and corrections for this instrument were determined at Kew in 1906, and are as follows:—

The corrections for error of graduation of the deflection bar for 30 cms. is $-\cdot005$ cm. and for 40 cms. is $-\cdot006$ cm.

The true distance is deduced from the apparent distance by the formula:

$$r = r_0 \left\{ 1 + 0{\cdot}000017(t - O^\circ C) \right\}$$

The angular value of one scale division deflection apparatus $= 60''{\cdot}5$.

The angular value of one scale division collimator magnet $= 1'{\cdot}77$.

The temperature correction to collimator magnet $= \cdot000322\ (t - O^\circ C) + \cdot00000145(t - O^\circ C)^2$.

The induction coefficient $\mu = 6{\cdot}26$. Log $\pi^2 K$ at $O^\circ C = 3{\cdot}54275$.

The observed times of vibration are entered in the table without correction.

The time of one vibration has been obtained in each case from the mean of twenty determinations of the time of 100 vibrations.

The angles of deflection are each the mean of two sets of readings.

In deducing from these observations the ratio and product of the magnetic moment m of the magnet and the earth's horizontal magnetic force H, the induction and temperature corrections and change of force from that of 180 of Bifilar scale have always been applied, and the observed time of vibration has been corrected for rate of chronometer, arc of vibration and torsion of suspending thread. The value of the horizontal magnetic intensity is then determined by reducing to the Bifilar scale reading at time of observation. The average deflection caused by twist of the torsion circle through 90° has been, from January to July inclusive, about $5'{\cdot}8$ of arc. A new suspension thread was inserted in August of two strands of silk, and the average deflection from August to December inclusive was about $3'{\cdot}2$ of arc.

The mean value of P, the distribution coefficient for the year, was 4·7690.

All computations are in the C.G.S. system of units.

Absolute measures of declination have been made about once a month for the determination of the base line of the differential declination. Two magnets, one with large directive force and one with small directive force, have been used for these measurements, and each result was the mean of seven settings of the telescope on the magnet alternately with magnet scale erect and with magnet scale inverted.

The small directive force magnet has been used for correcting residual torsion. The observations show very little drifting of the base line.

Absolute measures of inclination have been made on the average of once a week with the Dover dip circle No. 13C from January to June, and with Dover No. 8 June and July, and with Dover 200 from August to December, needles 1 and 2 being used alternately.

The differential photographic recording magnetometer and declinometer are of the Kew pattern, but each instrument records on its own drum, both of which are driven by the same clock. The time scale is provided by electric cut-offs controlled by the master clock, whose error is obtained every week from Toronto.

The scale value of declinometer ordinate is $1'{\cdot}2806$ arc per millimeter.

The scale of Bifilar ordinate is 0·000045 C.G.S. units from January to October 5th, and 0·000050 from October 5th to December.

ABSTRACT OF OBSERVATIONS for the absolute determination of horizontal force with magnetometer 98 at Agincourt.

75th Meridian. Civil Time, 1908.	Distances of Centres of Magnets.	Temp. C.	Bifilar Scale Reading.	Observed Deflections.	Mean of Times of Vibration of Deflecting Magnet.	Number of Vibrations.	Temp. C.	Bifilar Scale Reading.	Observer.
h.	c.m.s.			° ′ ″					
January 28.. 13	30	— 0·03	124·18	23 04 48·51	4·9697	100	— 5·42	122·59	W. M.
	40	+ 0·40	122 56	9 30 14·58	4·9734	100	— 4·10	120·85	
February 24.. 14	30	8·18	124 69	22 57 32·83	4·9776	100	1·58	124·85	W. M.
	40	8·10	123·46	9 27 29·50	4·9768	100	2 88	124·32	
March 28..... 13	30	8 95	121·97	22 56 19·59	4·9876	100	3·96	117·70	W. M.
	40	9 57	120·60	9 26 43·75	4·9891	100	4·08	115·80	
April 28.. 13	30	11·14	124 50	22 50 26·50	5 0042	100	11·61	114·78	W. M.
	40	11·41	124 88	9 23 47·50	5·0040	100	11·73	114·39	
May 30..... 12	30	19 70	119·32	22 43 24·84	5·0149	100	19·45	114·44	W. M.
	40	20·33	122 84	9 20 54 92	5·0164	100	19·70	111·29	
June 29..... 13	30	28 06	122·72	22 32 24·09	5·0264	100	24·08	114·60	W. M.
	40	28 04	123·58	9 17 06 08	5 0277	100	24·50	114·60	
July 27 13	30	28 38	118·38	22 24 27·67	5 0453	100	25·90	114 80	W. M.
	40	28 98	120·82	9 13 23·34	5·0458	100	26·90	115·61	
August 27.. 13	30	23·82	122 33	22 16 40·00	5·0541	100	19·85	109·90	W. M.
	40	23·97	120·63	9 11 18·34	5 0547	100	20·75	110·79	
October 3.... 13	30	17·43	107·43	22 20 49·25	5·0637	100	12·40	101 98	W. M.
	40	18·36	109·14	9 12 8·84	5·0633	100	13·39	103·48	
„ 7.... 12	30	19·58	177 35	22 18 38·67	5·0616	100	13·03	174·66	W. M.
	40	20·29	178·08	9 11 19·41	5·0622	100	13·36	174·19	
22..... 13	30	16·04	180·28	22 18 08·34	5·0653	100	13·32	177·02	W. M.
	40	16·72	181 77	9 11 11·92	5 0676	100	13 65	177·00	
November 28..... 13	30	8·08	176·70	22 23 06·58	5·0632	100	7 10	175·92	W. M.
	40	8·48	178·65	9 13 10·33	5 0636	100	7·55	175·99	
December 28.. 12	30	4·77	180·44	22 19 31·00	5·0625	100	1·45	175·18	W. M.
	40	5·29	181 73	9 12 6·00	5·0620	100	1·76	175·06	

The deflections given in the table are the mean of six deflections observed for each distance.

The initials are those of Mr. Menzies.

In subsequent calculations every observation is reduced to temperature 0° centigrade.

COMPUTATION OF THE VALUES of horizontal force in C.G.S. measure from vibrations with magnetometer 98 at Agincourt.

75th Meridian. Civil Time, 1908.		Apparent Value A_1.	Apparent Value A_2.	Value P.	Mean P.	Log $\frac{m}{H}$ at 180 of Bifilar.	Corrected Time of Vibrations to 180 of Bifilar.	Log $\frac{m}{H}$ at 180 of Bifilar.	Value of m.	Value of H at 180 of Bifilar.	True Value of H.
	h.										
January 28	13	5211 66	5200 70	4 3138		3 71466	4·9413	2·15501	860 67	0·16603	0·16364
February 24	14	5205 77	5192 50	5·2267		3 71407	4 9429	2·15480	859 88	0·16610	0·16360
March 28	13	5195 11	5184 53	4 1785		3 71329	4 9473	2·15406	858 37	0 16610	0·16336
April 28	13	5183 40	5167 77	6 1791		3 71210	4 9547	2·15284	855 99	0·16610	0·16338
May 30	12	5169 28	5157·85	4·5358		3 71109	4 9575	2·15243	854 59	0 16622	0·16338
June 29	13	5153 38	5141·60	4 6886		3 70973	4 9656	2·15106	851 92	0·16621	0 16346
July 27	13	5119 33	5105·95	5 3586	4·769	3 70678	4 9823	2·14816	846 20	0·16622	0 16340
August 27	13	5086 34	5075·23	4 4583		3 70407	4 9934	2·14617	841 63	0·16636	0·16348
October 3	13	5066·63	5054·72	4 8211		3 70235	5 0036	2·14433	838 18	0 16634	0·16299
" 7	12	5160 92	5147·38	5 3762		3 71030	5 0507	2·13618	837 99	0·16328	0·16308
" 22	13	5155 99	5144·30	4 6505		3 70996	5·0569	2·13513	836 65	0 16315	0·16310
November 28	13	5151 78	5140·30	4 5710		3 70961	5 0582	2·13485	836 04	0 16316	0·16300
December 28	12	5137 98	5128·87	3 6392		3 70854	5 0612	2·13426	834 46	0·16325	0·16316

The Bifilar was adjusted on October 5, and the value of 1 division of bifilar changed from 0·000045 C.G.S. to 0·000050 C.G.S.

TABLE I.—Mean Magnetic Declination West for each Civil Day (each result is the mean of 24 hourly ordinates from the Photographic Register.)

1908. Day of the Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′	° ′
1	5 52·3	5 53·1	5 53·1	5 53·6	5 52·2	5 52·5	5 52·9	5 55·1	5 54·6	5 56·7	5 56·5	5 56·3
2	5 52·5	5 52·9	5 53·3	5 53·4	5 52·7	5 53·1	5 53·6	5 54·0	5 54·9	5 55·6	5 56·6	5 55·8
3	5 53·2	5 53·9	5 51·1	5 53·4	5 53·0	5 52·7	5 53·5	5 55·1	5 55·1	5 55·3	5 55·8	5 55·9
4	5 52·9	5 53·3	5 52·6	5 53·4	5 52·3	5 51·8	5 52·9	5 54·2	5 52·6	5 54·5	5 56·1	5 55·2
5	5 52·7	5 54·0	5 52·9	5 53·1	5 53·2	5 52·8	5 52·2	5 55·6	5 57·1	5 55·6	5 55·7	5 58·2
6	5 52·5	5 52·5	5 53·5	5 53·7	5 53·2	5 52·3	5 52·6	5 54·1	5 53·9	5 55·5	5 55·9	5 58·0
7	5 53·7	5 53·1	5 52·4	5 53·7	5 52·8	5 52·7	5 52·3	5 53·5	5 56·5	5 55·8	5 56·2	5 56·7
8	5 52·2	5 53·0	5 52·4	5 52·6	5 53·4	5 53·6	5 52·3	5 52·3	5 56·1	5 55·5	5 58·6	5 57·1
9	5 52·1	5 53·2	5 52·3	5 53·5	5 54·0	5 52·8	5 52·6	5 55·8	5 56·0	5 56·0	5 56·7	5 56·6
10	5 52·9	5 52·5	5 52·7	5 53·1	5 52·6	5 52·9	5 52·3	5 54·8	5 55·6	5 55·9	5 58·2	5 56·6
11	5 52·8	5 53·3	5 52·3	5 53·5	5 53·0	5 50·8	5 52·8	5 55·4	5 62·9	5 56·8	5 56·8	5 56·5
12	5 52·8	5 53·0	5 52·6	5 53·5	5 52·6	5 52·0	5 51·7	5 55·8	5 56·2	5 54·6	5 56·5	5 56·3
13	5 52·4	5 52·8	5 52·5	5 52·9	5 52·9	5 50·6	5 52·3	5 55·0		5 56·2	5 56·3	5 57·1
14	5 52·2	5 52·5	5 52·1	5 53·1	5 53·5	5 52·0	5 52·1	5 54·2		5 58·5	5 58·2	5 56·6
15	5 52·5	5 52·5	5 52·0	5 53·1	5 53·2	5 50·7	5 53·0	5 54·6	5 55·7	5 56·2	5 55·9	5 56·6
16	5 52·7	5 52·5	5 51·8	5 53·8	5 52·8	5 51·7	5 49·6	5 54·8	5 55·0	5 55·7	5 56·1	5 56·5
17	5 52·3	5 52·9	5 52·2	5 53·8	5 53·0	5 52·9	5 53·1	5 54·6	5 56·6	5 54·7	5 57·1	5 56·5
18	5 51·6	5 52·4	5 52·2	5 54·5	5 52·7	5 52·8	5 53·2	5 51·9	5 55·9	5 56·3	5 56·0	5 55·9
19	5 52·3	5 53·3	5 52·1	5 53·2	5 51·7	5 52·7	5 52·6	5 56·2	5 55·7	5 55·5	5 56·7	5 56·7
20	5 52·0	5 53·1	5 52·0	5 53·2	5 53·2	5 52·9	5 52·3	5 53·8	5 56·0	5 55·8	5 56·1	5 56·2
21	5 51·9	5 52·9	5 52·2	5 53·8	5 53·1	5 52·8	5 53·4	5 54·6	5 55·4	5 55·8	5 56·1	5 56·3
22	5 51·9	5 53·7	5 52·3	5 53·7	5 50·6	5 53·2	5 52·3	5 55·5	5 54·6	5 55·7	5 56·3	5 56·5
23	5 51·2	5 52·9	5 52·8	5 53·8	5 51·9	5 53·5	5 53·2	5 54·9	5 56·1	5 55·5	5 56·1	5 56·4
24	5 52·0	5 52·1	5 52·4	5 52·2	5 52·4	5 53·1	5 51·5	5 54·2	5 57·0	5 55·5	5 56·1	5 56·5
25	5 51·6	5 52·1	5 52·9	5 52·9	5 50·2	5 51·2	5 53·6	5 55·8	5 55·7	5 56·0	5 56·9	5 56·0
26	5 52·5	5 52·5	5 52·9	5 53·7	5 53·8	5 52·2	5 53·2	5 55·2	5 55·6	5 55·6	5 56·1	5 56·7
27	5 52·2	5 52·3	5 51·5	5 54·7	5 53·1	5 52·5	5 52·6	5 55·2	5 55·4	5 55·6	5 55·4	5 56·2
28	5 50·9	5 52·3	5 53·2	5 53·0	5 52·1	5 53·7	5 53·1	5 54·3	5 55·9	5 55·5	5 55·9	5 56·8
29	5 50·3	5 52·8	5 53·8	5 53·1	5 53·2	5 53·6	5 52·4	5 54·0	5 59·1	5 56·0	5 55·9	5 56·5
30	5 52·7		5 53·6	5 53·0	5 53·2	5 53·3	5 52·4	5 54·6	5 60·2	5 55·1	5 55·9	5 57·0
31	5 52·7		5 54·1		5 52·5		5 52·5	5 54·5		5 57·7		5 56·8
Mean	5 52·3	5 52·9	5 52·6	5 53·4	5 52·7	5 52·5	5 52·6	5 54·6	5 56·1	5 55·8	5 56·5	5 56·6

MONTHLY Mean Diurnal Inequality of Magnetic Declination West. (The results in each month are diminished by the smallest hourly value.)

1908. 75th Meridian, Civil Time.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	′	′	′	′	′	′	° ′		° ′	° ′	′	′
Values of zero.. ..	5 49·6	5 49·6	5 48·8	5 49·2	5 47·4	5 47·8	5 46·5	5 47·5	5 50·6	5 51·8	5 53·7	5 53·7
	′	′	′	′	′	′	′	′	′	′	′	′
1	2·1	2·4	4·0	3·1	4·9	4·5	4·8	7·0	4·3	3·2	2·8	3·0
2	2·1	3·4	2·9	3·7	5·5	4·9	6·3	8·5	4·5	3·4	4·2	2·7
3	2·2	2·9	4·5	3·8	6·1	4·6	5·5	6·9	4·2	3·9	3·6	3·3
4	2·0	3·3	3·7	2·7	5·0	4·8	6·0	7·1	2·9	3·6	2·6	2·6
5	2·6	2·3	2·6	2·5	3·5	3·5	4·1	5·8	5·4	3·4	1·7	2·6
6	2·0	2·9	2·6	1·9	1·3	1·3	2·3	3·2	2·3	3·2	1·1	2·0
7	2·2	2·3	1·2	1·2	0·6	0·2	0·3	0·9	0·2	2·0	1·7	1·8
8	0·8	0·7	0·0	0·4	0·0	0·0	0·0	0·0	0·0	0·6	0·0	1·3
9	0·0	0·0	0·2	0·0	1·0	0·6	0·9	1·1	0·9	0·0	0·3	0·4
10	0·2	0·0	2·0	1·5	3·3	2·2	3·6	5·0	4·6	0·9	1·6	1·7
11	2·2	2·2	4·4	4·0	7·0	5·0	7·1	9·5	9·1	4·3	3·9	4·1
Noon	4·2	4·4	7·4	7·3	10·0	8·4	10·9	12·9	12·7	7·5	5·5	6·0
13	5·3	6·3	8·7	9·6	11·6	9·1	11·9	14·3	11·6	8·9	6·6	6·6
14	5·7	7·6	8·9	10·1	11·4	8·9	12·5	15·0	11·2	9·2	6·2	6·2
15	5·6	7·4	8·1	9·5	10·2	8·7	11·5	12·8	9·3	8·2	5·5	4·8
16	5·3	6·8	6·8	8·1	8·2	7·8	10·2	10·7	6·6	6·9	4·3	3·8
17	4·0	5·6	4·5	6·4	6·7	6·3	8·4	8·9	5·1	5·9	3·3	2·8
18	3·5	4·1	4·4	5·3	4·9	5·4	6·5	7·4	3·9	4·7	3·0	2·3
19	3·0	3·7	3·6	4·3	4·8	4·8	5·8	6·9	4·4	4·0	1·8	1·9
20	2·3	2·6	3·1	3·4	3·7	4·7	6·1	5·5	7·7	2·9	1·3	1·7
21	1·8	2·0	2·0	3·0	3·9	4·1	5·7	4·6	3·2	1·8	1·2	0·0
22	1·7	1·7	0·9	2·8	5·2	4·0	5·9	4·2	5·6	2·3	0·5	1·9
23	1·2	1·8	2·7	3·5	3·5	4·3	5·4	5·6	6·1	2·7	1·9	2·3
Midnight	1·7	2·5	2·5	3·8	4·5	4·4	5·3	6·0	5·8	2·8	2·2	2·7
Mean.	2·7	3·3	3·8	4·2	5·3	4·7	6·1	7·1	5·5	4·0	2·8	2·9

ABSOLUTE Horizontal Force for each Civil Day (each result, expressed in millionths of a dyne, is the mean of the 24 hour ordinates obtained from the Photographic Register).

1908. Day of the Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000	1·63000
						+	+	+	+	+		+
1	723	586	431	184	574	463	532	706	433	6	142	225
2	708	699	361	529	522	564	588	666	458	62	159	226
3	658	698	482	584	558	646	592	660	518	45	214	247
4	678	548	448	577	529	532	612	625	420	41	239	110
5	630	505	541	584	544	519	585	634	9	51	235	0
6	641	470	537	598	554	577	521	658	241	60	263	99
7	566	510	596	488	610	541	502	600	347	140	206	146
8	479	554	592	529	563	520	559	540	441	165	217	152
9	468	577	495	615	604	539	565	354	319	240	+ 5	177
10	562	620	660	612	555	493	585	442	187	281	45	179
11	628	541	595	645	413	621	603	495		296	69	166
12	624	547	614	686	491	663	612	355		117	117	231
13	651	576	629	671	501	583	557	348		43	147	157
14	693	593	595	698	439	493	617	398		171	135	190
15	700	622	610	510	490	461	610	424	207	225	161	191
16	699	595	547	498	560	521	417	465	68	220	222	180
17	682	596	518	515	539	598	502	475	125	240	43	206
18	684	602	532	608	551	489	563	405	215	242	25	205
19	686	625	539	578	536	499	529	30	257	245	71	200
20	733	606	490	631	577	506	544	366	261	277	173	252
21	668	644	508	540	581	500	592	357	308	274	188	250
22	681	604	577	670	454	520	616	344	327	252	236	256
23	715	663	594	562	371	531	595	419	316	311	238	235
24	677	621	599	568	389	621	589	432	345	272	167	235
25	630	668	630	634	201	663	491	423	325	261	168	280
26	665	559		547	11	456	571	446	321	255	197	202
27	664	600		499	+ 487	533	551	469	356	230	195	170
28	631	597	226	560	481	454	549	480		242	155	186
29	609	557	546	563	396	450	555	491		256	184	175
30	587		446	508	473	549	575	511		271	226	175
31	638		446		490		610	476		49		189
Mean	647	581	507	583	493	528	564	465	270	185	147	190

MONTHLY Mean Diurnal Inequality of Horizontal Force. The results are expressed in millionths of a dyne.

1908.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Values of zero	163461	163455	163274	163322	163233	163338	163343	163190	162994	162988	162985	163053
1	192	256	255	276	234	198	235	310	344	235	165	145
2	179	265	273	300	211	218	217	242	373	209	113	142
3	184	277	281	301	181	208	206	301	337	173	161	136
4	207	283	265	306	242	191	213	270	310	235	151	166
5	232	299	274	288	256	204	223	299	274	260	204	163
6	261	309	246	297	292	230	269	304	350	283	230	184
7	273	316	273	266	278	196	260	248	323	264	213	194
8	239	317	246	227	218	144	188	189	199	192	179	163
9	206	243	135	154	110	72	106	87	61	120	93	109
10	149	162	35	58	0	23	28	23	0	47	32	43
11	36	71	0	0	13	0	0	0	4	0	0	0
Noon	0	0	60	27	80	70	70	123	83	15	42	13
13	17	36	130	119	186	170	184	273	240	80	90	51
14	105	103	229	248	289	270	280	344	346	152	141	114
15	170	194	293	367	407	327	317	461	429	223	193	170
16	207	214	347	426	473	352	330	478	463	256	207	192
17	241	280	376	408	457	323	317	463	456	264	214	197
18	231	276	346	378	447	293	316	389	426	279	224	185
19	223	262	295	337	355	274	294	353	413	265	227	190
20	217	273	311	317	319	241	271	333	411	265	216	171
21	184	250	306	289	256	220	254	301	383	256	210	141
22	183	247	292	304	235	220	250	286	353	256	185	138
23	181	236	290	287	211	191	233	286	312	241	188	145
Midnight	202	259	291	283	220	205	216	320	345	237	180	133
Mean	180	226	244	261	250	202	221	278	301	200	161	137

Results of Magnetic Dip Observations Made at Agincourt, 1908.

Date.	Hour—75th Meridian Time.	No. of Instrument.	No. of Needle.	Observed Dip.	Observer.	Remarks.
January 8	14	130	1	74 38·4	M.	
14	14	130	2	74 36·1	M.	
20	15	130	1	74 36·2	M.	
27	14	130	2	74 35·7	M.	
February 7	14	130	1	74 39·2	M.	
14	15	130	2	74 36·5	M.	
20	15	130	1	74 37·8	M.	
27	14	130	2	74 35·9	M.	
March 3	14	130	1	74 40·2	M.	
11	14	130	2	74 35·8	M.	
21	14	130	1	74 38·1	M.	
27	15	130	2	74 35·7	M.	Disturbed.
April 9	14	130	1	74 36·5	M.	
15	14	130	2	74 36·0	M.	
20	14	130	1	74 37·5	M.	
27	15	130	2	74 36·8	M.	
May 9	14	130	1	74 37·2	M.	
16	15	130	2	74 36·0	M.	
23	15	8	1	74 35·3	M.	
26	10	8	2	74 38·4	M.	
27	11	130	1	74 38·6	J.	
27	13	130	2	74 35·8	M.	
June 6	15	130	1	74 36·2	M.	
17	14	8	1	74 23·8	M.	
28	15	8	2	74 38·0	M.	
July 6	14	8	2	74 38·7	M.	
21	15	8	2	74 39·7	M.	
29	14	8	2	74 39·9	M.	
August 1	14	200	1	74 33·9	M.	New Circle.
4	14	200	2	74 35·0	M.	
14	14	200	1	74 36·6	M.	
21	14	200	2	74 37·3	M.	
26	15	200	1	74 36·6	M.	
September 2	15	200	2	74 36·8	M.	
11	14	200	1	74 35·9	M.	
19	14	200	2	74 37·9	M.	
29	14	200	1	74 35·3	M.	
October 6	11	200	2	74 40·1	B.	
13	15	200	1	74 37·9	M.	
19	14	200	2	74 37·3	M.	
29	14	200	1	74 36·8	M.	
29	15	200	2	74 36·8	M.	

Results of Magnetic Dip Observations made at Agincourt, 1908—*Concluded.*

Date.	Hour—75th Meridian Time.	No. of Instruments.	No. of Needle.	Observed Dips.	Observer.	Remarks.
				° ′		
November 3	14	200	1	74 37·4	M.	
3	15	200	2	74 37·0	M.	
11	14	200	1	74 38·4	M.	
11	15	200	2	74 38·0	M.	
21	15	200	1	74 36·8	M.	
26	15	200	1	74 36·7	M.	
26	15	200	2	74 36·7	M.	
December 5	13	200	1	74 38·5	M.	
5	14	200	2	74 38·8	M.	
11	13	200	1	74 37·3	M.	
11	14	200	2	74 37·5	M.	
19	14	200	1	74 37·0	M.	
19	15	200	2	74 36·6	M.	
27	14	200	1	74 36·4	M.	
27	15	200	2	74 36·3	M.	

Observer: M., Wm. Menzies, Agincourt; J., W. E. W. Jackson, Toronto; B., F. L. Blake, Toronto.

Magnetic character of the day at Agincourt for the Year 1908, Grenwich Civil Time.

Day of Month.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
1.	1	0	2	1	1	1	1	1	0	2	1	0	
2.	1	0	2	1	2	0	0	1	0	1	1	0	
3.	1	1	1	1	1	1	0	1	1	1	0	0	
4.	0	1	1	1	1	1	0	1	1	1	0	2	
5.	0	1	1	1	1	0	1	0	2	2	0	2	
6.	1	2	0	2	0	1	1	0	2	1	0	1	
7.	1	1	0	2	0	0	1	1	1	1	1	1	
8.	1	0	1	1	1	0	0	1	1	0	2	0	
9.	2	0	2	0	0	0	0	2	1	0	2	0	
10.	1	1	1	0	0	0	0	1	2	0	2	0	
11	1	1	1	0	2	1	0	1	2	0	1	0	
12.	1	2	0	0	1	0	1	2	2	1	1	0	
13.	0	1	0	0	1	0	1	1	0	2	1	1	
14.	0	0	0	0	1	1	0	1	0	2	1	0	
15.	0	0	0	2	0	1	1	1	0	0	0	0	
16.	0	1	2	1	0	1	2	0	2	0	2	1	
17.	0	0	1	1	1	1	2	0	2	0	1	0	
18.	1	0	0	1	0	1	1	1	1	1	1	0	
19.	0	0	1	0	0	1	0	2	1	0	0	1	
20.	0	0	1	0	1	1	0	1	1	0	0	0	
21.	1	0	1	0	0	1	0	2	0	0	0	0	
22	0	1	0	1	0	1	0	2	1	0	0	0	
23.	0	1	0	1	1	1	0	0	1	0	0	0	
24.	1	1	0	1	2	1	1	0	1	0	1	0	
25.	1	0	1	1	1	1	2	1	0	0	0	1	
26.	1	1	2	1	2	1	1	1	0	0	1	1	
27.	1	1	2	1	1	1	0	0	0	0	0	1	
28	0	1	2	1	1	1	0	0	2	0	1	0	
29.	2	1	1	1	1	1	0	1	2	0	1	0	
30.	1		1	0	1	0	1	1	2	1	0	0	
31	0		1		1		0	1		2		0	
Number of days attributed to each character	0	13	12	10	10	10	9	17	8	9	18	13	21	150
	1	16	15	11	17	17	21	11	18	11	8	13	8	169
	2	2	2	7	3	4	0	3	5	10	5	4	2	47

APPENDIX A.

MAGNETIC FIELD WORK IN WESTERN CANADA.

SUMMARY of Magnetic Observations made in Canada during June and July, 1907, by authority of the Department of Marine and Fisheries.

Station.	Lat. N.	Long. W.	Date, 1907.	Declination.		Inclination.		Horizontal Force.		Remarks.
				L. M. T.		L. M. T.		L. M. T.	C.G.S. Units.	
				h. m.	′	h. m.	°	h. m.		
Edmonton, Alta.	53 32·5	113 27·5	June 4..	10 21	+27 9·8			14 50	·13656	Instruments: Elliott magnetometer, No. 18; Dover dip circle, No. 8; chronometer, 3332. Results corrected to Toronto (Agincourt) standard.
			" 5..	14 53	27 0·0			14 12	13668	
			" 6	..		11 11	+77 20·9			
			" 6..	.		14 58	77 20·5			
Calgary, Alta.	51 2·8	114 2·8	" 10	. .	. .	15 4	75 16·8		. .	Observer, W. E. W. Jackson.
			" 11	.		.	.	10 50	·15675	
			" 11		.	...	.	16 14	15710	
			" 12..	14 51	+24 53·4	11 9	+75 19·1	.		
			" 12..	15 26	+24 52·1					
Medicine Hat, Alta.	50 2·9	110 40·6	" 15..	8 40	+22 0·0	15 58	+75 30·7	9 40	15638	
			" 15..	15 00	21 52·3	16 50	+75 30·5	14 23	15662	
Swift Current, Sask....	50 16·4	107 48·0	" 18			15 29	76 16·2			
			" 19..	9 4	21 8·3	16 4	76 11·7	10 43	14844	
			" 19	14 51	20 51·7			14 29	14913	
Prince Albert, Sask.	53 10·7	105 42·3	" 22					10 46	·11932	
			" 24..	9 15	22 16·6	13 10	+79 1·0	10 4	11827	
			" 24	13 52	+22 30·2	14 42	+79 1·8			
Battleford, Sask..	52 4·0	108 17·0	" 29			11 52	+77 15·6	15 49	13414	
			" 30	10 50	23 27·7	.				
			July 1..	10 20	+24 2·3	11 15	+77 41·2	8 50	13743	
Regina, Sask.	50 26·4	104 36·5	" 2	12 0	19 12·8	17 55	+76 6·1	13 2	14279	
			" 6..	13 4	+19 11·2			15 38	14271	
			" 8			10 2	+76 58·1			
Brandon, Man.	49 50·6	99 59·1	" 12..	11 42	14 0·8	15 22	+77 27·1	12 38	·13802	
			" 13..	9 22	+15 9·6	14 4	77 21·5	10 5	13775	
Fort William, Ont.	48 23·7	89 15·1	" 19					15 42	·13342	
			" 20	11 8	3 15·5	13 58	+77 12·6	10 55	·13312	
			" 20..	14 0	4 14·4	14 14	77 41·1			

APPENDIX B.

REPORT ON THE WEATHER AT MELVILLE ISLAND IN THE ARCTIC REGIONS.

MELVILLE ISLAND WEATHER during the sojourn of C.G.S. "Arctic" in Winter Harbour, Lat. 74° 47′ N. Long 110° 48′ W.

The temperature fell below the freezing point shortly before the vessel put into winter quarters in Winter Harbour, on the 28th of August, 1908, and continued to fall with only small fluctuations until the minimum of the winter, 56 degrees below zero, was reached during the last week of December. A remarkably mild period was centred about the 9th of January, 1909, with temperature 4 degrees above zero. The cold again became very intense and continued to the end of February with only small variations. In March the weather conditions were more unsettled and large changes of temperature occurred, the daily range increasing from less than 13 degrees for February to over 16 degrees. During the day the temperature frequently rose above zero. April was colder than March and not until the last day did the temperature, even in the daytime, rise above zero. From the beginning of May the temperature rose steadily, reaching its maximum of 60° on the 12th of July.

The amount of cloud appears to depend to a great extent on the amount of open water. During the summer and fall months the sky was seldom clear, the amount of cloud recorded in October being 75 p.c. of the possible, whilst in December it was only 16 p.c. Fog was uncommon; even in June and July there were only 6 days on which it was noted.

Gales were numerous at all times of the year, but of much greater force during the winter months. On the 8th of February, 1909, with the barometer recording 29·90 inches, the anemograph registered 86 miles in one hour, and for a twenty minute period at the rate of over 100 miles per hour. The average velocity for a 24 hour period during this gale was over 60 miles per hour.

During the clear winter nights auroræ were of frequent occurrence but generally of the 3rd class. At other times of the year, owing to a greater amount of daylight and cloudiness, auroræ were seldom or never seen.

METEOROLOGICAL ABSTRACT for Winter Harbour, Melville Island, from September, 1908, to July, 1909, inclusive

1	Mean of the Tri-daily Readings of the Aneroid	Mean Tri-daily Temperature (Fahrenheit)	Mean Max. Temp.	Mean Daily Range of Temperature	Absolute Max.	Absolute Min.	Percentage of Cloud.	Precipitation, Snow (melted).	No. of Days on which Snow fell.	No. of Days on which Rain fell.	No. of Days on which occurred Aurorae.	No. of Days on which occurred Fog.	Wind. Mean Velocity.	Wind. Resultant Direction.	Thickness of Ice at End of each Month.
1908															
September	29·922	16·45	15·78	9·96	31·0	7·2	72·0	0·94	17			3	1	21·5 N. 21·49 W.	12
October	30·126	4·11	2·70	13·20	21·0	23·4	75·1	0·38	24			3	1	12·9 N. 58·23 W.	22
November	30·179	17·01	17·08	19·37	39·8	35·9	31·6	0·39	6			1	4	20·8 N. 23·39 W.	33
December	30·009	36·05	36·85	9·61	4·2	56·0	16·0	0·14	1			0	16	14·4 N. 39·9 W.	54
1909															
January	30·046	30·42	30·85	13·40	4·0	52·5	57·0	0·89	14			0	15	17·4 N. 29·41 W.	69
February	30·057	29·31	29·53	12·82	8·7	47·8	35·0	0·79	8			0	3	22·1 N. 33·8 W.	79
March	30·311	12·19	13·14	16·09	17·2	39·0	59·0	0·93	19			3	3	16·4 N. 25·5 W.	83
April	30·165	14·91	15·40	15·09	6·3	35·1	26·9	0·43	9			0	0	21·1 N. 28·55 W.	86
May	30·217	17·39	16·94	14·05	5·1	41·0	70·0	1·08	19			4	0	15·5 N. 21·12 E.	96
June	30·105	30·69	30·53	13·75	53·2	9·7	43·8	0·04	7	2		6	0	16·1 N. 32·12 W.	66
July	29·956	40·75	41·13	14·38	60·0	30·0	52·6			6	4	6	1	12·8 N. 34·18 W.	39


DECLINATION MARCH 26TH 1908
HORIZONTAL FORCE MARCH 26TH 1908
AGINCOURT (Toronto)
LAT. 43° 47' N
LONG. 79 16 W
Time 5 hours of GREENWICH
DECLINATION MARCH 27TH 1908
HORIZONTAL FORCE MARCH 27TH 1908
DEC' SCALE
H F SCALE
DEC WEST
H F INCREASE
NOON
MID


DECLINATION SEPT 11TH 1908
0' 10' 20' 30' 45' 50' 60'
DEC.L SCALE
0 V 50 V 100 V 150 V 200 V 250 V 300 V
H. F SCALE
12TH
NOON 13 14 15 16 17 18 19 20 21 22 23 MID 1 2 3 4 5 6 7 8 9 10 11
DECLINATION SEPT 12TH 1908
13TH
NOON MID 11
HORIZONTAL FORCE SEPT 11TH 1908
DEC. WEST
47' INCREASE
AGINCOURT (Toronto)
LAT. 43° 47' N.
LONG. 79 16 W
Time 5 hours Slow of GREENWICH
NOON 13 14 15 16 17 18 19 20 21 22 23 MID 1 2 3 4 5 6 7 8 9 10 11 12TH
HORIZONTAL FORCE SEPT 12TH 1908
MID 11 13TH


D. VARIATION SEPT 26 1908
HORIZONTAL FORCE SEPT 26 1908
AGINCOURT (Toronto)
LAT. 43° 47' N
LONG. 79 16 W
TIME 5 HOURS WEST OF GREENWICH
DEC WEST
H.F. INCREASE
MID
D. VARIATION SEPT 27 1908
HORIZONTAL FORCE SEPT 27 1908
MID


AGINCOURT (Toronto)
LAT: 43° 47' N.
LONG 79 16 W.
Time 5 hours Slow of GREENWICH
DECLINATION SEPT 28. 1908
29TH
NOON 13 14 15 16 17 18 19 20 21 22 23 MID 1 2 3 4 5 6 7 8 9 10 11
HORIZONTAL FORCE SEPT 28. 1908
29TH
NOON MID 11
DECLINATION OCT 12TH 1908
13TH
DEC WEST
H.F INCREASE
HORIZONTAL FORCE OCT 12TH 1908
13TH
MID
DEC. SCALE




DECLINATION SEPT 29 1908
DEC WEST
H.F INCREASE
NOON 13 14 15 16 17 18 19 20 21 22 23 MID 1 2 3 4 5 6 7 8 9
HORIZONTAL FORCE
SEPT 29 1908
AGINCOURT (Toronto)
LATITUDE 43° 47' N
LONGITUDE 79 16 W
Time 5 hours slow of GREENWICH
MID 9
DECLINATION NOV 6.7 1908
HORIZONTAL FORCE NOV 6.7 1908
DEC.ᵀ SCALE
H F SCALE
MID

Copy

126904
P
Astron.
C
Author Canada. Meteorological Service.
Title Report. 1908.
DATE.
University of Toronto
Library
DO NOT
REMOVE
THE
CARD
FROM
THIS
POCKET
STORAGE
Acme Library Card Pocket
LOWE-MARTIN CO. LIMITED